



Cleaning Instructions

CompuTuft® & CompuTuft® Hi-Res

Commercial Washing Instructions (when backed with nitrile rubber)

These solution dyed mats offer superior colorfastness for mats that are used in direct sunlight or laundered under high pH washing conditions.

- All solution dyed mats can be washed together.
- For best results, solution dyed mats should not be washed with space dyed nylon mats.
- For heavily soiled mats, break temperatures can be raised to 160°F (71°C).

Process	Comments	Time	Water Level	Temperature
Flush		2-3 Min.	Medium	120° F (49°C)
Flush	Optional	2-3 Min.	Medium	120° F (49°C)
Break		2-3 Min.	High	120° F (49°C)
Rinse		2 Min.	High	Cold
Rinse		2 Min.	High	Cold
Extract	Low Speed	1-2 Min.		
Shake Out	Rotate wheel at wash speed with drain open	1 Min.		
Extract	Low Speed	3-5 Min.		
Dry	Recommended	5-10 Min		180° F (82°C) (Basket Temp)
Cool Down		5 Min.		

- When drying mats made with solution dyed nylon yarn, it is possible to melt the carpet surface. Be sure dryer basket temperatures do not exceed 180°F (82°C).
- Lay mats flat following removal from washer or dryer. Allow mats to cool before rolling. Roll mats nap out for delivery.

*Standard Washing Instructions (when backed with SBR rubber)

*On Page 2



Cleaning Instructions

CompuTuft® & CompuTuft® Hi-Res

Standard Washing Instructions (when backed with SBR rubber)

These solution dyed mats offer superior colorfastness for mats that are used in direct sunlight.

- Vacuum regularly. Daily in high traffic applications. Weekly in lower traffic applications.
- Extract clean or hose off as needed to remove heavy soil.
- Hang mats to dry.
- Mats should be dry before placing back in service.