

North American Gauges										European Gauges					
Ferrous Metals, Such as Galvanized Steel, Tin Plate				Galvanized Steel, Tin Plate, Copper, Strip Steel and Steel, Copper, and Aluminum Tubes				Nonferrous Metals, Such as Copper, Brass, Aluminum				Nonferrous		Electrical Steel	
U.S. Standard (USS)		U.S. Standard (Revised)		Birmingham (BWG)		New Birmingham (BG)		Brownie And Sharpe (B & S)		Imperial Standard (SWG)					
Gauge	In.	Gauge	In.	Gauge	In.	Gauge	In.	Gauge	In.	Gauge	In.	Gauge	In.	Gauge	In.
23	.028	23	.027	23	.025	23	.028	23	.023	23	.024	23	.024	23	.028
24	.025	24	.024	24	.022	24	.025	24	.020	24	.022	24	.022	24	.025
25	.022	25	.021	25	.020	25	.022	25	.018	25	.020	25	.020	25	.022
26	.019	26	.018	26	.018	26	.020	26	.016	26	.018	26	.018	26	.019
27	.017	27	.016	27	.016	27	.017	27	.014	27	.016	27	.016	27	.017
28	.016	28	.015	28	.014	28	.016	28	.013	28	.015	28	.015	28	.016
29	.014	29	.014	29	.013	29	.014	29	.011	29	.014	29	.014	29	.014
30	.012	30	.012	30	.012	30	.012	30	.010	30	.012	30	.012	30	.013
31	.011	31	.011	31	.010	31	.011	31	.009	31	.011	31	.011	31	
32	.010	32	.010	32	.009	32	.009	32	.008	32	.010	32	.010	32	.010
33	.009	33	.009	33	.008	33	.008	33	.007	33	.010	33	.010	33	
34	.008	34	.008	34	.007	34	.008	34	.006	34	.009	34	.009	34	
				35	.005	35	.007		.005	35	.008	35	.008		
36	.007	36	.007	36	.004	36	.006	36		36		36			
38	.006	38	.006			38	.005	38	.004		.005	38	.005		
				40	.004	40	.004			40	.004	40	.004		

Fig. 16 Sheet Metal Gauges and Thicknesses (cont'd)