Aug 20, 2024
RECEIVED DATE
Jul 27, 2024

SEND TO **16742** 



PAGE 1/5

Aug 20, 2024

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 www.midwestlabs.com

LINCOLNLAND AGRI-ENERGY LLC MICHELE MCGUIRE 10406 N 1725TH ST PALESTINE IL 62451-

# REPORT OF ANALYSIS

For: (16742) LINCOLNLAND AGRI-ENERGY LLC Wet Cake

20240725

	Level I	Reporting			Analyst-	Verified-	
Analysis	As Received	Dry Weight	Units	Limit	Method	Date	Date
Sample ID: <b>W1-20240723</b>	Lab Number: <b>14360536</b>	Date Sample	ed: <b>2024-07</b>	-23			
Moisture	63.36	//////	%	0.10	AOAC 930.15	acm5-2024/07/29	kjs3-2024/07/30
Dry matter	36.64	//////	%	0.010	Calculation	Auto-2024/08/20	Auto-2024/08/20
Protein (crude)	7.66	20.9	%	0.20	AOAC 990.03	Rpk5-2024/07/29	kjs3-2024/07/30
Fat (crude)	3.45	9.42	%	0.10	AOAC 2003.05	kjf3-2024/07/29	kjs3-2024/07/30
Fiber (acid detergent)	3.7	10.2	%	0.5	ANKOM Tech. Method	agj8-2024/07/30	kjs3-2024/07/30
Ash	3.02	8.24	%	0.1	AOAC 942.05	acm5-2024/07/30	kjs3-2024/07/30
Starch (total)	1.4	3.9	%	0.1	AOAC 996.11 (mod)	sjl7-2024/07/29	tat9-2024/07/29
Total digestible nutrients	30.6	83.6	%	0.1	Calculation	Auto-2024/07/30	Auto-2024/08/20
Net energy (lactation)	0.32	0.87	Mcal/lbs	0.01	Calculation	Auto-2024/07/30	Auto-2024/08/20
Net energy (maint.)	0.33	0.91	Mcal/lbs	0.01	Calculation	Auto-2024/07/30	Auto-2024/08/20
Net energy (gain)	0.22	0.61	Mcal/lbs	0.01	Calculation	Auto-2024/07/30	Auto-2024/08/20
Digestible energy	0.61	1.67	Mcal/lbs	0.01	Calculation	Auto-2024/07/30	Auto-2024/08/20
Metabolizable energy	0.56	1.53	Mcal/lbs	0.01	Calculation	Auto-2024/07/30	Auto-2024/08/20
Sulfur (total)	0.24	0.66	%	0.01	AOAC 985.01 (mod)	kad1-2024/07/29	kjs3-2024/07/30
Phosphorus (total)	0.48	1.30	%	0.01	AOAC 985.01 (mod)	kad1-2024/07/29	kjs3-2024/07/30
Potassium (total)	0.72	1.97	%	0.01	AOAC 985.01 (mod)	kad1-2024/07/29	kjs3-2024/07/30
Magnesium (total)	0.21	0.58	%	0.01	AOAC 985.01 (mod)	kad1-2024/07/29	kjs3-2024/07/30
Calcium (total)	0.02	0.05	%	0.01	AOAC 985.01 (mod)	kad1-2024/07/29	kjs3-2024/07/30
Sodium (total)	n.d.	n.d.	%	0.01	AOAC 985.01 (mod)	kad1-2024/07/29	kjs3-2024/07/30

Aug 20, 2024
RECEIVED DATE
Jul 27, 2024

SEND TO **16742** 



PAGE 2/5

| SSUE DATE |
| Aug 20, 2024

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 www.midwestlabs.com

LINCOLNLAND AGRI-ENERGY LLC MICHELE MCGUIRE 10406 N 1725TH ST PALESTINE IL 62451-

# REPORT OF ANALYSIS

For: (16742) LINCOLNLAND AGRI-ENERGY LLC

Wet Cake 20240725

	Level F		Reporting		Analyst-	Verified-		
Analysis	As Received	Dry Weight	Units	Limit	Method	Date	Date	
Sample ID: W1-20240723	Lab Number: <b>14360536</b> (	con't)						
Iron (total)	33.0	90.1	ppm	5.0	AOAC 985.01 (mod)	kad1-2024/07/29	kjs3-2024/07/30	
Manganese (total)	13.1	35.7	ppm	1.0	AOAC 985.01 (mod)	kad1-2024/07/29	kjs3-2024/07/30	
Copper (total)	2.7	7.4	ppm	1.0	AOAC 985.01 (mod)	kad1-2024/07/29	kjs3-2024/07/30	
Zinc (total)	44.3	121	ppm	1.0	AOAC 985.01 (mod)	kad1-2024/07/29	kjs3-2024/07/30	
Aflatoxin B1	n.d.		ppb	1	AOAC 2008.02 (mod)	akj2-2024/08/11	nmh9-2024/08/12	
Aflatoxin B2	n.d.		ppb	1	AOAC 2008.02 (mod)	akj2-2024/08/11	nmh9-2024/08/12	
Aflatoxin G1	n.d.		ppb	1	AOAC 2008.02 (mod)	akj2-2024/08/11	nmh9-2024/08/12	
Aflatoxin G2	n.d.		ppb	1	AOAC 2008.02 (mod)	akj2-2024/08/07	nmh9-2024/08/07	
Aflatoxin summation	n.d.		ppb	1.00	Calculation	Auto-2024/08/11	Auto-2024/08/20	
DON (Vomitoxin)	0.7		ppm	0.1	AOAC 2008.02 (mod)	akj2-2024/08/07	nmh9-2024/08/07	
Fumonisin B1	0.62		ppm	0.10	AOAC 2008.02 (mod)	akj2-2024/08/07	nmh9-2024/08/07	
Fumonisin B2	0.12		ppm	0.10	AOAC 2008.02 (mod)	akj2-2024/08/07	nmh9-2024/08/07	
Fumonisin B3	n.d.		ppm	0.10	AOAC 2008.02 (mod)	akj2-2024/08/07	nmh9-2024/08/07	
Fumonisin summation	0.74		ppm	0.10	Calculation	Auto-2024/08/07	Auto-2024/08/20	
Ochratoxin	n.d.		ppb	1	AOAC 2008.02 (mod)	akj2-2024/08/07	nmh9-2024/08/07	
T-2 toxin	n.d.		ppm	0.1	AOAC 2008.02 (mod)	akj2-2024/08/07	nmh9-2024/08/07	
Zearalenone	n.d.		ppb	50.0	AOAC 2008.02 (mod)	Drl9-2024/08/20	akj2-2024/08/20	

Aug 20, 2024
RECEIVED DATE
Jul 27, 2024

SEND TO **16742** 



PAGE 3/5

| SSUE DATE | Aug 20, 2024

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 www.midwestlabs.com

LINCOLNLAND AGRI-ENERGY LLC MICHELE MCGUIRE 10406 N 1725TH ST PALESTINE IL 62451-

# REPORT OF ANALYSIS

For: (16742) LINCOLNLAND AGRI-ENERGY LLC Wet Cake 20240725

	Level Found		Reporting		Analyst-	Verified-
Analysis	As Received Dry Weigh	t Units	Limit	Method	Date	Date

n.d. = not detected , ppm = parts per million, ppm = mg/kg, ppm = mg/L , ppb = parts per billion Mineral analysis performed by ICAP using a wet digest procedure.

Total starch value includes all hydrolyzable carbohydrates.

For questions please contact:

Kory A Patera Account Manager

kpatera@midwestlabs.com (402)829-9854

Aug 20, 2024 RECEIVED DATE Jul 27, 2024 SEND TO **16742** 



PAGE 4/5

ISSUE DATE
AUG 20, 2024

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 www.midwestlabs.com

LINCOLNLAND AGRI-ENERGY LLC MICHELE MCGUIRE 10406 N 1725TH ST PALESTINE IL 62451-

## REPORT OF ANALYSIS

For: (16742) LINCOLNLAND AGRI-ENERGY LLC Wet Cake 20240725

# **Detailed Method Description(s)**

#### Moisture

Analysis follows MWL FD 016 which is based on AOAC 930.15. A sample is blended, mixed, or ground to obtain a homogenous sub-sample. The sample aliquot is placed in a pre-weighed tin, weighed to get a sample weight and then placed in a 135°C convection oven for two (2) hours. The sample is then removed, cooled in a desiccator and reweighed. The loss in weight is reported as % moisture

### Calculation

Analytical results are entered into applicable formulas to provide a calculated result which is reported.

### **Protein (Crude)**

Analysis follows MWL FD 070 which is based on AOAC 990.03. The sample is placed in a combustion instrument and the amount of nitrogen is obtained. The nitrogen value is multiplied by a factor of 6.25 and that value reported as crude protein.

#### **Crude Fat**

Analysis follows MWL FD 026 which is based on AOAC 2003.05. The sample is extracted with drip immersion of the sample in ethyl ether. The ether is poured into a pre-weighed container and then evaporated. The container is re-weighed and the increase in weight is reported as crude fat.

### **Acid Detergent Fiber**

Analysis follows MWL FD 021 which is based on Ankom Technology method. The sample is sealed in a small bag and the bag immersed in a solution that dissolves certain materials. The bag is washed and dried and re-weighed. The material remaining in the bag is reported as acid detergent fiber

#### Ash

Analysis follows MWL FD 019 which is based on AOAC 942.05. The sample is weighed and placed in a muffle furnace at 600°C. After a period of time, the sample is removed and the remaining material weighed and reported as ash. Moisture and organic material is driven off.

Aug 20, 2024
RECEIVED DATE
Jul 27, 2024

SEND TO **16742** 



PAGE 5/5

| SSUE DATE | Aug 20, 2024

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 www.midwestlabs.com

LINCOLNLAND AGRI-ENERGY LLC MICHELE MCGUIRE 10406 N 1725TH ST PALESTINE IL 62451-

## REPORT OF ANALYSIS

For: (16742) LINCOLNLAND AGRI-ENERGY LLC Wet Cake 20240725

### Starch (total)

Analysis follows WC 047 which is based on AOAC 996.11 and YSI Application Note 319. A sample is combined with water and alpha amylase and placed in an heated water bath. After the elevated water bath, treatment, buffer and a second enzyme amyloglucosidase is added and the sample placed in a water bath where the remaining starch is hydrolyzed to glucose. The glucose is then determined using a YSI glucometer.

### ICP analysis of Feeds

Analysis follows MWL ME 029 which is based on AOAC 985.01. Samples have been prepared using MWL ME 069 which is a wet ash procedure that requires mineral acids and heat. Sample analysis involves moving the sample extract into the ICP where it is nebulized and introduced into the high temperature plasma which energizes the electrons of the dissolved minerals/metals. As the energized electrons of the minerals/metals return to ground state, energy is released as light. The emitted wavelength(s) and light intensities are used to identify and quantitate the minerals/metals in the sample

### Mycotoxin extraction and analysis

Sample analysis follows MWL LCMS 020 which is based on AOAC 2008.02 (modified). Samples are ground to a homogenous consistency and placed in an extraction solution. The extract is allowed to equilibrate and then an aliquot passed through an immunoaffinity column which contains antibodies that are specific for the mycotoxins. The mycotoxins are released from the affinity column and then analyzed by LC/MS/MS which allows identification of the mycotoxins using mass spectrometery and retention time.