

# PROLONG<sup>®</sup>

by/par  
**Sylvite**



## MULCH GLUE APPLICATION GUIDE



**Our Mulch Glue is an easy solution to keep your landscaping products looking great and stay in place, season after season.**

### STEP 1 - BEFORE YOU BEGIN

#### PLACE YOUR MATERIAL:

- Place a minimum 2-inch thickness of Mulch, Pea Gravel, or Stone
- We recommend rinsing with a garden hose (dust & dirt will prevent a strong bond).
- Raking/turning the mulch or gravel periodically during this period will help it to dry more quickly and evenly.
- Applying Mulch Glue to damp mulch or gravel may affect adhesion of the product.
- Allow 24-48 hours before application for properly drying.
- Warm weather and dry conditions for 48 hours after application will give you optimal performance.

### STEP 2 - GATHER SUPPLIES

#### SUGGESTED SUPPLIES:

- Garden Sprayer or watering can
- Gloves
- Garden Hose & water supply.
- Rake to turn mulch to dry it out.
- Tamper or similar tool for pressing material down after applying product.

### WEATHER & WHEN TO APPLY

- Below 80% humidity.
- Do not apply within 48hrs of rain.
- Do not apply if the temperature is expected to be below 10°C/50°F for 48 hours after application (including overnight).

# PROLONG<sup>®</sup>

by/par  
**Sylvite**



## MULCH GLUE APPLICATION GUIDE



### STEP 3 - APPLY THE MULCH GLUE

#### BEFORE APPLYING:

- Mulch Glue is ready to use, just stir well before use.
- Use a garden sprayer with fan nozzle tip.
- Do not oversaturate the mulch.
- Protect surfaces not intended to be treated.

#### HOW TO APPLY MULCH GLUE:

- Work in small sections.
- Apply ½ gallon for 50 ft<sup>2</sup> to the top of loose mulch.
- While it is still wet, lightly compact mulch.
- Allow to dry for 1-2 hours.
- Apply the second/final coat of ½ gallon for 50 ft<sup>2</sup>.
- Allow to dry 4-6 hours.

#### HELPFUL TIPS

- Not for use in pedestrian walkways, for vehicular traffic or where significant water flow occurs (e.g., downspouts, roof runoff).
- Use disposable gloves.
- Maximum size for Pea Gravel is 3/8" (10 mm) - Stone up to 3/4" (20mm) may be used if it is angular in shape.
- Be sure to rinse all tools and sprayers very well with warm water immediately after use.
- Do not let products freeze in their containers.
- Typically cures within 4-6 hours. Over saturation, lower temperatures or high humidity can extend the drying time.
- Typically lasts 12 - 24 months. Re-application may be needed at the beginning of each spring season, depending on environmental conditions.