

Work Order Tracking (Tr)

Items: (2) Go To

Work Order Select Action

List **Work Order** Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting

Work Order: 2276485 (1JH-RA) METRO MOW WEEKLY TRACK INSPECTION W/

Classification: MTA \ METRO

Classification Description: MTA - METRO

Asset: >> [icon]

Alias:

Location: CHAIN\_MARK >> Metro Chain Markers [icon]

Work Location: >> [icon]

Work Type: PM [icon]

Status: APPR

Status Date: 02/06/16 12:23:38 PM

Reported By: MTACRON >>

Phone:

Reported Date: 02/05/16 04:16:12 AM [icon]

On Behalf Of: >>

Consist: >> [icon]

Asset Details

Year:

Manufacturer: >> [icon]

Model: [icon]

Serial #:

Type: [icon]

Status:

Asset Condition:

Address Information

Service Address: >> [icon]

City:

Formatted Address: State/Province: [icon]

# WEEKLY TRACK INSPECTION REPORT

Name Williams Chandler Greenwood Date 02/09/16 Page 1 of 1

Inspected From JH To RA ML 1 **WO# 2276485**

Item	Exception Chain Marker No.		Track No.	Rail N/S	Switch No.	Codes		Status S/Y/R	Repair Y/N	W. O. #
	From	To				Comp.	Defect			
1.	007+10		1			C03	D21	Y		
2.	13+60		1	N		T04	D11	Y		
3.	036+65E		1			C03	D21	Y		
4.	067+70E		1			R05	D20	Y		
5.	069+10E	068+40E	1			C03	D21	Y		
6.	078+00W		1			C03	D21	Y		
7.	107+15		1			C03	D03	Y		
8.										
9.										
10.										
11.										
12.										
13.										
14.										
15.										
16.										
17.										
18.										

### COMMENTS

1.	10' coverboard missing
2.	Two block Tie deteriorating
3.	Coverboard bracket missing
4.	Restraining rail IS bolts Loose
5.	Coverboard missing
6.	60' of coverboard missing
7.	Coverboard bracket broken
8.	
9.	
10.	
11.	
12.	
13.	
14.	
15.	
16.	
17.	
18.	

Williams Chandler Greenwood  
Track Inspector Signature

  
Supervisory Certification

Work Order	Description	Work Location	Status	Reported Date
2053301	1 JHRA LH Switch Point Chipped / Pitted CC 3B	004WSWCC3B	MONITOR	08/20/15 07:59:08 AM
2053299	1 JHRA RH Switch Point Chipped / Pitted CC 3B	004WSWCC3B	MONITOR	08/20/15 07:55:47 AM
2017699	1 JHRA 3rd Rail Side Approach Hardware Missing CC 1B 007+50	007E	APPR	07/24/15 09:01:09 AM
2015112	1 JHRA Coverboard Missing 10' CC 007+10W	007WSWCC1B	WMATL	07/22/15 08:38:35 AM
2043305	1 JHRA Two Block Tie Deteriorating (N) 013+85W	013E	MONITOR	08/12/15 03:07:39 PM
2087957	1 JHRA Two Block Tie Broken/Unsupported 013+60W	013W	APPR	09/16/15 07:38:35 AM
2043299	1 JHRA Two Block Tie Deteriorating (N) 015+75W	015E	MONITOR	08/12/15 03:03:16 PM
2205671	1 JHRA Two Block Tie Broken 018+25W	018W	APPR	12/08/15 06:54:55 AM
2013812	1 JHRA Fastener Pad Cracked/Broken (6) 018+60W	018W	HOLD	07/21/15 12:10:23 PM
2204253	1 JHRA Unbl. (25.38 - 938') cm#018+87 ( Holland Report ) URGENT	018W	MONITOR	12/07/15 06:42:41 AM
2204266	1 JHRA Vmax. (40.71- 938') cm#019+09 ( Holland Report ) URGENT	019W	MONITOR	12/07/15 06:53:10 AM
2015100	1 JHRA Coverboard Broken / Bracket Missing 036+65E	036E	APPR	07/22/15 08:15:11 AM
2212310	1 JHRA Rail Corroded (N) 037+20	037W	MONITOR	12/12/15 07:08:21 AM
2212324	1 JHRA Rail Base Corroded (N) 045+70-046+30	045W	MONITOR	12/12/15 07:15:13 AM
2106077	1 JHRA Rail Corrugation/Pitted/Gouged (S) 053W-059W	053W	MONITOR	09/30/15 07:21:19 AM
2106086	1 JHRA Drain Clogged/Fouled (600') 053W-059W	053W	APPR	09/30/15 07:26:22 AM
2106032	1 JHRA Defective Lord Pads / Gauge Rods Installed 062E - 057E	062E	MONITOR	09/30/15 06:13:49 AM
2030698	1 JHRA IJ Battered BH-3B 066+80W	066WSWBH3B	APPR	08/03/15 06:16:38 AM
2014067	1 JHRA Brace Plate Wedge Missing BH 3B 066+60W	066WSWBH3B	APPR	07/21/15 03:42:15 PM
2013865	1 JHRA Restraining Rail IJ Bolts Loose 067+70E	067ESWJH1B	APPR	07/21/15 01:07:32 PM
2033296	1 JHRA Curve Closure Rail Chipped 067+60E JH 1B	067ESWJH1B	MONITOR	08/05/15 03:16:44 PM
2033337	1 JHRA 3rd Rail Severely Corroded 068+70 - 068+90	068W	APPR	09/10/15 07:56:55 AM
2030720	1 JHRA IJ Battered BH 1B 069+35W	069WSWBH1B	APPR	08/03/15 06:40:43 AM
2274510	1 JHRA Two Heel Block Bolts Loose BH 1B 069+00W	069WSWBH1B	APPR	02/03/16 03:07:18 PM
2030709	1 JHRA Switch Point Chipped BH-1B 069+30W	069WSWBH1B	MONITOR	08/03/15 06:34:06 AM
2015104	1 JHRA Coverboard Missing 069+10E - 068+40E	070ESWJH3B	WMATL	07/22/15 08:28:23 AM
2059899	1 JHRA Frog Riser Cracked JH 3B	070ESWJH3B	APPR	08/26/15 05:42:36 AM
2212327	1 JHRA Rail Head Pitted (S) 070W - 081W	070W	MONITOR	12/12/15 07:19:51 AM
2106039	1 JHRA 4 Gauge Rods / 2 Block Ties 071W - 071+15	071W	MONITOR	09/30/15 06:34:11 AM
2015107	1 JHRA Coverboard Missing (60') 078W	078W	WMATL	07/22/15 08:31:45 AM
2212336	1 JHRA Rail Side Worn (Tangent) 084+10 - 084+30	084W	MONITOR	12/12/15 07:25:20 AM
2212341	1 JHRA Rail Corrugation 089+00 - 089+20	089W	MONITOR	12/12/15 07:29:55 AM
2106102	1 JHRA Coverboard Bracket Broken 107+15	107W	APPR	09/30/15 07:30:42 AM
2106107	1 JHRA Station Concrete Wall/Ceiling Cracked 107+80	107W	MONITOR	09/30/15 07:33:39 AM
2166234	1 JHRA tight gage at cm#134+05 ( 56" )( Holland Report ) URGENT	134W	COMP	11/09/15 03:07:44 AM
2014921	1 JHRA Insulator Cup Burnt (4) 140+70 -140+90	140W	APPR	07/22/15 05:41:56 AM
2015388	1 JHRA 3rd Rail Corroded 141+00	141W	APPR	07/22/15 02:54:07 PM
2015378	1 JHRA Rail Web/Base Deteriorated (S) 141+00	141W	APPR	07/22/15 02:44:48 PM
2166236	1 JHRA tight gage at cm#143+54 ( 56" )( Holland Report ) URGENT	143W	COMP	11/09/15 03:14:57 AM
2106112	1 JHRA 3rd Rail Unseated/Out of Insulator Cups 148+00	148W	APPR	09/30/15 07:38:06 AM
2106121	1 JHRA Rail Web/Base Corroded (N) 151+50	151W	MONITOR	09/30/15 07:47:48 AM
2106126	1 JHRA Rail Web/Base Corroded (N) 154-165	154W	APPR	09/30/15 07:51:23 AM
2015133	1 JHRA Two Block Tie Broken 157+30	157W	APPR	09/30/15 07:57:51 AM
2015102	1 JHRA Coverboard Missing (60') 158 -158+60	158W	WMATL	07/22/15 08:19:25 AM

2051473	1 JHRA 3rd Rail Deteriorated 158 -166+00	158W	MONITOR	08/19/15 07:34:44 AM
2208896	1 JHRA Two Block Tie Broken 158+40W	158W	APPR	12/10/15 03:58:16 PM
2208897	1 JHRA Running Rail Deteriorated (S) 154 -165	160W	MONITOR	09/16/15 07:42:56 AM
2212343	1 JHRA Chain Marker Sign 160NW Loose/Hanging	160W	APPR	12/10/15 04:02:28 PM
2212343	1 JHRA Pandrol Clips Broken/Deteriorating 160W-170W	160W	APPR	12/12/15 07:36:37 AM
2208898	1 JHRA Rail Pitted / Water Condition 160+60W	160W	MONITOR	12/10/15 04:07:28 PM
2106138	1 JHRA Two Block Tie Broken 161+25	161W	APPR	09/30/15 08:01:21 AM
2015114	1 JHRA Coverboard Missing (70') 162-162+50 &162+70-162+90	162W	WMATL	07/22/15 08:42:01 AM
2212357	1 JHRA Rail Head Pitted (N) 163 - 171	163W	MONITOR	12/12/15 07:58:26 AM
2212351	1 JHRA Rail Side Worn 3/8" (23 Deg) 163 - 171	163W	MONITOR	12/12/15 07:44:51 AM
2212358	1 JHRA Rail Head Pitted (N) 181 - 186	181W	MONITOR	12/12/15 08:06:50 AM
2061165	1 JHRA Coverboard Missing 184-186	186W	WMATL	08/27/15 07:52:38 AM
2015101	1 JHRA Coverboard Brackets Missing 194+90 & 195+25	195W	APPR	07/22/15 08:17:16 AM
2043013	1 JHRA Rail Corrugation (N) 202 - 214+00	202W	MONITOR	08/12/15 07:55:00 AM
2212359	1 JHRA Rail Side Worn 3/8" (30 Deg) 211 - 227	211W	MONITOR	12/12/15 08:11:20 AM
2220227	1 JHRA Rail Wheel Burn 229+90	229W	MONITOR	12/18/15 11:19:01 AM
2058584	1 JHRA Track Bolt Loose/ Worn (Replace) 229+80	229W	APPR	08/25/15 06:40:59 AM
2220224	1 JHRA Standard Joint / Frog Heel Wing Rail Chipped 229+85 PO	229WSWPO3B	MONITOR	12/18/15 11:11:21 AM
2220221	1 JHRA Closure Rail Wheel Burns (4) PO 3B 229+40	229WSWPO3B	MONITOR	12/18/15 11:06:09 AM
2089704	1 JHRA Stock Rail Wheel Burns/Top Worn/Chipped PO 3B 229+1	229WSWPO3B	MONITOR	09/17/15 07:50:57 AM
2041954	1 JHRA RH Switch Point Wheel Burns PO 3B 229	229WSWPO3B	MONITOR	08/11/15 03:06:34 PM
2017678	1 JHRA Adjustable Brace Plate Missing 229+70 PO-3B	229WSWPO3B	APPR	07/24/15 08:18:26 AM
2058572	1 JHRA Front Rod Nut Loose PO 3B 229+00	229WSWPO3B	APPR	08/25/15 06:33:08 AM
2017696	1 JHRA Interlocking Out of Surface PO 228-232+00	229WSWPO3B	HOLD	07/21/15 03:19:37 PM
2080383	1 JHRA Guard Rail Screw Spikes Missing PO 3B	229WSWPO3B	APPR	07/24/15 08:54:29 AM
2013748	1 JHRA Insulated Tie Plate Missing 230+15	230W	APPR	09/10/15 08:08:32 AM
2017718	1 JHRA Running Rail Wheel Burns (N) 230+00	230W	APPR	07/21/15 11:15:10 AM
2017718	1 JHRA Insulated Joint Chipped (S) 230+90	230W	MONITOR	07/24/15 09:41:36 AM
2030726	1 JHRA RH Stock Rail Wheel Burns PO 1B 230+90	230WSWPO1B	MONITOR	08/03/15 06:47:19 AM
2077038	1 JHRA #3 Switch Rod Striking Timber PO 1B 230+70	230WSWPO1B	APPR	09/08/15 03:56:49 PM
2050074	1 JHRA Frog Point/Riser Worn PO 1B	230WSWPO1B	APPR	08/18/15 04:32:57 AM
2017716	1 JHRA Guard Rail Screw Spikes Missing PO 1B	230WSWPO1B	APPR	07/24/15 09:34:45 AM
2246787	1 JHRA Front Rod Nut Loose PO 1B 230+80	230WSWPO1B	APPR	01/09/16 07:22:51 AM
2013746	1 JHRA Saddles Loose (5) Pandrols Missing PO1B	230WSWPO1B	APPR	07/21/15 11:07:57 AM
2245860	1 JHRA LH Switch Point Worn PO 1B 230+80	230WSWPO1B	MONITOR	01/08/16 09:43:10 AM
2220233	1 JHRA Closure Rail Battered/Wheel Burns (2) PO 1B 230+55	230WSWPO1B	MONITOR	12/18/15 11:35:22 AM
2204247	1 JHRA Warp (-2.13"-24') cm#230+74 ( Holland Report ) URGENT	230WSWPO1B	MONITOR	12/07/15 06:03:04 AM
2204242	1 JHRA Warp (-1.94"-26') cm#231+07 ( Holland Report ) URGENT	231W	MONITOR	12/07/15 05:49:24 AM
2013893	1 JHRA Running Rail Wheel Burns (N/S) 234+90	235W	APPR	07/21/15 01:46:12 PM
2021953	1 JHRA LB Foster Anchor Bolts Loose 235-332	235W	APPR	07/28/15 10:15:42 AM
2013741	1 JHRA Shim Plate Loose 237+50	237W	APPR	07/21/15 11:01:27 AM
2017722	1 JHRA LB Foster Plates Deteriorating 238 - 268	238W	APPR	07/24/15 09:46:52 AM
2013896	1 JHRA Gage Tight (56 3/8") 236 - 242+00	239W	APPR	07/21/15 01:49:09 PM
1042501	1 JHRA Rail Side Worn (N) (26-28 deg) 248 - 256+00	248W	REVIEW	04/16/13 03:18:04 PM
2017745	1 JHRA Shim Plate Missing 248+10W	248W	APPR	08/03/15 06:55:13 AM
2014064	1 JHRA Coverboard Brackets Bent 267+50 - 272	267W	APPR	07/21/15 03:40:25 PM
2030747	1 JHRA Rail Side Worn (22 Deg) 274+00	274W	MONITOR	08/03/15 06:59:44 AM

2194899	1 JHRA Expansion Joint Burnt / Arching 305+80	305W	INPRG	12/01/15 04:03:10 AM
2204238	1 JHRA Warp (-1.96"-37') cm#330+13 ( Holland Report )	URGENT 330W	MONITOR	12/07/15 05:42:50 AM
233	1 JHRA Warp (-1.83"-13') cm#330+41 ( Holland Report )	URGENT 330W	MONITOR	12/07/15 05:32:08 AM

Work Order Tracking (Tr)

Buttons: (2) Go To

Work Order Select Action

List **Work Order** Plans Actuals Activities Measurements Axle Configuration Related Records Safety Plan Log Failure Reporting

Work Order: 2276467 (2RA-JH) METRO MOW WEEKLY TRACK INSPECTION WA

Classification: MTA \ METRO >>

Classification Description: MTA - METRO

Asset: >>

Alias:

Location: CHAIN\_MARK >> Metro Chain Markers

Work Location: >>

\* Work Type: PM

Status: APPR

Status Date: 02/06/16 12:25:58 PM

Reported By: MTACRON >>

Phone:

Reported Date: 02/05/16 04:15:56 AM

On Behalf Of: >>

Consist: >>

Asset Details

Year:

Manufacturer: >>

Model:

Serial #:

Type:

Status:

Asset Condition:

Address Information

Service Address: >>

City:

Formatted Address: State/Province:

# WEEKLY TRACK INSPECTION REPORT

Name Chandler Greenwood Date 02/10/15 Page 1 of 1

Inspected From RA To JH ML 2 WO# 2276467

Item	Exception Chain Marker No.		Track No.	Rail N/S	Switch No.	Codes		Status S/Y/R	Repair Y/N	W. O. #
	From	To				Comp.	Defect			
1.	227+50		2	N/S		T01	D20	Y		
2.	221+45		2			C05	D42	Y		
3.	161+70	161+40	2			C03	D21	Y		
4.	158+10	157+60	2			C03	D21	Y		
5.	102+70		2			C18	D03	Y		
6.	096+10		2			T04	D03	Y		
7.	068+10E		2		1A	C03	D21	Y		
8.	068+05	067+10				C03	D21	Y		
9.										
10.										
11.										
12.										
13.										
14.										
15.										
16.										
17.										
18.										

### COMMENTS

1.	18 rotted ties.
2.	3rd rail end approach joint burnt/lancing
3.	Coverboard missing
4.	Coverboard missing
5.	Coverboard bracket broken
6.	Two black ties broken
7.	Twenty feet of coverboard missing
8.	Coverboard missing
9.	
10.	
11.	
12.	
13.	
14.	
15.	
16.	
17.	
18.	

Woodrow Greenwood  
Track Inspector Signature

\_\_\_\_\_  
Supervisory Certification



2087968	2 RAJH Timbers Rotted (18) PO 5A 227+50	227WSWPO5A	APPR	09/16/15 07:46:37 AM
2017792	2 RAJH Concrete Tie Cracked PO 227+40	227W	APPR	07/24/15 11:47:48 AM
201775	2 RAJH IJ Out of Crosslevel / Pumping / Mud PO 227+40	227W	HOLD	07/21/15 11:43:50 AM
2014053	2 RAJH Concrete Pad Pumping 226+70 - 226+60	226W	HOLD	07/21/15 03:26:10 PM
2043032	2 RAJH Direct Fixation Pad Deteriorating 224+20-224+10	224W	APPR	08/12/15 08:22:02 AM
2062903	2 RAJH 3rd Rail End Approach Joint Burnt/Arcing 221+45	221W	APPR	08/28/15 06:20:49 PM
2063554	2 RAJH 3rd Rail Metal Bracket Broken/Bent 221+35	221W	APPR	08/29/15 09:53:10 AM
2013861	2 RAJH Coverboard Sagging 208+50	208W	APPR	07/21/15 01:03:49 PM
2088344	2 RAJH Tunnel Wall Section Broken 194+20	194W	APPR	09/16/15 02:47:26 PM
2014143	2 RAJH Rail Corroded/Pandrol Clips Broken 193+20-192+70	193W	APPR	07/21/15 05:39:20 PM
891815	2 RAJH Rail Side Worn 186 -180+00	186W	REVIEW	12/06/12 02:22:13 PM
2198166	2 RAJH warp (-2.00 - 8ft) at cm#181+48 ( Holland Report ) URGENT	181W	INPRG	12/02/15 12:18:44 AM
2060123	2 RAJH Rail Side Worn (30 Deg) /Top Worn (1/4") 170-165	168W	MONITOR	08/26/15 10:37:16 AM
2060139	2 RAJH Rail Deteriorated / Corroded 165+80/165+65	165W	MONITOR	08/26/15 10:47:14 AM
2268178	2 RAJH Pandrol Clips Broken (3 Consec) 165+80	165W	APPR	01/30/16 05:19:36 AM
2060141	2 RAJH Rail Base Deteriorated/Corroded 164+00-163+15	164W	MONITOR	08/26/15 10:51:52 AM
2013895	2 RAJH Insulator Cup Smoking (Wet) 163+20	163W	APPR	07/21/15 01:47:42 PM
2015097	2 RAJH Coverboard Missing 161+70 -161+40	161W	WMATL	07/22/15 08:10:27 AM
2060144	2 RAJH Rail Base Deteriorated/Corroded 161+75-161+00	161W	MONITOR	08/26/15 10:56:39 AM
2060146	2 RAJH Rail Base Deteriorated/Corroded 158+65-156+40	158W	MONITOR	08/26/15 11:03:41 AM
2015109	2 RAJH Coverboard Missing 158+10 - 157+60	158W	WMATL	07/22/15 08:34:22 AM
2013890	2 RAJH Running Rail Deteriorated 156+40	156W	APPR	07/21/15 01:44:34 PM
2015151	2 RAJH Rail Wheel Burn/Shelling (S) 153+15	153W	MONITOR	08/26/15 11:07:55 AM
2060162	2 RAJH Rail Base Deteriorated/Corroded (S) 150+80-150+50	150W	MONITOR	08/26/15 11:12:56 AM
2268179	2 RAJH Wheel Burn (S) 142+10	142W	MONITOR	01/30/16 05:25:33 AM
2013856	2 RAJH Drain Blocked 110-108	110W	APPR	07/21/15 01:00:51 PM
2015099	2 RAJH Coverboard Bracket Broken/Hardware Missing 102+70	102W	APPR	07/22/15 08:12:50 AM
2202878	2 RAJH LB Foster Pads Concrete Base Broken 101+90	101W	APPR	12/05/15 06:24:49 AM
2025642	2 RAJH Running Rail Head Chipped/Pitted/Gouged 100-090	100W	MONITOR	07/31/15 02:24:44 PM
2013806	2 RAJH Water Condition/Rail Deteriorating 096+10W	096W	HOLD	07/21/15 12:06:01 PM
2202882	2 RAJH Two Block Tie Broken (N) 096+10	096W	APPR	12/05/15 06:38:46 AM
2013887	2 RAJH Coverboard Sagging 093+00	093W	APPR	07/21/15 01:38:10 PM
2017966	2 RAJH Rail Side Worn (29 Deg) 101 - 086	090W	FAIL	07/24/15 04:49:20 PM
2202885	2 RAJH Rail Corrugation/Pitting (S) 082-071W	082W	MONITOR	12/05/15 07:00:07 AM
2060167	2 RAJH Coverboard Sagging 081+50	081W	APPR	08/26/15 11:30:09 AM
2013854	2 RAJH Coverboard Sagging 080+20W	080W	APPR	07/21/15 12:59:01 PM
2060168	2 RAJH Coverboard Sagging/Burnt/Arcing 079+10	079W	APPR	08/26/15 11:35:16 AM
2013849	2 RAJH Drain Blocked 072+10W	072W	APPR	07/21/15 12:55:28 PM
1673460	2 RAJH Coverbrd Missng 20' JH 1A 068+10E	070ESWJH1A	APPR	10/15/14 01:01:48 PM
2014923	2 RAJH LH Switch Point Fastener Blocks Loose (4) JH 1A	070ESWJH1A	APPR	07/22/15 05:45:44 AM
2043020	2 RAJH RH Stock Rail Side Worn (25 Deg) JH 1A	070ESWJH1A	MONITOR	08/12/15 08:00:41 AM
2254505	2 RAJH Frog Point Chipped JH 1A 069+25E	070ESWJH1A	APPR	01/16/16 01:29:48 PM
2254506	2 RAJH Frog Bolts Loose (2) JH 1A 069+25E	070ESWJH1A	APPR	01/16/16 01:35:44 PM
2017088	2 RAJH Adjustable Braces Loose (5) BH 3A 069+80W	069WSWBH3A	APPR	07/21/15 04:30:23 PM
2017142	2 RAJH 12" Heel Block Bolt Broken BH 3A	069WSWBH3A	INPRG	07/21/15 05:37:38 PM
2013791	2 RAJH Crosswalk Missing BH 3A 069+00W	069WSWBH3A	HOLD	07/21/15 11:54:12 AM



Work Order	Description	Work Location	Status	Reported Date
2167967	2 RAJH tight gage through Penn North Station (cm#135+96 - 133+87)North rail.(Holland Report)URGENT	MTRSTN11	COMP	11/10/15 05:37:54 AM
2017725	2 RAJH Vegetation / Sight Restriction 328 - 328+05	328W	APPR	07/24/15 09:56:38 AM
2013863	2 RAJH Coverboard Sagging 307+50	307W	APPR	07/21/15 01:05:29 PM
1035100	2 RAJH Rail Side Worn (N) (23 Deg) 280-276+00	280W	REVIEW	04/09/13 03:14:01 PM
2043011	2 RAJH Rail Side Worn (S) (25 Deg) 278+25	278W	MONITOR	08/12/15 07:52:45 AM
2013781	2 RAJH Crosswalk Board Missing 272+10	272W	HOLD	07/21/15 11:48:15 AM
2014146	2 RAJH Pandrol Clips Missing 268 - 236+00	268W	APPR	07/21/15 05:44:02 PM
2041956	2 RAJH Rail Side Worn 260 - 250	260W	MONITOR	08/11/15 03:08:23 PM
2013860	2 RAJH Vegatation Obstructing CM Sign 248	248W	APPR	07/21/15 01:03:40 PM
2014946	2 RAJH Rail Side Worn (N) (25 Deg) 241+00	241W	APPR	07/22/15 06:13:41 AM
2087904	2 RAJH Rail Wheel Burns 237+85	237W	MONITOR	09/16/15 06:18:24 AM
2118885	2 RAJH Out of Surface/Pumping 233+90	233W	APPR	10/08/15 08:53:49 AM
915676	2 RAJH Rail Wheel Burns 233+40	233W	REVIEW	12/28/12 10:48:49 AM
2141689	2 RAJH Vegetation Overgrowth Fouling ML1/2 233+90W	233W	APPR	10/23/15 02:34:18 PM
2110263	2 RAJH Frog Wing Bolt Broken PO 7B 231+50	232WSWPO7B	APPR	10/01/15 03:44:38 PM
2083372	2 RAJH L/H Stock Rail Wheel Burns PO 7B 231+10	232WSWPO7B	MONITOR	09/12/15 05:46:16 AM
891534	2 RAJH Switch Point Chipped PO 7B 231+00	232WSWPO7B	REVIEW	12/06/12 09:16:59 AM
2013792	2 RAJH Mud Condition/Low Joint PO 232+45	232WSWPO7B	HOLD	07/21/15 11:55:32 AM
2013904	2 RAJH Frog Screw Spikes Missing/Frog Wing Battered PO 7B 231+65	232WSWPO7B	APPR	07/21/15 01:54:06 PM
2013845	2 RAJH Switch Point/Stock Rail Pumping (S) PO 7B 231+10	232WSWPO7B	APPR	07/21/15 12:52:06 PM
2013982	2 RAJH Stock Rail Out of Surface PO 7B 231+00	232WSWPO7B	APPR	07/22/15 06:58:35 AM
2013965	2 RAJH Timbers Rotted (28) PO 7A 232+00	232WSWPO7A	APPR	09/16/15 07:44:44 AM
2014968	2 RAJH Frog Plate Missing PO 3A 230+20	230WSWPO3A	APPR	07/22/15 06:46:43 AM
2017784	2 RAJH Closure Rail/Switch Points Wheel Burns PO 3A	230WSWPO3A	APPR	07/24/15 11:35:13 AM
2017785	2 RAJH Standard Joint/Stock Rail Battered PO 3A 230+90	230WSWPO3A	APPR	07/24/15 11:37:09 AM
2017775	2 RAJH Interlocking Out of Surface PO 231+30-227+40	230WSWPO3A	APPR	07/24/15 11:22:13 AM
2014978	2 RAJH Insulator Cup & Bracket Loose PO 3A 230+85	230WSWPO3A	APPR	07/22/15 06:54:19 AM
2014972	2 RAJH Heel Block Tie Plate Missing PO 3A 230+55	230WSWPO3A	APPR	07/22/15 06:51:34 AM
2110269	2 RAJH Standard Joint Huck Bolts Loose (2) 230+90 PO 3A	230WSWPO3A	APPR	10/01/15 03:49:47 PM
2013843	2 RAJH Frog Welding PO 3A	230WSWPO3A	INPRG	07/21/15 12:50:31 PM
2083374	2 RAJH Adjustable Brace Missing PO 3A 230+85	230WSWPO3A	APPR	09/12/15 05:54:43 AM
2034599	2 RAJH Frog Joint Bolt Missing PO 1A 229+75	229WSWPO1A	APPR	08/06/15 05:48:26 AM
2017780	2 RAJH LH Stock Rail Wheel Burns (5) PO 1A 229+10 - 229+30	229WSWPO1A	APPR	07/24/15 11:31:54 AM
2017793	2 RAJH Frog Point/Riser Battered PO 1A 229	229WSWPO1A	APPR	07/24/15 11:53:56 AM
1147528	2 RAJH RH Stock Rail Wheel Burns PO 1A 229+20	229WSWPO1A	REVIEW	07/11/13 02:12:18 PM
2017781	2 RAJH Switch Point Wheel Burns(4) PO 1A 229+10 - 229+20	229WSWPO1A	APPR	07/24/15 11:33:23 AM
2017776	2 RAJH Wheel Burns (6) (S) PO 229+90	229W	APPR	07/24/15 11:25:38 AM
2014955	2 RAJH 14' Frog Timber Rotted PO 5B 228+40	228W	APPR	07/22/15 06:27:26 AM
2014958	2 RAJH Switch Point Stop Braces Loose PO 5B 228+75	228W	APPR	07/22/15 06:29:11 AM
2014950	2 RAJH Wheel Burns (7) (S) PO 228+50-228+30	228W	APPR	07/22/15 06:19:57 AM
2017777	2 RAJH LH Switch Point Wheel Burns PO 5B 228+70 - 228+90	227WSWPO5B	APPR	07/24/15 11:29:06 AM
2107028	2 RAJH Switch Point Strap Bolts Missing PO 5B 229+10	227WSWPO5B	APPR	11/27/15 08:02:59 AM
2013964	2 RAJH Heel Block Bolts (2) / Washer Broken (1) PO 5B 228+70	227WSWPO5B	APPR	09/23/15 07:54:48 AM
2014145	2 RAJH Stock Rail Wheel Burns PO 5B 229+00	227WSWPO5B	APPR	07/21/15 05:42:02 PM

2014043	2 RAJH Ties Pumping BH 068+50 - 067+70W	068W	INPRG	07/21/15 03:16:36 PM
2202890	2 RAJH Concrete Deteriorating 068+60-067W	068W	APPR	12/05/15 07:11:15 AM
2010095	2 RAJH Coverboard Missing/Bracket Damaged 068+05-067+10	068W	APPR	07/22/15 08:05:17 AM
1254477	2 RAJH IJ Battered (2) 068+00W	068W	REVIEW	10/15/13 03:03:39 PM
2015096	2 RAJH Coverboard Missing 068+10 - 068+30E	068E	WMATL	07/22/15 08:07:24 AM
2083379	2 RAJH Frog Bolt Loose West Diamond 068+40E	068E	APPR	09/12/15 06:14:20 AM
2268180	2 RAJH East Diamond Frog Point Chipped 068+30E	068E	APPR	01/30/16 05:33:54 AM
2254502	2 RAJH Frog Point Cracked/Chipped JH 3A 067+80E	067ESWJH3A	APPR	01/16/16 01:21:32 PM
2043307	2 RAJH Rail Sideworn (27-32 Deg) 056E-064E	056E	MONITOR	08/12/15 03:09:32 PM
2015103	2 RAJH Coverboard Missing 056+50 - 056+75E	056E	WMATL	07/22/15 08:21:51 AM
2100250	2 RAJH Lord Pads Flexing (Gauge Rod Installed) 055+30E	055E	MONITOR	09/25/15 05:53:11 AM
2100249	2 RAJH Lord Pads Flexing (Gauge Rod Installed) 055+60E	055E	MONITOR	09/25/15 05:37:57 AM
2013793	2 RAJH Water/Trash Condition 030-050+00E	050E	HOLD	07/21/15 11:56:35 AM
2083378	2 RAJH Clips Broken/Plates & Rail Deteriorated 046E - 050E	046E	INPRG	09/12/15 06:06:00 AM
2218384	2 RAJH Water Leak (S) 034+00W	034W	APPR	12/17/15 08:13:50 AM
2253600	2 RAJH Rail Chipped (N) / Wet Condition 014+25E	014E	MONITOR	01/15/16 03:15:49 PM
2013908	2 RAJH Straight Closure Rail Chipped CC 3A	007WSWCC3A	APPR	07/21/15 01:57:44 PM