

Reliable Factory Supply Co.

PO Box 340
Thomaston, CT 06787 USA
Phone - 860-283-6215
e-mail: sales@rfsupply.com

**Please Call or e-mail Orders for Staples
No Verified Website Checkout for Staples!
Quality 100% Guaranteed**

We have been selling USA Made top quality wire staples for over forty years.

Compare price and quality - Reliable Staples are unmatched anywhere!

Quality 100% Guaranteed

Legend:

Similar To
Product
Point
Matl

This is the OEM that our product is similar to.
This is the main product series.
Denotes the point type.
Denotes the Material used.

F * Steel, Carbon, AISI 1005
N * Steel, Carbon, AISI 1010
H * Steel, High Carbon, AISI 1018
X * Steel, Extra High Carbon, AISI 1038
S * Stainless Steel, 302
M * Monel, Alloy 300
B * Bronze, Phosphor, Alloy 510
A * Aluminum, Alloy xxxx

Finish

Denotes the Finish used

G * Galvanized
E * Electrogalvanized
L * Liquor Finish
X * None

Coating
Leg, Frac

Denotes the coating used, if any.
Shows the leg length as a fraction

Leg, in.	Shows the leg length as a decimal
M/ Box	Indicates how many thousand staples are in a box.
Boxes/Case	Indicates how many boxes are in a case.
A - 5-19 Price, \$/box	Price per box for 5-19 boxes
B - 20-49 Price, \$/box	Price per box for 20-49 boxes
C - 50+ Price, \$/box	Price per box for 50 and more boxes
Crown Width, in. ID	Mean Staple Inside Diameter

Prices are all in US Dollars. Minimum order is \$75.00.

Prices are FOB Thomaston, CT USA. We ship via UPS or motor freight, or your chosen carrier. The carrier is responsible for loss or damage, so an acceptance at the customer means that the goods were received in good order unless you note it on the freight bill with a clear description of the damage.

We will replace product or issue a product credit on any merchandise found to be defective.

Minimum Order \$75.00 NO EXCEPTIONS!																
SIMILAR TO	Product	Point	Mail	Fin	coat	Leg, Frac	Leg, in.	M/ Bx	Bx /Cs	Price 5-24 boxes \$ per box	Price 25-49 boxes \$ per box	Price 50+ boxes \$ per box	Retail Price	Crown Width, in. ID	weight lbs wire /box	Weight/c ase, lbs
ACE	L38	N	C	E	X	3/8	0.375	5	50	4.32	3.84	3.60	5.92	0.47	0.51	27
ARROW	JT21	D	C	E	X	1/4	0.25	1	90	1.76	1.57	1.47	2.42	0.41	0.14	14
ARROW	JT21	D	C	E	X	5/16	0.3125	1	90	1.80	1.60	1.50	2.48	0.41	0.16	16
ARROW	P22	B	C	E	X	1/4	0.25	5	100	4.41	3.92	3.68	6.04	0.43	0.48	50
ARROW	P22	C	C	E	X	5/16	0.3125	5	100	4.50	4.00	3.75	6.18	0.43	0.54	56
ARROW	P35	C	C	E	X	1/4	0.25	5	20	8.37	7.44	6.98	11.46	0.439	1.14	25
ARROW	P35	C	C	E	X	3/8	0.375	5	20	9.18	8.16	7.65	12.58	0.439	1.44	31
ARROW	T32	D	C	E	X	3/16	0.1875	5	40	7.02	6.24	5.85	9.62	0.43	0.60	26
ARROW	T32	D	C	E	X	1/4	0.25	5	40	7.20	6.40	6.00	9.86	0.43	0.70	30
ARROW	T32	D	C	E	X	5/16	0.3125	5	40	7.38	6.56	6.15	10.12	0.43	0.79	34
ARROW	T32	D	C	E	X	3/8	0.375	5	25	7.65	6.80	6.38	10.48	0.43	0.89	24
ARROW	T50	C	H	E	X	1/4	0.25	5	20	8.82	7.84	7.35	12.08	0.38	1.27	27
ARROW	T50	C	X	E	X	1/4	0.25	5	20	9.18	8.16	7.65	12.58	0.38	1.27	27
ARROW	T50	D	H	E	X	1/4	0.25	5	20	9.18	8.16	7.65	12.58	0.38	1.27	27
ARROW	T50	D	X	E	X	1/4	0.25	5	20	9.54	8.48	7.95	13.08	0.38	1.27	27
ARROW	T50	C	H	E	X	5/16	0.3125	5	20	9.27	8.24	7.73	12.70	0.38	1.45	31
ARROW	T50	C	X	E	X	5/16	0.3125	5	20	9.72	8.64	8.10	13.32	0.38	1.45	31
ARROW	T50	D	H	E	X	5/16	0.3125	5	20	9.72	8.64	8.10	13.32	0.38	1.45	31
ARROW	T50	D	X	E	X	5/16	0.3125	5	20	10.08	8.96	8.40	13.80	0.38	1.45	31
ARROW	T50	C	H	E	X	3/8	0.375	5	20	9.54	8.48	7.95	13.08	0.38	1.63	35
ARROW	T50	C	X	E	X	3/8	0.375	5	20	10.17	9.04	8.48	13.94	0.38	1.63	35
ARROW	T50	C	X	E	X	1/2	0.5	5	20	11.16	9.92	9.30	15.28	0.38	1.99	42
ARROW	T50	D	H	E	X	3/8	0.375	5	20	10.08	8.96	8.40	13.80	0.38	1.63	35
ARROW	T50	D	X	E	X	3/8	0.375	5	20	10.44	9.28	8.70	14.30	0.38	1.63	35
ARROW	T50	D	B	X	X	3/8	0.375	5	20	38.52	34.24	32.10	59.08	0.38	1.63	35
ARROW	T50	C	H	E	X	1/2	0.5	5	20	10.71	9.52	8.93	14.68	0.38	1.99	42
ARROW	T50	D	H	E	X	1/2	0.5	5	20	11.07	9.84	9.23	15.16	0.38	1.99	42
ARROW	T50	D	X	E	X	1/2	0.5	5	20	11.52	10.24	9.60	15.78	0.38	1.99	42
ARROW	T50	C	H	E	X	9/16	0.5625	5	20	11.16	9.92	9.30	15.28	0.38	2.17	45
ARROW	T50	C	X	E	X	9/16	0.5625	5	20	11.70	10.40	9.75	16.02	0.38	2.17	45
ARROW	T50	D	H	E	X	9/16	0.5625	5	20	11.70	10.40	9.75	16.02	0.38	2.17	45
ARROW	T50	D	X	E	X	9/16	0.5625	5	20	12.15	10.80	10.13	16.64	0.38	2.17	45
BATES	H30	C	C	E	X	1/4	0.25	5	40	6.75	6.00	5.63	9.26	0.439	0.71	30
BATES	H30	D	C	E	X	1/4	0.25	5	40	6.84	6.08	5.70	9.38	0.439	0.71	30

SIMILAR TO	Product	Point	Mail	Fin	coat	Leg, Frac	Leg, in.	M/ Bx	Bx /Cs	Price 5-24 boxes \$ per box	Price 25-49 boxes \$ per box	Price 50+ boxes \$ per box	Retail Price	Crown Width, in. ID	weight lbs wire /box	Weight/c ase, lbs
BATES	H30	C	C	E	X	5/16	0.3125	5	40	7.02	6.24	5.85	9.62	0.439	0.80	34
BATES	H30	C	C	E	X	3/8	0.375	5	40	7.20	6.40	6.00	9.86	0.439	0.89	38
BATES	H30	D	C	E	X	3/8	0.375	5	40	7.29	6.48	6.08	10.00	0.439	0.89	38
BATES	H30	C	C	E	X	1/2	0.5	5	20	7.65	6.80	6.38	10.48	0.439	1.08	24
BATES	H30	D	C	E	X	1/2	0.5	5	20	7.92	7.04	6.60	10.86	0.439	1.08	24
BATES	H50	C	H	E	X	3/8	0.375	5	20	9.18	8.16	7.65	12.58	0.439	1.71	36
BATES	H50	C	H	E	X	1/2	0.5	5	20	10.17	9.04	8.48	13.94	0.439	2.07	43
BATES	H50	C	H	E	X	9/16	0.5625	5	20	10.62	9.44	8.85	14.54	0.439	2.25	47
BATES	L19	N	C	E	X	1/4	0.25	5	100	5.53	4.91	4.61	7.58	0.445	0.39	41
BATES	L19	N	C	E	X	3/8	0.375	5	50	5.85	5.20	4.88	8.02	0.445	0.49	27
BATES	L19	N	C	E	X	1/2	0.5	5	50	6.12	5.44	5.10	8.38	0.445	0.60	32
BOSTITCH	SB103X020	C	C	E	X	3/8	0.375	2.5	20	10.62	9.44	8.85	14.54	0.465	1.69	36
BOSTITCH	SB103X020	C	C	E	X	1/2	0.5	2.5	15	11.70	10.40	9.75	16.02	0.465	2.03	33
BOSTITCH	SB103X020	C	C	E	X	9/16	0.5625	2.5	15	12.24	10.88	10.20	16.76	0.465	2.21	35
BOSTITCH	SB103X020	C	C	E	X	5/8	0.625	2.5	15	12.78	11.36	10.65	17.50	0.465	2.38	38
BOSTITCH	SB3020	C	C	E	X	3/8	0.375	5	20	7.38	6.56	6.15	10.12	0.465	0.91	20
BOSTITCH	SB5019	C	H	E	X	1/4	0.25	5	20	9.72	8.64	8.10	13.32	0.465	1.39	30
BOSTITCH	SB5019	C	H	E	X	3/8	0.375	5	20	9.81	8.72	8.18	13.44	0.465	1.75	37
BOSTITCH	SB5019	C	H	E	X	1/2	0.5	5	15	10.62	9.44	8.85	14.54	0.465	2.11	34
BOSTITCH	SB5019	C	H	E	X	9/16	0.5625	5	15	11.16	9.92	9.30	15.28	0.465	2.29	36
BOSTITCH	SB5019	C	H	E	X	5/8	0.625	5	15	11.70	10.40	9.75	16.02	0.465	2.47	39
BOSTITCH	SB7050	D	H	E	T	3/4	0.75	1	20	8.64	7.68	7.20	11.84	0.465	1.79	38
BOSTITCH	SBNK4023	C	H	L	X	1/4	0.25	5	20	10.80	9.60	9.00	14.80	0.433	1.13	25
BOSTITCH	SCCR103X020	C	C	E	X	1/4	0.25	2.5	20	10.80	9.60	9.00	14.80	0.488	1.37	29
BOSTITCH	SCCR103X020	C	C	E	X	3/8	0.375	2.5	20	10.80	9.60	9.00	14.80	0.488	1.72	36
BOSTITCH	SCCR103X020	C	C	E	X	1/2	0.5	2.5	15	12.06	10.72	10.05	16.52	0.488	2.07	33
BOSTITCH	SCCR103X020	C	C	E	X	9/16	0.5625	2.5	15	12.60	11.20	10.50	17.26	0.488	2.24	36
BOSTITCH	SCCR25	C	H	E	X	1/4	0.25	5	30	9.00	8.00	7.50	12.34	0.488	0.74	24
BOSTITCH	SCCR25	C	H	E	X	3/8	0.375	5	20	9.81	8.72	8.18	13.44	0.488	0.93	21
BOSTITCH	SCCR25	C	C	E	X	1/2	0.5	5	20	12.60	11.20	10.50	17.26	0.488	1.12	24
BOSTITCH	SCCR25	C	C	E	X	9/16	0.5625	5	20	15.30	13.60	12.75	20.96	0.488	1.21	26
BOSTITCH	SCCR5019	C	H	E	X	3/16	0.1875	5	20	11.70	10.40	9.75	16.02	0.488	1.24	27
BOSTITCH	SCCR5019	C	H	E	X	1/4	0.25	5	20	12.15	10.80	10.13	16.64	0.488	1.42	30
BOSTITCH	SCCR5019	C	H	E	X	3/8	0.375	5	20	13.14	11.68	10.95	18.00	0.488	1.78	38
BOSTITCH	SCCR5019	C	H	E	X	1/2	0.5	5	20	14.04	12.48	11.70	19.24	0.488	2.14	45
BOSTITCH	SCCR5019	C	H	E	X	9/16	0.5625	5	15	14.58	12.96	12.15	19.98	0.488	2.32	37

SIMILAR TO	Product	Point	Mail	Fin	coat	Leg, Frac	Leg, in.	M/ Bx	Bx /Cs	Price 5-24 boxes \$ per box	Price 25-49 boxes \$ per box	Price 50+ boxes \$ per box	Retail Price	Crown Width, in. ID	weight lbs wire /box	Weight/c ase, lbs
BOSTITCH	SCCR5025	C	H	E	X	1/4	0.25	5	20	12.78	11.36	10.65	17.50	0.488	1.76	37
BOSTITCH	SCCR5025	C	H	E	X	3/8	0.375	5	20	13.86	12.32	11.55	18.98	0.488	2.20	46
BOSTITCH	SCCR5025	C	H	E	X	1/2	0.5	5	20	14.94	13.28	12.45	20.46	0.488	2.65	55
BOSTITCH	SCCR5025	C	H	E	X	9/16	0.5625	5	20	15.57	13.84	12.98	21.32	0.488	2.87	59
BOSTITCH	SH5019	C	H	E	X	1/4	0.25	5	20	11.52	10.24	9.60	15.78	0.417	1.32	28
BOSTITCH	SH5019	C	H	E	X	3/8	0.375	5	20	12.42	11.04	10.35	17.02	0.417	1.68	36
BOSTITCH	SH5019	C	H	E	X	1/2	0.5	5	20	13.41	11.92	11.18	18.36	0.417	2.04	43
BOSTITCH	SHCR103X020	C	H	E	X	3/8	0.375	2.5	20	11.70	10.40	9.75	16.02	0.362	1.54	33
BOSTITCH	SHCR5019	C	H	E	X	1/4	0.25	5	20	8.73	7.76	7.28	11.96	0.362	1.24	27
BOSTITCH	SHCR5019	C	X	E	X	1/4	0.25	5	20	9.09	8.08	7.58	12.46	0.362	1.24	27
BOSTITCH	SHCR5019	D	H	E	X	1/4	0.25	5	20	9.09	8.08	7.58	12.46	0.362	1.24	27
BOSTITCH	SHCR5019	D	X	E	X	1/4	0.25	5	20	9.36	8.32	7.80	12.82	0.362	1.24	27
BOSTITCH	SHCR5019	C	H	E	X	3/8	0.375	5	20	9.72	8.64	8.10	13.32	0.362	1.60	34
BOSTITCH	SHCR5019	C	X	E	X	3/8	0.375	5	20	10.26	9.12	8.55	14.06	0.362	1.60	34
BOSTITCH	SHCR5019	D	H	E	X	3/8	0.375	5	20	10.26	9.12	8.55	14.06	0.362	1.60	34
BOSTITCH	SHCR5019	D	X	E	X	3/8	0.375	5	20	10.62	9.44	8.85	14.54	0.362	1.60	34
BOSTITCH	SK19	C	C	E	X	1/4	0.25	10	100	16.29	14.48	13.58	22.32	0.198	0.58	60
BOSTITCH	SK5019	C	C	E	X	19/64	0.295	10	25	24.95	22.18	20.79	34.16	0.198	2.27	59
BOSTITCH	SK5019	C	B	X	X	3/16	0.1875	5	35	46.35	41.20	38.63	71.08	0.198	0.83	31
BOSTITCH	SK5019	C	H	E	X	3/16	0.1875	5	25	10.71	9.52	8.93	14.68	0.198	0.83	23
BOSTITCH	SK5019	C	H	E	X	1/4	0.25	5	25	10.71	9.52	8.93	14.68	0.198	1.01	27
BOSTITCH	SK5019	C	H	E	X	5/16	0.3125	5	25	11.16	9.92	9.30	15.28	0.198	1.19	32
BOSTITCH	SK5019	C	H	E	X	3/8	0.375	5	25	11.61	10.32	9.68	15.90	0.198	1.37	36
BOSTITCH	SK5019	C	H	E	X	1/2	0.5	5	25	12.60	11.20	10.50	17.26	0.198	1.73	45
BOSTITCH	SP19	C	A	X	X	1/4	0.25	5	100	12.60	11.20	10.50	19.32	0.333	0.34	36
BOSTITCH	SP19	C	C	E	X	1/4	0.25	5	100	7.56	6.72	6.30	10.36	0.333	0.34	36
BOSTITCH	SP19	C	M	X	X	1/4	0.25	5	100	54.45	48.40	45.38	83.50	0.333	0.34	36
BOSTITCH	SP2619	C	C	E	X	1/4	0.25	5	50	8.73	7.76	7.28	11.96	0.333	0.51	28
BOSTITCH	SPN5019	C	H	E	X	1/4	0.25	5	25	11.61	10.32	9.68	15.90	0.333	1.20	32
BOSTITCH	SPN5019	C	H	E	X	3/8	0.375	5	20	12.51	11.12	10.43	17.14	0.333	1.56	33
BOSTITCH	SPN5019	C	H	E	X	1/2	0.5	5	20	13.50	12.00	11.25	18.50	0.333	1.92	40
BOSTITCH	SPS25	C	C	E	X	3/16	0.1875	5	50	6.75	6.00	5.63	9.26	0.333	0.53	29
BOSTITCH	SPS25	C	C	E	X	1/4	0.25	5	50	7.02	6.24	5.85	9.62	0.333	0.63	33
BOSTITCH	SPS25	C	X	E	X	1/4	0.25	5	50	7.20	6.40	6.00	9.86	0.333	0.63	33
BOSTITCH	SPS25	D	C	E	X	1/4	0.25	5	50	7.20	6.40	6.00	9.86	0.333	0.63	33
BOSTITCH	SPS25	D	X	E	X	1/4	0.25	5	50	7.38	6.56	6.15	10.12	0.333	0.63	33
BOSTITCH	SPS25	C	C	E	X	5/16	0.3125	5	50	7.20	6.40	6.00	9.86	0.333	0.72	38

SIMILAR TO	Product	Point	Mail	Fin	coat	Leg, Frac	Leg, in.	M/Bx	Bx /Cs	Price 5-24 boxes \$ per box	Price 25-49 boxes \$ per box	Price 50+ boxes \$ per box	Retail Price	Crown Width, in. ID	weight lbs wire /box	Weight/c ase, lbs
BOSTITCH	SPS25	C	X	E	X	5/16	0.3125	5	50	7.38	6.56	6.15	10.12	0.333	0.72	38
BOSTITCH	SPS25	D	C	E	X	5/16	0.3125	5	50	7.38	6.56	6.15	10.12	0.333	0.72	38
BOSTITCH	SPS25	D	X	E	X	5/16	0.3125	5	50	7.74	6.88	6.45	10.60	0.333	0.72	38
BOSTITCH	STCR2619	C	C	E	X	1/4	0.25	5	20	7.20	6.40	6.00	9.86	0.417	0.56	13
BOSTITCH	STCR2619	D	C	E	X	1/4	0.25	5	20	7.56	6.72	6.30	10.36	0.417	0.56	13
BOSTITCH	STCR2619	C	C	E	X	5/16	0.3125	5	30	7.38	6.56	6.15	10.12	0.417	0.64	21
BOSTITCH	STCR2619	C	C	E	X	3/8	0.375	5	30	7.65	6.80	6.38	10.48	0.417	0.72	23
BOSTITCH	STCR2619	D	C	E	X	3/8	0.375	5	30	7.92	7.04	6.60	10.86	0.417	0.72	23
BOSTITCH	STCR2619	C	C	E	X	1/2	0.5	5	20	8.10	7.20	6.75	11.10	0.417	0.87	19
BOSTITCH	STCR2619	D	C	E	X	1/2	0.5	5	20	8.28	7.36	6.90	11.34	0.417	0.87	19
BOSTITCH	STCR5019	C	H	E	X	1/4	0.25	5	20	8.91	7.92	7.43	12.20	0.417	1.32	28
BOSTITCH	STCR5019	C	X	E	X	1/4	0.25	5	20	9.36	8.32	7.80	12.82	0.417	1.32	28
BOSTITCH	STCR5019	D	H	E	X	1/4	0.25	5	20	9.36	8.32	7.80	12.82	0.417	1.32	28
BOSTITCH	STCR5019	D	X	E	X	1/4	0.25	5	20	9.72	8.64	8.10	13.32	0.417	1.32	28
BOSTITCH	STCR5019	C	H	E	X	5/16	0.3125	5	20	9.45	8.40	7.88	12.94	0.417	1.50	32
BOSTITCH	STCR5019	C	H	E	X	3/8	0.375	5	20	9.90	8.80	8.25	13.56	0.417	1.68	36
BOSTITCH	STCR5019	C	X	E	X	3/8	0.375	5	20	10.44	9.28	8.70	14.30	0.417	1.68	36
BOSTITCH	STCR5019	D	H	E	X	3/8	0.375	5	20	10.44	9.28	8.70	14.30	0.417	1.68	36
BOSTITCH	STCR5019	C	H	E	X	1/2	0.5	5	20	10.80	9.60	9.00	14.80	0.417	2.04	43
BOSTITCH	STCR5019	C	X	E	X	1/2	0.5	5	20	11.61	10.32	9.68	15.90	0.417	2.04	43
BOSTITCH	STCR5019	D	H	E	X	1/2	0.5	5	20	11.61	10.32	9.68	15.90	0.417	2.04	43
BOSTITCH	STCR5019	D	X	E	X	1/2	0.5	5	20	12.06	10.72	10.05	16.52	0.417	2.04	43
BOSTITCH	STCR5019	C	H	E	X	9/16	0.5625	5	20	11.34	10.08	9.45	15.54	0.417	2.22	46
BOSTITCH	STCR5019	C	M	X	X	9/16	0.5625	5	20	190.80	169.60	159.00	292.56	0.417	2.22	46
BOSTITCH	STCR5019	C	X	E	X	9/16	0.5625	5	20	12.15	10.80	10.13	16.64	0.417	2.22	46
BOSTITCH	STCR5019	D	H	E	X	9/16	0.5625	5	20	12.15	10.80	10.13	16.64	0.417	2.22	46
BOSTITCH	STCR5019	D	X	E	X	9/16	0.5625	5	20	12.51	11.12	10.43	17.14	0.417	2.22	46
BOSTITCH	STH19	C	C	E	X	1/4	0.25	10	20	11.12	9.89	9.27	15.24	0.417	0.76	17
BOSTITCH	STH19	C	C	E	X	3/8	0.375	10	20	11.66	10.37	9.72	15.98	0.417	0.97	21
BOSTITCH	STH2619	C	C	E	X	1/4	0.25	5	36	7.20	6.40	6.00	9.86	0.417	0.56	22
BOSTITCH	STH2619	C	C	E	X	3/8	0.375	5	30	7.65	6.80	6.38	10.48	0.417	0.72	23
BOSTITCH	STH5019	C	C	E	X	1/4	0.25	5	20	8.91	7.92	7.43	12.20	0.417	1.32	28
BOSTITCH	STH5019	C	C	E	X	3/8	0.375	5	20	9.90	8.80	8.25	13.56	0.417	1.68	36
DUO-FAST	10	C	H	E	X	3/8	0.375	2.5	20	10.71	9.52	8.93	14.68	0.45	1.67	35
DUO-FAST	10	C	H	E	X	1/2	0.5	2.5	20	11.79	10.48	9.83	16.16	0.45	2.01	42
DUO-FAST	10	C	H	E	X	9/16	0.5625	2.5	16	12.33	10.96	10.28	16.88	0.45	2.19	37

SIMILAR TO	Product	Point	Mail	Fin	coat	Leg, Frac	Leg, in.	M/ Bx	Bx /Cs	Price 5-24 boxes \$ per box	Price 25-49 boxes \$ per box	Price 50+ boxes \$ per box	Retail Price	Crown Width, in. ID	weight lbs wire /box	Weight/c ase, lbs
DUO-FAST	18	C	C	E	T	3/8	0.375	5	16	10.80	9.60	9.00	14.80	0.142	2.10	36
DUO-FAST	18	C	C	E	T	7/16	0.4375	5	16	11.25	10.00	9.38	15.42	0.142	2.39	40
DUO-FAST	18	C	C	E	T	1/2	0.5	5	16	11.70	10.40	9.75	16.02	0.142	2.69	45
DUO-FAST	18	C	H	E	T	5/8	0.625	5	10	12.78	11.36	10.65	17.50	0.142	3.27	35
DUO-FAST	18	C	X	E	T	5/8	0.625	5	10	13.95	12.40	11.63	19.10	0.142	3.27	35
DUO-FAST	18	C	H	E	T	3/4	0.75	5	10	14.22	12.64	11.85	19.48	0.142	3.86	41
DUO-FAST	18	C	X	E	T	3/4	0.75	5	10	15.66	13.92	13.05	21.44	0.142	3.86	41
DUO-FAST	18	C	H	E	T	7/8	0.875	5	10	15.57	13.84	12.98	21.32	0.142	4.45	46
DUO-FAST	18	C	X	E	T	7/8	0.875	5	10	17.37	15.44	14.48	23.78	0.142	4.45	46
DUO-FAST	18	C	H	E	T	1	1	5	10	16.92	15.04	14.10	23.18	0.142	5.04	52
DUO-FAST	18	C	X	E	T	1	1	5	10	18.90	16.80	15.75	25.88	0.142	5.04	52
DUO-FAST	18	C	H	E	T	1-1/8	1.125	5	10	18.27	16.24	15.23	25.02	0.142	5.62	58
DUO-FAST	18	C	X	E	T	1-1/8	1.125	5	10	20.34	18.08	16.95	27.86	0.142	5.62	58
DUO-FAST	18	C	H	E	T	1-1/4	1.25	5	8	19.62	17.44	16.35	26.86	0.142	6.21	52
DUO-FAST	18	C	X	E	T	1-1/4	1.25	5	8	22.05	19.60	18.38	30.20	0.142	6.21	52
DUO-FAST	18	C	H	E	T	1-1/2	1.5	2.9	10	15.30	13.60	12.75	20.96	0.142	4.29	45
DUO-FAST	30	C	H	E	X	5/32	0.1563	5	25	6.30	5.60	5.25	8.64	0.445	0.57	16
DUO-FAST	30	C	H	E	X	3/16	0.1875	5	25	6.30	5.60	5.25	8.64	0.445	0.62	17
DUO-FAST	30	D	H	E	X	3/16	0.1875	5	25	6.57	5.84	5.48	9.00	0.445	0.62	17
DUO-FAST	30	C	B	X	X	1/4	0.25	5	25	43.38	38.56	36.15	66.52	0.445	0.71	20
DUO-FAST	30	C	H	E	X	1/4	0.25	5	25	6.48	5.76	5.40	8.88	0.445	0.71	20
DUO-FAST	30	D	H	E	X	1/4	0.25	5	25	6.71	5.97	5.60	9.20	0.445	0.71	20
DUO-FAST	30	C	H	E	X	5/16	0.3125	5	25	6.75	6.00	5.63	9.26	0.445	0.80	22
DUO-FAST	30	D	H	E	X	5/16	0.3125	5	25	7.02	6.24	5.85	9.62	0.445	0.80	22
DUO-FAST	30	D	X	E	X	5/16	0.3125	5	25	7.74	6.88	6.45	10.60	0.445	0.97	26
DUO-FAST	30	C	B	X	X	3/8	0.375	5	25	32.94	29.28	27.45	50.52	0.445	0.90	24
DUO-FAST	30	C	H	E	X	3/8	0.375	5	25	7.11	6.32	5.93	9.74	0.445	0.90	24
DUO-FAST	30	D	H	E	X	3/8	0.375	5	25	7.38	6.56	6.15	10.12	0.445	0.90	24
DUO-FAST	30	C	H	E	X	7/16	0.4375	5	20	7.29	6.48	6.08	10.00	0.445	0.99	22
DUO-FAST	30	D	H	E	X	7/16	0.4375	5	20	7.56	6.72	6.30	10.36	0.445	0.99	22
DUO-FAST	30	C	H	E	X	1/2	0.5	5	20	7.47	6.64	6.23	10.24	0.445	1.09	24
DUO-FAST	30	D	H	E	X	1/2	0.5	5	20	7.65	6.80	6.38	10.48	0.445	1.09	24
DUO-FAST	30	C	H	E	X	9/16	0.5625	5	20	7.74	6.88	6.45	10.60	0.445	1.18	26
DUO-FAST	30	D	H	E	X	9/16	0.5625	5	20	8.01	7.12	6.68	10.98	0.445	1.18	26
DUO-FAST	33	C	C	E	X	3/16	0.1875	10	20	10.80	9.60	9.00	14.80	0.267	1.08	24
DUO-FAST	33	C	H	E	X	1/4	0.25	10	20	11.52	10.24	9.60	15.78	0.267	1.29	28
DUO-FAST	33	D	H	E	X	1/4	0.25	10	20	11.88	10.56	9.90	16.28	0.267	1.29	28

SIMILAR TO	Product	Point	Mail	Fin	coat	Leg, Frac	Leg, in.	M/ Bx	Bx /Cs	Price 5-24 boxes \$ per box	Price 25-49 boxes \$ per box	Price 50+ boxes \$ per box	Retail Price	Crown Width, in. ID	weight lbs wire /box	Weight/c ase, lbs
DUO-FAST	33	C	H	E	X	3/8	0.375	10	20	12.42	11.04	10.35	17.02	0.267	1.71	36
DUO-FAST	33	D	H	E	X	3/8	0.375	10	20	12.78	11.36	10.65	17.50	0.267	1.71	36
DUO-FAST	33	C	H	E	X	1/2	0.5	10	20	13.59	12.08	11.33	18.62	0.267	2.13	45
DUO-FAST	33	D	H	E	X	1/2	0.5	10	20	13.86	12.32	11.55	18.98	0.267	2.13	45
DUO-FAST	33	C	H	E	X	9/16	0.5625	10	20	14.22	12.64	11.85	19.48	0.267	2.34	49
DUO-FAST	33	D	H	E	X	9/16	0.5625	10	20	14.58	12.96	12.15	19.98	0.267	2.34	49
DUO-FAST	33	C	H	E	X	5/8	0.625	10	20	14.76	13.12	12.30	20.22	0.267	2.55	53
DUO-FAST	33	D	H	E	X	5/8	0.625	10	20	15.30	13.60	12.75	20.96	0.267	2.55	53
DUO-FAST	34	C	H	E	X	3/16	0.1875	10	35	10.62	9.44	8.85	14.54	0.135	0.77	29
DUO-FAST	34	C	H	E	X	1/4	0.25	10	35	10.80	9.60	9.00	14.80	0.135	0.95	35
DUO-FAST	34	D	H	E	X	1/4	0.25	10	35	11.25	10.00	9.38	15.42	0.135	0.95	35
DUO-FAST	34	C	H	E	X	3/8	0.375	5	35	6.30	5.60	5.25	8.64	0.135	0.66	25
DUO-FAST	34	C	M	X	X	3/8	0.375	5	35	53.55	47.60	44.63	82.12	0.135	0.66	25
DUO-FAST	34	D	H	E	X	3/8	0.375	5	35	6.75	6.00	5.63	9.26	0.135	0.66	25
DUO-FAST	34	C	B	X	X	1/2	0.5	5	35	32.22	28.64	26.85	49.42	0.135	0.85	32
DUO-FAST	34	C	H	E	X	1/2	0.5	5	35	6.84	6.08	5.70	9.38	0.135	0.85	32
DUO-FAST	34	C	X	E	X	1/2	0.5	10	35	14.76	13.12	12.30	20.22	0.135	2.06	74
DUO-FAST	34	D	H	E	X	1/2	0.5	5	35	7.20	6.40	6.00	9.86	0.135	0.85	32
DUO-FAST	34	D	C	E	X	9/16	0.5625	5	25	7.92	7.04	6.60	10.86	0.135	0.95	26
DUO-FAST	34	C	X	E	X	5/8	0.625	5	25	8.82	7.84	7.35	12.08	0.135	1.26	33
DUO-FAST	50	C	C	E	X	1/8	0.125	5	25	8.37	7.44	6.98	11.46	0.445	1.00	27
DUO-FAST	50	C	C	E	X	5/32	0.1563	5	25	8.37	7.44	6.98	11.46	0.445	1.09	29
DUO-FAST	50	C	H	E	X	3/16	0.1875	5	25	8.82	7.84	7.35	12.08	0.445	1.18	32
DUO-FAST	50	D	H	E	X	3/16	0.1875	5	25	9.09	8.08	7.58	12.46	0.445	1.18	32
DUO-FAST	50	D	M	X	X	3/16	0.1875	5	20	117.00	104.00	97.50	179.40	0.445	1.18	26
DUO-FAST	50	C	H	E	X	1/4	0.25	5	20	9.09	8.08	7.58	12.46	0.445	1.36	29
DUO-FAST	50	C	X	E	X	1/4	0.25	5	20	9.36	8.32	7.80	12.82	0.445	1.36	29
DUO-FAST	50	D	H	E	X	1/4	0.25	5	20	9.36	8.32	7.80	12.82	0.445	1.36	29
DUO-FAST	50	D	S	X	X	1/4	0.25	5	20	35.55	31.60	29.63	54.52	0.445	1.36	29
DUO-FAST	50	D	X	E	X	1/4	0.25	5	20	9.72	8.64	8.10	13.32	0.445	1.36	29
DUO-FAST	50	O	C	E	X	1/4	0.25	5	20	11.79	10.48	9.83	16.16	0.445	1.36	29
DUO-FAST	50	C	B	X	X	5/16	0.3125	5	20	39.60	35.20	33.00	60.72	0.445	1.54	33
DUO-FAST	50	C	H	E	X	5/16	0.3125	5	20	9.54	8.48	7.95	13.08	0.445	1.54	33
DUO-FAST	50	C	M	X	X	5/16	0.3125	5	20	142.20	126.40	118.50	218.04	0.445	1.54	33
DUO-FAST	50	C	X	E	X	5/16	0.3125	5	20	9.90	8.80	8.25	13.56	0.445	1.54	33
DUO-FAST	50	D	H	E	X	5/16	0.3125	5	20	9.90	8.80	8.25	13.56	0.445	1.54	33
DUO-FAST	50	D	X	E	X	5/16	0.3125	5	20	10.26	9.12	8.55	14.06	0.445	1.54	33

SIMILAR TO	Product	Point	Mail	Fin	coat	Leg, Frac	Leg, in.	M/ Bx	Bx /Cs	Price 5-24 boxes \$ per box	Price 25-49 boxes \$ per box	Price 50+ boxes \$ per box	Retail Price	Crown Width, in. ID	weight lbs wire /box	Weight/c ase, lbs
DUO-FAST	50	D	A	X	X	5/16	0.3125	5	20	15.30	13.60	12.75	23.46	0.445	0.53	13
DUO-FAST	50	O	C	E	X	5/16	0.3125	5	20	12.24	10.88	10.20	16.76	0.445	1.54	33
DUO-FAST	50	C	H	E	X	3/8	0.375	5	20	9.99	8.88	8.33	13.68	0.445	1.72	36
DUO-FAST	50	C	M	X	X	3/8	0.375	5	20	154.80	137.60	129.00	237.36	0.445	1.72	36
DUO-FAST	50	C	X	E	X	3/8	0.375	5	20	10.53	9.36	8.78	14.42	0.445	1.72	36
DUO-FAST	50	D	H	E	X	3/8	0.375	5	20	10.53	9.36	8.78	14.42	0.445	1.72	36
DUO-FAST	50	D	X	E	X	3/8	0.375	5	20	10.80	9.60	9.00	14.80	0.445	1.72	36
DUO-FAST	50	O	H	E	X	3/8	0.375	5	20	12.69	11.28	10.58	17.38	0.445	1.72	36
DUO-FAST	50	C	C	E	X	7/16	0.4375	5	20	10.98	9.76	9.15	15.04	0.445	1.90	40
DUO-FAST	50	D	C	E	X	7/16	0.4375	5	20	11.52	10.24	9.60	15.78	0.445	1.90	40
DUO-FAST	50	C	H	E	X	1/2	0.5	5	20	10.98	9.76	9.15	15.04	0.445	2.08	44
DUO-FAST	50	C	X	E	X	1/2	0.5	5	20	11.52	10.24	9.60	15.78	0.445	2.08	44
DUO-FAST	50	D	H	E	X	1/2	0.5	5	20	11.34	10.08	9.45	15.54	0.445	2.08	44
DUO-FAST	50	D	X	E	X	1/2	0.5	5	20	11.70	10.40	9.75	16.02	0.445	2.08	44
DUO-FAST	50	O	H	E	X	1/2	0.5	5	20	13.68	12.16	11.40	18.74	0.445	2.08	44
DUO-FAST	50	C	H	E	X	9/16	0.5625	5	16	11.43	10.16	9.53	15.66	0.445	2.26	38
DUO-FAST	50	C	X	E	X	9/16	0.5625	5	16	11.97	10.64	9.98	16.40	0.445	2.26	38
DUO-FAST	50	D	H	E	X	9/16	0.5625	5	16	11.97	10.64	9.98	16.40	0.445	2.26	38
DUO-FAST	50	D	X	E	X	9/16	0.5625	5	16	12.33	10.96	10.28	16.88	0.445	2.26	38
DUO-FAST	54	C	H	E	X	3/16	0.1875	10	25	14.40	12.80	12.00	19.72	0.135	1.47	39
DUO-FAST	54	C	X	E	X	3/16	0.1875	10	25	15.12	13.44	12.60	20.70	0.135	1.47	39
DUO-FAST	54	D	C	E	X	3/16	0.1875	10	25	15.12	13.44	12.60	20.70	0.135	1.47	39
DUO-FAST	54	C	H	E	X	1/4	0.25	5	25	7.92	7.04	6.60	10.86	0.135	0.91	25
DUO-FAST	54	C	X	E	X	1/4	0.25	5	25	8.28	7.36	6.90	11.34	0.135	0.91	25
DUO-FAST	54	D	H	E	X	1/4	0.25	5	25	8.28	7.36	6.90	11.34	0.135	0.91	25
DUO-FAST	54	D	M	X	X	1/4	0.25	5	25	96.75	86.00	80.63	148.36	0.135	0.91	25
DUO-FAST	54	D	X	E	X	1/4	0.25	5	25	8.64	7.68	7.20	11.84	0.135	0.91	25
DUO-FAST	54	C	C	E	X	5/16	0.3125	5	25	8.46	7.52	7.05	11.60	0.135	1.09	29
DUO-FAST	54	D	C	E	X	5/16	0.3125	5	25	8.82	7.84	7.35	12.08	0.135	1.09	29
DUO-FAST	54	C	B	X	X	3/8	0.375	5	25	55.17	49.04	45.98	84.60	0.135	1.27	34
DUO-FAST	54	C	H	E	X	3/8	0.375	5	25	8.91	7.92	7.43	12.20	0.135	1.27	34
DUO-FAST	54	C	X	E	X	3/8	0.375	5	25	9.36	8.32	7.80	12.82	0.135	1.27	34
DUO-FAST	54	D	B	X	X	3/8	0.375	5	25	56.97	50.64	47.48	87.36	0.135	1.27	34
DUO-FAST	54	D	H	E	X	3/8	0.375	5	25	9.36	8.32	7.80	12.82	0.135	1.27	34
DUO-FAST	54	D	X	E	X	3/8	0.375	5	25	9.72	8.64	8.10	13.32	0.135	1.27	34
DUO-FAST	54	C	C	E	X	7/16	0.4375	5	20	9.36	8.32	7.80	12.82	0.135	1.45	31
DUO-FAST	54	C	H	E	X	1/2	0.5	5	20	9.81	8.72	8.18	13.44	0.135	1.63	35

SIMILAR TO	Product	Point	Matl	Fin	coat	Leg, Frac	Leg, in.	M/ Bx	Bx /Cs	Price 5-24 boxes \$ per box	Price 25-49 boxes \$ per box	Price 50+ boxes \$ per box	Retail Price	Crown Width, in. ID	weight lbs wire /box	Weight/c ase, lbs
DUO-FAST	54	C	X	E	X	1/2	0.5	5	20	10.17	9.04	8.48	13.94	0.135	1.63	35
DUO-FAST	54	D	H	E	X	1/2	0.5	5	20	10.17	9.04	8.48	13.94	0.135	1.63	35
DUO-FAST	54	D	X	E	X	1/2	0.5	5	20	10.62	9.44	8.85	14.54	0.135	1.63	35
DUO-FAST	54	C	B	X	X	9/16	0.5625	5	20	67.32	59.84	56.10	103.24	0.135	1.81	38
DUO-FAST	54	C	H	E	X	9/16	0.5625	5	20	9.99	8.88	8.33	13.68	0.135	1.81	38
DUO-FAST	54	C	X	E	X	9/16	0.5625	5	20	10.71	9.52	8.93	14.68	0.135	1.81	38
DUO-FAST	54	D	B	X	X	9/16	0.5625	5	20	69.12	61.44	57.60	106.00	0.135	1.81	38
DUO-FAST	54	D	H	E	X	9/16	0.5625	5	20	10.71	9.52	8.93	14.68	0.135	1.81	38
DUO-FAST	54	D	X	E	X	9/16	0.5625	5	20	11.07	9.84	9.23	15.16	0.135	1.81	38
DUO-FAST	54	D	S	X	X	9/16	0.5625	5	20	34.88	31.01	29.07	53.50	0.135	1.81	38
DUO-FAST	54	C	H	E	X	5/8	0.625	5	20	11.70	10.40	9.75	16.02	0.135	1.99	42
DUO-FAST	54	D	H	E	X	5/8	0.625	5	20	12.15	10.80	10.13	16.64	0.135	1.99	42
DUO-FAST	54	C	H	E	X	3/4	0.75	5	20	12.69	11.28	10.58	17.38	0.135	2.35	49
DUO-FAST	54	D	H	E	X	3/4	0.75	5	20	13.14	11.68	10.95	18.00	0.135	2.35	49
DUO-FAST	64	C	C	E	X	3/8	0.375	5	20	12.24	10.88	10.20	16.76	0.117	1.70	36
DUO-FAST	64	C	C	E	X	1/2	0.5	5	20	13.41	11.92	11.18	18.36	0.117	2.19	46
DUO-FAST	64	C	C	E	X	9/16	0.5625	5	20	13.95	12.40	11.63	19.10	0.117	2.43	51
DUO-FAST	64	C	H	E	X	5/8	0.625	5	20	17.64	15.68	14.70	24.16	0.117	2.68	56
DUO-FAST	64	D	H	E	X	5/8	0.625	5	20	18.18	16.16	15.15	24.90	0.117	2.68	56
DUO-FAST	64	C	H	E	X	3/4	0.75	5	10	18.72	16.64	15.60	25.64	0.117	3.17	34
DUO-FAST	64	C	M	X	X	3/4	0.75	5	10	259.20	230.40	216.00	397.44	0.117	3.17	34
DUO-FAST	64	D	H	E	X	3/4	0.75	5	10	19.26	17.12	16.05	26.38	0.117	3.17	34
DUO-FAST	64	C	H	E	X	7/8	0.875	5	10	19.98	17.76	16.65	27.36	0.117	3.66	39
DUO-FAST	64	D	H	E	X	7/8	0.875	5	10	20.61	18.32	17.18	28.22	0.117	3.66	39
DUO-FAST	64	C	H	E	X	1	1	5	10	21.15	18.80	17.63	28.96	0.117	4.15	43
DUO-FAST	64	D	H	E	X	1	1	5	10	21.78	19.36	18.15	29.82	0.117	4.15	43
DUO-FAST	65	C	H	E	X	1/2	0.5	5	16	18.45	16.40	15.38	25.26	0.43	2.80	47
DUO-FAST	65	C	H	E	X	5/8	0.625	5	16	19.71	17.52	16.43	27.00	0.43	3.29	55
DUO-FAST	75	C	H	E	X	1/4	0.25	5	20	9.45	8.40	7.88	12.94	0.415	1.63	35
DUO-FAST	75	D	H	E	X	1/4	0.25	5	20	9.90	8.80	8.25	13.56	0.415	1.63	35
DUO-FAST	75	C	H	E	X	5/16	0.3125	5	20	9.99	8.88	8.33	13.68	0.415	1.85	39
DUO-FAST	75	D	H	E	X	5/16	0.3125	5	20	10.44	9.28	8.70	14.30	0.415	1.85	39
DUO-FAST	75	C	H	E	X	3/8	0.375	5	20	10.44	9.28	8.70	14.30	0.415	2.07	43
DUO-FAST	75	D	H	E	X	3/8	0.375	5	20	10.89	9.68	9.08	14.92	0.415	2.07	43
DUO-FAST	75	C	H	E	X	1/2	0.5	5	20	11.70	10.40	9.75	16.02	0.415	2.52	52
DUO-FAST	75	D	H	E	X	1/2	0.5	5	20	12.24	10.88	10.20	16.76	0.415	2.52	52
DUO-FAST	75	C	H	E	X	9/16	0.5625	5	16	12.24	10.88	10.20	16.76	0.415	2.74	46

SIMILAR TO	Product	Point	Mail	Fin	coat	Leg, Frac	Leg, in.	M/ Bx	Bx /Cs	Price 5-24 boxes \$ per box	Price 25-49 boxes \$ per box	Price 50+ boxes \$ per box	Retail Price	Crown Width, in. ID	weight lbs wire /box	Weight/c ase, lbs
DUO-FAST	75	D	H	E	X	9/16	0.5625	5	16	12.78	11.36	10.65	17.50	0.415	2.74	46
INDUSTRIA	375	C	H	E	X	1/4	0.25	5	20	10.62	9.44	8.85	14.54	0.38	1.00	22
INDUSTRIA	375	C	H	E	X	5/16	0.3125	5	20	11.07	9.84	9.23	15.16	0.38	1.14	25
INDUSTRIA	375	C	H	E	X	3/8	0.375	5	20	11.43	10.16	9.53	15.66	0.38	1.29	28
MARKWELL	L3A	C	H	E	X	5/32	0.1563	5	20	8.82	7.84	7.35	12.08	0.395	1.02	22
MARKWELL	L3A	C	H	E	X	1/4	0.25	5	20	8.82	7.84	7.35	12.08	0.395	1.29	28
MARKWELL	L3A	C	X	E	X	1/4	0.25	5	20	9.18	8.16	7.65	12.58	0.395	1.29	28
MARKWELL	L3A	D	H	E	X	1/4	0.25	5	20	9.18	8.16	7.65	12.58	0.395	1.29	28
MARKWELL	L3A	D	X	E	X	1/4	0.25	5	20	9.54	8.48	7.95	13.08	0.395	1.29	28
MARKWELL	L3B	C	H	E	X	5/16	0.3125	5	20	9.36	8.32	7.80	12.82	0.395	1.47	31
MARKWELL	L3B	C	X	E	X	5/16	0.3125	5	20	9.72	8.64	8.10	13.32	0.395	1.47	31
MARKWELL	L3B	D	H	E	X	5/16	0.3125	5	20	9.72	8.64	8.10	13.32	0.395	1.47	31
MARKWELL	L3B	D	X	E	X	5/16	0.3125	5	20	10.08	8.96	8.40	13.80	0.395	1.47	31
MARKWELL	L3C	C	H	E	X	3/8	0.375	5	20	9.81	8.72	8.18	13.44	0.395	1.65	35
MARKWELL	L3C	C	X	E	X	3/8	0.375	5	20	10.26	9.12	8.55	14.06	0.395	1.65	35
MARKWELL	L3C	D	H	E	X	3/8	0.375	5	20	10.26	9.12	8.55	14.06	0.395	1.65	35
MARKWELL	L3C	D	X	E	X	3/8	0.375	5	20	10.71	9.52	8.93	14.68	0.395	1.65	35
MARKWELL	L3D	C	H	E	X	1/2	0.5	5	20	10.80	9.60	9.00	14.80	0.395	2.01	42
MARKWELL	L3D	C	M	X	X	1/2	0.5	5	20	178.20	158.40	148.50	273.24	0.395	2.01	42
MARKWELL	L3D	C	X	E	X	1/2	0.5	5	20	11.25	10.00	9.38	15.42	0.395	2.01	42
MARKWELL	L3D	D	H	E	X	1/2	0.5	5	20	11.25	10.00	9.38	15.42	0.395	2.01	42
MARKWELL	L3D	D	X	E	X	1/2	0.5	5	20	11.79	10.48	9.83	16.16	0.395	2.01	42
MARKWELL	L3M	C	H	E	X	7/16	0.4375	5	20	10.71	9.52	8.93	14.68	0.395	1.83	39
MARKWELL	L3M	C	X	E	X	7/16	0.4375	5	20	11.25	10.00	9.38	15.42	0.395	1.83	39
MARKWELL	L3M	D	H	E	X	7/16	0.4375	5	20	11.25	10.00	9.38	15.42	0.395	1.83	39
MARKWELL	L3M	D	X	E	X	7/16	0.4375	5	20	11.79	10.48	9.83	16.16	0.395	1.83	39
MARKWELL	L4A	C	H	E	X	5/32	0.1563	5	40	6.84	6.08	5.70	9.38	0.395	0.43	19
MARKWELL	L4A	C	H	E	X	1/4	0.25	5	40	6.84	6.08	5.70	9.38	0.395	0.55	24
MARKWELL	L4A	D	H	E	X	1/4	0.25	5	40	7.20	6.40	6.00	9.86	0.395	0.55	24
MARKWELL	L4C	C	H	E	X	3/8	0.375	5	40	7.56	6.72	6.30	10.36	0.395	0.70	30
MARKWELL	L4C	D	H	E	X	3/8	0.375	5	40	7.74	6.88	6.45	10.60	0.395	0.70	30
MARKWELL	L4D	C	H	E	X	1/2	0.5	5	40	8.01	7.12	6.68	10.98	0.395	0.86	36
MARKWELL	L4D	C	M	X	X	1/2	0.5	5	40	91.80	81.60	76.50	140.76	0.395	0.86	36
MARKWELL	L4D	D	H	E	X	1/2	0.5	5	40	8.28	7.36	6.90	11.34	0.395	0.86	36
MARKWELL	P3A	C	C	E	X	1/4	0.25	5	20	8.28	7.36	6.90	11.34	0.395	1.08	24

SIMILAR TO	Product	Point	Mail	Fin	coat	Leg, Frac	Leg, in.	M/ Bx	Bx /Cs	Price 5-24 boxes \$ per box	Price 25-49 boxes \$ per box	Price 50+ boxes \$ per box	Retail Price	Crown Width, in. ID	weight lbs wire /box	Weight/c ase, lbs
MARKWELL	P3C	C	C	E	X	3/8	0.375	5	20	9.00	8.00	7.50	12.34	0.395	1.39	30
MARKWELL	P3C	C	M	X	X	3/8	0.375	5	20	149.85	133.20	124.88	229.78	0.395	1.65	35
MARKWELL	P3C	D	M	X	X	3/8	0.375	5	20	153.45	136.40	127.88	235.30	0.395	1.65	35
MARKWELL	P4A	C	C	E	X	1/4	0.25	5	36	7.20	6.40	6.00	9.86	0.395	0.55	22
MARKWELL	P4C	C	C	E	X	3/8	0.375	5	20	7.74	6.88	6.45	10.60	0.395	0.70	16
MARKWELL	RBB	C	H	E	X	5/16	0.3125	5	20	9.90	8.80	8.25	13.56	0.395	1.47	31
MARKWELL	RBA	C	H	E	X	1/4	0.25	5	20	9.68	8.61	8.07	13.26	0.395	1.29	28
NEVA-CLOG	A	C	C	E	X	1/4	0.25	10	20	12.96	11.52	10.80	17.76	0.41	1.12	24
NEVA-CLOG	B	C	H	E	X	1/4	0.25	5	20	10.35	9.20	8.63	14.18	0.41	1.31	28
NEVA-CLOG	B	C	H	E	X	5/16	0.3125	5	20	10.89	9.68	9.08	14.92	0.41	1.49	32
NEVA-CLOG	B	C	H	E	X	1/2	0.5	5	20	12.24	10.88	10.20	16.76	0.41	2.03	43
NEVA-CLOG	DJ340	C	C	E	X	7/32	0.2188	5	100	7.20	6.40	6.00	9.86	0.38	0.34	36
NEVA-CLOG	L	C	C	E	X	5/16	0.3125	10	20	13.41	11.92	11.18	18.36	0.41	1.27	27
PASLODE	GSN18	C	H	E	X	3/8	0.375	5	10	9.90	8.80	8.25	13.56	0.12	2.05	22
PASLODE	GSN18	D	H	E	X	3/8	0.375	5	10	10.26	9.12	8.55	14.06	0.12	2.05	22
PASLODE	GSN18	C	H	E	X	1/2	0.5	5	10	11.16	9.92	9.30	15.28	0.12	2.63	28
PASLODE	GSN18	D	H	E	X	1/2	0.5	5	10	11.52	10.24	9.60	15.78	0.12	2.63	28
PASLODE	GSN18	C	H	E	X	5/8	0.625	5	10	12.91	11.47	10.76	17.68	0.12	3.22	34
PASLODE	GSN18	D	H	E	X	5/8	0.625	5	10	13.01	11.57	10.85	17.82	0.12	3.22	34
PASLODE	GSN18	C	H	E	X	3/4	0.75	5	10	14.56	12.94	12.14	19.94	0.12	3.81	40
PASLODE	GSN18	D	H	E	X	3/4	0.75	5	10	14.78	13.14	12.32	20.24	0.12	3.81	40
PASLODE	GSN18	C	H	E	X	7/8	0.875	5	10	16.13	14.34	13.44	22.08	0.12	4.40	46
PASLODE	GSN18	D	H	E	X	7/8	0.875	5	10	16.24	14.43	13.53	22.24	0.12	4.40	46
PASLODE	GSN18	C	H	E	X	1	1	5	10	17.14	15.23	14.28	23.46	0.12	4.99	52
PASLODE	GSN18	C	H	E	X	1-1/8	1.125	5	10	18.23	16.21	15.20	24.98	0.12	5.57	58
PASLODE	GSN18	C	H	E	X	1-1/4	1.25	5	10	19.48	17.31	16.23	26.68	0.12	6.16	64
PASLODE	PN30	C	H	E	X	3/16	0.1875	10	20	11.07	9.84	9.23	15.16	0.159	0.90	20
PASLODE	PN30	C	X	E	X	3/16	0.1875	10	20	11.52	10.24	9.60	15.78	0.159	0.97	21
PASLODE	PN30	D	H	E	X	3/16	0.1875	10	20	11.34	10.08	9.45	15.54	0.159	0.90	20
PASLODE	PN30	D	X	E	X	3/16	0.1875	10	20	11.88	10.56	9.90	16.28	0.159	0.97	21
PASLODE	PN30	C	H	E	X	1/4	0.25	10	20	11.70	10.40	9.75	16.02	0.159	1.11	24
PASLODE	PN30	C	X	E	X	1/4	0.25	10	20	12.24	10.88	10.20	16.76	0.159	1.20	26
PASLODE	PN30	D	H	E	X	1/4	0.25	10	20	11.88	10.56	9.90	16.28	0.159	1.11	24
PASLODE	PN30	D	X	E	X	1/4	0.25	10	20	12.60	11.20	10.50	17.26	0.159	1.20	26
PASLODE	PN30	C	H	E	X	5/16	0.3125	10	20	12.24	10.88	10.20	16.76	0.159	1.32	28

SIMILAR TO	Product	Point	Matl	Fin	coat	Leg, Frac	Leg, in.	M/ Bx	Bx /Cs	Price 5-24 boxes \$ per box	Price 25-49 boxes \$ per box	Price 50+ boxes \$ per box	Retail Price	Crown Width, in. ID	weight lbs wire /box	Weight/c ase, lbs
PASLODE	PN30	C	X	E	X	5/16	0.3125	10	20	12.96	11.52	10.80	17.76	0.159	1.43	31
PASLODE	PN30	D	H	E	X	5/16	0.3125	10	20	12.60	11.20	10.50	17.26	0.159	1.32	28
PASLODE	PN30	D	X	E	X	5/16	0.3125	10	20	13.32	11.84	11.10	18.24	0.159	1.43	31
PASLODE	PN30	C	H	E	X	3/8	0.375	10	20	12.87	11.44	10.73	17.62	0.159	1.53	33
PASLODE	PN30	C	X	E	X	3/8	0.375	10	20	13.68	12.16	11.40	18.74	0.159	1.65	35
PASLODE	PN30	D	H	E	X	3/8	0.375	10	20	13.23	11.76	11.03	18.12	0.159	1.53	33
PASLODE	PN30	D	X	E	X	3/8	0.375	10	20	14.04	12.48	11.70	19.24	0.159	1.65	35
PASLODE	PN30	C	H	E	X	1/2	0.5	10	20	14.04	12.48	11.70	19.24	0.159	1.95	41
PASLODE	PN30	C	X	E	X	1/2	0.5	10	20	15.03	13.36	12.53	20.58	0.159	2.11	44
PASLODE	PN30	D	H	E	X	1/2	0.5	10	20	14.49	12.88	12.08	19.84	0.159	1.95	41
PASLODE	PN30	D	X	E	X	1/2	0.5	10	20	15.48	13.76	12.90	21.20	0.159	2.11	44
PASLODE	PN30	C	H	E	X	9/16	0.5625	10	20	14.67	13.04	12.23	20.10	0.159	2.16	45
PASLODE	PN30	C	X	E	X	9/16	0.5625	10	20	15.66	13.92	13.05	21.44	0.159	2.33	49
PASLODE	PN30	D	H	E	X	9/16	0.5625	10	20	15.12	13.44	12.60	20.70	0.159	2.16	45
PASLODE	PN30	D	X	E	X	9/16	0.5625	10	20	16.11	14.32	13.43	22.06	0.159	2.33	49
PASLODE	PN30	C	H	E	X	5/8	0.625	10	20	15.21	13.52	12.68	20.84	0.159	2.37	49
PASLODE	PN30	C	X	E	X	5/8	0.625	10	20	16.38	14.56	13.65	22.44	0.159	2.56	53
PASLODE	PN30	D	H	E	X	5/8	0.625	10	20	15.48	13.76	12.90	21.20	0.159	2.37	49
PASLODE	PN30	D	X	E	X	5/8	0.625	10	20	16.83	14.96	14.03	23.06	0.159	2.56	53
PASLODE	PN50	C	H	E	X	3/16	0.1875	10	20	12.06	10.72	10.05	16.52	0.159	1.54	33
PASLODE	PN50	C	X	E	X	3/16	0.1875	10	20	12.60	11.20	10.50	17.26	0.159	1.54	33
PASLODE	PN50	D	H	E	X	3/16	0.1875	10	20	12.60	11.20	10.50	17.26	0.159	1.54	33
PASLODE	PN50	D	X	E	X	3/16	0.1875	10	20	13.23	11.76	11.03	18.12	0.159	1.54	33
PASLODE	PN50	C	H	E	X	1/4	0.25	10	20	13.05	11.60	10.88	17.88	0.159	1.90	40
PASLODE	PN50	C	X	E	X	1/4	0.25	10	20	13.59	12.08	11.33	18.62	0.159	1.90	40
PASLODE	PN50	D	H	E	X	1/4	0.25	10	20	13.59	12.08	11.33	18.62	0.159	1.90	40
PASLODE	PN50	D	X	E	X	1/4	0.25	10	20	14.13	12.56	11.78	19.36	0.159	1.90	40
PASLODE	PN50	C	H	E	X	5/16	0.3125	10	20	13.95	12.40	11.63	19.10	0.159	2.26	47
PASLODE	PN50	C	X	E	X	5/16	0.3125	10	20	14.58	12.96	12.15	19.98	0.159	2.26	47
PASLODE	PN50	D	H	E	X	5/16	0.3125	10	20	14.58	12.96	12.15	19.98	0.159	2.26	47
PASLODE	PN50	D	X	E	X	5/16	0.3125	10	20	15.30	13.60	12.75	20.96	0.159	2.26	47
PASLODE	PN50	C	H	E	X	3/8	0.375	10	20	14.94	13.28	12.45	20.46	0.159	2.62	54
PASLODE	PN50	C	M	X	X	3/8	0.375	10	20	219.60	195.20	183.00	336.72	0.159	2.62	54
PASLODE	PN50	C	X	E	X	3/8	0.375	10	20	15.57	13.84	12.98	21.32	0.159	2.62	54
PASLODE	PN50	D	H	E	X	3/8	0.375	10	20	15.57	13.84	12.98	21.32	0.159	2.62	54
PASLODE	PN50	D	X	E	X	3/8	0.375	10	20	16.20	14.40	13.50	22.18	0.159	2.62	54
PASLODE	PN50	C	B	X	X	1/2	0.5	5	20	40.50	36.00	33.75	62.10	0.159	1.67	35

SIMILAR TO	Product	Point	Matl	Fin	coat	Leg, Frac	Leg, in.	M/ Bx	Bx /Cs	Price 5-24 boxes \$ per box	Price 25-49 boxes \$ per box	Price 50+ boxes \$ per box	Retail Price	Crown Width, in. ID	weight lbs wire /box	Weight/c ase, lbs
PASLODE	PN50	C	H	E	X	1/2	0.5	5	20	9.45	8.40	7.88	12.94	0.159	1.67	35
PASLODE	PN50	C	M	X	X	1/2	0.5	5	20	126.00	112.00	105.00	193.20	0.159	1.67	35
PASLODE	PN50	C	X	E	X	1/2	0.5	5	20	9.90	8.80	8.25	13.56	0.159	1.67	35
PASLODE	PN50	D	H	E	X	1/2	0.5	5	20	9.45	8.40	7.88	12.94	0.159	1.67	35
PASLODE	PN50	D	X	E	X	1/2	0.5	5	20	9.90	8.80	8.25	13.56	0.159	1.67	35
PASLODE	PN50	C	H	E	X	5/8	0.625	5	20	10.44	9.28	8.70	14.30	0.159	2.03	43
PASLODE	PN50	C	X	E	X	5/8	0.625	5	20	10.89	9.68	9.08	14.92	0.159	2.03	43
PASLODE	PN50	D	H	E	X	5/8	0.625	5	20	10.89	9.68	9.08	14.92	0.159	2.03	43
PASLODE	PN50	D	X	E	X	5/8	0.625	5	20	11.43	10.16	9.53	15.66	0.159	2.03	43
PASLODE	PN50	C	H	E	X	3/4	0.75	5	20	12.60	11.20	10.50	17.26	0.159	2.39	50
PASLODE	PS30	C	H	E	X	3/16	0.1875	10	20	11.70	10.40	9.75	16.02	0.283	1.11	24
PASLODE	PS30	C	X	E	X	3/16	0.1875	10	20	12.24	10.88	10.20	16.76	0.283	1.20	26
PASLODE	PS30	D	H	E	X	3/16	0.1875	10	20	12.06	10.72	10.05	16.52	0.283	1.11	24
PASLODE	PS30	D	X	E	X	3/16	0.1875	10	20	12.60	11.20	10.50	17.26	0.283	1.20	26
PASLODE	PS30	C	H	E	X	1/4	0.25	10	20	12.24	10.88	10.20	16.76	0.283	1.32	28
PASLODE	PS30	C	X	E	X	1/4	0.25	10	20	12.96	11.52	10.80	17.76	0.283	1.42	30
PASLODE	PS30	D	H	E	X	1/4	0.25	10	20	12.60	11.20	10.50	17.26	0.283	1.32	28
PASLODE	PS30	D	X	E	X	1/4	0.25	10	20	13.32	11.84	11.10	18.24	0.283	1.42	30
PASLODE	PS30	C	H	E	X	5/16	0.3125	10	20	12.87	11.44	10.73	17.62	0.283	1.53	33
PASLODE	PS30	C	X	E	X	5/16	0.3125	10	20	13.68	12.16	11.40	18.74	0.283	1.65	35
PASLODE	PS30	D	H	E	X	5/16	0.3125	10	20	13.50	12.00	11.25	18.50	0.283	1.53	33
PASLODE	PS30	D	X	E	X	5/16	0.3125	10	20	14.04	12.48	11.70	19.24	0.283	1.65	35
PASLODE	PS30	C	H	E	X	3/8	0.375	10	20	13.41	11.92	11.18	18.36	0.283	1.74	37
PASLODE	PS30	C	X	E	X	3/8	0.375	10	20	14.31	12.72	11.93	19.60	0.283	1.88	40
PASLODE	PS30	D	H	E	X	3/8	0.375	10	20	13.95	12.40	11.63	19.10	0.283	1.74	37
PASLODE	PS30	D	X	E	X	3/8	0.375	10	20	14.67	13.04	12.23	20.10	0.283	1.88	40
PASLODE	PS30	C	H	E	X	1/2	0.5	10	20	14.58	12.96	12.15	19.98	0.283	2.16	45
PASLODE	PS30	C	M	X	X	1/2	0.5	10	20	178.20	158.40	148.50	273.24	0.283	2.16	45
PASLODE	PS30	C	X	E	X	1/2	0.5	10	20	15.66	13.92	13.05	21.44	0.283	2.33	49
PASLODE	PS30	D	H	E	X	1/2	0.5	10	20	15.21	13.52	12.68	20.84	0.283	2.16	45
PASLODE	PS30	D	X	E	X	1/2	0.5	10	20	16.20	14.40	13.50	22.18	0.283	2.33	49
PASLODE	PS30	C	H	E	X	9/16	0.5625	10	20	15.21	13.52	12.68	20.84	0.283	2.37	49
PASLODE	PS30	C	X	E	X	9/16	0.5625	10	20	16.38	14.56	13.65	22.44	0.283	2.56	53
PASLODE	PS30	D	H	E	X	9/16	0.5625	10	20	15.84	14.08	13.20	21.70	0.283	2.37	49
PASLODE	PS30	D	X	E	X	9/16	0.5625	10	20	16.92	15.04	14.10	23.18	0.283	2.56	53
PASLODE	PS30	C	H	E	X	5/8	0.625	10	20	15.75	14.00	13.13	21.58	0.283	2.58	54
PASLODE	PS30	C	X	E	X	5/8	0.625	10	20	17.10	15.20	14.25	23.42	0.283	2.79	58

SIMILAR TO	Product	Point	Matl	Fin	coat	Leg, Frac	Leg, in.	M/ Bx	Bx /Cs	Price 5-24 boxes \$ per box	Price 25-49 boxes \$ per box	Price 50+ boxes \$ per box	Retail Price	Crown Width, in. ID	weight lbs wire /box	Weight/c ase, lbs
PASLODE	PS30	D	H	E	X	5/8	0.625	10	20	16.29	14.48	13.58	22.32	0.283	2.58	54
PASLODE	PS30	D	X	E	X	5/8	0.625	10	20	17.55	15.60	14.63	24.04	0.283	2.79	58
PASLODE	PS50	C	H	E	X	3/16	0.1875	5	20	7.56	6.72	6.30	10.36	0.283	0.95	21
PASLODE	PS50	C	X	E	X	3/16	0.1875	5	20	7.92	7.04	6.60	10.86	0.283	0.95	21
PASLODE	PS50	D	H	E	X	3/16	0.1875	5	20	7.92	7.04	6.60	10.86	0.283	0.95	21
PASLODE	PS50	D	X	E	X	3/16	0.1875	5	20	8.28	7.36	6.90	11.34	0.283	0.95	21
PASLODE	PS50	C	B	X	X	1/4	0.25	5	20	38.25	34.00	31.88	58.66	0.283	1.13	25
PASLODE	PS50	C	H	E	X	1/4	0.25	5	20	8.01	7.12	6.68	10.98	0.283	1.13	25
PASLODE	PS50	C	X	E	X	1/4	0.25	5	20	8.46	7.52	7.05	11.60	0.283	1.13	25
PASLODE	PS50	D	H	E	X	1/4	0.25	5	20	8.46	7.52	7.05	11.60	0.283	1.13	25
PASLODE	PS50	D	X	E	X	1/4	0.25	5	20	8.82	7.84	7.35	12.08	0.283	1.13	25
PASLODE	PS50	C	H	E	X	5/16	0.3125	5	20	8.55	7.60	7.13	11.72	0.283	1.31	28
PASLODE	PS50	C	X	E	X	5/16	0.3125	5	20	9.00	8.00	7.50	12.34	0.283	1.31	28
PASLODE	PS50	D	H	E	X	5/16	0.3125	5	20	9.00	8.00	7.50	12.34	0.283	1.31	28
PASLODE	PS50	D	X	E	X	5/16	0.3125	5	20	9.45	8.40	7.88	12.94	0.283	1.31	28
PASLODE	PS50	C	H	E	X	3/8	0.375	5	20	9.00	8.00	7.50	12.34	0.283	1.49	32
PASLODE	PS50	C	X	E	X	3/8	0.375	5	20	9.45	8.40	7.88	12.94	0.283	1.49	32
PASLODE	PS50	D	H	E	X	3/8	0.375	5	20	9.45	8.40	7.88	12.94	0.283	1.49	32
PASLODE	PS50	D	X	E	X	3/8	0.375	5	20	9.90	8.80	8.25	13.56	0.283	1.49	32
PASLODE	PS50	C	H	E	X	1/2	0.5	5	20	9.90	8.80	8.25	13.56	0.283	1.85	39
PASLODE	PS50	C	X	E	X	1/2	0.5	5	20	10.44	9.28	8.70	14.30	0.283	1.85	39
PASLODE	PS50	D	H	E	X	1/2	0.5	5	20	10.44	9.28	8.70	14.30	0.283	1.85	39
PASLODE	PS50	D	X	E	X	1/2	0.5	5	20	10.80	9.60	9.00	14.80	0.283	1.85	39
PASLODE	PS50	C	H	E	X	9/16	0.5625	5	20	10.44	9.28	8.70	14.30	0.283	2.03	43
PASLODE	PS50	C	X	E	X	9/16	0.5625	5	20	10.98	9.76	9.15	15.04	0.283	2.03	43
PASLODE	PS50	D	H	E	X	9/16	0.5625	5	20	10.98	9.76	9.15	15.04	0.283	2.03	43
PASLODE	PS50	D	X	E	X	9/16	0.5625	5	20	11.25	10.00	9.38	15.42	0.283	2.03	43
PASLODE	PS50	C	H	E	X	5/8	0.625	5	20	10.98	9.76	9.15	15.04	0.283	2.21	46
PASLODE	PS50	C	X	E	X	5/8	0.625	5	20	11.43	10.16	9.53	15.66	0.283	2.21	46
PASLODE	PS50	D	H	E	X	5/8	0.625	5	20	11.43	10.16	9.53	15.66	0.283	2.21	46
PASLODE	PS50	D	X	E	X	5/8	0.625	5	20	11.88	10.56	9.90	16.28	0.283	2.21	46
PASLODE	PW30	C	H	E	X	3/16	0.1875	10	20	12.60	11.20	10.50	17.26	0.465	1.41	30
PASLODE	PW30	C	X	E	X	3/16	0.1875	10	20	13.23	11.76	11.03	18.12	0.465	1.53	33
PASLODE	PW30	D	H	E	X	3/16	0.1875	10	20	13.23	11.76	11.03	18.12	0.465	1.41	30
PASLODE	PW30	D	X	E	X	3/16	0.1875	10	20	13.59	12.08	11.33	18.62	0.465	1.53	33
PASLODE	PW30	C	H	E	X	1/4	0.25	10	20	13.14	11.68	10.95	18.00	0.465	1.62	34
PASLODE	PW30	C	X	E	X	1/4	0.25	10	20	13.95	12.40	11.63	19.10	0.465	1.75	37

SIMILAR TO	Product	Point	Matl	Fin	coat	Leg, Frac	Leg, in.	M/ Bx	Bx /Cs	Price 5-24 boxes \$ per box	Price 25-49 boxes \$ per box	Price 50+ boxes \$ per box	Retail Price	Crown Width, in. ID	weight lbs wire /box	Weight/c ase, lbs
PASLODE	PW30	D	H	E	X	1/4	0.25	10	20	13.95	12.40	11.63	19.10	0.465	1.62	34
PASLODE	PW30	D	X	E	X	1/4	0.25	10	20	14.40	12.80	12.00	19.72	0.465	1.75	37
PASLODE	PW30	C	H	E	X	5/16	0.3125	10	20	13.68	12.16	11.40	18.74	0.465	1.83	39
PASLODE	PW30	C	X	E	X	5/16	0.3125	10	20	14.58	12.96	12.15	19.98	0.465	1.98	42
PASLODE	PW30	D	H	E	X	5/16	0.3125	10	20	14.58	12.96	12.15	19.98	0.465	1.83	39
PASLODE	PW30	D	X	E	X	5/16	0.3125	10	20	15.12	13.44	12.60	20.70	0.465	1.98	42
PASLODE	PW30	C	H	E	X	3/8	0.375	10	20	14.31	12.72	11.93	19.60	0.465	2.04	43
PASLODE	PW30	C	X	E	X	3/8	0.375	10	20	15.30	13.60	12.75	20.96	0.465	2.21	46
PASLODE	PW30	D	H	E	X	3/8	0.375	10	20	15.30	13.60	12.75	20.96	0.465	2.04	43
PASLODE	PW30	D	X	E	X	3/8	0.375	10	20	15.75	14.00	13.13	21.58	0.465	2.21	46
PASLODE	PW30	C	H	E	X	1/2	0.5	10	20	15.48	13.76	12.90	21.20	0.465	2.46	51
PASLODE	PW30	C	X	E	X	1/2	0.5	10	20	16.65	14.80	13.88	22.80	0.465	2.66	55
PASLODE	PW30	D	H	E	X	1/2	0.5	10	20	16.65	14.80	13.88	22.80	0.465	2.46	51
PASLODE	PW30	D	X	E	X	1/2	0.5	10	20	17.10	15.20	14.25	23.42	0.465	2.66	55
PASLODE	PW50	C	H	E	X	3/16	0.1875	5	20	8.28	7.36	6.90	11.34	0.465	1.21	26
PASLODE	PW50	C	X	E	X	3/16	0.1875	5	20	8.73	7.76	7.28	11.96	0.465	1.21	26
PASLODE	PW50	D	H	E	X	3/16	0.1875	5	20	8.73	7.76	7.28	11.96	0.465	1.21	26
PASLODE	PW50	D	X	E	X	3/16	0.1875	5	20	9.09	8.08	7.58	12.46	0.465	1.21	26
PASLODE	PW50	C	H	E	X	1/4	0.25	5	20	8.73	7.76	7.28	11.96	0.465	1.39	30
PASLODE	PW50	C	X	E	X	1/4	0.25	5	20	9.18	8.16	7.65	12.58	0.465	1.39	30
PASLODE	PW50	D	H	E	X	1/4	0.25	5	20	9.18	8.16	7.65	12.58	0.465	1.39	30
PASLODE	PW50	D	X	E	X	1/4	0.25	5	20	9.54	8.48	7.95	13.08	0.465	1.39	30
PASLODE	PW50	C	H	E	X	5/16	0.3125	5	20	9.18	8.16	7.65	12.58	0.465	1.57	33
PASLODE	PW50	C	X	E	X	5/16	0.3125	5	20	9.63	8.56	8.03	13.20	0.465	1.57	33
PASLODE	PW50	D	H	E	X	5/16	0.3125	5	20	9.63	8.56	8.03	13.20	0.465	1.57	33
PASLODE	PW50	D	S	X	X	5/16	0.3125	5	20	59.40	52.80	49.50	91.08	0.465	1.57	33
PASLODE	PW50	D	X	E	X	5/16	0.3125	5	20	10.08	8.96	8.40	13.80	0.465	1.57	33
PASLODE	PW50	C	H	E	X	3/8	0.375	5	20	9.72	8.64	8.10	13.32	0.465	1.75	37
PASLODE	PW50	C	X	E	X	3/8	0.375	5	20	10.08	8.96	8.40	13.80	0.465	1.75	37
PASLODE	PW50	D	H	E	X	3/8	0.375	5	20	10.08	8.96	8.40	13.80	0.465	1.75	37
PASLODE	PW50	D	S	X	X	3/8	0.375	5	20	61.20	54.40	51.00	93.84	0.465	1.75	37
PASLODE	PW50	D	X	E	X	3/8	0.375	5	20	10.53	9.36	8.78	14.42	0.465	1.75	37
PASLODE	PW50	C	H	E	X	1/2	0.5	5	15	10.62	9.44	8.85	14.54	0.465	2.11	34
PASLODE	PW50	C	X	E	X	1/2	0.5	5	15	11.25	10.00	9.38	15.42	0.465	2.11	34
PASLODE	PW50	D	H	E	X	1/2	0.5	5	15	11.25	10.00	9.38	15.42	0.465	2.11	34
PASLODE	PW50	D	S	X	X	1/2	0.5	5	15	68.40	60.80	57.00	104.88	0.465	2.11	34
PASLODE	PW50	D	X	E	X	1/2	0.5	5	15	11.70	10.40	9.75	16.02	0.465	2.11	34

SIMILAR TO	Product	Point	Matl	Fin	coat	Leg, Frac	Leg, in.	M/ Bx	Bx /Cs	Price 5-24 boxes \$ per box	Price 25-49 boxes \$ per box	Price 50+ boxes \$ per box	Retail Price	Crown Width, in. ID	weight lbs wire /box	Weight/c ase, lbs
PASLODE	PW50	C	H	E	X	9/16	0.5625	5	15	11.16	9.92	9.30	15.28	0.465	2.29	36
PASLODE	PW50	C	X	E	X	9/16	0.5625	5	15	11.70	10.40	9.75	16.02	0.465	2.29	36
PASLODE	PW50	D	H	E	X	9/16	0.5625	5	15	11.70	10.40	9.75	16.02	0.465	2.29	36
PASLODE	PW50	D	X	E	X	9/16	0.5625	5	15	12.24	10.88	10.20	16.76	0.465	2.29	36
PASLODE	W60	C	H	E	X	1/4	0.25	5	20	14.40	12.80	12.00	19.72	0.465	1.89	40
PASLODE	W60	C	H	E	X	3/8	0.375	5	20	15.66	13.92	13.05	21.44	0.465	2.38	50
PASLODE	W60	C	H	E	X	1/2	0.5	5	16	16.92	15.04	14.10	23.18	0.465	2.87	48
ROBERTS	10	C	H	E	X	3/8	0.375	5	20	9.72	8.64	8.10	13.32	0.38	1.63	35
ROBERTS	10	C	H	E	X	5/16	0.3125	5	20	9.72	8.64	8.10	13.32	0.38	1.45	31
ROBERTS	10	D	H	E	X	3/8	0.375	5	20	9.99	8.88	8.33	13.68	0.38	1.63	35
ROBERTS	10	D	H	E	X	5/16	0.3125	5	20	9.99	8.88	8.33	13.68	0.38	1.45	31
ROBERTS	37-041	C	H	E	X	5/16	0.3125	5	20	6.48	5.76	5.40	8.88	0.47	0.67	15
SENCO	3 (B)	C	H	E	X	3/16	0.1875	5	20	6.84	6.08	5.70	9.38	0.465	0.63	15
SENCO	3 (B)	D	H	E	X	3/16	0.1875	5	20	7.11	6.32	5.93	9.74	0.465	0.63	15
SENCO	3 (B)	C	H	E	X	1/4	0.25	10	20	13.68	12.16	11.40	18.74	0.465	1.45	31
SENCO	3 (B)	C	H	E	X	1/4	0.25	5	20	7.11	6.32	5.93	9.74	0.465	0.72	16
SENCO	3 (B)	D	H	E	X	1/4	0.25	10	20	14.40	12.80	12.00	19.72	0.465	1.45	31
SENCO	3 (B)	D	H	E	X	1/4	0.25	5	20	7.29	6.48	6.08	10.00	0.465	0.72	16
SENCO	3 (B)	C	H	E	X	5/16	0.3125	5	20	7.29	6.48	6.08	10.00	0.465	0.82	18
SENCO	3 (B)	C	H	E	X	5/16	0.3125	10	20	14.22	12.64	11.85	19.48	0.465	1.64	35
SENCO	3 (B)	D	H	E	X	5/16	0.3125	5	20	7.47	6.64	6.23	10.24	0.465	0.82	18
SENCO	3 (B)	D	H	E	X	5/16	0.3125	10	20	14.76	13.12	12.30	20.22	0.465	1.64	35
SENCO	3 (B)	C	H	E	X	3/8	0.375	10	20	14.49	12.88	12.08	19.84	0.465	1.83	39
SENCO	3 (B)	D	H	E	X	3/8	0.375	10	20	14.85	13.20	12.38	20.34	0.465	1.83	39
SENCO	3 (B)	C	H	E	X	1/2	0.5	10	20	15.39	13.68	12.83	21.08	0.465	2.20	46
SENCO	3 (B)	D	H	E	X	1/2	0.5	10	20	15.93	14.16	13.28	21.82	0.465	2.20	46
SENCO	3 (C)	D	H	E	X	5/32	0.1563	10	20	12.42	11.04	10.35	17.02	0.315	0.94	21
SENCO	3 (C)	C	H	E	X	3/16	0.1875	10	20	12.60	11.20	10.50	17.26	0.315	1.04	23
SENCO	3 (C)	D	H	E	X	3/16	0.1875	10	20	12.96	11.52	10.80	17.76	0.315	1.04	23
SENCO	3 (C)	D	H	E	X	7/32	0.2188	9.7	20	12.78	11.36	10.65	17.50	0.315	1.10	24
SENCO	3 (C)	C	H	E	X	1/4	0.25	10	20	13.05	11.60	10.88	17.88	0.315	1.22	26
SENCO	3 (C)	D	H	E	X	1/4	0.25	10	20	13.41	11.92	11.18	18.36	0.315	1.22	26
SENCO	3 (C)	C	H	E	X	5/16	0.3125	10	20	13.50	12.00	11.25	18.50	0.315	1.41	30
SENCO	3 (C)	D	H	E	X	5/16	0.3125	10	20	13.77	12.24	11.48	18.86	0.315	1.41	30
SENCO	3 (C)	C	H	E	X	3/8	0.375	10	20	14.04	12.48	11.70	19.24	0.315	1.60	34

SIMILAR TO	Product	Point	Matl	Fin	coat	Leg, Frac	Leg. in.	M/ Bx	Bx /Cs	Price 5-24 boxes \$ per box	Price 25-49 boxes \$ per box	Price 50+ boxes \$ per box	Retail Price	Crown Width, in. ID	weight lbs wire /box	Weight/c ase, lbs
SENCO	3 (C)	D	H	E	X	3/8	0.375	10	20	14.40	12.80	12.00	19.72	0.315	1.60	34
SENCO	3 (C)	C	H	E	X	1/2	0.5	10	20	14.85	13.20	12.38	20.34	0.315	1.98	42
SENCO	3 (C)	D	H	E	X	1/2	0.5	10	20	15.12	13.44	12.60	20.70	0.315	1.98	42
SENCO	3 (C)	C	H	E	X	5/8	0.625	10	20	15.75	14.00	13.13	21.58	0.315	2.35	49
SENCO	3 (C)	D	H	E	X	5/8	0.625	10	20	16.02	14.24	13.35	21.94	0.315	2.35	49
SENCO	4 (H)	C	H	E	X	1/4	0.25	5	20	8.91	7.92	7.43	12.20	0.38	1.27	27
SENCO	4 (H)	D	H	E	X	1/4	0.25	5	20	9.18	8.16	7.65	12.58	0.38	1.27	27
SENCO	4 (H)	C	H	E	X	5/16	0.3125	5	20	9.36	8.32	7.80	12.82	0.38	1.45	31
SENCO	4 (H)	D	H	E	X	5/16	0.3125	5	20	9.63	8.56	8.03	13.20	0.38	1.45	31
SENCO	4 (H)	C	H	E	X	3/8	0.375	5	20	9.81	8.72	8.18	13.44	0.38	1.63	35
SENCO	4 (H)	D	H	E	X	3/8	0.375	5	20	10.08	8.96	8.40	13.80	0.38	1.63	35
SENCO	45 (G)	C	H	E	X	1/4	0.25	5	20	7.67	6.82	6.39	10.50	0.315	0.93	21
SENCO	45 (G)	D	H	E	X	1/4	0.25	5	20	7.78	6.91	6.48	10.66	0.315	0.93	21
SENCO	45 (G)	C	H	E	X	5/16	0.3125	5	20	7.99	7.10	6.66	10.96	0.315	1.07	23
SENCO	45 (G)	D	H	E	X	5/16	0.3125	5	20	8.10	7.20	6.75	11.10	0.315	1.07	23
SENCO	45 (G)	C	H	E	X	3/8	0.375	5	20	8.35	7.42	6.96	11.44	0.315	1.21	26
SENCO	45 (G)	D	H	E	X	3/8	0.375	5	20	8.46	7.52	7.05	11.60	0.315	1.21	26
SENCO	45 (G)	C	H	E	X	1/2	0.5	5	20	8.91	7.92	7.43	12.20	0.315	1.50	32
SENCO	45 (G)	D	H	E	X	1/2	0.5	5	20	9.23	8.21	7.70	12.66	0.315	1.50	32
SENCO	5 (F)	C	H	E	X	1/4	0.25	5	25	8.73	7.76	7.28	11.96	0.465	1.39	37
SENCO	5 (F)	C	X	E	X	1/4	0.25	5	20	9.09	8.08	7.58	12.46	0.465	1.39	30
SENCO	5 (F)	D	H	E	X	1/4	0.25	5	20	9.09	8.08	7.58	12.46	0.465	1.39	30
SENCO	5 (F)	D	X	E	X	1/4	0.25	5	20	9.54	8.48	7.95	13.08	0.465	1.39	30
SENCO	5 (F)	C	H	E	X	5/16	0.3125	5	20	9.36	8.32	7.80	12.82	0.465	1.57	33
SENCO	5 (F)	C	X	E	X	5/16	0.3125	5	20	9.81	8.72	8.18	13.44	0.465	1.57	33
SENCO	5 (F)	D	H	E	X	5/16	0.3125	5	20	9.81	8.72	8.18	13.44	0.465	1.57	33
SENCO	5 (F)	D	S	X	X	5/16	0.3125	5	20	59.40	52.80	49.50	91.08	0.465	1.57	33
SENCO	5 (F)	D	X	E	X	5/16	0.3125	5	20	10.17	9.04	8.48	13.94	0.465	1.57	33
SENCO	5 (F)	C	H	E	X	3/8	0.375	5	20	9.72	8.64	8.10	13.32	0.465	1.75	37
SENCO	5 (F)	C	X	E	X	3/8	0.375	5	20	10.17	9.04	8.48	13.94	0.465	1.75	37
SENCO	5 (F)	D	H	E	X	3/8	0.375	5	20	10.17	9.04	8.48	13.94	0.465	1.75	37
SENCO	5 (F)	D	X	E	X	3/8	0.375	5	20	10.62	9.44	8.85	14.54	0.465	1.75	37
SENCO	5 (F)	C	H	E	X	1/2	0.5	5	20	10.62	9.44	8.85	14.54	0.465	2.11	44
SENCO	5 (F)	C	X	E	X	1/2	0.5	5	20	11.25	10.00	9.38	15.42	0.465	2.11	44
SENCO	5 (F)	D	H	E	X	1/2	0.5	5	20	11.25	10.00	9.38	15.42	0.465	2.11	44
SENCO	5 (F)	D	X	E	X	1/2	0.5	5	20	11.70	10.40	9.75	16.02	0.465	2.11	44
SENCO	75 (J)	C	H	E	X	3/8	0.375	5	20	12.69	11.28	10.58	17.38	0.43	2.44	51

SIMILAR TO	Product	Point	Mail	Fin	coat	Leg, Frac	Leg, in.	M/ Bx	Bx /Cs	Price 5-24 boxes \$ per box	Price 25-49 boxes \$ per box	Price 50+ boxes \$ per box	Retail Price	Crown Width, in. ID	weight lbs wire /box	Weight/c ase, lbs
SENCO	75 (J)	C	H	E	X	1/2	0.5	5	20	14.13	12.56	11.78	19.36	0.43	2.96	61
SENCO	75 (J)	C	H	E	X	5/8	0.625	5	20	15.57	13.84	12.98	21.32	0.43	3.47	71
SENCO	G4450 (M)	C	H	E	X	1/2	0.5	5	10	12.24	10.88	10.20	16.76	0.315	3.09	33
SENCO	G4450 (M)	C	H	E	X	5/8	0.625	5	10	13.59	12.08	11.33	18.62	0.315	3.68	39
SENCO	G4450 (M)	C	H	E	X	3/4	0.75	5	10	15.80	14.05	13.17	21.64	0.315	4.27	45
SENCO	G4450 (M)	C	H	E	X	7/8	0.875	5	10	16.90	15.02	14.09	23.14	0.315	4.86	51
SENCO	G4450 (M)	C	H	E	X	1	1	2.5	10	11.70	10.40	9.75	16.02	0.315	2.72	29
SENCO	N3 (A)	C	H	E	X	3/16	0.1875	10	20	13.05	11.60	10.88	17.88	0.142	0.78	18
SENCO	N3 (A)	C	X	E	X	3/16	0.1875	10	20	14.04	12.48	11.70	19.24	0.142	0.94	21
SENCO	N3 (A)	D	H	E	X	3/16	0.1875	10	20	14.04	12.48	11.70	19.24	0.142	0.78	18
SENCO	N3 (A)	D	X	E	X	3/16	0.1875	10	20	14.58	12.96	12.15	19.98	0.142	0.94	21
SENCO	N3 (A)	C	H	E	X	1/4	0.25	10	20	13.50	12.00	11.25	18.50	0.142	0.96	21
SENCO	N3 (A)	C	X	E	X	1/4	0.25	10	20	14.67	13.04	12.23	20.10	0.142	1.17	25
SENCO	N3 (A)	D	H	E	X	1/4	0.25	10	20	14.67	13.04	12.23	20.10	0.142	0.96	21
SENCO	N3 (A)	D	X	E	X	1/4	0.25	10	20	15.30	13.60	12.75	20.96	0.142	1.17	25
SENCO	N3 (A)	C	H	E	X	3/8	0.375	5	20	7.47	6.64	6.23	10.24	0.142	0.67	15
SENCO	N3 (A)	C	X	E	X	3/8	0.375	5	20	8.28	7.36	6.90	11.34	0.142	0.81	18
SENCO	N3 (A)	D	H	E	X	3/8	0.375	5	20	8.28	7.36	6.90	11.34	0.142	0.67	15
SENCO	N3 (A)	D	X	E	X	3/8	0.375	5	20	8.64	7.68	7.20	11.84	0.142	0.81	18
SENCO	N3 (A)	B	H	E	X	1/2	0.5	5	20	7.92	7.04	6.60	10.86	0.142	0.86	19
SENCO	N3 (A)	B	X	E	X	1/2	0.5	4.3	20	8.55	7.60	7.13	11.72	0.142	0.89	20
SENCO	N3 (A)	D	H	E	X	1/2	0.5	5	20	8.55	7.60	7.13	11.72	0.142	0.86	19
SENCO	N3 (A)	D	X	E	X	1/2	0.5	5	20	9.36	8.32	7.80	12.82	0.142	1.04	23
SENCO	N3045 (K)	C	H	E	X	1/2	0.5	5	10	13.05	11.60	10.88	17.88	0.142	2.03	22
SENCO	N3045 (K)	C	H	E	X	5/8	0.625	5	10	14.04	12.48	11.70	19.24	0.142	2.48	27
SENCO	N3045 (K)	D	H	E	X	5/8	0.625	5	10	14.40	12.80	12.00	19.72	0.142	2.48	27
SENCO	N3045 (K)	C	H	E	X	3/4	0.75	5	10	15.12	13.44	12.60	20.70	0.142	2.92	31
SENCO	N3045 (K)	D	H	E	X	3/4	0.75	5	10	15.48	13.76	12.90	21.20	0.142	2.92	31
SENCO	N3045 (K)	C	H	E	X	7/8	0.875	5	10	16.20	14.40	13.50	22.18	0.142	3.36	36
SENCO	N3045 (K)	D	H	E	X	7/8	0.875	5	10	16.65	14.80	13.88	22.80	0.142	3.36	36
SENCO	N3045 (K)	C	H	E	X	1	1	5	10	17.37	15.44	14.48	23.78	0.142	3.81	40
SENCO	N3045 (K)	D	H	E	X	1	1	5	10	17.82	15.84	14.85	24.40	0.142	3.81	40
SENCO	N3045 (K)	C	H	E	X	1-1/8	1.125	5	10	18.45	16.40	15.38	25.26	0.142	4.25	45
SENCO	N3045 (K)	D	H	E	X	1-1/8	1.125	5	10	19.08	16.96	15.90	26.14	0.142	4.25	45
SENCO	N4450 (L)	C	C	E	X	5/16	0.3125	5	28	9.90	8.80	8.25	13.56	0.142	1.80	53
SENCO	N4450 (L)	C	H	E	X	5/16	0.3125	5	28	10.35	9.20	8.63	14.18	0.142	1.80	53
SENCO	N4450 (L)	C	H	E	X	3/8	0.375	10	20	20.25	18.00	16.88	27.74	0.142	4.20	86

SIMILAR TO	Product	Point	Mail	Fin	coat	Leg, Frac	Leg, in.	M/ Bx	Bx /Cs	Price 5-24 boxes \$ per box	Price 25-49 boxes \$ per box	Price 50+ boxes \$ per box	Retail Price	Crown Width, in. ID	weight lbs wire /box	Weight/c ase, lbs
SENCO	N4450 (L)	D	H	E	X	3/8	0.375	10	20	20.70	18.40	17.25	28.34	0.142	4.20	86
SENCO	N4450 (L)	C	H	E	X	1/2	0.5	5	10	11.34	10.08	9.45	15.54	0.142	2.69	29
SENCO	N4450 (L)	D	H	E	X	1/2	0.5	5	10	11.79	10.48	9.83	16.16	0.142	2.69	29
SENCO	N4450 (L)	C	H	E	X	5/8	0.625	5	10	13.05	11.60	10.88	17.88	0.142	3.27	35
SENCO	N4450 (L)	C	X	E	X	5/8	0.625	5	10	14.04	12.48	11.70	19.24	0.142	3.27	35
SENCO	N4450 (L)	D	H	E	X	5/8	0.625	5	10	14.04	12.48	11.70	19.24	0.142	3.27	35
SENCO	N4450 (L)	D	X	E	X	5/8	0.625	5	10	14.58	12.96	12.15	19.98	0.142	3.27	35
SENCO	N4450 (L)	C	H	E	X	3/4	0.75	5	10	14.35	12.75	11.96	19.64	0.142	3.86	41
SENCO	N4450 (L)	C	X	E	X	3/4	0.75	5	10	15.66	13.92	13.05	21.44	0.142	3.86	41
SENCO	N4450 (L)	D	H	E	X	3/4	0.75	5	10	14.67	13.04	12.23	20.10	0.142	3.86	41
SENCO	N4450 (L)	D	X	E	X	3/4	0.75	5	10	16.20	14.40	13.50	22.18	0.142	3.86	41
SENCO	N4450 (L)	C	H	E	X	7/8	0.875	5	10	15.80	14.05	13.17	21.64	0.142	4.45	46
SENCO	N4450 (L)	C	X	E	X	7/8	0.875	5	10	17.28	15.36	14.40	23.66	0.142	4.45	46
SENCO	N4450 (L)	D	H	E	X	7/8	0.875	5	10	16.13	14.34	13.44	22.08	0.142	4.45	46
SENCO	N4450 (L)	D	X	E	X	7/8	0.875	5	10	17.82	15.84	14.85	24.40	0.142	4.45	46
SENCO	N4450 (L)	C	H	E	X	1	1	5	10	16.79	14.93	14.00	23.00	0.142	5.04	52
SENCO	N4450 (L)	C	X	E	X	1	1	5	10	18.90	16.80	15.75	25.88	0.142	5.04	52
SENCO	N4450 (L)	C	H	E	X	1-1/8	1.125	5	10	18.36	16.32	15.30	25.14	0.142	5.62	58
SENCO	N4450 (L)	C	X	E	X	1-1/8	1.125	5	10	20.34	18.08	16.95	27.86	0.142	5.62	58
SENCO	N4450 (L)	C	H	E	X	1-1/4	1.25	5	8	19.71	17.52	16.43	27.00	0.142	6.21	52
SENCO	N4450 (L)	C	X	E	X	1-1/4	1.25	5	8	21.78	19.36	18.15	29.82	0.142	6.21	52
SENCO	N5 (E)	C	H	E	X	3/16	0.1875	10	20	16.02	14.24	13.35	21.94	0.142	1.49	32
SENCO	N5 (E)	C	X	E	X	3/16	0.1875	10	20	16.47	14.64	13.73	22.56	0.142	1.49	32
SENCO	N5 (E)	D	H	E	X	3/16	0.1875	10	20	16.47	14.64	13.73	22.56	0.142	1.49	32
SENCO	N5 (E)	D	X	E	X	3/16	0.1875	10	20	16.92	15.04	14.10	23.18	0.142	1.49	32
SENCO	N5 (E)	C	H	E	X	1/4	0.25	10	20	16.92	15.04	14.10	23.18	0.142	1.85	39
SENCO	N5 (E)	C	X	E	X	1/4	0.25	10	20	17.37	15.44	14.48	23.78	0.142	1.85	39
SENCO	N5 (E)	D	H	E	X	1/4	0.25	10	20	17.37	15.44	14.48	23.78	0.142	1.85	39
SENCO	N5 (E)	D	X	E	X	1/4	0.25	10	20	17.82	15.84	14.85	24.40	0.142	1.85	39
SENCO	N5 (E)	C	H	E	X	3/8	0.375	10	20	18.72	16.64	15.60	25.64	0.142	2.57	53
SENCO	N5 (E)	C	X	E	X	3/8	0.375	10	20	19.44	17.28	16.20	26.62	0.142	2.57	53
SENCO	N5 (E)	D	H	E	X	3/8	0.375	10	20	19.44	17.28	16.20	26.62	0.142	2.57	53
SENCO	N5 (E)	D	X	E	X	3/8	0.375	10	20	20.16	17.92	16.80	27.60	0.142	2.57	53
SENCO	N5 (E)	C	H	E	X	1/2	0.5	10	20	20.70	18.40	17.25	28.34	0.142	3.29	68
SENCO	N5 (E)	C	X	E	X	1/2	0.5	10	20	21.60	19.20	18.00	29.58	0.142	3.29	68
SENCO	N5 (E)	D	H	E	X	1/2	0.5	10	20	21.60	19.20	18.00	29.58	0.142	3.29	68
SENCO	N5 (E)	D	X	E	X	1/2	0.5	10	20	22.23	19.76	18.53	30.44	0.142	3.29	68

SIMILAR TO	Product	Point	Mail	Fin	coat	Leg, Frac	Leg, in.	M/ Bx	Bx /Cs	Price 5-24 boxes \$ per box	Price 25-49 boxes \$ per box	Price 50+ boxes \$ per box	Retail Price	Crown Width, in. ID	weight lbs wire /box	Weight/c ase, lbs
SENCO	N5 (E)	C	H	E	X	5/8	0.625	5	20	14.40	12.80	12.00	19.72	0.142	2.00	42
SENCO	N5 (E)	C	X	E	X	5/8	0.625	5	20	14.94	13.28	12.45	20.46	0.142	2.00	42
SENCO	N5 (E)	D	H	E	X	5/8	0.625	5	20	14.94	13.28	12.45	20.46	0.142	2.00	42
SENCO	N5 (E)	D	X	E	X	5/8	0.625	5	20	15.48	13.76	12.90	21.20	0.142	2.00	42
SPOTNAIL	38	C	H	E	X	1/2	0.5	5	20	12.24	10.88	10.20	16.76	0.1	2.59	54
SPOTNAIL	38	D	H	E	X	1/2	0.5	5	20	12.46	11.07	10.38	17.06	0.1	2.59	54
SPOTNAIL	38	C	H	E	X	5/8	0.625	5	20	13.50	12.00	11.25	18.50	0.1	3.17	65
SPOTNAIL	38	D	H	E	X	5/8	0.625	5	20	14.04	12.48	11.70	19.24	0.1	3.17	65
SPOTNAIL	38	C	H	E	X	3/4	0.75	5	10	14.90	13.25	12.42	20.42	0.1	3.76	40
SPOTNAIL	38	D	H	E	X	3/4	0.75	5	10	15.23	13.54	12.69	20.86	0.1	3.76	40
SPOTNAIL	38	C	H	E	X	7/8	0.875	5	10	16.20	14.40	13.50	22.18	0.1	4.35	46
SPOTNAIL	38	D	H	E	X	7/8	0.875	5	10	16.65	14.80	13.88	22.80	0.1	4.35	46
SPOTNAIL	38	C	H	E	X	1	1	5	10	17.73	15.76	14.78	24.28	0.1	4.94	51
SPOTNAIL	38	D	H	E	X	1	1	5	10	18.18	16.16	15.15	24.90	0.1	4.94	51
SPOTNAIL	38	C	H	E	X	1-1/8	1.125	5	10	19.08	16.96	15.90	26.14	0.1	5.53	57
SPOTNAIL	44	C	H	E	X	1/2	0.5	5	20	12.24	10.88	10.20	16.76	0.1	2.59	54
SPOTNAIL	44	D	H	E	X	1/2	0.5	5	20	12.46	11.07	10.38	17.06	0.1	2.59	54
SPOTNAIL	55	C	H	E	X	5/8	0.625	5	20	13.50	12.00	11.25	18.50	0.1	3.17	65
SPOTNAIL	55	D	H	E	X	5/8	0.625	5	20	14.13	12.56	11.78	19.36	0.1	3.17	65
SPOTNAIL	66	C	H	E	X	3/4	0.75	5	10	14.90	13.25	12.42	20.42	0.1	3.76	40
SPOTNAIL	66	D	H	E	X	3/4	0.75	5	10	15.23	13.54	12.69	20.86	0.1	3.76	40
SPOTNAIL	77	D	H	E	X	13/16	0.8125	5	10	16.20	14.40	13.50	22.18	0.1	4.06	43
SPOTNAIL	77	C	H	E	X	7/8	0.875	5	10	16.20	14.40	13.50	22.18	0.1	4.35	46
SPOTNAIL	77	D	H	E	X	7/8	0.875	5	10	17.10	15.20	14.25	23.42	0.1	4.35	46
SPOTNAIL	88	C	H	E	X	1	1	5	10	17.46	15.52	14.55	23.92	0.1	4.94	51
SPOTNAIL	88	D	H	E	X	1	1	5	10	18.00	16.00	15.00	24.66	0.1	4.94	51
STANDARD	99	C	H	E	X	1-1/8	1.125	5	10	19.35	17.20	16.13	26.50	0.1	5.53	57
STANDARD	STD	B	C	E	X	1/4	0.25	5	100	2.61	2.32	2.18	3.58	0.47	0.40	42
STANDARD	STD	B	C	L	X	1/4	0.25	5	100	4.68	4.16	3.90	6.42	0.47	0.40	42
STANDARD	STD	B	S	X	X	1/4	0.25	5	100	14.49	12.88	12.08	22.22	0.47	0.40	42
STANDARD	STD	B	M	X	X	1/4	0.25	5	100	37.35	33.20	31.13	57.28	0.47	0.40	42
STANDARD	STD	N	C	E	X	1/4	0.25	5	100	4.50	4.00	3.75	6.18	0.47	0.40	42
STANDARD	STD	N	M	X	X	1/4	0.25	5	100	51.75	46.00	43.13	79.36	0.47	0.40	42
STANDARD	STD	C	C	E	X	5/16	0.3125	5	50	3.89	3.46	3.24	5.84	0.47	0.45	25

SIMILAR TO	Product	Point	Matl	Fin	coat	Leg, Frac	Leg, in.	M/ Bx	Bx /Cs	Price 5-24 boxes \$ per box	Price 25-49 boxes \$ per box	Price 50+ boxes \$ per box	Retail Price	Crown Width, in. ID	weight lbs wire /box	Weight/c ase, lbs
SWINGLINE	101	D	C	E	X	1/4	0.25	1	100	2.43	2.16	2.03	3.34	0.465	0.14	16
SWINGLINE	101	D	C	E	X	5/16	0.3125	1	100	2.52	2.24	2.10	3.46	0.465	0.16	18
SWINGLINE	316	C	C	E	X	3/16	0.1875	5	40	6.57	5.84	5.48	9.00	0.465	0.63	27
SWINGLINE	316	D	C	E	X	3/16	0.1875	5	40	6.66	5.92	5.55	9.12	0.465	0.63	27
SWINGLINE	416	C	C	E	X	1/4	0.25	5	40	6.57	5.84	5.48	9.00	0.465	0.72	31
SWINGLINE	416	D	C	E	X	1/4	0.25	5	40	6.84	6.08	5.70	9.38	0.465	0.72	31
SWINGLINE	516	C	C	E	X	5/16	0.3125	5	40	7.02	6.24	5.85	9.62	0.465	0.82	35
SWINGLINE	516	D	C	E	X	5/16	0.3125	5	40	7.20	6.40	6.00	9.86	0.465	0.82	35
SWINGLINE	904	C	H	E	X	1/4	0.25	5	20	8.82	7.84	7.35	12.08	0.465	1.39	30
SWINGLINE	904	D	H	E	X	1/4	0.25	5	20	9.18	8.16	7.65	12.58	0.465	1.39	30
SWINGLINE	905	C	H	E	X	5/16	0.3125	5	20	9.27	8.24	7.73	12.70	0.465	1.57	33
SWINGLINE	905	D	H	E	X	5/16	0.3125	5	20	9.63	8.56	8.03	13.20	0.465	1.57	33
SWINGLINE	906	C	H	E	X	3/8	0.375	5	20	9.72	8.64	8.10	13.32	0.465	1.75	37
SWINGLINE	906	D	H	E	X	3/8	0.375	5	20	10.17	9.04	8.48	13.94	0.465	1.75	37
SWINGLINE	908	C	H	E	X	1/2	0.5	5	20	10.71	9.52	8.93	14.68	0.465	2.11	44
SWINGLINE	908	D	H	E	X	1/2	0.5	5	20	11.16	9.92	9.30	15.28	0.465	2.11	44
SWINGLINE	909	C	H	E	X	9/16	0.5625	5	16	11.16	9.92	9.30	15.28	0.465	2.29	39
SWINGLINE	909	D	H	E	X	9/16	0.5625	5	16	11.70	10.40	9.75	16.02	0.465	2.29	39
SWINGLINE	SF13	C	H	E	X	1/4	0.25	5	30	7.20	6.40	6.00	9.86	0.465	0.72	24
SWINGLINE	SF13	C	H	E	X	3/8	0.375	5	30	7.65	6.80	6.38	10.48	0.465	0.91	29
SWINGLINE	SF13	C	X	E	X	3/8	0.375	5	30	8.55	7.60	7.13	11.72	0.465	1.10	35
SWINGLINE	SF13	C	H	E	X	1/2	0.5	5	30	8.10	7.20	6.75	11.10	0.465	1.10	35