

ABSTRAK

Tuberkulosis adalah penyakit menular yang disebabkan oleh bakteri *Mycobacterium tuberculosis*, bakteri ini biasanya menyerang paru-paru, namun bakteri TBC dapat menyerang bagian tubuh manapun seperti ginjal, tulang belakang dan otak. TBC adalah salah satu dari 10 penyebab kematian dan pembunuh utama penderita HIV di seluruh dunia.

Berdasarkan WHO Global Tuberculosis Report 2018, angka kejadian tuberkulosis di Indonesia tahun 2018 meningkat sebanyak 420.994 kasus dibandingkan jumlah kasus tahun 2017 sebanyak 360.565 kasus dan tahun 2016 sebanyak 330.910 kasus. Menurut jenis kelamin, jumlah kasus pada laki-laki lebih tinggi dibandingkan perempuan yaitu 1,4 kali dibandingkan perempuan di setiap provinsi di seluruh Indonesia.

Metode: Penelitian ini menggunakan pendekatan kuantitatif dengan jenis observasional analitik dengan rancangan penelitian cross sectional. Hasil penelitian: variabel motivasi dengan nilai signifikan (0,000), riwayat penyakit (0,005), pengetahuan (0,04), kondisi sosial ekonomi (0,035) dan pendidikan (0,022) memiliki hubungan dengan kesembuhan pasien TB. Sedangkan variabel lain tidak berhubungan dengan kesembuhan pasien TB.

Kata Kunci : Tuberkulosis, Pasien, TB Paru

ABSTRACT

Tuberculosis is an infectious disease caused by the bacterium *Mycobacterium tuberculosis*, this bacterium usually attacks the lungs, but TB bacteria can attack any part of the body such as the kidneys, spine and brain. TB is one of the top 10 causes of death and the main killer of HIV sufferers worldwide.

Based on WHO's 2018 Global Tuberculosis Report, the incidence of tuberculosis in Indonesia in 2018 increased by 420,994 cases compared to the number of cases in 2017 of 360,565 cases and 2016 of 330,910 cases. According to gender, the number of cases in men is higher than in women, namely 1.4 times compared to women in each province throughout Indonesia.

Methods: The study used a quantitative approach with an analytic observational type with a cross-sectional research design. Research results: motivation variables with significant values (0.000), medical history (0.005), knowledge (0.04), socioeconomic conditions (0.035) and education (0.022) have a relationship to the recovery of TB patients. While other variables are not related to the recovery of TB patients.

Keywords: Tuberculosis, Patient, Pulmonary TB