

ABSTRAK

Akne vulgaris atau jerawat merupakan penyakit radang kronis folikel pilosebasea yang ditandai dengan munculnya komedo terbuka dan tertutup, papul, pustule, nodul, seborrhea, serta kista. Akne vulgaris dapat terjadi pada remaja dan dewasa muda seperti pada mahasiswa fakultas kedokteran yang dapat memengaruhi tingkat kualitas hidupnya. Tujuan penelitian ini untuk mengetahui hubungan antara derajat keparahan akne vulgaris dengan kualitas hidup mahasiswa. Jenis penelitian ini adalah penelitian observasional analitik dengan desain *cross sectional*. Populasi pada penelitian ini yaitu mahasiswa Fakultas Kedokteran Universitas Prima Indonesia angkatan 2020 – 2021 yang menderita akne vulgaris. Sampel penelitian diperoleh sebanyak 38 orang. Penarikan sampel secara *purposive sampling*. Data diperoleh dari kuesioner yang diisi melalui *link google form*. Data dianalisis secara univariat dan bivariat menggunakan uji Rank Spearman Rho pada taraf kepercayaan 95% ($\alpha=0,05$). Hasil penelitian ini menunjukkan bahwa keparahan akne vulgaris pada mahasiswa Fakultas Kedokteran Universitas Prima Indonesia berada dalam kategori ringan (71,1%), kualitas hidup mahasiswa dalam kategori gangguan ringan (52,6%). Derajat keparahan akne vulgaris pada mahasiswa berhubungan signifikan dengan kualitas hidup mahasiswa di Fakultas Kedokteran Universitas Prima Indonesia ($p=0,001 < 0,05$), dengan kekeratan hubungan (koefisien korelasi) kedua variabel dalam kategori sedang ($r = 0,522$).

Kata Kunci : Akne Vulgaris, Kualitas Hidup, Mahasiswa

ABSTRACT

Acne vulgaris or acne is a chronic inflammatory disease of the pilosebaceous follicles which is characterized by the appearance of open and closed comedones, papules, pustules, nodules, seborrhea and cysts. Acne vulgaris can occur in teenagers and young adults, such as medical school students, which can affect their quality of life. The aim of this research was to determine the relationship between the severity of acne vulgaris and the quality of life of students. This type of research is analytical observational research with a cross sectional design. The population in this study were students from the Faculty of Medicine, Prima Indonesia University class 2020 – 2021 who suffered from acne vulgaris. The research sample obtained was 38 people. Sampling was purposive sampling. Data was obtained from a questionnaire filled out via the Google Form link. Data were analyzed univariately and bivariately using the Spearman Rho Rank test at a confidence level of 95% ($\alpha=0.05$). The results showed that the severity of acne vulgaris of students at the Faculty of Medicine, Prima Indonesia University students (71.1%) was in the mild category, the quality of life of students was in the mild disorder category (52.6%). The severity of acne vulgaris in students is significantly related to the quality of life of students at the Faculty of Medicine, Prima Indonesia University ($p = 0.001 < 0.05$), with the close relationship (correlation coefficient) of the two variables in the medium category ($r = 0.522$).

Keywords: ***Acne vulgaris, quality of life, students***