

ABSTRAK

Latar belakang: Hasil riset GATS menunjukkan bahwa penggunaan rokok di Indonesia tertinggi di seluruh dunia di kalangan remaja, dengan persentase 34,8% yang dikonsumsi oleh orang-orang di usia 15 tahun ke atas. Pabrik tembakau menggunakan legalitas ini untuk memasarkan rokok secara luas ke kalangan pelajar, termasuk mahasiswa. Kawasan Tanpa Rokok adalah upaya pemerintah untuk mencegah merokok di kampus. **Tujuan:** Untuk mengetahui faktor determinan perilaku tidak merokok para perokok di kawasan kampus bebas rokok. **Metode:** Studi penelitian ini bersifat deskriptif kuantitatif dengan desain *cross-sectional*. Studi ini menggunakan teknik *purposive sampling* dengan kriteria mahasiswa pria yang merokok sebanyak 74 orang di Fakultas Kedokteran dan Kedokteran Gigi Universitas Prima Indonesia dan dianalisis dengan uji *Chi-Square*. **Hasil:** Hasil uji analisis *Chi-Square* menunjukkan terdapat pengaruh antara pengetahuan dan sikap terhadap perilaku tidak merokok di kawasan kampus bebas rokok dengan nilai *P-value* sebesar 0,001. **Kesimpulan:** Hasil penelitian ditemukan bahwa pengetahuan dan sikap merupakan faktor determinan perilaku tidak merokok para perokok di Kawasan kampus bebas rokok.

Kata Kunci: Kawasan Kampus Bebas Rokok, Pengetahuan, Perilaku Tidak Merokok, Sikap

ABSTRACT

Background: The GATS research findings indicate that tobacco use in Indonesia is the highest worldwide among teenagers, with a percentage of 34.8% consumed by individuals aged 15 and above. Tobacco companies leverage this legality to market cigarettes widely to students, including university students. Smoke-free areas are government efforts to prevent smoking on campuses. **Objective:** To identify determinant factors affecting non-smoking behavior among smokers in smoke-free campus areas. **Method:** This research study is descriptive quantitative with a cross-sectional design. It used a purposive sampling technique with criteria of 74 male smoker students from the Faculty of Medicine and Dentistry at Universitas Prima Indonesia and was analyzed using a chi-square test. **Results:** The chi-square test analysis results indicated an effect between knowledge and attitude on non-smoking behavior in smoke-free campus areas with a P-value of 0.001. **Conclusion:** The research findings found that knowledge and attitude are determinant factors of non-smoking behavior among smokers in smoke-free campus areas.

Keywords: Attitude, Knowledge, Non-Smoking Behavior, Smoke-Free Campus Areas