



National Mosaic Program

QUALITY PRODUCTS • LATEST TRENDS AND STYLES • SHIPS WITHIN 48HRS • IN STOCK



Bedrosians.com

90° Decorative (Glazed Porcelain)

1/2"x2" Herringbone Mosaic (11"x12 1/4" Sheet)



White - WHI
DEC90WHI122MO



Off White - OFW
DEC90OFW122MO



Putty - PUT
DEC90PUT122MO



Gray Haze - GRH
DEC90GRH122MO



Metallic - MET
DEC90MET122MO




Shadow - SHA
DEC90SHA122MO




Photo Features 1/2"x2" Herringbone Mosaic in White.

SIZING & PACKAGING

| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
|--------|---|---------------|-------------------|----------------------------|-----------|----------|
| Mosaic |  | DEC90•••122MO | 11"x12 1/4" Sheet | 1/2"x2" Herringbone Mosaic | 10 | 9.40 |

ANSI TECHNICAL SPECIFICATIONS






| | DCOF Acutest | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 | Bond Strength A137.2-7.7 | Thermal Shock ASTM# C484 |
|---------|-----------------|-------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--------------------------------|
| Results | N/A | 7 | N/A | ≤ 0.5% | Unaffected | N/A | N/A |



APPLICATIONS

| | Floors | Walls | Countertops | Shower Floors | Shower Walls | Pools/Spas |
|------------------|--------|-------|-------------|---------------|--------------|------------|
| Residential | ● | ◐ | ◐ | | ◐ | |
| Light Commercial | | ◐ | ◐ | | ◐ | |
| Commercial | | ◐ | ◐ | | ◐ | |

LEGEND

-  Product rated for Interior & Exterior use
-  Product rated for Interior use only
-  May be suitable for Exterior Floors
-  Applications & ANSI Technical Specifications do not apply
-  Special Order only

The mesh backing on this tile has minimal glue to allow greater thinset coverage. To prevent the mosaics from falling off the mesh, keep the sheets as dry as possible while cutting. If necessary, place a light clear adhesive tape over the sheet while cutting to avert water. Install full sheets as much as possible. Fully embed 1/3 thickness of the tiles into the premium modified thinset.

Do not use chemicals containing chlorine.

Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field, mosaic, and trim tile may not be an exact match. Tiles are subject to variations in color, shade, size, surface texture and finish. Prior to installation, installer must blend tiles from several different boxes to achieve an even distribution of color range. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Check Manufacturer's specifications as some Mosaic tiles may not be appropriate for wet applications. Reference the most current TCNA Handbook, ANSI, Manufacturer's specifications, and Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, use, care and maintenance voids warranty. We reserve the right to make changes to product specifications at any time without notice. Please visit www.bedrosians.com for current product information.



Made in Japan



Glazed Porcelain

360 Decorative (Glazed Porcelain)


3/4" Penny Rounds Mosaic - Gloss (12"x12" Sheet)




White - WHI
DEC360WHI34G



Dove Grey - DOG
DEC360DOG34G



Off White - OFW
DEC360OFW34G



Lagoon - LAG
DEC360LAG34G



Cardinal - CAR
DEC360CAR34G

3/4" Penny Rounds Mosaic - Matte (12"x12" Sheet)




White - WHI
DEC360WHI34M




Beige - BEI
DEC360BEI34M




Pumice - PUM
DEC360PUM34M




Silver Sage - SIS
DEC360SIS34M



Iron - IRO
DEC360IRO34M



Shale - SHA
DEC360SHA34M



Charcoal - CHA
DEC360CHA34M



Photo Features 3/4" Penny Rounds Mosaic in White Matte & Pumice Matte.

SIZING & PACKAGING

| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
|--------|-------|--------------|---------------|----------------------------------|-----------|----------|
| Mosaic | | DEC360•••34G | 12"x12" Sheet | 3/4" Penny Rounds Mosaic - Gloss | 10 | 10.00 |
| | | DEC360•••34M | 12"x12" Sheet | 3/4" Penny Rounds Mosaic - Matte | 10 | 10.00 |

ANSI TECHNICAL SPECIFICATIONS

| | DCOF Acutest | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 | Bond Strength A137.2-7.7 | Thermal Shock ASTM# C484 |
|---------|-----------------|-------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--------------------------------|
| Results | N/A | 7 | ≥ 250 lbf | ≤ 0.5% | Unaffected | Pass | N/A |

APPLICATIONS

| | Floors | Walls | Countertops | Shower Floors (Matte Only) | Shower Walls | Pools/Spas |
|------------------|--------|-------|-------------|-------------------------------|--------------|------------|
| Residential | ● | ◻ | ◻ | ● | ◻ | ◻ |
| Light Commercial | ● | ◻ | ◻ | ● | ◻ | ◻ |
| Commercial | | ◻ | ◻ | | ◻ | ◻ |

LEGEND


- ◻

Product rated for Interior & Exterior use
- Product rated for Interior use only
- †

May be suitable for Exterior Floors
- Ø

Applications & ANSI Technical Specifications do not apply
- ★

Special Order only



The mesh backing on this tile has minimal glue to allow greater thinset coverage. To prevent the mosaics from falling off the mesh, keep the sheets as dry as possible while cutting. If necessary, place a light clear adhesive tape over the sheet while cutting to avert water. Install full sheets as much as possible. Fully embed 1/3 thickness of the tiles into the premium modified thinset.

Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field, mosaic, and trim tile may not be an exact match. Tiles are subject to variations in color, shade, size, surface texture and finish. Prior to installation, installer must blend tiles from several different boxes to achieve an even distribution of color range. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Check Manufacturer's specifications as some Mosaic tiles may not be appropriate for wet applications. Reference the most current TCNA Handbook, ANSI, Manufacturer's specifications, and Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, use, care and maintenance voids warranty. We reserve the right to make changes to product specifications at any time without notice. Please visit www.bedrosians.com for current product information.



Photo features 2"x6" Staggered Mosaic in Birch Copper.


Decorative (Copper) Acadia




Birch Copper - BIC
DECACABIC34RMO
3/4" Rounds Mosaic
(11 3/4"x11 3/4" Sheet)



Islesford Copper - ISC
DECACAISC34RMO
3/4" Rounds Mosaic
(11 3/4"x11 3/4" Sheet)




Birch Copper - BIC
DECACABIC26MO
2"x6" Staggered Mosaic
(12"x12" Sheet)



Islesford Copper - ISC
DECACAISC26MO
2"x6" Staggered Mosaic
(12"x12" Sheet)



Birch Copper - BIC
DECACABICDIMDECO
Dimension Deco
(12"x12" Sheet)



Islesford Copper - ISC
DECACAISCDIMDECO
Dimension Deco
(12"x12" Sheet)



Birch Copper - BIC
DECACABICLRL
Large Random Linear
(9"x15 3/4" Sheet)




Islesford Copper - ISC
DECACAISCLRL
Large Random Linear
(9"x15 3/4" Sheet)

SIZING & PACKAGING

| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
|--------|-------|------------------|-----------------------|------------------------|-----------|----------|
| Deco | | DECACA***DIMDECO | 12"x12" Sheet | Dimension Deco | 11 | 10.65 |
| Mosaic | | DECACA***LRL | 9"x15 3/4" Sheet | Large Random Linear | 11 | 10.87 |
| | | DECACA***34RMO | 11 3/4"x11 3/4" Sheet | 3/4" Rounds Mosaic | 11 | 10.65 |
| | | DECACA***26MO | 12"x12" Sheet | 2"x6" Staggered Mosaic | 11 | 11.08 |

ANSI TECHNICAL SPECIFICATIONS

| | DCOF Acutest | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 | Bond Strength A137.2-7.7 | Thermal Shock ASTM# C484 |
|---------|-----------------|-------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--------------------------------|
| Results | N/A | 4 | N/A | N/A | N/A | N/A | N/A |



APPLICATIONS

| | Floors | Walls | Countertops | Shower Floors | Shower Walls | Pools/Spas |
|------------------|--------|-------|-------------|---------------|--------------|------------|
| Residential | | ● | | | | |
| Light Commercial | | ● | | | | |
| Commercial | | ● | | | | |

LEGEND

- Product rated for Interior & Exterior use
- Product rated for Interior use only
- †

 May be suitable for Exterior Floors
- Ø

 Applications & ANSI Technical Specifications do not apply
- *

 Special Order only

This product cannot be installed in high-heat areas or steam rooms. This product cannot be installed in exterior applications, wet areas, and/or high-heat areas. If the product has a mesh-mounted back, it cannot be installed in submerged areas. The veneer of this product is copper which is subject to oxidation, rusting, scratching, and color changes over time. do not use acidic or abrasive cleaners. The underbody of the product is made of ceramic tile and mesh. The product must be installed with premium modified neutral-colored thinset. Bedrosians recommends laticrete 254 or comparable thinset. Some products in this line contain an underbody of ceramic tile and mesh which must be installed with premium modified neutral-colored thinset. Bedrosians recommends Laticrete 254 or comparable thinset.

Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field, mosaic, and trim tile may not be an exact match. Tiles are subject to variations in color, shade, size, surface texture and finish. Prior to installation, installer must blend tiles from several different boxes to achieve an even distribution of color range. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Check Manufacturer's specifications as some Mosaic tiles may not be appropriate for wet applications. Reference the most current TCNA Handbook, ANSI, Manufacturer's specifications, and Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, use, care and maintenance voids warranty. We reserve the right to make changes to product specifications at any time without notice. Please visit www.bedrosians.com for current product information.

Available Sizes



DECAMBBEAD-•
9/16"x12" Bead Liner



DECAMBCANE-•
9/16"x3/4"x12" Cane



DECAMBMATRIX-•
1 1/4"x12" Matrix City Liner



DECAMBBRICK-•
1 1/4"x12" Staggered Brick Liner



DECAMBGOTHIC-•
1 3/4"x12" Gothic Leaf Liner



DECAMBCHAIR-•
2"x12" Chair Rail



DECAMBROMAN-•
2 1/2"x12" Romanesque Liner

Color Palette




Pewter - P



Brushed Nickel - N



Bronze - B



Venetian Bronze - V



DECAMBPRO Promenade
Available in 1"x1", 2"x2" & 4"x4"



DECAMBMAT Matrix City
Available in 1"x1", 2"x2" & 4"x4"



DECAMBWAV Wave
Available in 1"x1", 2"x2" & 4"x4"



DECAMBROM Romanesque
Available in 1"x1", 2"x2" & 4"x4"



DECAMBFLO Flor-de-Lis
Available in 1"x1" & 2"x2"



DECAMBJAS Jasmine Flower
Available in 1"x1" & 2"x2"



DECAMBRIS Rising Star
Available in 1"x1" & 2"x2"

SIZING & PACKAGING

| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
|-------------|-------|----------------|----------------|-----------------------------------|-----------|----------|
| Resin Liner | | DECAMBFO11-• | 1"x1" | Flo-de-Lis Metal Resin Insert | 10 | - |
| | | DECAMBFO22-• | 2"x2" | Flo-de-Lis Metal Resin Insert | 8 | - |
| | | DECAMBJAS11-• | 1"x1" | Jasmine Flower Metal Resin Insert | 10 | - |
| | | DECAMBJAS22-• | 2"x2" | Jasmine Flower Metal Resin Insert | 8 | - |
| | | DECAMBMAT11-• | 1"x1" | Matrix City Metal Resin Insert | 10 | - |
| | | DECAMBMAT22-• | 2"x2" | Matrix City Metal Resin Insert | 8 | - |
| | | DECAMBMAT44-• | 4"x4" | Matrix City Metal Resin Insert | 8 | - |
| | | DECAMBPRO11-• | 1"x1" | Promenade Metal Resin Insert | 10 | - |
| | | DECAMBPRO22-• | 2"x2" | Promenade Metal Resin Insert | 8 | - |
| | | DECAMBPRO44-• | 4"x4" | Promenade Metal Resin Insert | 8 | - |
| | | DECAMBRIS11-• | 1"x1" | Rising Star Metal Resin Insert | 10 | - |
| | | DECAMBRIS22-• | 2"x2" | Rising Star Metal Resin Insert | 8 | - |
| | | DECAMBROM11-• | 1"x1" | Romanesque Metal Resin Insert | 10 | - |
| | | DECAMBROM22-• | 2"x2" | Romanesque Metal Resin Insert | 8 | - |
| | | DECAMBROM44-• | 4"x4" | Romanesque Metal Resin Insert | 8 | - |
| | | DECAMBWAV11-• | 1"x1" | Wave Metal Resin Insert | 10 | - |
| Trim | | DECAMBWAV22-• | 2"x2" | Wave Metal Resin Insert | 8 | - |
| | | DECAMBWAV44-• | 4"x4" | Wave Metal Resin Insert | 8 | - |
| | | DECAMBBEAD-• | 9/16"x12" | Bead Liner | 10 | - |
| | | DECAMBCANE-• | 9/16"x3/4"x12" | Cane | 10 | - |
| | | DECAMBMATRIX-• | 1 1/4"x12" | Matrix City Liner | 10 | - |
| | | DECAMBBRICK-• | 1 1/4"x12" | Staggered Brick Liner | 10 | - |
| | | DECAMBGOTHIC-• | 1 3/4"x12" | Gothic Leaf Liner | 10 | - |
| | | DECAMBCHAIR-• | 2"x12" | Chair Rail | 10 | - |
| | | DECAMBROMAN-• | 2 1/2"x12" | Romanesque Liner | 10 | - |
| | | | | | | |

ANSI TECHNICAL SPECIFICATIONS

| | DCOF Acutest | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 | Bond Strength A137.2-7.7 | Thermal Shock ASTM# C484 |
|---------|-----------------|-------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--------------------------------|
| Results | N/A | 5 | N/A | N/A | Class B | N/A | N/A |

APPLICATIONS


| | Floors | Walls | Countertops | Shower Floors | Shower Walls | Pools/Spas |
|------------------|--------|-------|-------------|---------------|--------------|------------|
| Residential | | • | | | • | |
| Light Commercial | | • | | | • | |
| Commercial | | • | | | | |

LEGEND

- Product rated for Interior & Exterior use
- Product rated for Interior use only
- May be suitable for Exterior Floors
- Applications & ANSI Technical Specifications do not apply
- Special Order only
- May not be available in Brushed Nickel


This product cannot be installed in high-heat areas or steam rooms.

Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field, mosaic, and trim tile may not be an exact match. Tiles are subject to variations in color, shade, sizing, surface texture and finish. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Check Manufacturer's specifications as some Mosaic tiles may not be appropriate for wet applications. Reference the most current TCNA Handbook, ANSI, Manufacturer's specifications, and Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, use, care and maintenance voids warranty. We reserve the right to make changes to product specifications at any time without notice. Please visit www.bedrosians.com for current product information.




Costa Allegra Decorative (Glazed Ceramic)


Available Sizes




DECCOS•••312
3"x12" Field Tile




DECCOS•••36
3"x6" Field Tile




DECCOS•••HEX8
8"x8" Hexagon Field Tile




DECCOS•••RHO
4 1/2"x8" Rhombus Field Tile




DECCOS•••259BAH
2 1/2"x9" Bahia Deco




DECCOS•••312PAC
3"x12" Pacifico Deco




DECCOS•••36PAC
3"x6" Pacifico Deco




DECCOS•••66PAC
6"x6" Pacifico Deco




DECCOS•••LHEXPAC
4"x9" Long Hex Pacifico Deco




DECCOS•••12MO
1"x2" Mosaic
(12"x12" Sheet)




DECCOS•••ARAMO
Arabesco Mosaic
(10 1/2"x10 1/2" Sheet)




DECCOS•••WAVMO
Wave Mosaic
(11 3/4"x11 3/4" Sheet)



DECCOS•••QR
1"x6" Quarter Round



DECCOS•••FL
1/2"x6" Flat Liner



DECCOS•••BEAK
1"x1" Beak

Color Palette



White Sand - WHS



Alabaster - ALA



Silver Strand - SIS



Cinder - CIN



Driftwood - DRI



Gulf - GUL



Tide - TID



Adriatic - ADR



Timber - TIM



Riverway - RIV



Photo Features Wave Mosaic in Tide.

SIZING & PACKAGING

| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
|--------|---|------------------|-----------------------|------------------------|-----------|----------|
| Field |  | DECCOS•••36 | 3"x6" | Field Tile | 54 | 6.48 |
| |  | DECCOS•••312 | 3"x12" | Field Tile | 27 | 6.48 |
| |  | DECCOS•••RHO | 4 1/2"x8" | Rhombus Field Tile | 54 | 6.48 |
| |  | DECCOS•••HEX8 | 8"x8" | Hexagon Field Tile | 18 | 6.48 |
| |  | DECCOS•••259BAH | 2 1/2"x9" | Bahia Deco | 40 | 6.40 |
| Deco |  | DECCOS•••36PAC | 3"x6" | Pacifico Deco | 56 | 6.72 |
| |  | DECCOS•••312PAC | 3"x12" | Pacifico Deco | 20 | 4.80 |
| |  | DECCOS•••LHEXPAC | 4"x9" | Long Hex Pacifico Deco | 32 | 5.76 |
| |  | DECCOS•••66PAC | 6"x6" | Pacifico Deco | 28 | 7.00 |
| |  | DECCOS•••FL | 1/2"x6" | Flat Liner | - | - |
| Trim |  | DECCOS•••BEAK | 1"x1" | Beak | - | - |
| |  | DECCOS•••QR | 1"x6" | Quarter Round | - | - |
| |  | DECCOS•••ARAMO | 10 1/2"x10 1/2" Sheet | Arabesco Mosaic | 5 | 3.85 |
| Mosaic |  | DECCOS•••WAVMO | 11 3/4"x11 3/4" Sheet | Wave Mosaic | 5 | 4.80 |
| |  | DECCOS•••12MO | 12"x12" Sheet | 1"x2" Mosaic | 5 | 5.00 |






ANSI TECHNICAL SPECIFICATIONS

| | DCOF Acutest | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 | Bond Strength A137.2-7.7 | Thermal Shock ASTM# C484 |
|---------|-----------------|-------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--------------------------------|
| Results | N/A | 7 | ≥ 500 lbf | > 1.0 (Ceramic) | Unaffected | N/A | N/A |

APPLICATIONS


| | Floors | Walls | Countertops | Shower Floors | Shower Walls | Pools/Spas |
|------------------|--------|-------|-------------|---------------|--------------|------------|
| Residential | ● | ● | ● | | ● | |
| Light Commercial | | ● | ● | | ● | |
| Commercial | | ● | | | ● | |

LEGEND

-  Product rated for Interior & Exterior use
-  Product rated for Interior use only
-  May be suitable for Exterior Floors
-  Applications & ANSI Technical Specifications do not apply
-  Special Order only

Products possessing a beveled veneer can only be installed on wall applications. Use only non-sanded grout with this product. This handmade product may vary in sizing. Use a minimum 3/16" grout joint.

Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field, mosaic, and trim tile may not be an exact match. Tiles are subject to variations in color, shade, sizing, surface texture and finish. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Check Manufacturer's specifications as some Mosaic tiles may not be appropriate for wet applications. Reference the most current TCNA Handbook, ANSI, Manufacturer's specifications, and Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, use, care and maintenance voids warranty. We reserve the right to make changes to product specifications at any time without notice. Please visit www.bedrosians.com for current product information.



Eclipse Decorative (Glass & Stone Blends)


5/8"x5/8" Glass Stone Blend Mosaic (12"x12" Sheet)



Dunes - DU
GLSECP5858-DU



Espresso - ES
GLSECP5858-ES




Allure - AL
GLSECP5858-AL




Merlot - ME
GLSECP5858-ME




Tranquility - TR
GLSECP5858-TR



Eternity - ET
GLSECP5858-ET



Marina - MA
GLSECP5858-MA



Vintage - VN
GLSECP5858-VN

Linear Glass Stone Blend Mosaic (12"x12" Sheet)



Dunes - DU
GLSECLNR-DU



Espresso - ES
GLSECLNR-ES



Allure - AL
GLSECLNR-AL



Merlot - ME
GLSECLNR-ME



Tranquility - TR
GLSECLNR-TR



Eternity - ET
GLSECLNR-ET



Marina - MA
GLSECLNR-MA



Vintage - VN
GLSECLNR-VN




Photo Features Linear Glass Stone Blend Mosaic in Eternity.

SIZING & PACKAGING

| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
|--------|-------|---------------|---------------|------------------------------------|-----------|----------|
| Mosaic | | GLSECP5858-●● | 12"x12" Sheet | 5/8"x5/8" Glass Stone Blend Mosaic | 10 | 10.00 |
| | | GLSECLNR-●● | 12"x12" Sheet | Linear Glass Stone Blend Mosaic | 10 | 10.00 |

ANSI TECHNICAL SPECIFICATIONS

| | DCOF Acutest | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 | Bond Strength A137.2-7.7 | Thermal Shock ASTM# C484 |
|---------|-----------------|-------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--------------------------------|
| Results | N/A | N/A | N/A | N/A | N/A | N/A | N/A |



APPLICATIONS

| | Floors | Walls | Countertops | Shower Floors | Shower Walls | Pools/Spas |
|------------------|--------|-------------------------------------|-------------|---------------|-------------------------------------|------------|
| Residential | | <input checked="" type="checkbox"/> | | | <input checked="" type="checkbox"/> | |
| Light Commercial | | <input checked="" type="checkbox"/> | | | <input checked="" type="checkbox"/> | |
| Commercial | | <input checked="" type="checkbox"/> | | | <input checked="" type="checkbox"/> | |

LEGEND

- ☒ Product rated for Interior & Exterior use
- ☐ Product rated for Interior use only
- ☐ May be suitable for Exterior Floors
- ☒ Applications & ANSI Technical Specifications do not apply
- ☐ Special Order only

Please be aware that white stones installed on shower floors may experience oxidization and rusting.

All natural stone products must be sealed prior to grouting.

Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field, mosaic, and trim tile may not be an exact match. Tiles are subject to variations in color, shade, sizing, surface texture and finish. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Check Manufacturer's specifications as some Mosaic tiles may not be appropriate for wet applications. Reference the most current TCNA Handbook, ANSI, Manufacturer's specifications, and Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, use, care and maintenance voids warranty. We reserve the right to make changes to product specifications at any time without notice. Please visit www.bedrosians.com for current product information.

Elume Decorative (Glass & Stone Blends)




Champagne - CH
GLSELM5858-CH
5/8"x5/8" Glass Slate Blend
(12"x12" Sheet)



Champagne - CH
GLSELM0101-CH
1 1/8"x1 1/8" Glass Slate Blend
(12"x12" Sheet)



Champagne - CH
GLSEMLNLR-CH
Linear Glass Slate Blend
(12"x12" Sheet)




Heather Grey - HG
GLSELM5858-HG
5/8"x5/8" Glass Slate Blend
(12"x12" Sheet)



Heather Grey - HG
GLSELM0101-HG
1 1/8"x1 1/8" Glass Slate Blend
(12"x12" Sheet)



Heather Grey - HG
GLSEMLNLR-HG
Linear Glass Slate Blend
(12"x12" Sheet)




Boardwalk - BW
GLSELM5858-BW
5/8"x5/8" Glass Slate Blend
(12"x12" Sheet)




Boardwalk - BW
GLSELM0101-BW
1 1/8"x1 1/8" Glass Slate Blend
(12"x12" Sheet)



Boardwalk - BW
GLSEMLNLR-BW
Linear Glass Slate Blend
(12"x12" Sheet)




Organic Pewter - OP
GLSELM5858-OP
5/8"x5/8" Glass Slate Blend
(12"x12" Sheet)



Organic Pewter - OP
GLSELM0101-OP
1 1/8"x1 1/8" Glass Slate Blend
(12"x12" Sheet)



Organic Pewter - OP
GLSEMLNLR-OP
Linear Glass Slate Blend
(12"x12" Sheet)



Maple Rum - MR
GLSELM5858-MR
5/8"x5/8" Glass Slate Blend
(12"x12" Sheet)



Maple Rum - MR
GLSELM0101-MR
1 1/8"x1 1/8" Glass Slate Blend
(12"x12" Sheet)



Maple Rum - MR
GLSEMLNLR-MR
Linear Glass Slate Blend
(12"x12" Sheet)




Ruby Silk - RS
GLSELM5858-RS
5/8"x5/8" Glass Slate Blend
(12"x12" Sheet)



Ruby Silk - RS
GLSELM0101-RS
1 1/8"x1 1/8" Glass Slate Blend
(12"x12" Sheet)



Ruby Silk - RS
GLSEMLNLR-RS
Linear Glass Slate Blend
(12"x12" Sheet)



Chestnut - CN
GLSELM5858-CN
5/8"x5/8" Glass Slate Blend
(12"x12" Sheet)



Chestnut - CN
GLSELM0101-CN
1 1/8"x1 1/8" Glass Slate Blend
(12"x12" Sheet)



Chestnut - CN
GLSEMLNLR-CN
Linear Glass Slate Blend
(12"x12" Sheet)



Java Bean - JB
GLSELM5858-JB
5/8"x5/8" Glass Slate Blend
(12"x12" Sheet)



Java Bean - JB
GLSELM0101-JB
1 1/8"x1 1/8" Glass Slate Blend
(12"x12" Sheet)



Java Bean - JB
GLSEMLNLR-JB
Linear Glass Slate Blend
(12"x12" Sheet)




Photo Features Linear Glass Slate Blend Mosaic in Java Bean.

SIZING & PACKAGING

| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
|--------|-------|---------------|---------------|--|-----------|----------|
| Mosaic | | GLSELM5858-•• | 12"x12" Sheet | 5/8"x5/8" Glass Slate Blend Mosaic | 10 | 9.59 |
| | | GLSELM0101-•• | 12"x12" Sheet | 1 1/8"x1 1/8" Glass Slate Blend Mosaic | 10 | 10.85 |
| | | GLSEMLNLR-•• | 12"x12" Sheet | Linear Glass Slate Blend Mosaics | 10 | 9.33 |

ANSI TECHNICAL SPECIFICATIONS

| | DCOF Acutest | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 | Bond Strength A137.2-7.7 | Thermal Shock ASTM# C484 |
|---------|-----------------|-------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--------------------------------|
| Results | N/A | N/A | N/A | N/A | N/A | N/A | N/A |



APPLICATIONS

| | Floors | Walls | Countertops | Shower Floors | Shower Walls | Pools/Spas |
|------------------|--------|-------|-------------|---------------|--------------|------------|
| Residential | | | | | | |
| Light Commercial | | | | | | |
| Commercial | | | | | | |

LEGEND

- Product rated for Interior & Exterior use
- Product rated for Interior use only
- May be suitable for Exterior Floors
- Applications & ANSI Technical Specifications do not apply
- Special Order only

Please be aware that white stones installed on shower floors may experience oxidization and rusting.

All natural stone products must be sealed prior to grouting.

Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field, mosaic, and trim tile may not be an exact match. Tiles are subject to variations in color, shade, sizing, surface texture and finish. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Check Manufacturer's specifications as some Mosaic tiles may not be appropriate for wet applications. Reference the most current TCNA Handbook, ANSI, Manufacturer's specifications, and Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, use, care and maintenance voids warranty. We reserve the right to make changes to product specifications at any time without notice. Please visit www.bedrosians.com for current product information.

Hamptons Glass Decorative (Glass & Stone Blends)

Available Sizes



GLSHAM***412G
4"x12" Field Tile - Gloss



GLSHAM***36G
3"x6" Field Tile - Gloss



GLSHAM***MBPG
Mini Brick Pattern - Gloss
(11"x11 1/2" Sheet)



GLSHAM***RIGMC
Random Interlocking - Gloss/Matte
(6 1/4"x16" Sheet)




GLSHAM***SLG
9/16"x6" Stick Liner - Gloss

Color Palette



White Linen - WHL



Message in a Bottle - MEB



Refresh - REF



Surf - SUR



Reed - REE




Sail - SAI



Wave - WAV




Buoy - BUO



Pelican - PEL



Cliff - CLI




Footprint - FOO


Mini Brick Pattern Blend - Gloss (11"x11 1/2" Sheet)




Spa - SPA
GLSHAMSPAMBPGB



Meadow Lane - MEA
GLSHAMMEAMPGB



Lighthouse - LIH
GLSHAMLIHMBPGB



Seaside - SEA
GLSHAMSEAMPGB



Boathouse - BOA
GLSHAMBOAMPGB




Montauk - MON
GLSHAMMONMBPGB

Random Interlocking Blend - Gloss (6 1/4"x16" Sheet)



Spa - SPA
GLSHAMSPARIGB



Meadow Lane - MEA
GLSHAMMEARIGB



Sagg Harbor - SAG
GLSHAMSAGRIGB



Cove - COV
GLSHAMCOVRIGB



Shelter - SHE
GLSHAMSHERIGB



Montauk - MON
GLSHAMMONRIGB



Photo Features 4"x12" Field Tile in White Linen.

SIZING & PACKAGING

| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
|--------|-------|----------------|-------------------|---|-----------|----------|
| Field | | GLSHAM***36G | 3"x6" | Field Tile - Gloss | 60 | 7.26 |
| | | GLSHAM***412G | 4"x12" | Field Tile - Gloss | 30 | 9.80 |
| Trim | | GLSHAM***SLG | 9/16"x6" | Stick Liner - Gloss | 200 | - |
| Mosaic | | GLSHAM***RIGB | 6 1/4"x16" Sheet | Random Interlocking Blend - Gloss | 10 | 7.22 |
| | | GLSHAM***RIGMC | 6 1/4"x16" Sheet | Random Interlocking Blend - Gloss/Matte | 10 | 7.22 |
| | | GLSHAM***MBPG | 11"x11 1/2" Sheet | Mini Brick Pattern - Gloss | 10 | 9.06 |
| | | GLSHAM***MBPGB | 11"x11 1/2" Sheet | Mini Brick Pattern Blend - Gloss | 10 | 9.06 |

ANSI TECHNICAL SPECIFICATIONS

| | DCOF Acutest | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 | Bond Strength A137.2-7.7 | Thermal Shock ASTM# C484 |
|---------|-----------------|-------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--------------------------------|
| Results | N/A | N/A | ≥ 450 lbf | ≤ 0.5% | Unaffected | Pass | Pass |

APPLICATIONS

| | Floors | Walls | Countertops | Shower Floors | Shower Walls | Pools/Spas (3"x6" & Paper-face Mini Brick Only) |
|------------------|--------|-------|-------------|---------------|--------------|--|
| Residential | | | | | | |
| Light Commercial | | | | | | |
| Commercial | | | | | | |

LEGEND

- Product rated for Interior & Exterior use
- Product rated for Interior use only
- May be suitable for Exterior Floors
- Applications & ANSI Technical Specifications do not apply
- Special Order only

Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field, mosaic, and trim tile may not be an exact match. Tiles are subject to variations in color, shade, sizing, surface texture and finish. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Check Manufacturer's specifications as some Mosaic tiles may not be appropriate for wet applications. Reference the most current TCNA Handbook, ANSI, Manufacturer's specifications, and Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, use, care and maintenance voids warranty. We reserve the right to make changes to product specifications at any time without notice. Please visit www.bedrosians.com for current product information.

Hemisphere

Decorative (Pebble Rock)

Pebble Mosaic - Unglazed (12"x12" Sheet)



Bali White - BW
DECHEMUP-BW



Balboa - BA
DECHEMUP-BA



Antigua - AN
DECHEMUP-AN



Seaside - SS
DECHEMUP-SS



Malaga Bay - MB
DECHEMUP-MB




Riverbed - RB
DECHEMUP-RB




Ocean Black - OB
DECHEMUP-OB


Sliced Pebble Mosaic - Unglazed (12"x12" Sheet)




Bali White - BW
DECHEMUSP-BW




Balboa - BA
DECHEMUSP-BA




Antigua - AN
DECHEMUSP-AN




Seaside - SS
DECHEMUSP-SS



Malaga Bay - MB
DECHEMUSP-MB



Riverbed - RB
DECHEMUSP-RB



Ocean Black - OB
DECHEMUSP-OB

Crazy Random Square Interlocking - Unglazed (12"x12" Sheet)



Bali White - BW
DECHEMUCM-BW



Island Blend - IB
DECHEMUCM-IB



Baltra Blend - BB
DECHEMUCM-BB




Sumatra - SU
DECHEMUCM-SU




Black Lava - BL
DECHEMUCM-BL


Pebble Mosaic - Polished (12"x12" Sheet)




Fatima Cream - FC
DECHEMPP-FC
Pebble Mosaic




Fatima Cream - FC
DECHEMSP-FC
Sliced Pebble Mosaic




Fatima Cream - FC
DECHEMSTP-FC
Stacked Pebble Mosaic




Kona Sands - KS
DECHEMPP-KS
Pebble Mosaic




Kona Sands - KS
DECHEMSP-KS
Sliced Pebble Mosaic




Kona Sands - KS
DECHEMSTP-KS
Stacked Pebble Mosaic




Henna Red - HR
DECHEMPP-HR
Pebble Mosaic




Henna Red - HR
DECHEMSP-HR
Sliced Pebble Mosaic




Henna Red - HR
DECHEMSTP-HR
Stacked Pebble Mosaic



Panther Black - PB
DECHEMPP-PB
Pebble Mosaic



Panther Black - PB
DECHEMSP-PB
Sliced Pebble Mosaic




Panther Black - PB
DECHEMSTP-PB
Stacked Pebble Mosaic



Photo Features Unglazed Sliced Pebble Mosaic in Antigua.

SIZING & PACKAGING

| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
|--------|---|----------------|---------------|---|-----------|----------|
| Mosaic |  | DECHEMUCM-•• | 12"x12" Sheet | Crazy Random Square Interlocking - Unglazed | 11 | 11.00 |
| |  | Ø DECHEMPP-•• | 12"x12" Sheet | Pebble Mosaic - Polished | 11 | 11.00 |
| |  | DECHEMUP-•• | 12"x12" Sheet | Pebble Mosaic - Unglazed | 11 | 11.00 |
| |  | DECHEMSP-•• | 12"x12" Sheet | Sliced Pebble Mosaic - Polished | 11 | 11.00 |
| |  | DECHEMUSP-•• | 12"x12" Sheet | Sliced Pebble Mosaic - Unglazed | 11 | 11.00 |
| |  | Ø DECHEMSTP-•• | 12"x12" Sheet | Stacked Pebble Mosaic - Polished | 6 | 6.00 |






ANSI TECHNICAL SPECIFICATIONS

| | DCOF Acutest | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 | Bond Strength A137.2-7.7 | Thermal Shock ASTM# C484 |
|---------|-----------------|-------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--------------------------------|
| Results | N/A | N/A | N/A | N/A | N/A | N/A | N/A |


APPLICATIONS

| | Floors | Walls | Countertops | Shower Floors | Shower Walls | Pools/Spas |
|------------------|--------|-------|-------------|---------------|--------------|------------|
| Residential | ● | ◻ | | ● | ◻ | |
| Light Commercial | ● | ◻ | | ● | ◻ | |
| Commercial | | ◻ | | | ◻ | |

LEGEND

-  Product rated for Interior & Exterior use
-  Product rated for Interior use only
-  May be suitable for Exterior Floors
-  Applications & ANSI Technical Specifications do not apply
-  Special Order only

Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field, mosaic, and trim tile may not be an exact match. Tiles are subject to variations in color, shade, size, surface texture and finish. Prior to installation, installer must blend tiles from several different boxes to achieve an even distribution of color range. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Check Manufacturer's specifications as some Mosaic tiles may not be appropriate for wet applications. Reference the most current TCNA Handbook, ANSI, Manufacturer's specifications, and Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, use, care and maintenance voids warranty. We reserve the right to make changes to product specifications at any time without notice. Please visit www.bedrosians.com for current product information.



1"x1" Glass Mosaic - Gloss (11 5/8"x11 5/8" Sheet)




Cream - 6
GLSMGICG6



Tan - 5
GLSMGICG5



Brown - 2
GLSMGICG2



Black - 7
GLSMGICG7



Blue - 3
GLSMGICG3



Gray - 4
GLSMGICG4


Mosaic Pattern Ice - Gloss/Matte (12 5/8"x12 5/8" Sheet)



Cream - 6
GLSMGICPG6




Tan - 5
GLSMGICPG5




Brown - 2
GLSMGICPG2


Mosaic Pattern Ice - Gloss/Matte (12 5/8"x12 5/8" Sheet)



Black - 7
GLSMGICPG7



Blue - 3
GLSMGICPG3




Gray - 4
GLSMGICPG4

SIZING & PACKAGING

| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
|--------|-------|------------|-----------------------|----------------------------------|-----------|----------|
| Mosaic | | GLSMGICG* | 11 5/8"x11 5/8" Sheet | 1"x1" Glass Mosaic | 10 | - |
| | | GLSMGICPG* | 12 5/8"x12 5/8" Sheet | Mosaic Pattern Ice - Gloss/Matte | 10 | - |

ANSI TECHNICAL SPECIFICATIONS

| | DCOF Acutest | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 | Bond Strength A137.2-7.7 | Thermal Shock ASTM# C484 |
|---------|-----------------|-------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--------------------------------|
| Results | N/A | N/A | N/A | N/A | N/A | N/A | N/A |



APPLICATIONS

| | Floors | Walls | Countertops | Shower Floors | Shower Walls | Pools/Spas |
|------------------|--------|-------|-------------|---------------|--------------|------------|
| Residential | | | | | | |
| Light Commercial | | | | | | |
| Commercial | | | | | | |

LEGEND

- Product rated for Interior & Exterior use
- Product rated for Interior use only
- May be suitable for Exterior Floors
- Applications & ANSI Technical Specifications do not apply
- Special Order only

Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field, mosaic, and trim tile may not be an exact match. Tiles are subject to variations in color, shade, sizing, surface texture and finish. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Check Manufacturer's specifications as some Mosaic tiles may not be appropriate for wet applications. Reference the most current TCNA Handbook, ANSI, Manufacturer's specifications, and Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, use, care and maintenance voids warranty. We reserve the right to make changes to product specifications at any time without notice. Please visit www.bedrosians.com for current product information.

3/4"x3/4" Mosaic Blend (12"x12" Sheet)



Harmony - HAR
GLSILDHAR34MOB



Minuet - MIN
GLSILDMIN34MOB



Encore - ENC
GLSILDENC34MOB



Hymn - HYM
GLSILDHYM34MOB



Maestro - MAE
GLSILDMAE34MOB



Musette - MUS
GLSILDMUS34MOB




Treble - TRE
GLSILDTRE34MOB



Falsetto - FAL
GLSILDFAL34MOB




Stacatto - STA
GLSILDSTA34MOB



Prelude - PRE
GLSILDPRE34MOB



Octave - OCT
GLSILDOCT34MOB



Duet - DUE
GLSILDDUE34MOB

Random Interlocking Blend (12"x12" Sheet)



Harmony - HAR
GLSILDHARRIB



Minuet - MIN
GLSILDMINRIB



Encore - ENC
GLSILDENCRI



Hymn - HYM
GLSILDHYMRIB

Random Interlocking Blend (12"x12" Sheet)



Maestro - MAE
GLSILDMAERIB



Musette - MUS
GLSILDMUSRIB



Treble - TRE
GLSILDRERIB




Falsetto - FAL
GLSILDFALRIB




Stacatto - STA
GLSILDSTARIB



Prelude - PRE
GLSILDPRERIB



Octave - OCT
GLSILDOCTRIB



Duet - DUE
GLSILDDUERIB

SIZING & PACKAGING

| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
|--------|-------|----------------|---------------|---------------------------|-----------|----------|
| Mosaic | | GLSILD***34MOB | 12"x12" Sheet | 3/4"x3/4" Mosaic Blend | 10 | 9.70 |
| | | GLSILD***RIB | 12"x12" Sheet | Random Interlocking Blend | 10 | 8.70 |

ANSI TECHNICAL SPECIFICATIONS

| | DCOF Acutest | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 | Bond Strength A137.2-7.7 | Thermal Shock ASTM# C484 |
|---------|-----------------|-------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--------------------------------|
| Results | N/A | N/A | N/A | N/A | N/A | N/A | N/A |

APPLICATIONS


| | Floors | Walls | Countertops | Shower Floors | Shower Walls | Pools/Spas |
|------------------|--------|-------|-------------|---------------|--------------|------------|
| Residential | | | | | | |
| Light Commercial | | | | | | |
| Commercial | | | | | | |

LEGEND

- Product rated for Interior & Exterior use
- Product rated for Interior use only
- May be suitable for Exterior Floors
- Applications & ANSI Technical Specifications do not apply
- Special Order only

All natural stone products must be sealed prior to grouting.

Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field, mosaic, and trim tile may not be an exact match. Tiles are subject to variations in color, shade, sizing, surface texture and finish. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Check Manufacturer's specifications as some Mosaic tiles may not be appropriate for wet applications. Reference the most current TCNA Handbook, ANSI, Manufacturer's specifications, and Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, use, care and maintenance voids warranty. We reserve the right to make changes to product specifications at any time without notice. Please visit www.bedrosians.com for current product information.



Serene - SER
DECKISSERHEX
Hexagon Mosaic Blend
(12 1/2"x11 3/4" Sheet)

Serene - SER
DECKISSERHOB
Rhomboid Mosaic Blend
(11"x11 3/4" Sheet)

Serene - SER
DECKISSERRIB
Random Interlocking Blend
(11 3/4"x13" Sheet)

Blessed - BLE
DECKISBLEHEX
Hexagon Mosaic Blend
(12 1/2"x11 3/4" Sheet)

Blessed - BLE
DECKISBLERHOB
Rhomboid Mosaic Blend
(11"x11 3/4" Sheet)

Blessed - BLE
DECKISBLERIB
Random Interlocking Blend
(11 3/4"x13" Sheet)

Promise - PRO
DECKISPROHEX
Hexagon Mosaic Blend
(12 1/2"x11 3/4" Sheet)

Promise - PRO
DECKISPRORHOB
Rhomboid Mosaic Blend
(11"x11 3/4" Sheet)

Promise - PRO
DECKISPRORIB
Random Interlocking Blend
(11 3/4"x13" Sheet)

Delight - DEL
DECKISDELHEX
Hexagon Mosaic Blend
(12 1/2"x11 3/4" Sheet)

Delight - DEL
DECKISDELRHOB
Rhomboid Mosaic Blend
(11"x11 3/4" Sheet)

Delight - DEL
DECKISDELRIB
Random Interlocking Blend
(11 3/4"x13" Sheet)

Destiny - DES
DECKISDESHEX
Hexagon Mosaic Blend
(12 1/2"x11 3/4" Sheet)

Destiny - DES
DECKISDESRHOB
Rhomboid Mosaic Blend
(11"x11 3/4" Sheet)

Destiny - DES
DECKISDESRIIB
Random Interlocking Blend
(11 3/4"x13" Sheet)

Meditate - MED
DECKISMEDHEX
Hexagon Mosaic Blend
(12 1/2"x11 3/4" Sheet)

Meditate - MED
DECKISMEDRHOB
Rhomboid Mosaic Blend
(11"x11 3/4" Sheet)

Meditate - MED
DECKISMEDRIB
Random Interlocking Blend
(11 3/4"x13" Sheet)

Utopia - UTO
DECKISUTOHEX
Hexagon Mosaic Blend
(12 1/2"x11 3/4" Sheet)

Utopia - UTO
DECKISUTORHOB
Rhomboid Mosaic Blend
(11"x11 3/4" Sheet)

Utopia - UTO
DECKISUTORIB
Random Interlocking Blend
(11 3/4"x13" Sheet)

Fantasy - FAN
DECKISFANHEX
Hexagon Mosaic Blend
(12 1/2"x11 3/4" Sheet)

Fantasy - FAN
DECKISFANRHOB
Rhomboid Mosaic Blend
(11"x11 3/4" Sheet)

Fantasy - FAN
DECKISFANRIB
Random Interlocking Blend
(11 3/4"x13" Sheet)

Zen - ZEN
DECKISZEN11B
1"x1" Mosaic Blend
(12"x12" Sheet)

Heaven - HEA
DECKISHEA11B
1"x1" Mosaic Blend
(12"x12" Sheet)

Paradise - PAR
DECKISPAR11B
1"x1" Mosaic Blend
(12"x12" Sheet)

Happenstance - HAP
DECKISHAP11B
1"x1" Mosaic Blend
(12"x12" Sheet)

Serendipity - SER
DECKISSER11B
1"x1" Mosaic Blend
(12"x12" Sheet)

Felicity - FEL
DECKISFEL11B
1"x1" Mosaic Blend
(12"x12" Sheet)

Glee - GLE
DECKISGLE11B
1"x1" Mosaic Blend
(12"x12" Sheet)

Joy - JOY
DECKISJOY11B
1"x1" Mosaic Blend
(12"x12" Sheet)

Bliss - BLI
DECKISBLI11B
1"x1" Mosaic Blend
(12"x12" Sheet)

Fate - FAT
DECKISFAT11B
1"x1" Mosaic Blend
(12"x12" Sheet)

Euphoria - EUP
DECKISEUP11B
1"x1" Mosaic Blend
(12"x12" Sheet)

Karma - KAR
DECKISKAR11B
1"x1" Mosaic Blend
(12"x12" Sheet)

| SIZING & PACKAGING | | | | | | |
|--------------------|-------|---------------|-----------------------|----------------------------------|-----------|----------|
| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
| Mosaic | | DECKIS***RHOB | 11"x11 3/4" Sheet | Rhomboid Mosaic Blend | 10 | 8.70 |
| | | DECKIS***RIB | 11 3/4"x13" Sheet | Random Interlocking Mosaic Blend | 10 | 10.60 |
| | | DECKIS***11B | 12"x12" Sheet | 1"x1" Mosaic Blend | 10 | 10.00 |
| | | DECKIS***HEX | 12 1/2"x11 3/4" Sheet | Hexagon Mosaic Blend | 10 | 9.60 |

ANSI TECHNICAL SPECIFICATIONS

| | DCOF Acutest | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 | Bond Strength A137.2-7.7 | Thermal Shock ASTM# C484 |
|---------|-----------------|-------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--------------------------------|
| Results | N/A | N/A | N/A | N/A | N/A | N/A | N/A |

APPLICATIONS

| | Floors | Walls | Countertops | Shower Floors | Shower Walls | Pools/Spas |
|------------------|--------|-------------------------------------|-------------|---------------|-------------------------------------|------------|
| Residential | | <input checked="" type="checkbox"/> | | | <input checked="" type="checkbox"/> | |
| Light Commercial | | <input checked="" type="checkbox"/> | | | <input checked="" type="checkbox"/> | |
| Commercial | | <input checked="" type="checkbox"/> | | | <input checked="" type="checkbox"/> | |

LEGEND

- ☒ Product rated for Interior & Exterior use
- ☒ Product rated for Interior use only
- ☒ May be suitable for Exterior Floors
- ☒ Applications & ANSI Technical Specifications do not apply
- ☒ Special Order only

If the product has a mesh-mounted back, it cannot be installed in submerged areas.

Please be aware that white stones installed on shower floors may experience oxidization and rusting.

All natural stone products must be sealed prior to grouting.

Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field, mosaic, and trim tile may not be an exact match. Tiles are subject to variations in color, shade, size, surface texture and finish. Prior to installation, installer must blend tiles from several different boxes to achieve an even distribution of color range. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Check Manufacturer's specifications as some Mosaic tiles may not be appropriate for wet applications. Reference the most current TCNA Handbook, ANSI, Manufacturer's specifications, and Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, use, care and maintenance voids warranty. We reserve the right to make changes to product specifications at any time without notice. Please visit www.bedrosians.com for current product information.




Photo features Rhomboid Mosaic Blend in Destiny.

Le Café Decorative (Glazed Porcelain)

Mosaic Sizes



White - W
DECLEC11W
1"x1" Hexagon White Mosaic - Matte
(11"x12" Sheet)



White - W
DECLEC22W
2"x2" Hexagon Mosaic - Matte
(11"x12 3/4" Sheet)



White - W
DECLEC22WG
2"x2" Hexagon White Mosaic - Gloss
(11"x12 3/4" Sheet)



Design 1 - D1
DECLEC11D1
1"x1" Mosaic Deco Design 1
(11 1/8"x12 5/8" Sheet)



Design 2 - D2
DECLEC11D2
1"x1" Mosaic Deco Design 2
(11 3/4"x10 1/8" Sheet)



Black - B
DECLEC22B
2"x2" Hexagon Mosaic - Matte
(11"x12 3/4" Sheet)




Photo features 2"x2" Hexagon White Mosaic - Gloss.

SIZING & PACKAGING

| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
|--------|---|------------|-----------------------|------------------------------------|-----------|----------|
| Mosaic |  | DECLEC11W | 11"x12" Sheet | 1"x1" Hexagon White Mosaic - Matte | 22 | - |
| |  | DECLEC22• | 11"x12 3/4" Sheet | 2"x2" Hexagon Mosaic - Matte | 22 | - |
| |  | DECLEC22WG | 11"x12 3/4" Sheet | 2"x2" Hexagon White Mosaic - Gloss | 22 | - |
| |  | DECLEC11D1 | 11 1/8"x12 5/8" Sheet | 1"x1" Mosaic Deco Design 1 | 22 | - |
| |  | DECLEC11D2 | 11 3/4"x10 1/8" Sheet | 1"x1" Mosaic Deco Design 2 | 22 | - |

ANSI TECHNICAL SPECIFICATIONS






| | DCOF Acutest | PEI Rating ASTM# C1027 | Frost Resistant ASTM# C1026 | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 |
|---------|-----------------|------------------------------|-----------------------------------|-------------------------------|------------------------------------|-----------------------------------|--------------------------------------|
| Results | N/A | 4 | Unaffected | 7 | ≥ 350 lbf | ≤ 0.5% | Unaffected |



APPLICATIONS

| | Floors | Walls | Countertops | Shower Floors | Shower Walls | Pools/Spas |
|------------------|--------|-------|-------------|---------------|--------------|------------|
| Residential | ● | ◻ | ◻ | | ◻ | |
| Light Commercial | ● | ◻ | | | ◻ | |
| Commercial | | ◻ | | | ◻ | |

LEGEND

-  Product rated for Interior & Exterior use
-  Product rated for Interior use only
-  May be suitable for Exterior Floors
-  Applications & ANSI Technical Specifications do not apply
-  Special Order only



Ink Jet



Glazed Porcelain

Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field, mosaic, and trim tile may not be an exact match. Tiles are subject to variations in color, shade, size, surface texture and finish. Prior to installation, installer must blend tiles from several different boxes to achieve an even distribution of color range. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Check Manufacturer's specifications as some Mosaic tiles may not be appropriate for wet applications. Reference the most current TCNA Handbook, ANSI, Manufacturer's specifications, and Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, use, care and maintenance voids warranty. We reserve the right to make changes to product specifications at any time without notice. Please visit www.bedrosians.com for current product information.

Luxembourg Decorative (Stone)

Arabesque Blended Mosaic (12 1/4"x13 1/4" Sheet)



Tuileries - TUI
DECLUXTUIARA



Palais - PAL
DECLUXPALARA



Paris - PAR
DECLUXPARARA



Louvre - LOU
DECLUXLOUARA

Jardin Blended Mosaic (11 1/4"x12 1/4" Sheet)



Tuileries - TUI
DECLUXTUIJAR



Palais - PAL
DECLUXPALJAR



Paris - PAR
DECLUXPARJAR



Louvre - LOU
DECLUXLOUJAR

Lily Blended Mosaic (12"x13" Sheet)



Tuileries - TUI
DECLUXTUILIL



Palais - PAL
DECLUXPALLIL



Paris - PAR
DECLUXPARLIL



Louvre - LOU
DECLUXLOULIL




Photo Features Lily Blended Mosaic in Palais.

SIZING & PACKAGING

| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
|--------|-------|--------------|-----------------------|--------------------------|-----------|----------|
| Mosaic | | DECLUX•••JAR | 11 1/4"x12 1/4" Sheet | Jardin Blended Mosaic | 10 | 9.87 |
| | | DECLUX•••LIL | 12"x13" Sheet | Lily Blended Mosaic | 10 | 11.10 |
| | | DECLUX•••ARA | 12 1/4"x13 1/4" Sheet | Arabesque Blended Mosaic | 10 | 10.88 |

ANSI TECHNICAL SPECIFICATIONS

| | DCOF Acutest | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 | Bond Strength A137.2-7.7 | Thermal Shock ASTM# C484 |
|---------|-----------------|-------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--------------------------------|
| Results | N/A | N/A | N/A | N/A | N/A | N/A | N/A |



APPLICATIONS

| | Floors | Walls | Countertops | Shower Floors | Shower Walls | Pools/Spas |
|------------------|--------|-------|-------------|---------------|--------------|------------|
| Residential | ● | ◻ | ◻ | ● | ◻ | |
| Light Commercial | ● | ◻ | ◻ | ● | ◻ | |
| Commercial | | ◻ | | | | |

LEGEND

- ◻

Product rated for Interior & Exterior use
- Product rated for Interior use only
- †

May be suitable for Exterior Floors
- ⌀

Applications & ANSI Technical Specifications do not apply
- ★

Special Order only

If the product has a mesh-mounted back, it cannot be installed in submerged areas.

Please be aware that white stones installed on shower floors may experience oxidization and rusting.

This product must be sealed prior to cutting and re-sealed prior to grouting.

Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field, mosaic, and trim tile may not be an exact match. Tiles are subject to variations in color, shade, size, surface texture and finish. Prior to installation, installer must blend tiles from several different boxes to achieve an even distribution of color range. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Check Manufacturer's specifications as some Mosaic tiles may not be appropriate for wet applications. Reference the most current TCNA Handbook, ANSI, Manufacturer's specifications, and Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, use, care and maintenance voids warranty. We reserve the right to make changes to product specifications at any time without notice. Please visit www.bedrosians.com for current product information.

Mallorca Glass Decorative (Glass)

Available Sizes



White Linen - WHL
GLSMALWHLARA
Arabesque Mosaic
(9 1/2"x14 1/2" Sheet)



White Linen - WHL
GLSMALWHLART
Arta Mosaic
(11 3/4"x17 1/2" Sheet)



White Linen - WHL
GLSMALWHLCAL
Cala Mosaic
(9"x15 1/2" Sheet)



White Linen - WHL
GLSMALWHLPAL
Palma Mosaic
(10 3/4"x14" Sheet)

Available Colors



White Linen - WHL



Message in a Bottle - MEB



Sand - SAN



Mist - MIS



Fern - FER



Sail - SAI



Pelican - PEL



Cliff - CLI

Mosaic Blends



Sail (Outside) / White Linen (Center)
GLSMALSAIWHLTOR
Torre Mosaic Blend
(11 1/2"x16 1/4" Sheet)



White Linen (Outside) / Roca (Center)
GLSMALWHLROCTOR
Torre Mosaic Blend
(11 1/2"x16 1/4" Sheet)



Pelican (Outside) / Mist (Center)
GLSMALPELMISVEL
Velez Mosaic Blend
(9 1/2"x14 3/8" Sheet)



Mist (Outside) / Cliff (Center)
GLSMALMISCLIVEL
Velez Mosaic Blend
(9 1/2"x14 3/8" Sheet)



White Linen / White Linen
GLSMALWHLFLO
Flora Mosaic Blend
(12 3/8"x12 3/8" Sheet)



White Linen / Message in a Bottle
GLSMALWHLMEBFLO
Flora Mosaic Blend
(12 3/8"x12 3/8" Sheet)



White Linen / Mist
GLSMALWHLMISFLO
Flora Mosaic Blend
(12 3/8"x12 3/8" Sheet)



Photo Features Arta Mosaic in White Linen.

SIZING & PACKAGING

| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
|--------|-------|----------------|-----------------------|------------------|-----------|----------|
| Mosaic | | GLSMAL***CAL | 9"x15 1/2" Sheet | Cala Mosaic | 11 | 10.67 |
| | | GLSMAL*****VEL | 9 1/2"x14 3/8" Sheet | Velez Mosaic | 8 | 7.65 |
| | | GLSMAL***ARA | 9 1/2"x14 1/2" Sheet | Arabesque Mosaic | 11 | 10.45 |
| | | GLSMAL***PAL | 10 3/4"x14" Sheet | Palma Mosaic | 11 | 11.55 |
| | | GLSMAL*****TOR | 11 1/2"x16 1/4" Sheet | Torre Mosaic | 8 | 10.40 |
| | | GLSMAL***ART | 11 3/4"x17 1/2" Sheet | Arta Mosaic | 10 | 9.06 |
| | | GLSMALWHL*** | 12 3/8"x12 3/8" Sheet | Flora Mosaic | 10 | 9.06 |

ANSI TECHNICAL SPECIFICATIONS

| | DCOF Acutest | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 | Bond Strength A137.2-7.7 | Thermal Shock ASTM# C484 |
|---------|-----------------|-------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--------------------------------|
| Results | N/A | N/A | ≥ 250 lbf | ≤ 0.5% | Unaffected | Pass | Pass |


APPLICATIONS

| | Floors | Walls | Countertops | Shower Floors | Shower Walls | Pools/Spas |
|------------------|--------|-------|-------------|---------------|--------------|------------|
| Residential | | | | | | |
| Light Commercial | | | | | | |
| Commercial | | | | | | |

LEGEND

- Product rated for Interior & Exterior use
- Product rated for Interior use only
- May be suitable for Exterior Floors
- Applications & ANSI Technical Specifications do not apply
- Special Order only

Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field, mosaic, and trim tile may not be an exact match. Tiles are subject to variations in color, shade, sizing, surface texture and finish. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Check Manufacturer's specifications as some Mosaic tiles may not be appropriate for wet applications. Reference the most current TCNA Handbook, ANSI, Manufacturer's specifications, and Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, use, care and maintenance voids warranty. We reserve the right to make changes to product specifications at any time without notice. Please visit www.bedrosians.com for current product information.



Available Sizes



GLSMAN***416G
4"x16" Field Tile - Gloss



GLSMAN***416M
4"x16" Field Tile - Matte



GLSMAN***28G
2"x8" Mosaic Mounted Glass - Gloss
(8"x16" Sheet)



GLSMAN***28M
2"x8" Mosaic Mounted Glass - Matte
(8"x16" Sheet)



GLSMAN***SLG
9/16"x8" Stick Liner - Gloss



GLSMAN***SLM
9/16"x8" Stick Liner - Matte



GLSMAN***11GMC
1"x1" Glass Mosaic - Gloss/Matte Combo
(12"x12" Sheet)



GLSMAN***BPGMC
Brick Pattern Glass - Gloss/Matte Combo
(12"x12 1/2" Sheet)




GLSMAN***RIGMC
Random Interlocking Glass - Gloss/Matte Combo
(12"x13" Sheet)

Color Palette



Pearl - PEA



Silk - SIL



Madison - MAD



Cashmere - CAS



Pistachio - PIS



Mint - MNT



Heiress - HEI



Ash - ASH



Bittersweet - BIT



Coast - COA



Subway - SUB



Grand - GRA



Platinum - PLA



Concrete - CON



Midnight - MID

Glass Blends - Gloss/Matte



Central Park - CPK
GLSMANCPKBPGMCB
Brick Pattern - Gloss/Matte
(12"x12 1/2" Sheet)



Central Park - CPK
GLSMANCPKRIGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Time Square - TSQ
GLSMANTSQBPGMCB
Brick Pattern - Gloss/Matte
(12"x12 1/2" Sheet)



Time Square - TSQ
GLSMANTSQRIGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Plaza - PZA
GLSMANPZABPGMCB
Brick Pattern - Gloss/Matte
(12"x12 1/2" Sheet)



Plaza - PZA
GLSMANPZARIGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Fifth Avenue - FAV
GLSMANFAVBPGMCB
Brick Pattern - Gloss/Matte
(12"x12 1/2" Sheet)



Fifth Avenue - FAV
GLSMANFAVRIGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)




Broadway - BRD
GLSMANBRDBPGMCB
Brick Pattern - Gloss/Matte
(12"x12 1/2" Sheet)



Broadway - BRD
GLSMANBRDRIGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Soho - SOH
GLSMANSOHBPGMCB
Brick Pattern - Gloss/Matte
(12"x12 1/2" Sheet)




Soho - SOH
GLSMANSOHRIGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Hudson - HUD
GLSMANHUDBPGMCB
Brick Pattern - Gloss/Matte
(12"x12 1/2" Sheet)



Hudson - HUD
GLSMANHUDRIGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Wall Street - WST
GLSMANWSTBPGMCB
Brick Pattern - Gloss/Matte
(12"x12 1/2" Sheet)



Wall Street - WST
GLSMANWSTRIGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)

Stone & Glass Blends - Gloss / Matte



Greenwich - GRE
GLSMANGREBPGMCB
Brick Pattern - Gloss/Matte
(12"x12 1/2" Sheet)



Greenwich - GRE
GLSMANGRERIGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Tribeca - TRI
GLSMANTRIBSGMCB
Brick Pattern - Gloss/Matte
(12"x12 1/2" Sheet)



Tribeca - TRI
GLSMANTRIRISGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Riverside Park - RIV
GLSMANRIVBPGMCB
Brick Pattern - Gloss/Matte
(12"x12 1/2" Sheet)



Riverside Park - RIV
GLSMANRIVRISGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Long Island - LON
GLSMANLONBPGMCB
Brick Pattern - Gloss/Matte
(12"x12 1/2" Sheet)



Long Island - LON
GLSMANLONRISGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Morningside - MOR
GLSMANMORBPGMCB
Brick Pattern - Gloss/Matte
(12"x12 1/2" Sheet)



Morningside - MOR
GLSMANMORRISGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Midtown - MTW
GLSMANMTWBPGMCB
Brick Pattern - Gloss/Matte
(12"x12 1/2" Sheet)



Midtown - MTW
GLSMANMTWRISGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Battery Park - BAT
GLSMANBATBPGMCB
Brick Pattern - Gloss/Matte
(12"x12 1/2" Sheet)



Battery Park - BAT
GLSMANBATRISGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Rockefeller - ROC
GLSMANROCBPGMCB
Brick Pattern - Gloss/Matte
(12"x12 1/2" Sheet)



Rockefeller - ROC
GLSMANROCRISGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)

Stone & Glass Blends - Gloss / Matte



Chelsea - CHE
GLSMANCHEBPSGMCB
Brick Pattern - Gloss/Matte
(12"x12 1/2" Sheet)



Chelsea - CHE
GLSMANCHERISGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



MacArthur - GRM
GLSMANGRMBPSGMCB
Brick Pattern - Gloss/Matte
(12"x12 1/2" Sheet)



MacArthur - GRM
GLSMANGRMRISGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Flatiron - FLA
GLSMANFLABPSGMCB
Brick Pattern - Gloss/Matte
(12"x12 1/2" Sheet)



Flatiron - FLA
GLSMANFLARISGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Skyline - SKY
GLSMANSKYBPSGMCB
Brick Pattern - Gloss/Matte
(12"x12 1/2" Sheet)



Skyline - SKY
GLSMANSKYRISGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)

SIZING & PACKAGING

| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
|--------|-------|------------------|--------------------|---|-----------|----------|
| Field | | GLSMAN***416G | 4"x16" | Field Tile - Gloss | 20 | 8.88 |
| | | GLSMAN***416M | 4"x16" | Field Tile - Matte | 20 | 8.88 |
| Trim | | GLSMAN***SLG | 9/16"x8" | Stick Liner - Gloss | - | - |
| | | GLSMAN***SLM | 9/16"x8" | Stick Liner - Matte | - | - |
| Mosaic | | GLSMAN***28G | 8"x16" Sheet | 2"x8" Mosaic Mounted Glass - Gloss | 10 | 9.14 |
| | | GLSMAN***28M | 8"x16" Sheet | 2"x8" Mosaic Mounted Glass - Matte | 10 | 9.14 |
| | | GLSMAN***11GMC | 12"x12" Sheet | 1"x1" Glass Mosaic - Gloss/Matte Combo | 10 | 10.00 |
| | | GLSMAN***BPGMC | 12"x12 1/2" Sheet | Brick Pattern Glass - Gloss/Matte Combo | 10 | 10.00 |
| | | GLSMAN***BPGMCB | 12"x12 1/2" Sheet | Brick Pattern Glass Blend - Gloss/Matte | 10 | 10.00 |
| | | GLSMAN***BPSGMCB | 12"x 12 1/2" Sheet | Brick Pattern Stone/Glass Blend - Gloss/Matte | 10 | 10.00 |
| | | GLSMAN***RIGMC | 12"x13" Sheet | Random Interlocking Glass - Gloss/Matte Combo | 10 | 10.83 |
| | | GLSMAN***RIGMCB | 12"x13" Sheet | Random Interlocking Glass Blend - Gloss/Matte | 10 | 10.83 |
| | | GLSMAN***RISGMCB | 12"x13" Sheet | Random Interlocking Stone/Glass Blend - Gloss/Matte | 10 | 10.83 |

ANSI TECHNICAL SPECIFICATIONS

| | DCOF Acutest | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 | Bond Strength A137.2-7.7 | Thermal Shock ASTM# C484 |
|---------|-----------------|-------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--------------------------------|
| Results | N/A | N/A | ≥ 1200 lbf | ≤ 0.5% | Unaffected | N/A | Pass |

APPLICATIONS

| | Floors | Walls | Countertops | Shower Floors | Shower Walls | Pools/Spas |
|------------------|--------|-------|-------------|---------------|--------------|------------|
| Residential | | ● | | | ● | |
| Light Commercial | | ● | | | ● | |
| Commercial | | ● | | | ● | |

LEGEND

- ☒ Product rated for Interior & Exterior use
- ☒ Applications & ANSI Technical Specifications do not apply
- ☐ Product rated for Interior use only
- ☐ Special Order only
- ☐ May be suitable for Exterior Floors

This product should not be installed in exterior applications, high-heat areas, and/or steam rooms.

Please be aware that white stones installed on shower floors may experience oxidization and rusting.

All natural stone products must be sealed prior to grouting.

Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field, mosaic, and trim tile may not be an exact match. Tiles are subject to variations in color, shade, sizing, surface texture and finish. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Check Manufacturer's specifications as some Mosaic tiles may not be appropriate for wet applications. Reference the most current TCNA Handbook, ANSI, Manufacturer's specifications, and Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, use, care and maintenance voids warranty. We reserve the right to make changes to product specifications at any time without notice. Please visit www.bedrosians.com for current product information.




Photo Features Random Interlocking Stone & Glass Blend - Gloss/Matte in Flat Iron.


Montane

Decorative (Metal, Stone & Glass)


3/4" Rounds Blend (11 3/4"x11 3/4" Sheet)



Silver - SIL
DECMONSIL34RMOB




Coal - COA
DECMONCOA34RMOB



Bronze - BRO
DECMONBRO34RMOB


3/4" Squares Blend (12"x12" Sheet)



Silver - SIL
DECMONSIL34SMOB



Coal - COA
DECMONCOA34SMOB




Bronze - BRO
DECMONBRO34SMOB

Large Linear Blend (9"x15 3/4" Sheet)



Silver - SIL
DECOMSILLRLB




Coal - COA
DECOMCOALRLB



Bronze - BRO
DECOMBROLRLB

Large Linear Stone / Glass / Metal Blend (9"x15 3/4" Sheet)



Snow - SNO
DECOMSNOLRLSGMB




Cathedral - CAT
DECOMCATLRLSGMB



Silver Queen - SIQ
DECOMSIQLRLSGMB



Rocky - ROC
DECMONROCLRLSGMB



Opera - OPE
DECMONOPELRLSGMB



Highland - HIG
DECMONHIGLRLSGMB




Photo Features Montane 3/4" Rounds Blend in Silver.

SIZING & PACKAGING

| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
|--------|-------|------------------|-----------------------|--|-----------|----------|
| Mosaic | | DECMON•••LRLB | 9"x15 3/4" Sheet | Large Linear Blend | 11 | 10.87 |
| | | DECMON•••LRLSGMB | 9"x15 3/4" Sheet | Large Linear Stone / Glass / Metal Blend | 10 | 9.90 |
| | | DECMON•••34RMOB | 11 3/4"x11 3/4" Sheet | 3/4 Rounds Blend | 11 | 10.65 |
| | | DECMON•••34SMOB | 12"x12" Sheet | 3/4 Squares Blend | 11 | 11.00 |

ANSI TECHNICAL SPECIFICATIONS

| | DCOF Acutest | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 | Bond Strength A137.2-7.7 | Thermal Shock ASTM# C484 |
|---------|-----------------|-------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--------------------------------|
| Results | N/A | N/A | N/A | N/A | N/A | N/A | N/A |



APPLICATIONS

| | Floors | Walls | Countertops | Shower Floors | Shower Walls | Pools/Spas |
|------------------|--------|-------|-------------|---------------|--------------|------------|
| Residential | | ● | | | | |
| Light Commercial | | ● | | | | |
| Commercial | | ● | | | | |

LEGEND

- ☒ Product rated for Interior & Exterior use
- ☐ Product rated for Interior use only
- ☐ May be suitable for Exterior Floors
- ☒ Applications & ANSI Technical Specifications do not apply
- ☐ Special Order only

This product cannot be installed in high-heat areas or steam rooms. This product cannot be installed in exterior applications, wet areas, and/or high-heat areas. If the product has a mesh-mounted back, it cannot be installed in submerged areas.

All natural stone products must be sealed prior to grouting. Some products in this line may contain a copper, aluminum, and/or stainless steel veneer which may be subject to oxidation, rusting, scratching, and color changes over time. Do not use acidic or abrasive cleaners. Some products in this line contain an underbody of ceramic tile and mesh which must be installed with premium modified neutral-colored thinset. Bedrosians recommends Laticrete 254 or comparable thinset. Some products in this line contain hollow pieces of metal that must be back-buttered and filled with thinset during installation. Do not use chemicals containing chlorine.

Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field, mosaic, and trim tile may not be an exact match. Tiles are subject to variations in color, shade, sizing, surface texture and finish. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Check Manufacturer's specifications as some Mosaic tiles may not be appropriate for wet applications. Reference the most current TCNA Handbook, ANSI, Manufacturer's specifications, and Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, use, care and maintenance voids warranty. We reserve the right to make changes to product specifications at any time without notice. Please visit www.bedrosians.com for current product information.

Rain Drop Pattern Mosaic (10"x10 1/2" Sheet)



Silk - SIL
GLSPANILRDP




Sequins - SEQ
GLSPANSEQRDP




Chiffon - CHI
GLSPANCHIRDP



Mohair - MOH
GLSPANMOHRDP



Leather - LEA
GLSPANLEARDP



Velvet - VEL
GLSPANVELRDP

Retro Hexagon Pattern Mosaic (11 3/4"x12 3/4" Sheet)



Silk - SIL
GLSPANILRHP



Sequins - SEQ
GLSPANSEQRHP



Chiffon - CHI
GLSPANCHIRHP

Retro Hexagon Pattern Mosaic (11 3/4"x12 3/4" Sheet)



Mohair - MOK
GLSPANMOHRHP




Leather - LEA
GLSPANLEARHP



Velvet - VEL
GLSPANVELRHP







SIZING & PACKAGING

| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
|--------|---|--------------|-----------------------|------------------------------|-----------|----------|
| Mosaic |  | GLSPAN•••RDP | 10"x10 1/2" Sheet | Rain Drop Pattern Mosaic | 11 | 8.00 |
| | | GLSPAN•••RHP | 11 3/4"x12 3/4" Sheet | Retro Hexagon Pattern Mosaic | 11 | 11.66 |






ANSI TECHNICAL SPECIFICATIONS

| | DCOF Acutest | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 | Bond Strength A137.2-7.7 | Thermal Shock ASTM# C484 |
|---------|-----------------|-------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--------------------------------|
| Results | N/A | N/A | N/A | N/A | N/A | N/A | N/A |

APPLICATIONS

| | Floors | Walls | Countertops | Shower Floors | Shower Walls | Pools/Spas |
|------------------|--------|---|-------------|---------------|---|------------|
| Residential | |  | | |  | |
| Light Commercial | |  | | |  | |
| Commercial | |  | | |  | |

LEGEND

-  Product rated for Interior & Exterior use
-  Product rated for Interior use only
-  May be suitable for Exterior Floors
-  Applications & ANSI Technical Specifications do not apply
-  Special Order only

Please be aware that white stones installed on shower floors may experience oxidization and rusting.

This product must be sealed prior to cutting and re-sealed prior to grouting.

Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field, mosaic, and trim tile may not be an exact match. Tiles are subject to variations in color, shade, sizing, surface texture and finish. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Check Manufacturer's specifications as some Mosaic tiles may not be appropriate for wet applications. Reference the most current TCNA Handbook, ANSI, Manufacturer's specifications, and Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, use, care and maintenance voids warranty. We reserve the right to make changes to product specifications at any time without notice. Please visit www.bedrosians.com for current product information.






Photo Features Glass Mosaic in Gray Taupe Mix.

Glass Mosaic (12"x12" Sheet)



Oyster White - 1
GLSMGE1



Gray Taupe Mix - 3
GLSMGE3




Sky Blue - 2
GLSMGE2




Beige Mix - 4
GLSMGE4

SIZING & PACKAGING

| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
|--------|---|-----------|---------------|--------------|-----------|----------|
| Mosaic |  | GLSMGE* | 12"x12" Sheet | Glass Mosaic | 5 | 22.00 |

ANSI TECHNICAL SPECIFICATIONS

| | DCOF Acutest | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 | Bond Strength A137.2-7.7 | Thermal Shock ASTM# C484 |
|---------|-----------------|-------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--------------------------------|
| Results | N/A | N/A | N/A | N/A | N/A | N/A | N/A |



APPLICATIONS

| | Floors | Walls | Countertops | Shower Floors | Shower Walls | Pools/Spas |
|------------------|--------|-------|-------------|---------------|--------------|------------|
| Residential | | ● | | | ● | |
| Light Commercial | | ● | | | ● | |
| Commercial | | ● | | | ● | |

LEGEND


- ☒ Product rated for Interior & Exterior use
- ☒ Product rated for Interior use only
- ☒ May be suitable for Exterior Floors
- ☒ Applications & ANSI Technical Specifications do not apply
- ☒ Special Order only

This product should not be installed in exterior applications, high-heat areas, and/or steam rooms.


Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field, mosaic, and trim tile may not be an exact match. Tiles are subject to variations in color, shade, sizing, surface texture and finish. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Check Manufacturer's specifications as some Mosaic tiles may not be appropriate for wet applications. Reference the most current TCNA Handbook, ANSI, Manufacturer's specifications, and Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, use, care and maintenance voids warranty. We reserve the right to make changes to product specifications at any time without notice. Please visit www.bedrosians.com for current product information.

Provincetown Decorative (Glazed Ceramic)


Available Sizes




DECPRO•••416
4"x16" Field Tile




DECPRO•••36
3"x6" Field Tile




DECPRO•••259
2 1/2"x9" Field Tile




DECPRO•••CHE
2 1/2"x 9" Chevron Field Tile




DECPRO•••BREWER
6"x6" Brewer Deco




DECPRO•••HEXMO
1 1/2" Hexagon Mosaic
(12 3/4"x13 1/2" Sheet)




DECPRO•••ARAMO
Bevelled Arabesque Mosaic
(9 1/4"x15 1/2" Sheet)




DECPRO•••LANMO
Bevelled Lantern Mosaic
(12"x12 1/4" Sheet)




DECPRO•••FOLMO
Folirole Mosaic
(11 1/2"x12" Sheet)




DECPRORPBFOLMO
Folirole Mosaic Race Point Blend
(11 1/2"x12" Sheet)




DECPRO•••FL
1/2"x6" Flat Liner




DECPRO•••QR
1"x6" Quarter Round



DECPRO•••RAIL
1 1/2"x9" Rail Molding



DECPRO•••RIDGE
3/4"x9" Ridge Liner



DECPRO•••BEAK
1"x1" Beak

Color Palette



Porch White - POW



Dolphin Grey - DOG



Dune Beige - DUB



Highland Brown - HIB



Monument Grey - MOG



Surfside Blue - SUB



Harbor Blue - HAB



Brewester Brown - BRB



Cape Cod Blue - CCB

















Fleet Black - FLB



Photo Features 2 1/2"x9" Field Tile in Porch White and Brewer Deco in Cape Cod Blue.

SIZING & PACKAGING

| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
|--------|---|-------------------|-----------------------|--|-----------|----------|
| Field |  | DECPRO•••CHE | 2 1/2"x9" | Chevron Field Tile (Sold as Full Set Only) | 4 | 6.52 |
| |  | DECPRO•••259 | 2 1/2"x9" | Field Tile | 40 | 6.40 |
| |  | DECPRO•••36 | 3"x6" | Field Tile | 54 | 5.94 |
| |  | DECPRO•••416 | 4"x16" | Field Tile | 18 | 7.56 |
| Deco |  | Ø DECPRO•••BREWER | 6"x6" | Brewer Deco | 28 | 6.78 |
| Trim |  | Ø DECPRO•••FL | 1/2"x6" | Flat Liner | 25 | - |
| |  | Ø DECPRO•••RIDGE | 3/4"x9" | Ridge Liner | 25 | - |
| |  | Ø DECPRO•••BEAK | 1"x1" | Beak | - | - |
| |  | Ø DECPRO•••QR | 1"x6" | Quarter Round | 25 | - |
| Mosaic |  | Ø DECPRO•••RAIL | 1 1/2"x9" | Rail Molding | 10 | - |
| |  | Ø DECPRO•••ARAMO | 9 1/4"x15 1/2" Sheet | Bevelled Arabesque Mosaic | 5 | 5.00 |
| |  | DECPRO•••FOLMO | 11 1/2"x12" Sheet | Folirole Mosaic | 5 | 4.80 |
| |  | DECPROATBFOLMO | 11 1/2"x12" Sheet | Folirole Mosaic Atlantic Blend | 5 | 4.80 |
| |  | DECPROBFBFOLMO | 11 1/2"x12" Sheet | Folirole Mosaic Beech Forest Blend | 5 | 4.80 |
| |  | DECPRORPBFOLMO | 11 1/2"x12" Sheet | Folirole Mosaic Race Point Blend | 5 | 4.80 |
| |  | Ø DECPRO•••LANMO | 12"x12 1/4" Sheet | Bevelled Lantern Mosaic | 5 | 5.00 |
| |  | DECPRO•••HEXMO | 12 3/4"x13 1/2" Sheet | 1 1/2" Hexagon Mosaic | 5 | 6.10 |






ANSI TECHNICAL SPECIFICATIONS

| | DCOF Acutest | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 | Bond Strength A137.2-7.7 | Thermal Shock ASTM# C484 |
|---------|-----------------|-------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--------------------------------|
| Results | N/A | 7 | ≥ 450 lbf | > 1.0 (Ceramic) | Unaffected | Pass | N/A |

APPLICATIONS


| | Floors | Walls | Countertops | Shower Floors | Shower Walls | Pools/Spas |
|------------------|--------|-------|-------------|---------------|--------------|------------|
| Residential | ● | ● | ● | | ● | |
| Light Commercial | | ● | | | ● | |
| Commercial | | ● | | | ● | |

LEGEND

-  Product rated for Interior & Exterior use
-  Product rated for Interior use only
-  May be suitable for Exterior Floors
-  Applications & ANSI Technical Specifications do not apply
-  Special Order only

Products possessing a beveled veneer can only be installed on wall applications. Use only non-sanded grout with this product. This handmade product may vary in sizing. Use a minimum 3/16" grout joint.

Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field and trim tile may not be an exact match. We reserve the right to make changes to product specifications at any time without notice. Tiles are subject to variations in color, shade, sizing, surface texture and finish. Prior to installation, installer must blend tiles from several different boxes to achieve an even distribution of color range. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Reference the most current TCNA Handbook, ANSI, manufacturer's specifications, and the Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, and/or use voids warranty. Please visit www.bedrosians.com for current product information.



Retrospect Glass

Decorative (Glass)

Linear Mosaic Pattern (12"x12" Sheet)



Palladium White - PAW
GLSRETPAWLMP



Silver Mist Blend - SMB
GLSRETSMBLMP



Butterscotch Blend - BUB
GLSRETBUBLMP



Parfait Blend - PAB
GLSRETPABLMP



Sublime - SUB
GLSRETSUBLMP




Rouge - ROU
GLSRETROULMP



Blue Velvet Blend - BVB
GLSRETBVBLMP



Empire Blend - EMB
GLSRETEMBLMP



Mahogany - MAH
GLSRETMAHLMP

Random Mosaic Pattern (11 3/4"x13" Sheet)



Palladium White - PAW
GLSRETPAWRMP



Silver Mist Blend - SMB
GLSRETSMBRMP




Butterscotch Blend - BUB
GLSRETBUBRMP



Parfait Blend - PAB
GLSRETPABRMP




Sublime - SUB
GLSRETSUBRMP



Rouge - ROU
GLSRETROURMP



Blue Velvet Blend - BVB
GLSRETBVBRMP



Empire Blend - EMB
GLSRETEMBRMP





Mahogany - MAH
GLSRETMAHRMP



Photo Features Linear Mosaic Pattern in Blue Velvet Blend.







SIZING & PACKAGING

| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
|--------|---|--------------|-------------------|-----------------------|-----------|----------|
| Mosaic |  | GLSRET•••RMP | 11 3/4"x13" Sheet | Random Mosaic Pattern | 20 | 21.20 |
| |  | GLSRET•••LMP | 12"x12" Sheet | Linear Mosaic Pattern | 20 | 19.20 |






ANSI TECHNICAL SPECIFICATIONS

| | DCOF Acutest | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 | Bond Strength A137.2-7.7 | Thermal Shock ASTM# C484 |
|---------|--------------|-------------------------|------------------------------|-----------------------------|--------------------------------|--------------------------|--------------------------|
| Results | N/A | N/A | N/A | ≤ 0.5% | Unaffected | N/A | Pass |

APPLICATIONS

| | Floors | Walls | Countertops | Shower Floors | Shower Walls | Pools/Spas |
|------------------|--------|---|-------------|---------------|---|------------|
| Residential | |  | | |  | |
| Light Commercial | |  | | |  | |
| Commercial | |  | | |  | |

LEGEND

-  Product rated for Interior & Exterior use
-  Product rated for Interior use only
-  May be suitable for Exterior Floors
-  Applications & ANSI Technical Specifications do not apply
-  Special Order only

Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field, mosaic, and trim tile may not be an exact match. Tiles are subject to variations in color, shade, sizing, surface texture and finish. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Check Manufacturer's specifications as some Mosaic tiles may not be appropriate for wet applications. Reference the most current TCNA Handbook, ANSI, Manufacturer's specifications, and Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, use, care and maintenance voids warranty. We reserve the right to make changes to product specifications at any time without notice. Please visit www.bedrosians.com for current product information.

Tessuto Glass

Decorative (Glass & Stone)

3/4"x1" Offset Brick Pattern Textured Blend (11 3/4"x12" Sheet)



White - WHI
GLSTESWHIOBPB



Beige - BEI
GLSTESBEIOBPB



Silver - SIL
GLSTESSILOBPB



Gray - GRA
GLSTESGRAOBPB



Taupe - TAU
GLSTETAUOBPB



Dark Gray - DGR
GLSTESDGROBPB

1/2"x4" Stacked Textured Blend (11 3/4"x12" Sheet)



White - WHI
GLSTESWHISTB



Beige - BEI
GLSTESBEISTB



Silver - SIL
GLSTESSILSTB



Gray - GRA
GLSTESGRASTB



Taupe - TAU
GLSTETAUSTB





Dark Gray - DGR
GLSTESDGRSTB




Photo Features 1/2"x4" Stacked Textured Blend in Silver.

SIZING & PACKAGING







| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
|--------|---|---------------|-------------------|---|-----------|----------|
| Mosaic |  | GLSTES***OBPB | 11 3/4"x12" Sheet | 3/4"x1" Offset Brick Pattern Textured Blend | 10 | 9.60 |
| |  | GLSTES***STB | 11 3/4"x12" Sheet | 1/2"x4" Stacked Textured Blend | 10 | 10.00 |

ANSI TECHNICAL SPECIFICATIONS






| | DCOF Acutest | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 | Bond Strength A137.2-7.7 | Thermal Shock ASTM# C484 |
|---------|-----------------|-------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--------------------------------|
| Results | N/A | N/A | N/A | N/A | N/A | N/A | N/A |



APPLICATIONS

| | Floors | Walls | Countertops | Shower Floors | Shower Walls | Pools/Spas |
|------------------|--------|---|-------------|---------------|---|------------|
| Residential | |  | | |  | |
| Light Commercial | |  | | |  | |
| Commercial | |  | | |  | |

LEGEND

-  Product rated for Interior & Exterior use
-  Product rated for Interior use only
-  May be suitable for Exterior Floors
-  Applications & ANSI Technical Specifications do not apply
-  Special Order only

Please be aware that white stones installed on shower floors may experience oxidization and rusting.

All natural stone products must be sealed prior to grouting.

Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field, mosaic, and trim tile may not be an exact match. Tiles are subject to variations in color, shade, sizing, surface texture and finish. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Check Manufacturer's specifications as some Mosaic tiles may not be appropriate for wet applications. Reference the most current TCNA Handbook, ANSI, Manufacturer's specifications, and Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, use, care and maintenance voids warranty. We reserve the right to make changes to product specifications at any time without notice. Please visit www.bedrosians.com for current product information.



Photo features Glass & Stone Pattern Mosaic in Sterling.

Glass & Stone Mosaic (12"x12" Sheet)



Jade - 5
GLSMGTG5



Citrine - 1
GLSMGTG1



Socialite - 2
GLSMGTG2




Sterling - 3
GLSMGTG3




Audrey - 4
GLSMGTG4

SIZING & PACKAGING

| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
|--------|---|-----------|---------------|----------------------|-----------|----------|
| Mosaic |  | GLSMGTG• | 12"x12" Sheet | Glass & Stone Mosaic | 10 | - |

ANSI TECHNICAL SPECIFICATIONS

| | DCOF Acutest | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 | Bond Strength A137.2-7.7 | Thermal Shock ASTM# C484 |
|---------|-----------------|-------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--------------------------------|
| Results | N/A | N/A | N/A | N/A | N/A | N/A | N/A |



APPLICATIONS

| | Floors | Walls | Countertops | Shower Floors | Shower Walls | Pools/Spas |
|------------------|--------|-------|-------------|---------------|--------------|------------|
| Residential | | ● | | | ● | |
| Light Commercial | | ● | | | ● | |
| Commercial | | ● | | | ● | |

LEGEND

- ☒ Product rated for Interior & Exterior use
- ☐ Applications & ANSI Technical Specifications do not apply
- ☒ Product rated for Interior use only
- ☐ Special Order only
- ☒ May be suitable for Exterior Floors

This product should not be installed in exterior applications, high-heat areas, and/or steam rooms.

All natural stone products must be sealed prior to grouting.

Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field, mosaic, and trim tile may not be an exact match. Tiles are subject to variations in color, shade, sizing, surface texture and finish. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Check Manufacturer's specifications as some Mosaic tiles may not be appropriate for wet applications. Reference the most current TCNA Handbook, ANSI, Manufacturer's specifications, and Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, use, care and maintenance voids warranty. We reserve the right to make changes to product specifications at any time without notice. Please visit www.bedrosians.com for current product information.

Available Sizes - Matte



GLSVER***620M
6"x20" Field Tile - Matte



GLSVER***316M
3"x15 3/4" Field Tile - Matte



GLSVER***212M
2"x11 3/4" Field Tile - Matte



GLSVER***CHEXM
Charisma Hexagon Mosaic - Matte
(8 1/2"x15" Sheet)



GLSVER***PTHEXM
Palisade Tall Hexagon Mosaic - Matte
(12"x13" Sheet)



GLSVER***ZIGZAGM
Zig Zag Mosaic - Matte
(11 1/2"x12 1/2" Sheet)



GLSVER***SLM
1/2"x10" Stick Liner - Matte

Available Sizes - Gloss



GLSVER***620TG
6"x20" Field Tile - Textured Gloss



GLSVER***316TG
3"x15 3/4" Field Tile - Textured Gloss



GLSVER***212TG
2"x11 3/4" Field Tile - Textured Gloss



GLSVER***CHEXTG
Charisma Hex. Mosaic - Tex. Gloss
(8 1/2"x15" Sheet)



GLSVER***PTHEXTG
Palisade Tall Hex. Mosaic - Tex. Gloss
(12"x13" Sheet)



GLSVER***ZIGZAGTG
Zig Zag Mosaic - Textured Gloss
(11 1/2"x12 1/2" Sheet)




GLSVER***SLTG
1/2"x10" Stick Liner - Textured Gloss

Color Palette



Cloud Nine - CLN



Luminary - LUM



Ice Breaker - ICB



Northern Lights - NOL



Golden Glimmer - GOG



Gold Rush - GOR



Tinsel Grey - TIG



Stormy Sky - STS




Coral Spice - COS



Summer Nights - SUN



Twilight - TWI



Starry Night - STN



After Dark - AFD



Photo Features Verve 6"x20" Field Tile in Cloud Nine Matte and Charisma Hexagon Mosaic in Northern Lights Textured Gloss.

Stone & Glass Blends



Impulse - IMP
GLSVERIMP11SGMO
1 1/8"x1 1/8" Stone & Glass Mosaic
(11 3/4"x11 3/4" Sheet)



Impulse - IMP
GLSVERIMPBLSGB
Brio Linear Stone & Glass Blend Mosaic
(9"x16" Sheet)



Impulse - IMP
GLSVERIMPCHEXSGB
Charisma Hexagon Blend Mosaic
(8 1/2"x15" Sheet)



Impulse - IMP
GLSVERIMPPTHEXSGB
Palisade Tall Hexagon Blend Mosaic
(12"x13" Sheet)



Celestial - CEL
GLSVERCEL11SGMO
1 1/8"x1 1/8" Stone & Glass Mosaic
(11 3/4"x11 3/4" Sheet)



Celestial - CEL
GLSVERCELBLSGB
Brio Linear Stone & Glass Blend Mosaic
(9"x16" Sheet)



Celestial - CEL
GLSVERCELCHEXSGB
Charisma Hexagon Blend Mosaic
(8 1/2"x15" Sheet)



Celestial - CEL
GLSVERCELPTHEXSGB
Palisade Tall Hexagon Blend Mosaic
(12"x13" Sheet)



Sparkle - SPA
GLSVERSPA11SGMO
1 1/8"x1 1/8" Stone & Glass Mosaic
(11 3/4"x11 3/4" Sheet)



Sparkle - SPA
GLSVERSPABLSGB
Brio Linear Stone & Glass Blend Mosaic
(9"x16" Sheet)



Sparkle - SPA
GLSVERSPACHEXSGB
Charisma Hexagon Blend Mosaic
(8 1/2"x15" Sheet)



Sparkle - SPA
GLSVERSPAPTHEXSGB
Palisade Tall Hexagon Blend Mosaic
(12"x13" Sheet)



Valiant - VAL
GLSVERVAL11SGMO
1 1/8"x1 1/8" Stone & Glass Mosaic
(11 3/4"x11 3/4" Sheet)



Valiant - VAL
GLSVERVALBLSGB
Brio Linear Stone & Glass Blend Mosaic
(9"x16" Sheet)



Valiant - VAL
GLSVERVALCHEXSGB
Charisma Hexagon Blend Mosaic
(8 1/2"x15" Sheet)



Valiant - VAL
GLSVERVALPTHEXSGB
Palisade Tall Hexagon Blend Mosaic
(12"x13" Sheet)

Stone & Glass Blends



Oomph - OOM
GLSVEROOM11SGMO
1 1/8"x1 1/8" Stone & Glass Mosaic
(11 3/4"x11 3/4" Sheet)



Oomph - OOM
GLSVEROOMBLSGB
Brio Linear Stone & Glass Blend Mosaic
(9"x16" Sheet)



Oomph - OOM
GLSVEROOMCHEXSGB
Charisma Hexagon Blend Mosaic
(8 1/2"x15" Sheet)



Oomph - OOM
GLSVEROOMPTHEXSGB
Palisade Tall Hexagon Blend Mosaic
(12"x13" Sheet)



Moxie - MOX
GLSVERMOX11SGMO
1 1/8"x1 1/8" Stone & Glass Mosaic
(11 3/4"x11 3/4" Sheet)




Moxie - MOX
GLSVERMOXBLSGB
Brio Linear Stone & Glass Blend Mosaic
(9"x16" Sheet)



Moxie - MOX
GLSVERMOXCHEXSGB
Charisma Hexagon Blend Mosaic
(8 1/2"x15" Sheet)



Moxie - MOX
GLSVERMOXPTHEXSGB
Palisade Tall Hexagon Blend Mosaic
(12"x13" Sheet)



Knockout - KNO
GLSVERKNO11SGMO
1 1/8"x1 1/8" Stone & Glass Mosaic
(11 3/4"x11 3/4" Sheet)



Knockout - KNO
GLSVERKNOBLSGB
Brio Linear Stone & Glass Blend Mosaic
(9"x16" Sheet)



Knockout - KNO
GLSVERKNOCHEXSGB
Charisma Hexagon Blend Mosaic
(8 1/2"x15" Sheet)



Knockout - KNO
GLSVERKNOPTHEXSGB
Palisade Tall Hexagon Blend Mosaic
(12"x13" Sheet)



Dash - DAS
GLSVERDAS11SGMO
1 1/8"x1 1/8" Stone & Glass Mosaic
(11 3/4"x11 3/4" Sheet)



Dash - DAS
GLSVERDASBLSGB
Brio Linear Stone & Glass Blend Mosaic
(9"x16" Sheet)



Dash - DAS
GLSVERDASCHEXSGB
Charisma Hexagon Blend Mosaic
(8 1/2"x15" Sheet)




Dash - DAS
GLSVERDASPTHEXSGB
Palisade Tall Hexagon Blend Mosaic
(12"x13" Sheet)

Brio Linear Textured Gloss & Matte Glass Blend (9"x16" Sheet)



Wonderous - WON
GLSVERWONBLTGMB



Icelandic - ICE
GLSVERICEBLTGMB



Rhythmic - RHY
GLSVERRHYBLTGMB



Starboard - STA
GLSVERSTABLTGMB



Calypso - CAL
GLSVERCALBLTGMB



Aviary - AVI
GLSVERAVIBLTGMB



Jovial - JOV
GLSVERJOVBLTGMB



Gusto - GUS
GLSVERGUSBLTGMB

SIZING & PACKAGING

| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
|--------|-------|-------------------|-----------------------|--|-----------|----------|
| Field | | GLSVER•••212M | 2"x11 3/4" | Field Tile - Matte | 50 | 8.07 |
| | | GLSVER•••212TG | 2"x11 3/4" | Field Tile - Textured Gloss | 50 | 8.07 |
| | | GLSVER•••316M | 3"x15 3/4" | Field Tile - Matte | 30 | 9.69 |
| | | GLSVER•••316TG | 3"x15 3/4" | Field Tile - Textured Gloss | 30 | 9.69 |
| | | GLSVER•••620M | 6"x20" | Field Tile - Matte | 10 | 12.39 |
| | | GLSVER•••620TG | 6"x20" | Field Tile - Textured Gloss | 10 | 12.39 |
| Trim | | GLSVER•••SLM | 1/2"x10" | Stick Liner - Matte | 200 | - |
| | | GLSVER•••SLTG | 1/2"x10" | Stick Liner - Textured Gloss | 200 | - |
| Mosaic | | GLSVER•••CHEXSGB | 8 1/2"x15" Sheet | Charisma Hexagon Blend Mosaic | 10 | 9.32 |
| | | GLSVER•••CHEXM | 8 1/2"x15" Sheet | Charisma Hexagon Mosaic - Matte | 10 | 9.32 |
| | | GLSVER•••CHEXTG | 8 1/2"x15" Sheet | Charisma Hexagon Mosaic - Textured Gloss | 10 | 9.32 |
| | | GLSVER•••BLSGB | 9"x16" Sheet | Brio Linear Stone & Glass Blend Mosaic | 10 | 7.72 |
| | | GLSVER•••BLTGMB | 9"x16" Sheet | Brio Linear Textured Gloss & Matte Glass Blend | 10 | 7.72 |
| | | GLSVER•••ZIGZAGM | 11 1/2"x12 1/2" Sheet | Zig Zag Mosaic - Matte | 6 | 2.54 |
| | | GLSVER•••ZIGZAGTG | 11 1/2"x12 1/2" Sheet | Zig Zag Mosaic - Textured Gloss | 6 | 2.54 |
| | | GLSVER•••11SGMO | 11 3/4"x11 3/4" Sheet | 1 1/8"x1 1/8" Stone & Glass Mosaic | 10 | 10.46 |
| | | GLSVER•••PTHEXSGB | 12"x13" Sheet | Palisade Tall Hexagon Blend Mosaic | 10 | 7.40 |
| | | GLSVER•••PTHEXM | 12"x13" Sheet | Palisade Tall Hexagon Mosaic - Matte | 10 | 7.40 |
| | | GLSVER•••PTHEXTG | 12"x13" Sheet | Palisade Tall Hexagon Mosaic - Textured Gloss | 10 | 7.40 |

ANSI TECHNICAL SPECIFICATIONS

| | DCOF Acutest | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 | Bond Strength A137.2-7.7 | Thermal Shock ASTM# C484 |
|---------|-----------------|-------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--------------------------------|
| Results | N/A | N/A | Pass (2250 ISO) | ≤ 0.5% | Unaffected | N/A | Pass |

APPLICATIONS


| | Floors | Walls | Countertops | Shower Floors | Shower Walls | Pools/Spas |
|------------------|--------|-------|-------------|---------------|--------------|------------|
| Residential | | ● | | | ● | |
| Light Commercial | | ● | | | ● | |
| Commercial | | ● | | | ● | |

LEGEND

- Product rated for Interior & Exterior use
- Product rated for Interior use only
- May be suitable for Exterior Floors
- Applications & ANSI Technical Specifications do not apply
- Special Order only

This product should not be installed in exterior applications, high-heat areas, and/or steam rooms. Please be aware that white stones installed on shower floors may experience oxidization and rusting. All natural stone products must be sealed prior to grouting. The 6"x20" glass product must be installed with a premium modified thinset such as latitcrete 254 or epoxy.

Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field, mosaic, and trim tile may not be an exact match. Tiles are subject to variations in color, shade, sizing, surface texture and finish. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Check Manufacturer's specifications as some Mosaic tiles may not be appropriate for wet applications. Reference the most current TCNA Handbook, ANSI, Manufacturer's specifications, and Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, use, care and maintenance voids warranty. We reserve the right to make changes to product specifications at any time without notice. Please visit www.bedrosians.com for current product information.



Zenith Decorative (Glazed Porcelain)

2 1/2"x9" Field Tile - Gloss or Matte



Ø Milky Way (MIW) - Gloss
DECZENMIW259G



Moon (MOO) - Matte
DECZENMOO259M



Solar (SOL) - Matte
DECZENSOL259M



Orion (ORI) - Matte
DECZENORI259M



Ø Tide (TID) - Gloss
DECZENTID259G



Umbra (UMB) - Matte
DECZENUMB259M



Ø Orbit (ORB) - Matte
DECZENORB259M



Gravity (GRA) - Matte
DECZENGRA259M

2"x6" Mosaic - Gloss or Matte (11 1/2"x 11 1/4" Sheet)



Ø Milky Way (MIW) - Gloss
DECZENMIW26GMO



Moon (MOO) - Matte
DECZENMOO26MMO



Solar (SOL) - Matte
DECZENSOL26MMO



Orion (ORI) - Matte
DECZENORI26MMO



Ø Tide (TID) - Gloss
DECZENTID26GMO



Umbra (UMB) - Matte
DECZENUMB26MMO



Ø Orbit (ORB) - Matte
DECZENORB26MMO



Gravity (GRA) - Matte
DECZENGRA26MMO



Photo Features 2 1/2"x9" Field Tile in Moon.

SIZING & PACKAGING

| Type | Shape | Item Code | Size | Description | Pcs / Ctn | Sf / Ctn |
|------------|-------|------------------|-----------------------|--------------------|-----------|----------|
| Field Tile | | Ø DECZEN•••259G | 2 1/2"x9" | Field Tile - Gloss | 64 | 9.60 |
| | | DECZEN•••259M | 2 1/2"x9" | Field Tile - Matte | 64 | 9.60 |
| Mosaic | | Ø DECZEN•••26GMO | 11 1/2"x11 1/4" sheet | 2"x6" Gloss Mosaic | 10 | 8.90 |
| | | DECZEN•••26MMO | 11 1/2"x11 1/4" sheet | 2"x6" Matte Mosaic | 10 | 8.90 |

ANSI TECHNICAL SPECIFICATIONS

| | DCOF Acutest | Scratch Resistance MOHS | Breaking Strength ASTM# C648 | Water Absorption ASTM# C373 | Chemical Resistance ASTM# C650 | Bond Strength A137.2-7.7 | Thermal Shock ASTM# C484 |
|---------|-----------------|-------------------------------|------------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--------------------------------|
| Results | ≥ 0.42 | 7 | ≥ 350 lbf | ≤ 0.5% | Unaffected | Pass | N/A |


APPLICATIONS

| | Floors | Walls | Countertops | Shower Floors | Shower Walls | Pools/Spas |
|------------------|----------------|-------|-------------|----------------|--------------|------------|
| Residential | ● | ◻ | ◻ | ● (Matte Only) | ◻ | ◻ |
| Light Commercial | ● (Matte Only) | ◻ | | ● (Matte Only) | ◻ | ◻ |
| Commercial | ● (Matte Only) | ◻ | | ● (Matte Only) | ◻ | ◻ |

LEGEND

- Product rated for Interior & Exterior use
- Product rated for Interior use only
- May be suitable for Exterior Floors
- Applications & ANSI Technical Specifications do not apply
- Special Order only

Images and product samples are representative of a product's potential characteristics. There is no guarantee that the sample product or images will 100% match the product received. Field and trim tile may not be an exact match. We reserve the right to make changes to product specifications at any time without notice. Tiles are subject to variations in color, shade, sizing, surface texture and finish. Prior to installation, installer must blend tiles from several different boxes to achieve an even distribution of color range. Installer must conduct a dry mock layout under proper lighting conditions prior to installation. It is the consumer's responsibility to inspect the product prior to installation to ensure satisfaction. Once installed, the product is deemed accepted. Reference the most current TCNA Handbook, ANSI, manufacturer's specifications, and the Bedrosians Care & Maintenance guide for installation, outdoor use, care and maintenance information. Improper installation, application, and/or use voids warranty. Please visit www.bedrosians.com for current product information.



V2-Slight



Made in Japan



Glazed Porcelain



Photo Features Random Linear Mosaic in Camargo Venezia.

Burlap




LMNBURLAP0306H
3"x6" Honed



LMNBURLAP0606H
6"x6" Honed



LMNBURLAP0101H
1"x1" Mosaic - Honed
(12"x12" Sheet)



LMNBURLAPLNR
Random Linear Mosaic - Honed
(12"x12" Sheet)



LMNBURLAPCHAIR
2"x12" Chair Rail Honed



LMNBURLAPCANE
9/16"x3/4"x12" Cane Honed

Camargo Venezia



LMNCAMRGO0306H
3"x6" Honed




LMNCAMRGO0606H
6"x6" Honed



LMNCAMRGO0101H
1"x1" Mosaic - Honed
(12"x12" Sheet)



LMNCAMRGOLNR
Random Linear Mosaic
(12"x12" Sheet)



LMNCAMRGOCHAIR
2"x12" Chair Rail



LMNCAMRGOCANE
9/16"x3/4"x12" Cane

Corinthian White



LMNCORWHT0306H
3"x6" Honed



LMNCORWHT0606H
6"x6" Honed



LMNCORWHT0101H
1"x1" Mosaic - Honed
(12"x12" Sheet)



LMNCORWHTLNR
Random Linear Mosaic
(12"x12" Sheet)



LMNCORWHTCHAIR
2"x12" Chair Rail



LMNCORWHTCANE
9/16"x3/4"x12" Cane

Gianna Beige



LMNGIABGE1818H
18"x18" Honed



LMNGIABGE1224H
12"x24" Honed

Jura Beige



LMNJURBGE0306H
3"x6" Honed



LMNJURBGE0606H
6"x6" Honed



LMNJURBGE0101H
1"x1" Mosaic - Honed
(12"x12" Sheet)



LMNJURBGELNR
Random Linear Mosaic
(12"x12" Sheet)



LMNJURBGECHAIR
2"x12" Chair Rail



LMNJURBGECAANE
9/16"x3/4"x12" Cane

Jura Grey



LMNJURGRY0306H
3"x6" Honed




LMNJURGRY0606H
6"x6" Honed



LMNJURGRY0101H
1"x1" Mosaic - Honed
(12"x12" Sheet)



LMNJURGRYSLNR
Random Linear Mosaic
(12"x12" Sheet)



LMNJURGRYCHAIR
2"x12" Chair Rail




LMNJURGRYCANE
9/16"x3/4"x12" Cane

Lagos Azul



LMNLAGAZL0306H
3"x6" Honed



LMNLAGAZL0606H
6"x6" Honed



LMNLAGAZL0101H
1"x1" Mosaic - Honed
(12"x12" Sheet)



LMNLAGAZLLNR
Random Linear Mosaic
(12"x12" Sheet)



LMNLAGAZLCHAIR
2"x12" Chair Rail



LMNLAGAZLCANE
9/16"x3/4"x12" Cane

Nova Grey



LMNNOVGRY0306H
3"x6" Honed



LMNNOVGRY0606H
6"x6" Honed



LMNNOVGRY0101H
1"x1" Mosaic - Honed
(12"x12" Sheet)



LMNNOVGRYSLNR
Random Linear Mosaic
(12"x12" Sheet)



LMNNOVGRYCHAIR
2"x12" Chair Rail




LMNNOVGRYCANE
9/16"x3/4"x12" Cane

Seagrass



LMNSEAGRS0306H
3"x6" Honed



LMNSEAGRS0606H
6"x6" Honed



LMNSEAGRS0101H
1"x1" Mosaic - Honed
(12"x12" Sheet)



LMNSEAGRSLNR
Random Linear Mosaic
(12"x12" Sheet)



LMNSEAGRSCHAIR
2"x12" Chair Rail



LMNSEAGRSCANE
9/16"x3/4"x12" Cane



Ashen “Light” Grey (Maison Collection)



MRBASHGRY0312H
3"x12" Honed



MRBASHGRY0101H
1"x1" Mosaic - Honed



MRBASHGRYARB-H
Arabesque Mosaic - Honed
(12 1/4"x13 1/4" Sheet)



MRBASHGRYLNR
Brentwood Linear Mosaic - Honed
(12"x12" Sheet)



MRBASHGRYCHAIR
2 1/2"x12" Chair Rail Honed



MRBASHGRYRIDGE
1"x12" Ridge Liner Honed

Calacatta Oro



MRBCALORO0312H
3"x12" Honed



MRBCALORO0306H
3"x6" Honed



MRBCALORO0101H
1"x1" Mosaic - Honed
(12"x12" Sheet)



MRBCALOROHEX
2" Hexagon Mosaic - Honed
(12"x12" Sheet)



MRBCALOROARB-H
Arabesque Mosaic - Honed
(12 1/4"x13 1/4" Sheet)



MRBCALOROCHE
Chevron Mosaic - Honed
(12"x12" Sheet)



MRBCALOROLNR
Random Linear Mosaic - Honed
(12 1/2"x16" Sheet)



MRBCALOROCHANDRA-H
3"x12" Chandra Crown Molding - Honed



MRBCALOROCHAIR
2"x12" Chair Rail - Honed



MRBCALOROCANE
9/16"x3/4"x12" Cane - Honed

Photo Features Chevron Mosaic Honed in Calacatta Oro.

Marble Natural Stone

Cappuccino



MRBCAPCNO1212P
12"x12" Polished



MRBCAPCNO0312H
3"x12" Honed



MRBCAPCNO0306H
3"x6" Honed



MRBCAPCNO0306P
3"x6" Polished



MRBCAPCNO0404T
4"x4" Tumbled



MRBCAPCNO0101P
1"x1" Mosaic - Polished
(12"x12" Sheet)



MRBCAPCNOHEX
2" Hexagon Mosaic - Polished
(12"x12" Sheet)



MRBCAPCNOARB-P
Arabesque Mosaic - Polished
(12 1/4"x13 1/4" Sheet)



MRBCAPCNOCHE
Chevron Mosaic - Polished
(12"x12" Sheet)



MRBCAPCNO1212P
12"x12" Polished



MRBCAPCNOCHAIR
2"x12" Chair Rail



MRBCAPCNOCHANDRA-P
3"x12" Chandra Crown Molding - Pol.



MRBCAPCNOCANE
9/16"x3/4"x12" Cane

Caspian Bisque



MRBCASBIS1212H - 12"x12" Honed
MRBCASBIS1212P - 12"x12" Polished



Photo Features 12"x24" Honed Field Tile in Cappuccino.


Crema Marfil Select



MRBCREMAR1212H - 12"x12" Honed
MRBCREMAR1212P - 12"x12" Pol.



MRBCREMAR0312H
3"x12" Honed



MRBCREMAR0306H
3"x6" Honed



MRBCREMAR0306P
3"x6" Polished



MRBCREMAR0404T
4"x4" Tumbled



MRBCREMAR0101P
1"x1" Mosaic - Polished
(12"x12" Sheet)



MRBCREMARHEX
2" Hexagon Mosaic - Polished
(12"x12" Sheet)



MRBCREMARARB-P
Arabesque Mosaic - Polished
(12 1/4"x13 1/4" Sheet)



MRBCREMARCHE
Chevron Mosaic - Polished
(12"x12" Sheet)



MRBCREMAR1212P
12"x12" Polished



MRBCREMARCHANDRA-H
3"x12" Chandra Crown Molding - Honed



MRBCREMARCHANDRA-P
3"x12" Chandra Crown Molding - Pol.



MRBCREMARCHAIR
2"x12" Chair Rail




MRBCREMARCANE
9/16"x3/4"x12" Cane



Photo Features 3 cm Marble Slab in Glorious White.

Natural Stone **Marble**


Emperador Dark



MRBEMPDRK1212P
12"x12" Polished




MRBEMPDRK0312H
3"x12" Honed




MRBEMPDRK0306H
3"x6" Honed




MRBEMPDRK0306P
3"x6" Polished




MRBEMPDRK0404T
4"x4" Tumbled



MRBEMPDRK0101P
1"x1" Mosaic - Polished
(12"x12" Sheet)



MRBEMPDRKH
2" Hexagon Mosaic - Polished
(12"x12" Sheet)



MRBEMPDRKARB-P
Arabesque Mosaic - Polished
(12 1/4"x13 1/4" Sheet)



MRBEMPDRKC
Chevron Mosaic - Polished
(12"x12" Sheet)



MRBEMPDRKLN
Random Linear Mosaic - Polished
(12 1/2"x16" Sheet)



MRBEMPDRKCHANDRA-P
3"x12" Chandra Crown Molding - Pol.



MRBEMPDRKCANE
9/16"x3/4"x12" Cane



MRBEMPDRKCHAIR
2"x12" Chair Rail

Glorious White



MRBGLOWHT0306P
3"x6" Polished



MRBGLOWHTCHAIR
2"x12" Chair Rail - Polished



MRBGLOWHTCANE
9/16"x3/4"x12" Cane - Polished

Lennox Grey (Maison Collection)



MRBLENGRY0312H
3"x12" Honed



MRBLENGRY0101H
1"x1" Mosaic - Honed
(12"x12" Sheet)



MRBLENGRYLNR
Brentwood Linear Mosaic - Honed
(12"x12" Sheet)



MRBLENGRYCHAIR
2 1/2"x12" Chair Rail - Honed



MRBLENGRYRIDGE
1"x12" Ridge Liner - Honed

Lydia White



MRBLYDWHT1212P
12"x12" Polished No Bevel



MRBLYDWHTLNR
Random Linear Mosaic, Combined Finishes
(12"x12" Sheet)


Sebastian Grey



MRBSEBGRY1212H - 12"x12" Honed
MRBSEBGRY1212P - 12"x12" Polished



MRBSEBGRY0306H
3"x6" Honed



MRBSEBGRY0306P
3"x6" Polished



MRBSEBGRY0101P
1"x1" Mosaic - Polished
(12"x12" Sheet)




MRBSEBGRYHEX
2" Hexagon Mosaic - Polished
(10 1/2"x12" Sheet)



MRBSEBGRYARB-P
Arabesque Mosaic - Polished
(12 1/4"x13 1/4" Sheet)



MRBSEBGRYLNR
Random Linear Mosaic - Polished
(12 1/2"x16" Sheet)



MRBSEBGRYCHAIR
2"x12" Chair Rail



MRBSEBGRYCANE
9/16"x3/4"x12" Cane

St. Laurent



MRBLAURNT1212P
12"x12" Polished


White Carrara



MRBWHTCAR1212H - 12"x12" Honed
MRBWHTCAR1212P - 12"x12" Pol.



MRBWHTCAR0404T
4"x4" Tumbled



MRBWHTCAR0312H
3"x12" Honed



Photo Features Marble Arabesque Mosaic Honed on Wall in White Carrara.

White Carrara



MRBWHTCAR0306H
3"x6" Honed



MRBWHTCAR0306P
3"x6" Polished



MRBWHTCAR0404T
4"x4" Tumbled



MRBWHTCAR0101H
1"x1" Mosaic - Honed
(12"x12" Sheet)




MRBWHTCAR0101P
1"x1" Mosaic - Polished
(12"x12" Sheet)



MRBWHTCARHEX-H
2" Hexagon Mosaic - Honed
(12"x12" Sheet)



MRBWHTCARHEX
2" Hexagon Mosaic - Polished
(12"x12" Sheet)




MRBWHTCARARB-H
Arabesque Mosaic - Honed
(12 1/4"x13 1/4" Sheet)



MRBWHTCARARB-P
Arabesque Mosaic - Polished
(12 1/4"x13 1/4" Sheet)



MRBWHTCARCHE-H
Chevron Mosaic - Honed
(12"x12" Sheet)



MRBWHTCARCHE
Chevron Mosaic - Polished
(12"x12" Sheet)



MRBWHTCARLNR-H
Random Linear Mosaic - Honed
(12 1/2"x16" Sheet)



MRBWHTCARLNR
Random Linear Mosaic - Polished
(12 1/2"x16" Sheet)



MRBWHTCARCHANDRA-H
3"x12" Chandra Crown Molding - Honed



MRBWHTCARCHAIR-H
2"x12" Chair Rail - Honed



MRBWHTCARCHANDRA-P
3"x12" Chandra Crown Molding - Polished



MRBWHTCARCHAIR
2"x12" Chair Rail - Polished



MRBWHTCARCANE-H
9/16"x3/4"x12" Cane - Honed



MRBWHTCARCANE
9/16"x3/4"x12" Cane - Polished

Basket Weave Mosaics (12"x12" Sheet)



MRBBASWEA-AB
Ashbury Basket Weave Mosaic - AB
Calacatta Oro w/ Jura Beige Dot



MRBBASWEA-HI
Hillcrest Basket Weave Mosaic - HI
Calacatta Oro w/ Seagrass Dot



MRBBASWEA-ES
Essex Basket Weave Mosaic - ES
White Carrara w/ Grey Marble Dot



MRBBASWEA-AU
Aurora Basket Weave Mosaic - AU
White Carrara w/ Black Marble Dot



MRBBASWEA-BE
Belmond Basket Weave Mosaic - BE
Crema Marfil w/ Emperador Dark Dot



MRBBASWEA-PA
Pasha Basket Weave Mosaic - PA
Cappuccino w/ Corinthian White Dot



MRBBASWEA-AG
Ashen Grey Basket Weave Mosaic - AG
Ashen Grey w/ Lennox Grey Dot



MRBBASWEA-FE
Felix Basket Weave Mosaic - FE
Silica Brown w/ Sebastian Grey Dot



Photo Features Slate 24"x24" Gauged Field Tile on Floor in Amber Gold.

Natural Stone **Slate**

Amber Gold



SLTAMBGLD1212G
12"x12" Gauged



SLTAMBGLD0306T
3"x6" Tumbled



SLTAMBGLD0606T
6"x6" Tumbled



SLTAMBGLD0404T
4"x4" Tumbled



SLTAMBGLD0202MT
2"x2" Mosaic - Tumbled
(12"x12" Sheet)



SLTAMBGLDLNR
Skyline Linear Mosaic
(11 3/8"x12 1/4" Sheet)



SLTAMBGLDCHAIR
2"x12" Chair Rail



SLTAMBGLDHALFRD
3/4"x12" Half Round

Autumn Gold



SLTAUTGLD1212G
12"x12" Gauged



SLTAUTGLD0306T
3"x6" Tumbled



SLTAUTMST1212G
12"x12" Gauged



SLTAUTMST0306T
3"x6" Tumbled


Autumn Mist

Slate Natural Stone

Butterscotch



SLTBUTSCO0306T
3"x6" Tumbled



SLTBUTSCO0606T
6"x6" Tumbled



SLTBUTSCO0404T
4"x4" Tumbled



SLTBUTSCO0202MT
2"x2" Mosaic - Tumbled
(12"x12" Sheet)



SLTBUTSCOLNR
Skyline Linear Mosaic
(11 3/8"x12 1/4" Sheet)



SLTBUTSCOCHAIR
2"x12" Chair Rail



SLTBUTSCOHALFRD
3/4"x12" Half Round

Copper



SLTCOPPER1212G - 12"x12" Gauged
SLTCOPPER1212GP - 12"x12" Gauged Pol.




SLTCOPPER0306T
3"x6" Tumbled

Desert Gold



SLTDSTGLD1212G - 12"x12" Gauged
SLTDSTGLD1212GP - 12"x12" Gauged Pol.



SLTDSTGLD0306T
3"x6" Tumbled

Platinum



SLTPLATNM1212G - 12"x12" Gauged
SLTPLATNM1212GP - 12"x12" Gauged Pol.



SLTPLATNM0306T
3"x6" Tumbled

Rajah Multicolor



SLTMUTCOL1212G
12"x12" Gauged



SLTMUTCOL0306T
3"x6" Tumbled



Photo Features Slate 2"x2" Mosaic Tumbled on Wall in Copper.


Crater



TRVCRATER1212B
12"x12" Brushed



TRVCRATER0306B
3"x6" Brushed




TRVCRATER0606B
6"x6" Brushed



TRVCRATER0101M
1"x1" Mosaic Brushed & Pol. Combo
(12"x12" Sheet)



TRVCRATERLNR
Random Linear Mosaic
(12"x12" Sheet)



TRVCRATERVCAP
2"x12" V-Cap



TRVCRATERCANE
9/16"x3/4"x12" Cane

Crema Viejo



TRVCVIEJO1212FH - 12"x12" Filled & Hon.
TRVCVIEJO1212P - 12"x12" Polished



TRVCVIEJO66TUM
6"x6" Tumbled



TRVCVIEJO48TUM
4"x8" Tumbled



TRVCVIEJO36TUM
3"x6" Tumbled



TRVCVIEJO44TUM
4"x4" Tumbled



TRVCVIEJOMINIPATRN
Mini Versailles Pattern
(12"x12" Sheet)



TRVCVIEJOCHAIRRAIL
2 1/2"x12" Chair Rail



TRVCVIEJOCANE
3/4"x12" Cane



TRVCVIEJOROPE
1"x12" Rope Liner



TRVCVIEJOPENCIL
5/8"x12" Pencil

Mediterranean Beige




TRVMDBGPRM1212FH
12"x12" Premium Filled & Honed



TRVMDBG1212T
12"x12" Tumbled




TRVMDBG36FH
3"x6" Filled & Honed



TRVMDBG36T
3"x6" Tumbled



TRVMDBG66FH
6"x6" Filled & Honed



TRVMDBG66T
6"x6" Tumbled



TRVMDBG44FH
4"x4" Filled & Honed



TRVMDBG44T
4"x4" Tumbled



Photo Features 7"x21" Split Face Panel on Wall in Mediterranean Beige.

Mediterranean Beige



TRVMDBG5858T
5/8"x5/8" Mosaic - Tumbled
(12"x12" Sheet)



TRVMDBG22FH
2"x2" Mosaic - Filled & Honed
(12"x12" Sheet)



TRVMDBG22T
2"x2" Mosaic - Tumbled
(12"x12" Sheet)



TRVMDBG24B
2"x4" Mosaic - Honed & Beveled
(12"x12" Sheet)



TRVMDBGDIA
Artisan Diamond Mosaic - Tumbled
(12"x12" Sheet)



TRVMDBGSF
Eclipse Split Face Mosaic
(12"x12" Sheet)



TRVMDBGVP
Mini Versailles Pattern Mosaic - Tumbled
(12"x12" Sheet)



TRVMDBGLNR
Random Linear Mosaic
(12"x12" Sheet)



TRVMDBGINTER
Urban Interlock Mosaic - Tumbled
(12"x12" Sheet)



TRVMDBGVCAP
2"x12" V-Cap



TRVMDBGCANE
9/16"x3/4"x12" Cane



TRVMDBGROPE
9/16"x3/4"x12" Rope Liner

Noce



TRVNOCE1212FH - 12"x12" Filled & Hon.
TRVNOCE1212P - 12"x12" Polished
TRVNOCE1212T - 12"x12" Tumbled



TRVNOCE36T
3"x6" Tumbled



TRVNOCE66T
6"x6" Tumbled



TRVNOCE44T
4"x4" Tumbled



TRVNOCE5858T
5/8"x5/8" Mosaic - Tumbled
(12"x12" Sheet)



TRVNOCE22T
2"x2" Mosaic - Tumbled
(12"x12" Sheet)



TRVNOCE24B
2"x4" Mosaic - Honed & Beveled
(12"x12" Sheet)



TRVNOCEDIA
Artisan Diamond Mosaic - Tumbled
(12"x12" Sheet)



TRVNOCESF
Eclipse Split Face Mosaic
(12"x12" Sheet)




TRVNOCEVP
Mini Versailles Pattern Mosaic - Tumbled
(12"x12" Sheet)



TRVNOCELNR
Random Linear Mosaic
(12"x12" Sheet)



TRVNOCEINTER
Urban Interlock Mosaic - Tumbled
(12"x12" Sheet)



TRVNOCEVCAP
2"x12" V-Cap



TRVNOCECANE
9/16"x3/4"x12" Cane



TRVNOCEROPE
1"x12" Rope Liner



TRVNOCESF4FL
Split Face 4"x Free Length (5.81 sq ft per box)



Photo Features Travertine 6"x6" Field Tile on Wall in Philadelphia.

Philadelphia



TRVPHLDEL1212FH
12"x12" Filled & Honed



TRVPHLDEL66T
6"x6" Tumbled



TRVPHLDEL36T
3"x6" Tumbled



TRVPHLDEL44T
4"x4" Tumbled



TRVPHLDEL22T
2"x2" Mosaic - Tumbled
(12"x12" Sheet)



TRVPHLDELVCAP
2"x12" V-Cap



TRVPHLDELCANE
9/16"x3/4"x12" Cane


Scabos



TRVSCABOS1212FH
12"x12" Filled & Honed



TRVSCABOS36T
3"x6" Tumbled



TRVSCABOS66T
6"x6" Tumbled



TRVSCABOS44T
4"x4" Tumbled



TRVSCABOS22T
2"x2" Mosaic - Tumbled
(12"x12" Sheet)



TRVSCABOS24T
2"x4" Mosaic - Tumbled
(12"x12" Sheet)



TRVSCABOSVCAP
2"x12" V-Cap



TRVSCABOSCANE
9/16"x3/4"x12" Cane

Siena



TRVSIENA1212FH - 12"x12" Filled & Hon.
TRVSIENA1212P - 12"x12" Polished
TRVSIENA1212T - 12"x12" Tumbled



TRVSIENA36T
3"x6" Tumbled



TRVSIENA66T
6"x6" Tumbled



TRVSIENA44T
4"x4" Tumbled

Silver Mist



TRVSILMST1212FH
12"x12" Filled & Honed



TRVSILMST36FH
3"x6" Filled & Honed



TRVSILMST66FH
6"x6" Filled & Honed



TRVSILMST44FH
4"x4" Filled & Honed



TRVSIENA5858T
5/8"x5/8" Mosaic - Tumbled
(12"x12" Sheet)



TRVSIENA22T
2"x2" Mosaic - Tumbled
(12"x12" Sheet)




TRVSIENA24B
2"x4" Mosaic - Honed & Beveled
(12"x12" Sheet)



TRVSIENADIA
Artisan Diamond Mosaic - Tumbled
(12"x12" Sheet)



TRVSILMST22FH
2"x2" Mosaic - Filled & Hon. Straight Edge
(12"x12" Sheet)



TRVSILMSTVCAP
2"x12" V-Cap



TRVSILMSTCANE
9/16"x3/4"x12" Cane



TRVSIENASF
Eclipse Split Face Mosaic - Tumbled
(12"x12" Sheet)



TRVSIENAVP
Mini Versailles Pattern Mosaic - Tumbled
(12"x12" Sheet)



TRVSIENALNR
Random Linear Mosaic
(12"x12" Sheet)



TRVSIENAINTER
Urban Interlock Mosaic - Tumbled
(10"x11 1/2" Sheet)



TRVSIENAVCAP
2"x12" V-Cap



TRVSIENACANE
9/16"x3/4"x12" Cane



TRVSIENAROEPE
9/16"x3/4"x12" Rope



Photo Features Travertine 12"x24" Field Tile on Wall in Silver Mist.



Photo Features Travertine 3"x6" and 12"x12" Brushed Field Tile in Storm.

Storm



TRVSTORM1212B
12"x12" Brushed



TRVSTORM0606B
6"x6" Brushed




TRVSTORM0306B
3"x6" Brushed



TRVSTORM0101M
1"x1" Mosaic - Brushed & Pol. Combo
(12"x12" Sheet)



TRVSTORMMLNR
Random Linear Mosaic
(12"x12" Sheet)



TRVSTORMVCAP
2"x12" V-Cap



TRVSTORMCANE
9/16"x3/4"x12" Cane

Torreon



TRVTORREON1212FH - 12"x12" Filled & Hon.
TRVTORREON1212T - 12"x12" Tumbled & Brsh.



TRVTORREON66T
6"x6" Tumbled & Brushed



TRVTORREON36T
3"x6" Tumbled & Brushed



TRVTORREON44T
4"x4" Tumbled & Brushed



TRVTORREON22T
2"x2" Mosaic - Tumbled
(12"x12" Sheet)



TRVTORREONVCAP
2"x12" V-Cap



TRVTORREONCANE
9/16"x3/4"x12" Cane

Valencia



TRVVALNCA1212FH
12"x12" Filled & Honed



TRVVALNCA36FH
3"x6" Filled & Honed



TRVVALNCA66FH
6"x6" Filled & Honed



TRVVALNCA22FH
2"x2" Mosaic - Filled & Hon. Straight Edge
(12"x12" Sheet)



TRVVALNCAVCAP
2"x12" V-Cap



TRVVALNCACANE
9/16"x3/4"x12" Cane

Venato



TRVVENATO1212B
12"x12" Brushed



TRVVENATO0606B
6"x6" Brushed




TRVVENATO0306B
3"x6" Brushed



TRVVENATO0101M
1"x1" Mosaic - Brushed & Pol. Combo
(12"x12" Sheet)



TRVVENATOLNR
Random Linear Mosaic
(12"x12" Sheet)



TRVVENATOVCAP
2"x12" V-Cap



TRVVENATOCANE
9/16"x3/4"x12" Cane

Veracruz Sand



TRVVERSND1212FH - 12"x12" Filled & Hon.
TRVVERSND1212T - 12"x12" Tumbled



TRVVERSND0612FHVC
6"x12" Filled & Honed Vein-Cut



TRVVERSND36FH
3"x6" Filled & Honed



TRVVERSND66FH
6"x6" Filled & Honed



TRVVERSND44FH
4"x4" Filled & Honed



TRVVERSNDVCAP
2"x12" V-Cap



TRVVERSNDCANE
9/16"x3/4"x12" Cane

Travertine Blended Mosaics



TRVBLEND5858T
5/8"x5/8" Mosaic - Tumbled



TRVBLEND DIA
Artisan Diamond Mosaic - Tumbled



TRVBLEND CIR
Circle Mosaic - Tumbled




TRVBLEND VP
Mini Versailles Pattern Mosaic - Tumbled



TRVBLEND LNR-226
Random Linear Mosaic Peruvian Blend

Showroom Displays

Email mosaicprogram@bedrosians.com for complete display program pricing and info.



Library Board

Great for spotlighting collections
12" x 18" Board

Swivel Accessory Display

Perfect for showcasing a large
selection in a limited space

Price: \$667.00

Freight

West Coast: \$125

Mid-West: \$150

East Coast: \$160



Quality Products • Latest Trends and Styles • Ships within 48hrs • Competitive Pricing • In Stock

Prices

- Pricing is based on quantity. The larger the order the larger the discount. 0-99/100-199/200+ units.
- Email mosaicprogram@bedrosians.com to request the pricebook pdf.
- All sales final
- Pricing is for job pack quantities. For large quantity / stocking orders, please email for pricing and freight.

Samples

- 1-3 Swatches - \$10
- 4-10 Swatches - \$15

How to Order

Email or fax orders to:


Fax: 714-778-3270

Email: MosaicProgram@Bedrosians.com

Phone: 714-778-1800 Ext. 6677



Delivery Zones / Times



Free Shipping!
On orders over \$99
(excluding displays/samples)