

MT1 Review

COMP110 – Spring 2018 – Lecture 21

Midterm Preparation

- Today – Practice Problems via PollEv – Key slides will post tonight
- Key for last WS Posted (We're grading as quickly as possible!)
- Practice Worksheet on COMP110.com
- Tomorrow – Review Session in SN014 at 5pm
- Exam – Thursday, in class, new random seats will post Weds evening

Makeup

- University excused absence on Thursday?
- Make-up exam is Sunday 4/15 at 12pm in SN011
- Please fill out this form: <http://bit.ly/s18-mt1-makeup>

1. What is **c**'s value after the loop completes?

```
let a: number[] = [1, 2, 3];
let b: number[] = [4, 5, 6];
let c: number[] = [];

for (let i: number = 0; i < a.length; i++) {
    let ci: number = i * 2;
    c[ci] = b[i];
    c[ci + 1] = a[i];
}

print(c);
```

2. Given **f** and **g**, what argument could you call **f** with for it to return "B"? – What about "C"?

```
let f = (x: number): string => {  
    if (x % 2 === 0) {  
        return "A";  
    } else if (x === 4) {  
        return "C";  
    } else {  
        return g(-1 * x);  
    }  
};
```

```
let g = (x: number): string => {  
    if (x > 0) {  
        return "A";  
    } else {  
        return "B";  
    }  
};
```

3. What is returned when calling **f(12, 8)**?

(Assume **min** returns the smaller of two numbers.)

```
let f = (n: number, d: number): number => {
    let g: number = min(n, d);
    while (g > 1) {
        if (n % g === 0 && d % g === 0) {
            return g;
        }
        g--;
    }
    return g;
};
```

4. What is printed when the following code runs?

```
let a: string[] = ["a", "b", "c"];
```

```
let x: string = a[2];
```

```
a[a.length] = a[1];
```

```
a[1] = a[2];
```

```
a[2] = a[3];
```

```
print(a);
```

```
print(x);
```

5. Fill in the types for the following program to type check.

```
let f = (x: 1): 2 => {
    return x.length < 5;
};
```

```
let a: 3 = ["1", "2", "3"];
print(f(a));
```

6. Given the following function:

```
let foo = (n: number): boolean => {
    return n % 3 === 0;
};
```

And array...

```
let a: number[] = [1, 2, 3, 4];
```

What are the return *types* of the following?

1. a.map(foo)
2. a.filter(foo)

Done? What are the *values returned*?

7. Given the Iterator class, what is printed when the code right runs?

```
class Iterator {  
    a: number[];  
    i: number;  
  
    constructor(a: number[]) {  
        this.a = a;  
        this.i = a.length;  
    }  
  
    hasNext = (): boolean => {  
        return this.i > 0;  
    }  
  
    next = (): number => {  
        this.i--;  
        return this.a[this.i];  
    }  
}
```

```
let numbers = [1, 2, 3];  
let itr = new Iterator(numbers);  
numbers[numbers.length] = 4;  
numbers[1] = 5;  
  
while (itr.hasNext()) {  
    print(itr.next());  
}
```

8. What is printed when the main function below runs?

```
let main = async () => {
    print("F");
    let krackle = new Dog("Krackle");

    let hello = krackle.speak("hello");

    print(krackle.speak("world"));
    print(hello);
}
```

```
class Dog {
    name: string;

    constructor(name: string) {
        print("A");
        this.name = name;
    }

    translate = (word: string): string => {
        print("B");
        if (word !== "hello") {
            return "C";
        } else {
            return "D";
        }
    }

    speak = (word: string): string => {
        print("E");
        return this.translate(word);
    }
}
```

9. Given the following description of array's **concat** method, and the Reducer<number, number[]> function **baz**...

a.concat(b) will return a new, concatenated array starting with a's elements and ending with b's elements.

```
function baz(memo: number[], item: number): number[] {  
  let start: number[] = [item];  
  return start.concat(memo);  
}
```

What are result's elements after the following code runs:

```
let input = [1, 2, 3];  
let result = input.reduce(baz, []);
```