

300Mbps AV500 WiFi Powerline Extender Starter Kit **TL-WPA4220KIT**

⦿ Features:

- Wi-Fi Clone Button simplifies your Wi-Fi configuration and helps build a seamless unified home network
- HomePlug AV standard providing up to 500Mbps high speed data transmission over a home's existing electrical wiring, ideal for lag-free HD or 3D video streaming and online gaming
- Extend 300Mbps Wireless connections to previously hard-to-reach areas of your home and office
- Two Ethernet ports allow your TVs, game consoles, or PCs connect to the Internet
- Up to 300-meter range over the household power circuit
- Easy-to-install, just plug in, pair and play
- 128-bit AES encryption easily at a push of "Pair" Button
- Supports IGMP managed multicast IP transmission, optimizing IPTV streaming



⦿ Description:

TP-LINK 300Mbps AV500 WiFi Powerline Extender Starter Kit TL-WPA4220KIT extends your Internet connection to every room of the house through your home's existing electrical circuitry. The TL-WPA4220 features a Wi-Fi Clone Button enabling Super Range Extension, which means it can automatically copy the SSID and Password of your router. In this way, TL-WPA4220 simplifies your Wi-Fi configuration and allows for seamless roaming within your home network.

⊙ Specifications:

| Hardware Features | |
|-------------------------|--|
| Standards and Protocols | HomePlug AV, IEEE802.3, IEEE802.3u, IEEE802.11b/g/n |
| Interface | 10/100Mbps Ethernet Ports |
| Plug Type | EU, UK, US, AR |
| Button | Pair, Reset, Wi-Fi/Wi-Fi Clone |
| LED Indicator | PWR, PLC, ETH, Wi-Fi/Wi-Fi Clone |
| Dimensions (W x D x H) | 3.7 x 2.1 x 1.6 in. (94 x 54 x 40mm) |
| Power Consumption | <6W |
| Range | 300 Meters over electrical circuit |
| Software Features | |
| Modulation Technology | OFDM (PLC) |
| Encryption | Powerline Security: 128-bit AES |
| | Wireless Security: WEP, WPA/WPA2, WPA-PSK/WPA2-PSK Encryption |
| | |
| Others | |
| Certifications | CE, FCC, RoHS |
| System Requirements | Windows 8/7/Vista/XP/2000, Mac OS, Linux* |
| Environment | Operating Temperature: 0°C~40°C (32°F~104°F) |
| | Storage Temperature: -40°C~70°C (-40°F~158°F) |
| | Operating Humidity: 10%~90% non-condensing |
| | Storage Humidity: 5%~90% non-condensing |

* Utility supports Windows 8/7/Vista/XP/2000 operating system for the present.


⊙ Diagram:

PLUG & PLAY WITH TP-LINK WI-FI CLONE!



- > Plug in TL-WPA4220 near your router.
 - > Press the Wi-Fi Clone button on TL-WPA4220.
 - > Press the WPS button on the router.
- That's it! Now TL-WPA4220 has copied your router's SSID and Password and you can enjoy a unified home network!

UNIFIED HOME NETWORK



*The Powerline Adapters need to be connected in the same electrical circuit.

Package:

- 300Mbps AV500 WiFi Powerline Extender Starter Kit
TL-WPA4220 & TL-PA4010
- 2-meter RJ-45 Ethernet Cable * 2
- Quick Installation Guide
- Resource CD