

Mondraker FinalistPro



CUADRO	Finalist Custolite 6061 triple butted
TALLAS	M / L / XL
AMORTIGUADOR	
HORQUILLA	Rock Shox Recon SI Coil 100mm Remote
DIRECCIÓN	Th848 Semicartridge 11/8
FSA	Easton EA30 31.8mm
STEM	Onoff XC Low rise 31.8mm 630mm
MANILLAR	Onoff Diamond
PUÑOS	Easton EA30 27.2mm
TIJA	Abyss XC Pro SL
SILLÍN	Avid Juicy 3 160mm
FRENO DEL.	Avid Juicy 3 160mm
FRENO TRAS.	Avid Juicy 3
MANETAS	Onoff Rail Wheelset
LLANTAS	Stainless
RADIO	Onoff Disc Qr
SCN	Onoff Disc Qr
BUJE DEL.	Kenda Blue Groove 2.0
BUJE TRAS.	Truvativ Firex 3.0 44/32/22T°
NEUMÁTICOS	Truvativ GXP
BIELAS	Onoff MTB spd
PEDALIER	Shimano CNHG53 9s
PEDALES	Shimano Deore FD590
CADENA	Shimano XT RD772GS Shadow
DESVIADOR	Shimano Deore SLM590
CAMBIO	Shimano CSHG50 1132T 9s
MANDOS	
PIÑÓN	

Mondraker Podium



CUADRO	Podium Extrolite Scandium Hydroformed
TALLAS	M / L / XL
AMORTIGUADOR	
HORQUILLA	Rock Shox Recon SL Coil 100mm
DIRECCIÓN	FSA Th848 Semicartridge 11/8
STEM	Easton EA30 31.8mm
MANILLAR	Easton EA30 31.8mm 580mm
PUÑOS	Onoff Half Diamond
TIJA	Easton EA30 31.6mm
SILLÍN	Mondraker XC SL
FRENO DEL.	Formula ORO K18 160mm
FRENO TRAS.	Formula ORO K18 160mm
MANETAS	Formula ORO K18
LLANTAS	Onoff Rail Wheelset
RADIOS	CN Stainless
BUJE DEL.	Onoff Disc Qr
BUJE TRAS.	Onoff Disc Qr
NEUMÁTICOS	Kenda Karma 2.0
BIELAS	FSA Moto Megaexo 44/32/22T
PEDALIER	FSA Megaexo
PEDALES	Onoff MTB spd
CADENA	Shimano CNHG53 9s
DESVIADOR	Shimano Deore FD590
CAMBIO	Shimano XT RD772GS Shadow
MANDOS	Shimano Deore SLM590
PIÑÓN	Shimano CSHG50 1132T 9s

Lapierre Pro Race 200



Ref. :	0350
Cuadro :	Alloy 7005 DB
Amortiguador :	
Horquilla :	RockShox Recon Race SA 100mm
Dirección :	Alloy SemilIntegrated 11/8
Caja :	Shimano Press Fit
Pedaliar :	Shimano FCM542 22x32x44
Potencia :	Lapierre XC Pro 31.8X100mm
Tija de sillín :	Lapierre Light 31.6X350mm
Manillar :	Lapierre XC Comp 31.8 20x640mm
Cambio del. :	Shimano SLX
Cambio tras. :	Shimano XT
Frenos :	Formula RX 160/160
Manetas:	Shimano SLX
Sillín :	San Marco Ponza Steel White
Ruedas :	Alex SX44 32 H / Shimano HBM525 Hubs
Cassette :	Shimano HG50 9S 11X32
Neumáticos :	Hutchinson Python Rlight TS 26X2.00
Peso :	11.2kg
Tallas :	41465156

Conor WRC Team SLX



Peso:	11,5 Kg
Cuadro:	Aluminio 7005 DB3 extralight
Dirección:	Fsa Carbono
Horquilla:	Rock Shox Recon SL 100mm. Bloqueo manillar
Cambio:	Shimano SLX M662
Platos:	Shimano SLX M660
Desviador:	Shimano Deore M590
Pedalier:	
Piñón:	Shimano HG61 9S
Mandos:	Shimano Deore M590
Manetas:	Shimano Deore M595 disco
Puentes:	
Opciones:	
Frenos:	Shimano Deore M595 disco
Ruedas:	Llanta Mavic XM117 disco. Bujes Shimano SLX M665
Llantas:	
Cubiertas:	Schwalbe Smart Sam 26" x 2,10
Manillar:	Ritchey
Potencia:	Ritchey
Tija:	Ritchey
Sillín:	Selle Italia X2 man
Pedales:	Aluminio
Tallas:	16", 18" y 20"
Colores:	Negro y Blanco

Conor WRC Pro Tora



Peso:	12,3 Kg
Cuadro:	Aluminio 7005 DB3
Dirección:	Semi integrada sellada
Horquilla:	Rock Shox Tora SL disc 100mm. Bloqueo manillar
Cambio:	Shimano XT M-772
Platos:	Shimano M-442
Desviador:	Shimano Deore M-590
Pedalier: -	
Piñón:	Shimano HG-61 9S
Mandos:	Shimano Deore M-590
Manetas:	Shimano M-486 disco
Puentes: -	
Opciones: -	
Frenos:	Shimano M-486 disco
Ruedas:	Llantas Mavic XM-117 disco. Bujes Shimano RM-65
Llantas: -	
Cubiertas:	Schwalbe Smart Sam Sport 26" x 2.10
Manillar:	Ritchey
Potencia:	Ritchey
Tija:	Ritchey
Sillín:	Selle Italia X2
Pedales:	Aluminio
Tallas:	17", 19" y 21"
Colores:	Rojo y Negro

Massi Trak Pro



Cuadro:	AL-ZG-MG REINFORCED BUTTED
Horquilla:	ROCK SHOX TORA SL
Dirección:	SEMI INTEGRADA
Frenos:	SHIMANO M-575 DISC WHITE
Manetas Freno:	SHIMANO M-575 DISC
Mandos:	SHIMANO M-590
Pedales:	MASSI
Bielas:	SHIMANO M-590 HOLLOW2
Cubiertas:	MAXXIS HIGH ROLLER
Llantas:	MASSI BLACK GOLD
Bujes:	SHIMANO M65
Potencia:	MASSI OVER
Manillar:	MASSI OVER
Desviador:	SHIMANO M-590
Cambio:	SHIMANO XT
Sillín:	MASSI
Tija Sillín:	MASSI

Specialized Rockhopper SL Pro



CUADRO	Specialized M4 fully manipulated alloy frame, fully butted, ORE DT, asymmetrical seat stays, forged dropouts w/ replaceable derailleur hanger, disc only
HORQUILLA	Rock Shox Reba SL, Dual Air, 80/100mm travel, 1 piece magnesium lower, 32mm alloy stanchions, alloy steerer, Motion Control damper, rebound adj. w/ LO, disc only
DIRECCIÓN	1-1/8" threadless, Campy style semi-cartridge bearings
POTENCIA	3D forged alloy, reverse 4-bolt, 7 degree rise, 31.8mm clamp
MANILLAR	Butted alloy riserbar, 25mm rise, 660mm wide, 8 degree back sweep, 6 degree up sweep
PUÑOS	Specialized Enduro, dual compound Kraton, no flange, 131mm
FRENO DEL.	Avid Elixir 4 hydraulic disc, alloy backed organic pads, 160mm G3
Clean Sweep rotor	
FRENO TRAS.	Avid Elixir 4 hydraulic disc, alloy backed organic pads, 160mm G3
Clean Sweep rotor	
PALANCAS	Avid Elixir 4
DESVIADOR	Shimano Deore, 34.9mm clamp, top swing, bottom pull
CAMBIO	Shimano RD-M772 Deore XT Shadow, long cage
MANDOS	Shimano SL-590 Deore trigger
CASETE	Shimano HG50, 9-speed, 11-34t
CADENA	KMC X9SL w/ reuseable Missing Link
PEDALIER	Shimano FC-M532, 2-piece crank
PLATOS	44A x 32S x 22S replaceable
CAJA PEDALIER	Shimano FC-M532, integrated outboard bearing design for 2-piece crank
CRANK	
PEDALES	Alloy body and cage, 9/16"
LLANTAS	DT-Swiss 445D, 26", alloy double wall disc, pin joint, eyelets, 28h front and 32h rear
BUJE DEL.	Forged alloy, hi/low flange, sealed cartridge bearing, machined disc mount, 28h
BUJE TRAS.	Forged alloy, double sealed cartridge bearing, machined disc mount, cassette, QR, 32h
RADIOS	2mm (14g) stainless
NEUMÁTICO DEL.	Specialized Fast Trak LK Control, 26x2.0", 60TPI, tubeless ready aramid bead
NEUMÁTICO TRAS.	Specialized Fast Trak LK Control, 26x2.0", 60TPI, tubeless ready aramid bead
CÁMARAS	Schraeder valve
SILLÍN	Specialized Rockhopper XC, Body Geometry, hollow Cr-Mo rails, 143mm width, front and rear bumpers
TIJA DE SILLÍN	Alloy two bolt, double butted quill, micro adjust, 30.9mm

Trek 6300



Juego del cuadro

- Tallas XS, S, M, L, XL
- Tallas 15.5, 17.5, 18.5, 19.5, 21.5"

Cuadro Alpha Black Aluminum w/semi-integrated head tube, twin taper down tube w/integrated gusset, formed top tube, wishbone seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger

Suspensión Del. RockShox Reba SL w/remote Pop Loc lever, dual air, Motion Control, rebound, alloy steerer, 100mm

Suspensión Del. RockShox Tora SL w/coil spring, preload, rebound, TurnKey lockout, alloy steerer, 100mm

Ruedas

Ruedas Shimano M475-L hubs; Bontrager Ranger rims
 Cubiertas Bontrager Race Lite 700x23c
 Cubiertas Bontrager Jones XR, 26x2.2/2.25"; 60 tpi, folding
 Cubiertas Bontrager Jones XR, 26x2.25" front, 26x2.20" rear

Transmisión

- Manetas Shimano SLX
- Manetas Shimano Deore
- Manetas Shimano Deore XT
- Desviador Shimano SLX
- Desviador Shimano Deore
- Desviador Shimano Deore XT
- Cambio Shimano Deore XT Shadow
- Bielas Shimano Deore XT 44/32/22
- Bielas Shimano M442 44/32/22
- Cassette SRAM PG970 11-34, 9 speed
- Cassette SRAM PG970 11-32, 9 speed
- Cassette SRAM PG950 11-34, 9 speed
- Pedales Wellgo alloy platform

Componentes

- Sillín Bontrager Race
- Sillín Bontrager Race Lite TT WSD
- Sillín Bontrager Race Lite
- Tija de Sillín Bontrager Race Lite, 31.6mm, 5mm offset
- Tija de Sillín Bontrager SSR, 31.6mm, 20mm offset
- Manillar Bontrager Race Lite, flat
- Manillar Bontrager Approved Riser, 25mm rise
- Potencia Bontrager Race Lite, 7 degree
- Potencia Bontrager SSR, 10 degree
- Dirección VP-A42E, 1-1/8" semi-integrated, sealed
- Dirección Cane Creek IS-3, 1-1/8" alloy cartridge
- Juego de Frenos Avid Juicy 3, hydraulic disc

Trek 6500



Juego del cuadro

Tallas	15.5, 17.5, 18.5, 19.5, 21.5"
Tallas	XS, S, M, L, XL
Cuadro	OCLV Red Carbon w/Net Molded head tube, BB90 bottom bracket, no-cut off-road seatmast
Cuadro	Alpha Black Aluminum w/semi-integrated head tube, twin taper down tube w/integrated gusset, formed top tube, wishbone seatstay, forged dropouts w/rack and fender mounts, replaceable derailleur hanger
Cuadro	Alpha Red Aluminum Suspensión Delantera RockShox Recon SL Solo Air w/air spring, rebound, TurnKey lockout, alloy steerer, 100mm

Ruedas

Ruedas	Shimano M495-L centerlock hubs; Bontrager Ranger rims
Cubiertas	Bontrager Jones XR, 26x2.25" front, 26x2.20" rear
Cubiertas	Bontrager Race Lite 700x23c
Cubiertas	Bontrager Jones XR, 26x2.2/2.25"; 60 tpi, folding

Transmisión

• Manetas	Shimano Deore	• Bielas	Shimano SLX 44/32/22
• Manetas	Shimano Deore XT	• Bielas	Shimano 105 53/39
• Desviador	Shimano Deore	• Cassette	SRAM PG950 11-34, 9 speed
• Desviador	Shimano Deore XT	• Pedales	Wellgo alloy platform
• Cambio	Shimano Deore XT		
Shadow			

Componentes

Sillín	Bontrager Race Sillín Bontrager Race Lite TT WSD
Tija de Sillín	Bontrager Race Lite, 31.6mm, 5mm offset
Tija de Sillín	Bontrager Race X Lite, 31.6mm, 5mm offset
Manillar	Bontrager Race X Lite, flat
Manillar	Bontrager Race Lite, flat
Manillar	Bontrager Race Lite, 25mm rise
Potencia	Bontrager Race X Lite, 7 degree
Potencia	Bontrager Race Lite, 7 degree
Dirección	VP-A42E, 1-1/8" semi-integrated, sealed
Dirección	Cane Creek IS-3, 1-1/8" alloy cartridge
Juego de Frenos	Shimano 575, hydraulic disc

Cannondale SL 2



Cuadro	new Trail SL S.A.V.E. w/ 1.5" head tube, disc only
Horquilla	RST Deuce Air 100mm w/ 1.5" alloy steerer
RearShock	N/A
Llanta	new Maddux DC 3.0 Disc
Bujes	Shimano M525
Radios	CN
Neumáticos	Hutchinson Iguana 2.0" 33tpi wb
Pedales	Wellgo flat w/ alloy cage, clip and straps
Crank	new Shimano Deore 44/32/22t
BottomBracket	included with crank
Cadena	Shimano HG53 9sp
RearCogs	Shimano HG50 11-32t 9sp
FrontDerailleur	new Shimano Deore
RearDerailleur	Shimano XT Shadow
Cambio	Shimano SLX
Handlebar	Cannondale C4 riser
Stem	Cannondale C4 1.5"
Headset	Cane Creek 1.5" semi-integrated
Frenos	Shimano M486
Manetas	Shimano M486
Sillín	new Cannondale Stage w/ steel rails
Tija	Cannondale C4 31.6mm w/ zero offset
Sizes	S,M,L,X,J

Giant XTC 2



Tallas	S/15" - M/17" - L/19"
Colores	Blanco/Rojo
Cuadro	Aluminio grado AluxX SL
Horquilla	Recon Solo Air c/poplock remoto
Amortiguador	SIN
Manillar	Giant Connect, Plano 31.8
Potencia	Giant Connect
Tija de sillín	Giant Connect 30.9X375
Sillín	Fizik Tundra, raíles MG
Pedales	VP cuerpo de aluminio, caja de acero
Manetas	Shimano SLX
Desviador	Shimano Deore
Cambio	Shimano XT
Frenos	Avid Juicy 3 c/discos 160mm
Manetas de freno	Avid Juicy 3
Casette	Shimano HG50 11/34, 9-vel.
Cadena	KMC HG73
Jgo. Platos y bielas	Shimano Deore
Caja pedalier	Shimano Deore
Llantas	Mavic XM 117 DISC
Bujes	SHIMANO M475 Disco
Radios	Acero inoxidable, 14g
Cubiertas	Kenda Small Block Eight, 26x2.1
Extras	
Peso	11,6 kg (+/- 8%, en talla M, sin pedales)

Orbea Sport Compair



Cuadro	ORBEA MTB SPORT
Horquilla	TORA 302 AIR DISC
Plato	SHIMANO DEORE 22x32x44
Dirección	1 1/8 SEMIINTEGRATED BLACK
Manillar	ORBEA BLACK OC-I RAISED
Potencia	ORBEA OC-I
Manetas	SHIMANO DEORE
Freno	FORMULA RX DISC
Cambio	SHIMANO XT
Desviador	SHIMANO DEORE
Cadena	SHIMANO HG53
Rueda	MAVIC X 317 DISC
Piñon	SRAM PG950 11-32 9S
Cubierta	HUTCHINSON PYTHON 26x2
Pedales	SHIMANO PDM 520
Tija sillin	ORBEA OC-I
Sillin	SR VIPER