

Hatteras GT63



Make	Model	Length	Year	Condition
Hatteras	GT63	63 ft	2019	New
Hull Material	Draft	Number of Engines	Fuel Type	
Fiberglass	5 ft	2	Diesel	

The Hatteras Yachts GT63 sets the mark for sportfishing yachts in its size. With the widest beam in the 62'-70' market and the sharpest deep v forward, her ride is more comfortable and stable than any other can match. And her standard 4 stateroom/3 head has more square feet than the competitors' larger models. She is built with the solid construction and traditions of all other Hatteras products- solid glass-infused hulls, shoebox fit, with all glassed joints; no screws and no caulk seams. Virtually everything is overbuilt. Full details and photo below.



Additional Information and Photos

Measurements

LOA: 63 ft 10 in
Beam: 20 ft
Max Draft: 5 ft
Dry Weight: 102000 lb
Fuel Tanks Capacity: 1900 gal
Fresh Water Tanks Capacity: 270 gal
Holding Tank Capacity: 150 gal
Number of Cabins: 4
Number of Heads: 3

Propulsion

Engine #1

Engine Make: CAT
Engine Model: C-32A
Hours: unknown
Power: 1900 hp

Engine #2

Engine Make: CAT
Engine Model: C-32A
Hours: unknown
Power: 1900 hp

STANDARD EQUIPMENT

Propulsion

Hull and superstructure painted with a premium linear polyester/polyurethane coating for improved cosmetics and increased durability
Isophthalic/NPG gel coat, exterior layer
Polymer/copper based anti-fouling bottom paint
Boot stripe, linear polyester/urethane coating
Decks, non-skid surface, polyurethane paint with polymeric beads
Resin-infused solid fiberglass hull bottom and composite hull sides with premium vinyl ester resin and blister resistant gel coat below the waterline
Molded fiberglass longitudinal stringers with steel engine beds

Gulf Coast Yacht Group

4830 Wharf Parkway,, Suite G-207, Orange Beach, AL 36561, United States

Tel: 251-220-1703

Fax: 251-980-2221

info@gulfcoastyachtgroup.com

<http://www.yachtworld.com/gulfcoastyachtgroup>



Additional Information and Photos

Resin-infused bulkheads and interior decks using crosslinked foam core

Hardware & Miscellaneous

Hand-crafted high-gloss finish teak interior

All interior hardware in chrome

Anchor, 25' chain, 300' anchor line

Four polished stainless-steel spring cleats with chafing strips, through bolted in aluminum backing plate

Two polished stainless-steel bow cleats and chocks and chafing strips, stern cleats and hawse pipes, through bolted in aluminum backing plate

Polished, anodized aluminum bow, flybridge rail and bridge ladder

Dual air horn

Zincs on rudders and shafts

Alloy 22 high-strength propeller shafts tapered with round keys for reduced stress concentrations at propeller and coupling ends

Manganese bronze dripless rudder seals

Dripless shaft seals with spare seals

Trim tabs

Manganese bronze struts

Stainless steel rudders

Nibral high-performance propellers

Reboarding steps to cockpit

Deck plates for fuel and water fills and waste pump out

Manganese bronze shaft couplings

Anchor locker with overboard drain

Air conditioning, 58,000 BTU capacity with reverse-cycle heating

Ventilation fans in attic space

Cordless portable vacuum with mounting bracket

Engine Room & Bilge

Fiberglass rudder shelf bolted to plates in the stringers

AC fluorescent lights

Insulation in engine room ceiling for noise mitigation in salon

DC LED lights

DC exhaust blower

Twin diesel, freshwater-cooled main engines with electrically controlled marine gears, neutral interlocks, exhaust silencers, engine hour meters, alternators, fuel filters and seawater strainers

Gulf Coast Yacht Group

4830 Wharf Parkway,, Suite G-207, Orange Beach, AL 36561, United States

Tel: 251-220-1703

Fax: 251-980-2221

info@gulfcoastyachtgroup.com

<http://www.yachtworld.com/gulfcoastyachtgroup>



Additional Information and Photos

FM200 fire extinguishing system for engine room; including automatic and manual discharge, with audible and visual discharge signals
Polyethylene water lines
Freshwater connection
Polyethylene water tank
Pressurized freshwater pump
Water manifold with centralized shut-off valve for sinks and showers
AC compressed air system with air line and regulator
24-volt DC bilge and sump pumps: three at 3,700 gph, one at 500 gph, with heavy duty float switches and protective guards
Auxiliary emergency bilge pump, 150 gpm in lazarette
Bronze chrome-plated ball valves through-bolted in solid fiberglass on all underwater through hull fittings with electrical bonding throughout
30-gallon water heater
Integral fiberglass fuel tank constructed with fire retardant resin and bronze fittings
Polyethylene sewage holding tank with 24 volt DC sewage pump, plumbed for dockside pump-out with 3/4 full display and alarm
Oil changing system for engines, gears and generator with Hatteras patented quick disconnect
U.L. Marine-listed fuel filter/water separator, engines & generator
Sealed shower sumps
Electric fuel priming pumps for engines
Powder coated grab rails
Finished engine room and bilges
United States Coast Guard type AI U.L. Marine-listed fuel lines
Stainless-steel steering tie bar with pivoting self aligning ball joint connection at all cylinder and tie bar connections
Patented differential steering system for improved control in high speed turns (Patent #7895959B1)
DC voltmeter in battery panel
Engine start/stop switches and hour meter
Rubber deck mat between engines
Individual sea chests for each engine and genset, high speed sea chest for water makers, air conditioners and raw water pumps
Centralized drain line with single thru-hull discharge

Electrical Systems

24 volt banks of heavy-duty, 12 volt marine batteries mounted in fire retardant fiberglass boxes (2)

Gulf Coast Yacht Group

4830 Wharf Parkway,, Suite G-207, Orange Beach, AL 36561, United States

Tel: 251-220-1703

Fax: 251-980-2221

info@gulfcoastyachtgroup.com

<http://www.yachtworld.com/gulfcoastyachtgroup>



Additional Information and Photos

Tin coated wiring with insulation, labeled and color coded
Automatic battery charger
Automatic battery paralleling system with switch at helm console
240 volt, 50 amp, retractable shore cords with over-current protection (2)
DC LED lights
Battery control panel with fuses and isolation switches
AC and DC distribution panels with magnetic circuit breakers
AC switching panel with source selector switches, volt meter, ammeter, frequency meter, generator start/stop controls, and distribution panel selector switches
Navigation lights
Ground fault protection on AC receptacles and AC lighting circuits
Omni-directional TV antenna
Two shoreline polarization transformers with boost function

Flybridge

Systems monitor display with visual and audible signals for exhaust temperature, alternator, battery voltage, high bilge water, fire warning in engine compartment, fire extinguisher discharge in engine room, AC power loss, smoke and carbon monoxide detectors, and holding tank 3/4 full monitor
Two bench seats with cushions and rod storage underneath
Freshwater outlet
Control station with all necessary switches and dimmable lighted instrument panel
Compass with dimmable light
Palm Beach style helm with single lever electric controls and steering wheel
Hydraulic power-assisted steering
Two adjustable helmchairs
DC AM/FM stereo receiver with USB dock and speakers
Fuel gauge
Top-loading insulated drink box
Additional storage area beneath helm console
Powder-coated grab rail

Cockpit

173 square feet including mezzanine seating and cushions
Polished anodized aluminum ladder to flybridge with acrylic steps
Transom door
Step box with storage

Gulf Coast Yacht Group

4830 Wharf Parkway,, Suite G-207, Orange Beach, AL 36561, United States

Tel: 251-220-1703

Fax: 251-980-2221

info@gulfcoastyachtgroup.com

<http://www.yachtworld.com/gulfcoastyachtgroup>



Additional Information and Photos

Sliding door to salon
Stereo speakers with remote keypad for control
DC LED tri-color overhead lights under flybridge overhang
DC LED tri-color combing lights
Molded-in grab rails on cabinside
Hatch to engine room
Freshwater & saltwater wash down outlet
Shore water connection with pressure reducing valve
Bait and tackle center with drawers
Bait freezer, 8.0 cubic-foot
Insulated storage box in mezzanine
Insulated storage tub
Two insulated fish boxes with macerator
Refrigerated drink box in top step of mezzanine
Lazarette access hatch
Mounting plate for installation of fighting chair
Stainless steel rod holders (4)
Transom hawse pipes
Cockpit scuppers
Cockpit hatches with gutter drains
Molded-in transom fish box

Galley/Dinette

Durable engineered flooring
Fabric headliner installed on track system
Dimmable LED lighting
AC duplex outlet(s) with ground fault protection
Wood inserts to match interior finish on appliance fascias
Dinette with storage underneath and teak table with stainless steel pedestal
Stone countertops with sink and wood storage cabinets
Microwave/convection oven covered by cabinet door
Undercounter refrigerators (2) and freezer (1) drawer units
Four-burner ceramic cooktop
Garbage disposal
Island cabinet with two bar stools

Salon

Gulf Coast Yacht Group

4830 Wharf Parkway,, Suite G-207, Orange Beach, AL 36561, United States

Tel: 251-220-1703

Fax: 251-980-2221

info@gulfcoastyachtgroup.com

<http://www.yachtworld.com/gulfcoastyachtgroup>



Additional Information and Photos

Salon aft entryway durable engineered flooring
Carpeting
Fabric headliner with wood accents installed on track system
Polished stainless steel threshold at salon door
40" class LED TV on automated lift
Entertainment system, surround sound with Blu-ray player and universal remote control
Icemaker
Fixed frameless windows with tinted safety glass
Dimmable LED lighting
AC duplex outlet(s) with ground fault protection
L-shaped sofa with rod storage and throw pillows
HVAC control
Smoke and carbon monoxide detectors
USB charging ports

Companionway

Carpeting
Fabric headliner installed on track system
Fabric covered hullsides and bulkheads installed on track system
Flush panel doors with door stops to staterooms and heads
Lighted stairway to salon
Access hatches to all bilges
DC LED lighting
Port & starboard attic with storage, electric panels, and water tank gauge with DC light
Wainscoting and chair rail
Washer/dryer

Master Stateroom

Carpeting
Fabric headliner on track system
Fabric covered hullsides and bulkheads installed on track system
Queen-sized berth with upholstered headboard and cedar-lined storage underneath
Upholstered berth base
Premium mattress and linens
Bunk covers, pillows and shams
Cedar lined closet and automatic light
Nightstands

Gulf Coast Yacht Group

4830 Wharf Parkway,, Suite G-207, Orange Beach, AL 36561, United States

Tel: 251-220-1703

Fax: 251-980-2221

info@gulfcoastyachtgroup.com

<http://www.yachtworld.com/gulfcoastyachtgroup>



Additional Information and Photos

Dresser
40" class LED TV
Entertainment system with Blu-ray player
Full-length mirror
Dimmable LED lighting
USB charging ports
Smoke and carbon monoxide detectors
Private access to head
AC duplex outlets with ground fault protection
HVAC control
DC low-voltage lights under berth

Master Stateroom Head

Durable engineered flooring
Fabric headliner installed on track system
Vinyl wallcovering
Solid surface countertop, backsplash and sink
Hardwood baseboards
Stall shower with door and automatic sump pump
Storage cabinet with mirror above sink
Base cabinet to match interior finish with storage
Towel bar, robe hooks (2), towel ring, tissue holder
Freshwater toilet
Recirculating fan
DC LED lighting
AC duplex outlets with ground fault protection
Holding tank 3/4 full indicator light

Bow Stateroom

Carpeting
Fabric headliner installed on track system
Fabric covered hullsides and bulkheads installed on track system
Queen-sized tapered berth with upholstered headboard and cedar-lined storage underneath
Upholstered berth base
Premium mattress and linens
Bunk covers, pillows and shams
Cedar lined closet with automatic light

Gulf Coast Yacht Group

4830 Wharf Parkway,, Suite G-207, Orange Beach, AL 36561, United States

Tel: 251-220-1703

Fax: 251-980-2221

info@gulfcoastyachtgroup.com

<http://www.yachtworld.com/gulfcoastyachtgroup>



Additional Information and Photos

Nightstands
32" class LED TV
DC AM/FM stereo with DVD player, USB port, and speakers
Full-length mirror
DC LED lighting
HVAC control
AC duplex outlets with ground fault protection
Private access to head
Smoke and carbon monoxide detectors
Screened overhead hatch with privacy cover
USB charging ports

Port Aft Stateroom

Carpeting
Fabric headliner installed on track system
Fabric covered hullsides and bulkheads installed on track system
Lower berth with upper pullman
Premium mattress and linens
Bunk covers, pillows and shams
Cedar-lined hanging locker with automatic light
Full-length mirror
24" class LED TV
DC AM/FM stereo with DVD player, USB port, and speakers
DC LED lighting
HVAC control
AC duplex outlets with ground fault protection
Smoke and carbon monoxide detectors
USB charging ports

Port Forward Stateroom

Carpeting
Fabric headliner installed on track system
Fabric covered hullsides and bulkheads installed on track system
Lower berth with upper pullman
Premium mattress and linens
Bunk covers, pillows and shams
Cedar-lined closet with automatic light

Gulf Coast Yacht Group

4830 Wharf Parkway,, Suite G-207, Orange Beach, AL 36561, United States

Tel: 251-220-1703

Fax: 251-980-2221

info@gulfcoastyachtgroup.com

<http://www.yachtworld.com/gulfcoastyachtgroup>



Additional Information and Photos

Full-length mirror
DC LED lighting
Dual cone stereo speaker with remote keypad to port aft stereo
HVAC control
AC duplex outlets with ground fault protection
Smoke and carbon monoxide detectors
USB charging ports

Bow & Port Heads

Durable engineered flooring
Fabric headliner installed on track system
Solid surface countertop with sink & backsplash
Hardwood baseboards
Shower with automatic sump pump
Storage cabinet with mirror
Base cabinet to match interior finish with storage
Towel bar, robe hooks (2), towel ring, tissue holder
Freshwater toilet
Recirculating fan
DC LED lighting
AC duplex outlet(s) with ground fault protection
Holding tank 3/4 full indicator

Provisioning Items

Braided nylon mooring lines (6)
Life jackets (8)
Life ring
Black fenders (3)
Prop removal and installation tool
Portable "drychem" fire extinguishers (4), U.L. approved type in compliance with United States Coast Guard and ABYC standards
Fog bell

Disclaimer

Gulf Coast Yacht Group

4830 Wharf Parkway,, Suite G-207, Orange Beach, AL 36561, United States

Tel: 251-220-1703

Fax: 251-980-2221

info@gulfcoastyachtgroup.com

<http://www.yachtworld.com/gulfcoastyachtgroup>



Additional Information and Photos

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.

Gulf Coast Yacht Group

4830 Wharf Parkway,, Suite G-207, Orange Beach, AL 36561, United States

Tel: 251-220-1703

Fax: 251-980-2221

info@gulfcoastyachtgroup.com

<http://www.yachtworld.com/gulfcoastyachtgroup>

Additional Information and Photos




Additional Information and Photos



Additional Information and Photos



Additional Information and Photos



Additional Information and Photos



Additional Information and Photos



Additional Information and Photos



GT63



LENGTH OVERALL		63'10" 19.46m
LENGTH OVERALL W/LOW PILEUP		66'10" 20.38m
BEAM		20'0" 6.10m
DRAUGHT		5'0" 1.53m
GROSS CAPACITY		1,900... / 7,192..
TWIN CAT C-32A DIESEL ENGINES		1,600... / 1,622...HP
ADDITIONAL SPECIFICATIONS		
Fuel Tank Capacity	275 gal.	1,000 ltr.
Max. Capacity	150 gal.	568 ltr.
Max. Capacity (H)	150 gal.	568 ltr.
Weight Displacement	100,000 lbs.	45,000 kgs.
Max. Speed	20 kts.	37 km/h
ENGINE NOTES		
Two CAT C-32A Diesel Engines	1,600 HP	1,000 kW
Two CAT C-32A Diesel Engines	1,600 HP	1,000 kW
Two CAT C-32A Diesel Engines	1,600 HP	1,000 kW