

® KNIVES

1

2016 CATALOG



NO COMPROMISE

For more than a half century, Heckler and Koch has been a leading designer and manufacturer of military, law enforcement and civilian firearms. HK's commitment to quality, innovation and safety makes them an industry leader in reliability and technology.

This dedication continues with HK Knives, where superior edged tools combine leading technology with practical design. These advancements are deployed throughout the product line with technologies like Nitrous® Assist and outthe-front (OTF). In addition, aerospace industry tolerance standards provide a complementary fit and finish.

Our customers live the HK motto – No Compromise – and for this reason, you have our commitment that we will continuously pursue innovation and performance in all of the products we offer.

PATROL **new**

A first from HK Knives, this composite automatic is fast and lightweight with an easy to find button for reliable opening in tight spots.

MECHANISM Push-button automatic with integrated safety

BLADE STYLE Drop-point

BLADE LENGTH

OPEN

CLOSED

WEIGHT

HANDLE THICKNESS

BLADE STEEL D2 tool steel (60-62HRC)

HANDLE Textured black Grivory[®] and stainless steel liners

EXTRA Reversible tip-up deep-carry pocket clip

ENGINEERED & Assembled In the USA

14430 14430S 14430BK 14430SBK

5 SERR 5 Black 5 Serr/Black

3.40° (8.64C)
0.59" (14.981
7.80" (19.81)
4.40" (11.18)
3 4307 (97 24

nm)

:m)

ENTOURAGE FAMILY



14702BK

MECHANISM Push-button automatic with integrated safety

BLADE STYLE 14701/14751: Tanto; 14702: Drop-point

BLADE STEEL 440C stainless steel (58-60HRC) HANDLE Black anodized 6061-T6 billet aluminum EXTRA Tip-up pocket clip

14702

14751

ENGINEERED	
& ASSEMBLED	
IN THE USA	

14701BK	\$190	BLACK	BLADE LENGTH	3.74" (9.50cm)	2.87" (7.29cm)	3.78'' (9.60cm)
14701SBK	\$190	SERR/BLACK	HANDLE THICKNESS	0.53" (13.46mm)	0.49'' (12.45mm)	0.53'' (13.46mm)
14751BK	\$175	BLACK	OPEN	8.44" (21.44cm)	6.78'' (17.22cm)	8.48" (21.54cm)
14751SBK	\$175	SERR/BLACK	CLOSED	4.70" (11.94cm)	3.91" (9.93cm)	4.70" (11.94cm)
14702BK	\$190	BLACK	WEIGHT	4.64oz (131.54g)	3.70oz (104.90g)	4.55oz (128.99g)
14702SBK	\$190	SERR/BLACK				

14701



The proven performance of the Entourage with the added traction benefit of G10 inlays.

MECHANISM Push-button automatic with integrated safety

BLADE STYLE Tanto

BLADE STEEL D2 tool steel (60-62HRC)

HANDLE Black anodized 6061-T6 billet aluminum with black G10 inlays

.29cm)

.93cm) 76.54g)

EXTRA Reversible tip-up pocket clip

1		
186		111
a ASS	11	BLE
N T	HE	USA
\		

14751BK-1 MINI

> 14701BK-1 14701SBK-1 14751BK-1 14751SBK-1

SERR/BLACK

14701BK-1

	14701-1	14751-1
BLADE LENGTH	3.74" (9.50cm)	2.87 [~] (7.29
HANDLE THICKNESS	0.57 " (14.48mm)	0.53" (13.4
OPEN	8.44" (21.44cm)	6.78 [~] (17.)
CLOSED	4.70" (11.93cm)	3.91" (9.9
WEIGHT	4.52oz (128.14g)	2.70oz (76

......

6000010BK

6000012SBK

MP5

MECHANISM Push-button automatic with integrated safety

BLADE STYLE 6000010: Drop-point; 6000012: Tanto

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black anodized 6061-T6 billet aluminum with extended steel back spacer

EXTRA Reversible tip-up pocket clip

CHOINCEDED
IN THE USA
The time work

6000010BK 6000010SBK 6000012BK 6000012SBK
 \$235
 BLACK

 \$235
 SERR/BLAC

 \$235
 BLACK

 \$235
 SERR/BLAC

 \$235
 SERR/BLAC

an an an an

	BLADE LE
K	HANDLE T
	OPEN
K	CLOSED
	WEIGHT

	6000012	6000010
NGTH	3.40" (8.64cm)	3.40" (8.64cm)
HICKNESS	0.62" (15.75mm)	0.62" (15.75mm)
	8.50" (21.59cm)	8.50" (21.59cm)
	5.00" (12.70cm)	5.00" (12.70cm)
	4.97oz (140.90g)	4.94oz (140.05g)

HK° AXIS° FAMILY (



14717BK

AXIS® returns to HK in a package that brings new levels of performance.

MECHANISM AXIS® lock

BLADE STYLE Tanto

BLADE STEEL D2 tool steel (60-62HRC)

HANDLE Black textured G10 with stainless steel liners

 $\ensuremath{\mathsf{EXTRA}}$ Reversible tip-up pocket clip

ENGINEERED & Assembled In the USA	14717BK	\$155	BLACK	BLADE LENGTH	3.69'' (9.37cm)
IN THE USA	14717SBK	\$155	SERR/BLACK	HANDLE THICKNESS	0.51" (12.95mm)
				OPEN	8.34" (21.18cm)
				CLOSED	4.64" (11.79cm)
				WEIGHT	4.97oz (140.90g)



14715-1 14716-1 14715BK-1 **BLADE LENGTH** 3.69" (9.37cm) 2.88" (7.32cm) ASSEMBLED HANDLE THICKNESS 14715SBK-1 0.51" (12.95mm) 0.44" (11.18mm) 14716BK-1 OPEN 8.33" (21.16cm) 6.50" (16.51cm) BLACK 14716SBK-1 SERR/BLACK CLOSED 4.64" (11.79cm) 3.62" (9.19cm) WEIGHT 4.96oz (140.61g) 2.88oz (81.65g)

ш

AXIS



14808BK

$TURMOIL^{M}$

MECHANISM Double action out-the-front (OTF) automatic with ambidextrous, asymmetrical, gray anodized thumb-button opener

BLADE STYLE Drop-point

BLADE STEEL D2 tool steel (60-62HRC)

HANDLE 14808-1: Sand, anodized 6061-T6 billet aluminum; 14808: Black anodized 6061-T6 aluminum

EXTRA Reversible tip-down pocket clip

ENGINEERED & ASSEMBLED IN THE USA	14808	\$305		BLADE LENGTH	3.47" (8.81cm)
IN THE USA	14808BK	\$320	BLACK	HANDLE THICKNESS	0.47" (11.94mm)
	14808-1	\$305		OPEN	8.10'' (20.57cm)
	14808BK-1	\$320	BLACK	CLOSED	4.63" (11.76cm)
				WEIGHT	3.43oz (97.24g)

14850

6

EPIDEMIC®

MECHANISM Double action out-the-front (OTF) automatic with ambidextrous red anodized thumb-button opener

BLADE STYLE Spear-point

BLADE STEEL D2 tool steel (60-62HRC)

HANDLE Black anodized 6061-T6 billet aluminum

EXTRA Reversible tip-down deep-carry pocket clip



14850 14850BK

\$310

BLADE LENGTH HANDLE THICKNESS OPEN CLOSED

WEIGHT

3.50" (8.89cm) 0.55" (13.97mm) 8.29" (21.06cm) 4.79" (12.17cm) 3.86oz (109.43g)



14460SBT

NITROUS® BLITZ®

MECHANISM Liner lock with Nitrous® Assist

BLADE STYLE Clip-point

BLADE STEEL 154CM stainless steel (58-61HRC) HANDLE Black textured G10 with titanium liners

EXTRA Tip-down pocket clip



14460 14460BT 14460SBT

160 B 160 SER BLADE LENGTH HANDLE THICKNESS OPEN CLOSED WEIGHT 3.40" (8.64cm) 0.43" (10.92mm) 8.00" (20.32cm) 4.60" (11.68cm) 2.70oz (76.54g) 6000008SBT

14651SBT



BLADE STYLE Drop-point

BLADE STEEL 8CR13 stainless steel (57-59HRC)

HANDLE 6000008: Black thermoplastic; 14651: Olive drab green thermoplastic; 14652: Tan thermoplastic

EXTRA Tip-down pocket clip and P30 grip texture

IMPORT

6000008

6000008

14651SE

14652SE

вт	\$65	BLAC
SBT	\$65	SERR/BL
BT	\$65	SERR/BL
BT	\$65	SERR/BL

14652SBT

 BLADE LENGTH
 2.

 HANDLE THICKNESS
 0.

 OPEN
 6.

 CLOSED
 3.

 WEIGHT
 2.

2.95" (7.49cm) 0.48" (12.19mm) 6.83" (17.35cm) 3.88" (9.86cm) 2.60oz (73.71g)



BLADE STEEL AUS-8 stainless steel (57-58HRC)

HANDLE Black or gray, one-piece 420J stainless steel assembly

EXTRA Tip-up pocket clip and glass breaker

IMPORT	14440SB	\$45	SERR/BLACK	BLADE LENGTH	2.80" (7.11cm)
	14440SG	\$45	SERR/GRAY	HANDLE THICKNESS	0.30'' (7.62mm)
	14447SB	\$45	SERR/BLACK	OVERALL LENGTH	6.90'' (17.53cm)
	14447SG	\$45	SERR/GRAY	CLOSED	4.10" (10.41cm)
				WEIGHT	2.68oz (75.98g)



PIKA®

MMECHANISM Lock-back BLADE STYLE 14402: Drop-point; 14452: Tanto BLADE STEEL 8CR13 stainless steel (58-60HRC) HANDLE Glass-filled nylon with 420J stainless steel liners

EXTRA Reversible tip-up or tip-down deep-carry pocket clip

				14402/14452
14402	\$50		BLADE LENGTH	3.50" (8.89cm)
14402SBK	\$50	SERR/BLACK	HANDLE THICKNESS	0.45" (11.43mm)
14452SBK	\$50	SERR/BLACK	OVERALL LENGTH	8.32'' (21.13cm)
			CLOSED	4.82" (12.24cm)
			WEIGHT	3.74oz (106.03g)
	14402SBK	14402SBK \$50	14402SBK \$50 SERR/BLACK	14402SBK \$50 SERR/BLACK HANDLE THICKNESS 14452SBK \$50 SERR/BLACK OVERALL LENGTH CLOSED CLOSED CLOSED



14125BK



PLAN D

MECHANISM Fixed blade

 $\label{eq:black} \textbf{BLADE STYLE} \ Wharncliffe with angled profile$

BLADE STEEL N680 ultra-stainless steel (57-59HRC)

HANDLE 14125BK: Black Grivory[®]; 14125BK-1: Sand Grivory[®]

SHEATH Low profile, molded with ambidextrous clip designed for duty belts; features anti-assailant retention device

with Austrian Steel	14125BK-1 14125BK	\$85 \$85	BLACK Black	BLADE LENGTH HANDLE THICKNESS OVERALL LENGTH WEIGHT	2.90" (7.37cm) 0.54" (13.72mm) 5.65" (14.35cm) 2.37oz (67.19g)

FIXED



14147BK 14147SBK

14147BK

PO BLACK PO SERR/BLAC BLADE LENGTH HANDLE THICKNESS OPEN WEIGHT

DISPATCHTM MECHANISM Fixed blade BLADE STYLE Tanto

EXTRA Includes paracord

BLADE STEEL D2 tool steel (60-62HRC) HANDLE Black textured Santoprene[®] SHEATH Molded with integrated detent

> 4.33" (11.00cm) 0.51" (13.08mm) 9.11" (23.14cm) 4.89oz (138.63g)

14536BP

INSTIGATOR®

MECHANISM Fixed blade BLADE STYLE Wharncliffe BLADE STEEL AUS-8 stainless steel (58-60HRC) HANDLE Skeletonized SHEATH Includes neck lanyard

MPORT	14536BP
-------	---------

\$55

BLACK

BLADE LENGTH	
HANDLE THICKNESS	
OVERALL LENGTH	
WEIGHT	

3.28" (8.33cm) 0.12" (3.05mm) 7.38" (18.75cm) 2.30oz (6<u>5.20g)</u>



FEINT

MECHANISM Fixed blade

BLADE STYLE Drop-point

BLADE STEEL 440C stainless steel (58-60HRC)

HANDLE Black Santoprene®

SHEATH Includes nylon sheath with integrated blade guard



14120BK

BLACK

BLADE LENGTH HANDLE THICKNESS OVERALL LENGTH WEIGHT

9.50" (24.13cm) 1.25" (31.75mm) 14.50" (36.83cm) 11.18oz (316.95g)

CLOUT TACTICAL AXE

MECHANISM Fixed blade BLADE STYLE Axe with hammer BLADE STEEL 420J stainless steel HANDLE Black textured glass-filled nylon SHEATH Nylon with belt loop; MOLLE® compatible

14001

MPORT

\$65

14001

BLACK

BLADE LENGTH OVERALL LENGTH 5.90" (14.99cm) 14.96" (38.00cm)

TOOLS/MISC.

$\begin{array}{c} A \, L \, L \, Y^* \, C \, O \, M \, B \, O \end{array} \\ \hline \\ \textbf{Combo packaged in a} \end{array}$

genuine HK pistol case. 14440SB-COMBO \$115









MULTITOOLS/LIGHTS





100-Lumen LED Light Import

 Advanced tactical light with
 3 function settings: low / high / strobe.

 Max Run Time: 10 hours.
 Batteries: 2 CR123 Lithium (not included)

 14444L
 \$60.00



 TO-Lumen LED Light
 CM2081

 LED flashlight with removable
 pocket clip. Max Run Time: 10 hours.

 Batteries: 3 AAA (not included)
 14442L

EXTRAS



Bring It Shirt "The knife you bring to a gun fight." Short-Sleeve tee, black. Made in USA M, L, XL,.....\$25.00



HK Cap MINIONT Adjustable Velcro® strap hat with embroidered red logo on front and embroidered white "Heckler & Koch" writing on back. 100% cotton.

986368F.....\$20.00



HK Knife Rack 984231F.....\$25.00

HK Kubaton

Anodized with carbide glass breaker	tip and key ring
6000001-BLK	\$25.00
6000001-PNK	\$25.00

WARRANTY

LIMITED LIFETIME WARRANTY

Benchmade Knife Company, Inc. ("Benchmade") warrants to the original owner that this knife will be free from defects in materials and workmanship. Benchmade will, without charge, repair or replace, at Benchmade's option, any knife returned for warranty work and found to be defective by Benchmade, according to the terms of this Warranty. If we choose to replace the knife, we may replace it with the same model or one of equal value. The knife must be shipped by owner prepaid and insured freight, together with a description of the problem, and must be accompanied by the original bill of sale, your charge or credit card receipt or any satisfactory proof of the original date of purchase from a retail dealer. Any automatic knife (button or slide activated spring-opening) returned for Warranty service from outside of Oregon must also include a signed Automatic Knife Opening Acknowledgment ("AKOA") form, or be returned through the authorized Benchmade dealer. Any automatic knife sent by you to us without a signed AKOA form will not be returned to you. To obtain an AKOA form, please visit www.benchmade.com NO EXCEPTIONS WILL BE MADE.

WHAT IS COVERED?

This Warranty covers replacement parts and labor.

WHAT IS NOT COVERED?

This Warranty does not cover normal wear; non-factory resharpening of the blade; cosmetic damages (such as scratches on the product); damage caused by neglect and/or misuse (meaning use of the knife for any purpose other than its intended purpose as a cutting tool); or the failure to perform normal or necessary maintenance. The Warranty does not cover disassembly or modification of any product by any person other than Benchmade's Warranty department. The Warranty does not cover damage incurred while in shipment; insurance for the product during shipping is recommended and is your responsibility. Do not use your new knife as a screwdriver, pry bar, chisel or punch. Do not throw your knife or use it for any purpose other than cutting. Do not disassemble your knife. Do not sharpen your knife on a power grinding wheel. Any of these acts will void your Warranty. MINIMUM CHARGE TO REASSEMBLE A KNIFE WHEN THE WARRANTY HAS BEEN VOIDED IS \$20 PLUS PARTS.

Repair or replacement, as provided under this Warranty, is the exclusive remedy of the consumer. HK or Benchmade shall not be liable for any incidental, reliance, indirect, special, punitive, exemplary, or consequential damages or breach of implied Warranty on this product, including any damage to person or property. Benchmade's liability under any and all circumstances is limited to the purchase price paid by you for the product. Some states do not allow exclusion or limitation of certain types of damages, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.

This knife has only one use, as a cutting tool. HK knives carry no warranty except as expressly contained herein. HK and Benchmade disclaim all warranties of merchantability and fitness for a particular purpose other than for use as a cutting tool.

Please review the Warranty information and proper knife care instructions provided with each knife.

ORDERING OF AUTOMATIC KNIVES

Automatic knives are available for sale in Oregon. The sale of automatic knives is federally regulated. Always check permissibility within your state or locality as non-federal personnel may be precluded from ownership or use by state laws. NO EXCEPTIONS WILL BE MADE. Purchase of automatic knives outside of the state of Oregon must be preceded by the submission of an AKOA form.

SHIPPING OF AUTOMATIC KNIVES

All automatic knives shipped by Benchmade will be sent via courier (UPS, FedEx, etc.) and CANNOT be shipped through the U.S. Postal Service. Also, please note that all returns of automatic knives must be shipped via courier (UPS, FedEx, etc.). It is our policy that all automatic knives shipped out of state require a signed AKOA form. We will not ship automatic knives out of state until we receive a signed AKOA form.

ARE HK ASSIST-OPEN KNIVES LEGAL?

Because of the way that the Benchmade assist-open knives are designed and built, they are not considered automatic or switchblade knives under federal interpretations.

Even though the HK assist-open models are not classified as automatics or switchblades, it is still recommended that the user research and verify the legalities in their own specific areas.

COMPLIANCE WITH LAWS, ASSUMPTION OF RISK, RELEASE OF LIABILITY, INDEMNITY

The purchase, use, and ownership of knives is subject to a wide variety of federal, state, and local laws and regulations. Knife laws and regulations are subject to local interpretations and may change frequently. It is the responsibility of the buyer to be aware of and to comply with the laws that govern the buyer in the buyer's specific area, pertaining to owning, carrying, transporting, shipping, and using the product.

We encourage responsible ownership.

THE KNIFE IS VERY SHARP. USE WITH CARE. BE SMART AND SAFE. KEEP OUT OF REACH OF CHILDREN. MISUSE OF THE PRODUCT OR FAILURE TO PROPERLY MAINTAIN YOUR PRODUCT CAN CAUSE MECHANISMS IN THE PRODUCT TO NOT FUNCTION PROPERLY AND COULD CAUSE DAMAGE TO THE PRODUCT AND/OR SERIOUS INJURY OR EVEN DEATH.

You expressly release Benchmade and HK from, and you expressly agree to indemnify and hold harmless Benchmade and HK for, all claims, damages, liabilities, losses, and expenses (including reasonable attorneys' fees) resulting directly or indirectly from your purchase, ownership, transportation, shipment, use, or misuse of your product in violation of any federal, state, or local law, rule, or regulation. Except for the express product Warranty provided herein, Benchmade and HK will not be held responsible or liable for your purchase, ownership, transportation, shipment, use, or misuse of any Benchmade or HK product purchased, either directly from Benchmade or HK or from any retail dealer.

PRICING

Every effort is made to ensure the accuracy of the prices and information presented in this catalog. However, we reserve the right to rectify any and all errors prior to any sale transactions. Prices shown are at suggested retail (U.S. currency). Actual purchase prices may vary. All pricing and product specifications are subject to possible change without prior notice. Visit hk-knives.com for the latest information.

SHARPENING SERVICE

We will gladly resharpen your knife to a factory edge (does not apply to serrated portion of the blade). Ship us your knife postage-paid and include a completed LifeSharp form found online: **benchmade.com/Lifesharp** Send your knife to: HK Knives, Attn: Service Department, 300 Beavercreek Rd., Oregon City, OR 97045 USA.

AKOA forms can be found at www.benchmade.com/media/forms/ako_acknowledgement.pdf

The following are trademarks or registered trademarks of Benchmade Knife Company, Inc. or trademarks or registered trademarks of Mentor Group, L.L.C. and used under license: Ally: AXIS; Benchmade; Benchmade (butterfly logo); Benchmade (wordmark logo); Blitz; Conspiracy; Epidemic; Genuine AXIS Mechanics (logo); Instigator; Nitrous; Pika; Scorch; Soldat; Tumult; Turmoil; Dispatch. • NOTE: We reserve the right to make any design and/or material modifications without prior notice. • HK Knives products may be manufactured under one or more of the patents found at **benchmade.com/patents**



300 BEAVERCREEK ROAD OREGON CITY, OR 97045

800.800.7427 503.655.6004 **EMAIL** info@benchmade.com

WEB www.hk-knives.com



PRSRT STD US POSTAGE PAID OREGON CITY, OR PERMIT NO. 25