




# HABITAT

SERENE BEAUTY INSPIRED BY NATURE’S EMBRACE.

**ambiente**

EUROPEAN TILE DESIGN  
400 East Pine Street, Suite 210  
Seattle, WA 98122

206-524-2113  
ambientetile.com



## MULTI TONE GLAZE




Beautiful surroundings can evoke feelings of comfort, joy and peace. Invite these sentiments to any interior space with the Habitat Collection. Deep glossy glazes and soft matte finishes are available in an elegant tone-on-tone color palette. A full complement of field tile sizes, trim and moldings are available to suit traditional, transitional and contemporary designs.

# HABITAT Multi Tone Glaze

## GLOSSY FINISH - SLIGHTLY UNDULATED SURFACE




## MATTE FINISH - SLIGHTLY UNDULATED SURFACE




### FIELD TILES

#### UNDULATED




### DECORATIVE ACCESSORIES




### FIELD TILES

#### UNDULATED




### DECORATIVE ACCESSORIES




### TRIMS

#### FINISHING EDGES



### FINISHING TOUCHES



#### FRAME CORNERS




### TRIMS

#### FINISHING EDGES



### FINISHING TOUCHES





CLOUD GLOSSY **ADHGC**



ALABASTER GLOSSY **ADHGA** | ALABASTER MATTE **ADHMA**



RIVER BLUE GLOSSY **ADHGR**





LEAF GLOSSY **ADHGL**



PEWTER GLOSSY **ADHGP**



GRAPHITE GLOSSY **ADHGG**





CLOUD MATTE **ADHMC**



ALABASTER MATTE **ADHMA**



RIVER BLUE MATTE **ADHMR**





LEAF MATTE **ADHML**



GRAPHITE MATTE **ADHMG**



PEWTER MATTE **ADHMP**



CLOUD MATTE **ADHMC** | RIVER BLUE MATTE **ADHMR** | LEAF MATTE **ADHML**







FIELD TILES		
SIZE	SIZE SPECIFICATIONS	THICKNESS*
UNDULATED TILE		
2.5"x5.1"	2.520"x5.118" (64mm x 130mm)	0.295" (7.5mm)
2.5"x10.3"	2.520"x10.315" (64mm x 262mm)	0.303" (7.7mm)
5.1"x5.1"	5.118"x5.118" (130mm x 130mm)	0.303" (7.7mm)
DECORATIVE ACCESSORIES & FINISHING TOUCHES		
Liner (One Overglazed Edge) 0.6"x10.3"	0.630"x10.315"(16mm x 262mm)	0.354" (9mm)
Quarter Round 1"x10.3"	1.024"x10.315" (26mm x 262mm)	0.394" (10mm)
Molding 2"x10.3"	2.008"x10.315" (51mm x 262mm)	0.591" (15mm)
Base Board (Glazed Top Edge) 4"x10.3"	3.976"x10.315" (101mm x 262mm)	0.551" (14mm)

APPLICATIONS		
	SUITABLE RESIDENTIAL	SUITABLE COMMERCIAL
Bathroom Walls	YES	YES
Shower Walls	YES	YES
Kitchen Walls	YES	YES
Countertops	YES	NO
Fireplace Surrounds	YES	YES
Outdoor Cooking / Bar Spaces (Non Freeze-Thaw Climates)	YES	YES
Pool Waterlines / Water Fountains	NO	NO
Floors	NO	NO
PERFORMANCE CHARACTERISTICS		
	TEST METHOD ASTM / ISO	RESULT
Water Absorption	C-373 / 10545-3	Pass
Breaking Strength	C-648 / 10545-4	Pass
Stain Resistance	C-1378 / 10545-14	Resistant
Chemical Resistance	C-650 / 10545-13	Resistant
Facial Dimensions	C-499 / 10545-2	Pass
Range of Thickness	C-499 / 10545-2	Pass
Warpage	C-485 / 10545-2	Pass

\*Thickness is understood as the highest point of the tile.

INSTALLATION	
GROUT JOINT RECOMMENDATION	SHADE VARIATION
1/8"	V3 - Moderate Variation
For Habitat Glossy tiles, please refer to our INSTALLATION & MAINTENANCE guidelines.	

CLEANING RECOMMENDATIONS
Routine with a non-abrasive/non-acidic, mild and PH neutral cleaner

CHARACTERISTICS	
Glaze	Solid with subtle movement and high color variation
Surface Sheen	Glossy and Matte
Texture	Slightly Undulated

Due to the nature of our tile, a certain amount of variation in color, shading, surface and texture are to be expected. This collection is characterized by its shade variation. Some colors in the series have more variation than others. Expect shade variation between the individual field tiles and between field and trim within each color. Due to the shape of the pieces and the nature of production, this is especially true for variation between field and trims. Trim pieces like quarter rounds, finishing edges and other moldings may have more glaze pooling and different pooling effects than other pieces. Expect variation within each run, and from production to production. IT IS IMPORTANT TO BLEND TILE WITHIN EACH CARTON AND FROM MULTIPLE CARTONS DURING INSTALLATION. This is best achieved by laying out the material prior to installation.



## CONTACT US

**Corporate Headquarters**  
**South East Distribution Center**  
9450 N.W.12th St.  
Miami, FL. 33172  
Office: 305-513-4633  
Fax: 305-513-4634  
[customerservice@adexusa.com](mailto:customerservice@adexusa.com)

**West Coast Distribution Center**  
1745 N. St. Thomas Cir.  
Orange, CA 92865  
Office: 714-773-0197  
Fax: 714-773-9352  
[customerservicewest@adexusa.com](mailto:customerservicewest@adexusa.com)

**North East Distribution Center**  
1000 Wall St. W.  
Lyndhurst, NJ. 07071  
Office: 201-355-8772  
Fax: 201-636-2802  
[customerservicene@adexusa.com](mailto:customerservicene@adexusa.com)

**[www.adexusa.com](http://www.adexusa.com)**

