

MATERIAL SAFETY DATA SHEET

Prepared in compliance with the Federal Hazard Communication Standard 29CFR 1910.1200

PRODUCT CODE : 408-1-2Y874

PAGE: 1 of 4

SECTION I

MANUFACTURER'S NAME: Becker Specialty Corporation

MANUFACTURER'S ADDRESS: 15310 Arrow Blvd
Fontana, California 92335

EMERGENCY/INFORMATION: 8:00 a.m.-5:00 p.m. (909)356-1095
All Other Times (909)792-7933
(909)980-5094

TRANSPORTATION EMERGENCIES: CHEMTREC (800)424-9300

MANUFACTURER CODE IDENTIFICATION: 408-1-2Y874

CUSTOMER CODE IDENTIFICATION:

CUSTOMER NAME: FINISHED METALS

PRODUCT NAME: GOLD METALLIC ←

PRODUCT CLASS: POLYESTER

PRODUCT TRADE NAME: SUPER SERIES 1000

PREPARATION DATE : 04/16/10

REV DATE :

ORG DATE : 11-10-09

SECTION II - HAZARDOUS INGREDIENTS

OCCUPATIONAL: EXPOSURE LIMITS

ALL VALUES 8 HOUR TWA UNLESS NOTED

<u>INGREDIENT</u>	<u>CAS NUMBER</u>	<u>ACGIH-TVL</u>	<u>OSHA-PEL</u>	<u>OTHER</u>	<u>UNITS</u>	<u>LEL</u>	<u>V.P.</u>	<u>% BY WEIGHT</u>
Aromatic Petroleum Distillates	64742-95-6	NE	NE	100	PPM	1.0	3.0	4.0 - 14.0
Aromatic Petroleum Distillates	64742-94-5	NE	NE	100	PPM	1.0	<1.9	22.0 - 32.0
Diacetone	123-42-2	50	50	NE	PPM	1.8	0.8	0.0 - 6.0
Isobutyl Alcohol	78-83-1	50	100	NE	PPM	1.2	9.0	0.0 - 7.0
Isophorone	78-59-1	4	5-C	NE	MGCM	0.8	<1.0	0.0 - 8.0
Methyl Ethyl Ketone	78-93-3	200	200	NE	PPM	2.0	70	0.0 - 6.0
N-butyl Acetate	123-86-4	150	150	NE	PPM	1.7	8.4	0.0 - 9.0
N-butyl Alcohol	71-36-3	50-C	50-C	NE	PPM	1.4	4.4	0.0 - 6.0
Aluminum Flake	7429-90-5	5*	5*	NE	MGCM	N/A	N/A	
Formaldehyde	50-00-0	0.1	0.1	NE	MGCM	NDA	NDA	

This material contains ingredients covered by the California 'SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986 (PROP. 65)'

NOTES AND ABBREVIATIONS USED:

- SK : Skin absorption may potentially contribute to overall exposure
- TWA : Time weighted average
- C : Ceiling limit
- PPM : Parts per million
- MGCM : Milligrams per cubic meter
- NE : Not established
- N/A : Not applicable
- OTHER : Manufacturer recommended PEL
- V.P. : Vapor pressure listed mm Hg @ 20 C unless otherwise noted

MATERIAL SAFETY DATA SHEET

Prepared in compliance with the Federal Hazard Communication Standard 29CFR 1910.1200

PRODUCT CODE : 408-1-2C1245

PAGE: 1 of 4

SECTION I

MANUFACTURER'S NAME: Becker Specialty Corporation

MANUFACTURER'S ADDRESS: 15310 Arrow Blvd
Fontana, California 92335

EMERGENCY/INFORMATION: 8:00 a.m.-5:00 p.m. (909)356-1095
All Other Times (909)792-7933
(909)980-5094

TRANSPORTATION EMERGENCIES: CHEMTREC (800)424-9300

MANUFACTURER CODE IDENTIFICATION: 408-1-2C1245

CUSTOMER CODE IDENTIFICATION:

CUSTOMER NAME: FINISHED METALS

PRODUCT NAME: SILVER

PRODUCT CLASS: POLYESTER

PRODUCT TRADE NAME: SUPER SERIES 1000

PREPARATION DATE : 04/16/10

REV DATE :

ORG DATE : 12-17-09

SECTION II - HAZARDOUS INGREDIENTS

OCCUPATIONAL: EXPOSURE LIMITS

ALL VALUES 8 HOUR TWA UNLESS NOTED

<u>INGREDIENT</u>	<u>CAS NUMBER</u>	<u>ACGIH-TVL</u>	<u>OSHA-PEL</u>	<u>OTHER</u>	<u>UNITS</u>	<u>LEL</u>	<u>V.P.</u>	<u>% BY WEIGHT</u>
Aromatic Petroleum Distillates	64742-95-6	NE	NE	100	PPM	1.0	3.0	0.0 - 7.0
Aromatic Petroleum Distillates	64742-94-5	NE	NE	100	PPM	1.0	<1.9	23.0 - 33.0
Diacetone	123-42-2	50	50	NE	PPM	1.8	0.8	0.0 - 9.0
Isobutyl Alcohol	78-83-1	50	100	NE	PPM	1.2	9.0	0.0 - 7.0
Isophorone	78-59-1	4	5-C	NE	MGCM	0.8	<1.0	0.0 - 9.0
Methyl Ethyl Ketone	78-93-3	200	200	NE	PPM	2.0	70	0.0 - 7.0
N-butyl Acetate	123-86-4	150	150	NE	PPM	1.7	8.4	0.0 - 9.0
N-butyl Alcohol	71-36-3	50-C	50-C	NE	PPM	1.4	4.4	0.0 - 8.0
Aluminum Flake	7429-90-5	5*	5*	NE	MGCM	N/A	N/A	
Formaldehyde	50-00-0	0.1	0.1	NE	MGCM	NDA	NDA	

This material contains ingredients covered by the California 'SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986 (PROP. 65)'

NOTES AND ABBREVIATIONS USED:

- SK : Skin absorption may potentially contribute to overall exposure
TWA : Time weighted average
C : Ceiling limit
PPM : Parts per million
MGCM : Milligrams per cubic meter
NE : Not established
N/A : Not applicable
OTHER : Manufacturer recommended PEL
V.P. : Vapor pressure listed mm Hg @ 20 C unless otherwise noted

MATERIAL SAFETY DATA SHEET

Prepared in compliance with the Federal Hazard Communication Standard 29CFR 1910.1200

PRODUCT CODE : 408-1-2W1791

PAGE: 1 of 4

855 279 13-5
F311

SECTION I

MANUFACTURER'S NAME: Specialty Finishes Company

MANUFACTURER'S ADDRESS: 15310 Arrow Blvd
Fontana, California 92335

EMERGENCY/INFORMATION: 8:00 a.m.-5:00 p.m. (909)356-1095

All Other Times (909)792-7933

(909)980-5094

TRANSPORTATION EMERGENCIES: CHEMTREC (800)424-9300

MANUFACTURER CODE IDENTIFICATION: 408-1-2W1791

CUSTOMER CODE IDENTIFICATION: 408-1-2W1791

CUSTOMER NAME: FINISHED METALS

PRODUCT NAME: NEW WHITE ←

PRODUCT CLASS: POLYESTER

PRODUCT TRADE NAME: SUPER SERIES 1000

PREPARATION DATE : 09/07/07

SECTION II - HAZARDOUS INGREDIENTS

OCCUPATIONAL: EXPOSURE LIMITS

ALL VALUES 8 HOUR TWA UNLESS NOTED

INGREDIENT	CAS NUMBER	ACGIH-TVL	OSHA-PEL	OTHER	UNITS	LEL	V.P.	% BY WEIGHT
Aromatic Petroleum Distillates	64742-94-5	NE	NE	100	PPM	1.0	<1.9	11.0 - 21.0
Cyclohexanone	108-94-1	25	25	NE	PPM	1.1	7.0	0.0 - 6.0
Diacetone	123-42-2	50	50	NE	PPM	1.8	0.8	0.0 - 6.0
Isobutyl Alcohol	78-83-1	50	100	NE	PPM	1.2	9.0	0.0 - 6.0
Isophorone	78-59-1	4	5-C	NE	MGCM	0.8	<1.0	0.0 - 8.0
N-butyl Acetate	123-86-4	150	150	NE	PPM	1.7	8.4	0.0 - 8.0
Xylene (Mixed Isomers)	1330-20-7	100	100	NE	PPM	1.0	5.1	0.0 - 7.0
1-Methoxy-2-Propyl Propionate	148462-57-1	NE	NE	NE	NE	0.6	0.9	0.0 - 6.0
Aluminum Hydroxide	21645-51-2	NE	NE	NE	NE	N/A	N/A	
Amorphous Silica	112926-00-8	NE	6*	NE	MGCM	N/A	N/A	
Formaldehyde	50-00-0	0.1	0.1	NE	MGCM	NDA	NDA	
Titanium Dioxide	13463-67-7	10 TOT*	10 TOT*	NE	MGCM	N/A	N/A	

This material contains ingredients covered by the California 'SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986 (PROP. 65)'

NOTES AND ABBREVIATIONS USED:

- SK : Skin absorption may potentially contribute to overall exposure
TWA : Time weighted average
C : Ceiling limit
PPM : Parts per million
MGCM : Milligrams per cubic meter
NE : Not established
N/A : Not applicable
OTHER : Manufacturer recommended PEL

MATERIAL SAFETY DATA SHEET

Prepared in compliance with the Federal Hazard Communication Standard 29CFR 1910.1200

PRODUCT CODE : 408-1-2K786

PAGE: 1 of 4

SECTION I

MANUFACTURER'S NAME: Specialty Finishes Company

MANUFACTURER'S ADDRESS: 15310 Arrow Blvd
Fontana, California 92335

EMERGENCY/INFORMATION: 8:00 a.m.-5:00 p.m. (909)356-1095
All Other Times (909)792-7933
(909)980-5094

TRANSPORTATION EMERGENCIES: CHEMTREC (800)424-9300

MANUFACTURER CODE IDENTIFICATION: 408-1-2K786

CUSTOMER CODE IDENTIFICATION:

CUSTOMER NAME: FINISHED METALS

PRODUCT NAME: POLYESTER BLACK ←

PRODUCT CLASS: POLYESTER

PRODUCT TRADE NAME: SUPER SERIES 1000

PREPARATION DATE : 09/07/07

SECTION II - HAZARDOUS INGREDIENTS

OCCUPATIONAL: EXPOSURE LIMITS

ALL VALUES 8 HOUR TWA UNLESS NOTED

INGREDIENT	CAS NUMBER	ACGIH-TVL	OSHA-PEL	OTHER	UNITS	LEL	V.P.	% BY WEIGHT
Aromatic Petroleum Distillates	64742-94-5	NE	NE	100	PPM	1.0	<1.9	26.0 - 36.0
Diacetone	123-42-2	50	50	NE	PPM	1.8	0.8	0.0 - 9.0
Isobutyl Alcohol	78-83-1	50	100	NE	PPM	1.2	9.0	0.0 - 7.0
Isophorone	78-59-1	4	5-C	NE	MGCM	0.8	<1.0	0.0 - 9.0
N-butyl Acetate	123-86-4	150	150	NE	PPM	1.7	8.4	0.0 - 9.0
N-butyl Alcohol	71-36-3	50-C	50-C	NE	PPM	1.4	4.4	0.0 - 8.0
Carbon Black	1333-86-4	3.5*	3.5*	NE	MGCM	N/A	N/A	
Formaldehyde	50-00-0	0.1	0.1	NE	MGCM	NDA	NDA	

This material contains ingredients covered by the California 'SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986 (PROP. 65)'

NOTES AND ABBREVIATIONS USED:

- SK : Skin absorption may potentially contribute to overall exposure
- TWA : Time weighted average
- C : Ceiling limit
- PPM : Parts per million
- MGCM : Milligrams per cubic meter
- NE : Not established
- N/A : Not applicable
- OTHER : Manufacturer recommended PEL
- V.P. : Vapor pressure listed mm Hg @ 20 C unless otherwise noted
- NDA : No Data Available
- LEL : Lower Explosive Limit (% by volume in air)
- * : Value and hazard are for particulate (nuisance) dust which is not present in form supplied.