



10/1/2018

Location:Platteville-WI

Trial: CHT-100

Hybrid	Yield at 15.5%	Moisture	TWT Mn	\$/Acre
DKC51-38RIB	247.5	16.6	55.7	728.24
NK0199-3122AEZ1	249.3	17.7	56.1	720.33
3899VT2P/RIB	237.3	15.7	55.4	704.62
4188VT2P/RIB	236.9	15.6	55.6	703.76
3909SS/RIB	233.9	15.4	54.4	697.71
P9929AMXT	238.0	16.7	55.7	697.17
NK9852-3010	236.0	16.3	55.6	696.82
NK0142-3120-EZ1	237.7	16.8	54.5	696.67
4099SS/RIB	235.1	16.2	55.3	696.63
P9998AMXT	241.1	17.7	56.1	695.71
P0157AMX	238.6	17.3	56.4	692.86
MY02J57RA	242.0	18.3	52.8	691.18
DKC52-68RIB	238.9	18.0	54.0	685.92
NK0281-3000GT	229.4	16.6	54.6	675.13
DKC50-08RIB	229.6	16.6	56.0	673.67
DKC50-84RIB	224.9	15.2	55.6	673.48
4188SS/RIB	225.8	15.4	55.3	672.60
4350SS/RIB	229.2	16.6	55.2	672.19
DKC49-72RIB	223.9	14.3	54.6	671.70
4079SS/RIB	221.9	15.1	55.1	664.30
5146SS/RIB	228.4	17.5	56.7	661.96
4199SS/RIB	224.3	16.7	55.0	658.71
MY00B25RA	228.4	17.9	55.4	656.64
4079VT2P/RIB	219.7	15.5	54.7	656.18
4242VT2P/RIB	218.0	15.3	55.4	649.64
DKC51-20RIB	210.3	15.3	54.2	627.92
MY01D86	215.9	17.4	55.7	627.46
MY00J47RA	208.6	17.6	56.9	602.94
Mn	230.9	16.5	55.3	678.53
LSD(.10)	8.0	0.4	0.4	24.38
#Reps	8	8	8	8
CVErr	4.198	3.045	0.888	4.349

\$/Acre Assumptions = \$3.00/Bushel Selling Price and \$0.05/Point of Moisture over 15.5%.

**WINFIELD
UNITED**

CROPLAN
By WINFIELD
UNITED

Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of Winfield United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices."

© 2018 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.



CORN

Answer Plot®
By WINFIELD
UNITED
YIELD REPORT 2018

10/1/2018

Location:Platteville-WI

Trial: CHT-105

Hybrid	Yield at 15.5%	Moisture	TWT Mn	\$/Acre
DKC55-53RIB	256.7	17.2	54.7	748.57
NK0760-3111	264.5	19.4	51.8	738.92
4791AS3111	257.1	18.9	52.3	725.75
NK0440-3010	244.9	16.2	51.5	723.97
MY06R36	254.9	18.6	55.0	722.78
4791ASGT	265.7	20.7	50.9	722.76
MY08T21	258.2	20.0	50.5	714.47
DKC56-45RIB	245.4	17.6	54.7	710.68
4488SS/RIB	242.9	17.4	56.1	705.46
MY05U06	243.7	17.8	54.1	702.92
4488VT2P/RIB	237.4	16.9	54.7	694.27
MY04G26	236.0	16.7	52.4	692.75
P0574AMXT	239.7	17.9	54.4	689.59
4549SS/RIB	234.4	16.9	55.2	685.76
DKC55-84RIB	230.7	16.6	53.8	678.81
DKC54-38RIB	233.6	17.6	56.0	675.96
P0589AMXT	231.7	17.5	55.0	670.92
P0707AMXT	235.9	18.6	56.8	670.04
NK0602-3010	227.7	17.2	54.6	663.87
4549VT2P/RIB	222.7	15.7	54.3	663.83
DKC57-97RIB	226.5	17.0	54.7	662.57
MY09V45RA	231.8	19.5	52.7	647.36
NK0624-3220-EZ1	221.8	17.3	53.3	646.08
DKC53-56RIB	216.4	16.8	55.0	635.29
NK0330-3120	217.9	18.0	53.4	626.95
4644DGVT2P/RIB	213.4	17.6	53.5	617.49
Mn	238.0	17.6	54.0	686.98
LSD(.10)	10.3	0.5	0.5	30.78
#Reps	8	8	8	8
CVErr	5.220	3.427	1.161	5.423

\$/Acre Assumptions = \$3.00/Bushel Selling Price and \$0.05/Point of Moisture over 15.5%.

**WINFIELD
UNITED**

CROPLAN
By WINFIELD
UNITED

Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.*

© 2018 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.



CORN

Answer Plot®
By WINFIELD
UNITED
YIELD REPORT 2018

10/1/2018

Location:Platteville-WI

Trial: CHT-110

Hybrid	Yield at 15.5%	Moisture	TWT Mn	\$/Acre
MY09B16	252.1	18.4	52.5	719.06
P1197AMXT	244.9	17.9	51.5	704.19
P0825AMXT	243.4	17.7	51.3	703.16
5073SS/RIB	240.1	17.4	53.5	696.98
4895SS/RIB	245.8	18.9	53.3	694.65
4997VT2P/RIB	237.6	17.6	54.9	687.29
DKC62-20RIB	239.9	18.5	53.8	682.24
6110VT2P/RIB	240.0	18.7	54.6	680.63
MY11B25RA	241.1	19.5	51.2	672.46
MY10Y47RA	240.9	19.7	51.1	669.28
5277AS3220	236.5	19.1	52.5	665.25
DKC63-21RIB	234.6	18.8	54.0	663.50
NK1284-3122-EZ1	237.2	19.4	53.2	663.48
DKC62-52RIB	230.8	18.2	53.9	659.89
4895VT2P/RIB	228.3	18.2	49.9	653.16
DKC60-87RIB	231.4	19.0	54.7	651.48
NK1191-3111	238.3	20.8	51.8	648.93
MY12G35RA	226.0	18.0	50.5	648.41
P0919AM	227.9	18.9	54.1	644.10
MY13C17RA	232.8	19.9	49.1	643.92
DKC58-34RIB	227.4	19.2	56.5	637.74
5290SS/RIB	222.5	20.0	54.8	614.57
NK0962-3220A-EZ1	207.7	17.6	51.8	601.36
NK0886-3010	205.2	18.0	54.6	589.74
5290DGVT2P/RIB	194.3	19.2	54.5	545.47
Mn	232.1	18.8	53.4	656.27
LSD(.10)	9.7	0.5	0.5	28.21
#Reps	8	8	8	8
CVErr	5.052	3.368	1.169	5.204

\$/Acre Assumptions = \$3.00/Bushel Selling Price and \$0.05/Point of Moisture over 15.5%.

**WINFIELD
UNITED**

CROPLAN
By WINFIELD
UNITED

Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of Winfield United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices."

© 2018 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.



SOYBEANS

Answer Plot[®] By WINFIELD UNITED YIELD REPORT 2018

10/30/2018	Location: Platteville-WI	Trial: SPT-20			
Variety	BU/ACRE Mn	Moisture	TWT	\$/Acre	
R2C2050	100.8	13.0	55.8	806.57	
RX2147	98.8	13.3	55.4	790.49	
RX2350	95.6	13.3	55.4	764.55	
RX1827	93.2	13.1	55.5	745.96	
AG21X7	93.1	13.3	55.5	745.11	
P22T24X	93.1	13.4	55.3	744.76	
AG20X9	93.1	12.8	55.9	744.91	
RX2150	92.8	13.1	55.7	742.55	
AG21X9	92.7	13.4	55.4	741.34	
P21A28X	92.0	13.1	55.7	735.84	
R2C2025	90.6	13.0	55.8	724.63	
R2C2124	90.5	13.5	55.2	723.82	
RX2300	90.3	13.4	55.3	722.02	
AG22X9	90.0	13.0	55.7	719.97	
S20-J5X	89.3	13.2	55.5	714.50	
P19A14X	88.9	12.9	55.9	710.97	
S21-W8X	86.3	12.7	55.9	690.35	
RX2128	85.0	13.3	55.5	680.05	
S20-T6	83.7	13.1	55.5	669.81	
RX2228	83.1	13.1	55.7	664.61	
P22T73R	82.0	13.1	55.7	656.21	
P22T69R	81.9	13.0	55.7	655.56	
P20T79R2	81.8	13.1	55.6	654.23	
R2C2200	79.9	13.3	55.4	638.87	
RX1960	79.1	13.2	55.5	632.46	
R2C1950	76.1	13.2	55.6	608.44	
P19T39R2	73.4	13.5	55.3	587.44	
Mn	88.3	13.1	55.5	706.51	
CVErr	8.529	1.341	0.342	8.527	
LSD(.10)	12.8	0.3	0.3	102.37	
#Reps	2	2	2	2	

\$/Acre Assumptions = \$8.00/Bushel Selling Price



Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices."

© 2018 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



Answer Plot[®]
 By WINFIELD
 UNITED
YIELD REPORT 2018

10/30/2018	Location: Platteville-WI	Trial: SPT-24			
Variety	BU/ACRE Mn	Moisture	TWT	\$/Acre	
RX2300	107.8	13.2	55.6	862.75	
R2T2440	102.3	13.2	55.6	818.63	
AG24X7	99.7	13.0	55.8	797.25	
R2C2674	97.7	12.8	56.0	781.33	
R2C2450	95.6	12.7	56.1	764.58	
RX2400	95.3	13.2	55.7	762.18	
R2T2500	93.2	13.3	55.6	745.75	
AG26X8	89.0	13.2	55.6	712.08	
R2C2200	89.0	13.0	55.7	712.17	
RX2560	88.8	13.4	55.4	710.78	
AG24X9	88.5	13.0	55.8	708.34	
P24A99X	88.2	13.3	55.4	705.30	
P25A70R	87.7	12.7	56.1	701.62	
RX2538	86.2	12.8	56.1	689.22	
S25-B6X	84.0	13.5	55.3	671.95	
RX2350	83.8	12.9	55.8	670.70	
AG22X9	83.5	13.1	55.6	667.84	
AG25X9	82.2	13.0	55.8	657.96	
S24-A5X	78.2	13.2	55.6	625.58	
P24A80X	77.2	13.3	55.6	617.94	
AG23X9	66.1	13.0	55.8	528.63	
Mn	88.5	13.2	55.6	707.87	
CVErr	7.821	1.546	0.442	7.822	
LSD(.10)	11.7	0.3	0.4	93.98	
#Reps	2	2	2	2	

\$/Acre Assumptions = \$8.00/Bushel Selling Price



Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of Winfield United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices."

© 2018 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.



Answer Plot[®]
 By WINFIELD
 UNITED
YIELD REPORT 2018

10/30/2018	Location: Platteville-WI	Trial: SPT-28			
Variety	BU/ACRE Mn	Moisture	TWT	\$/Acre	
R2C2810	101.8	13.3	55.5	814.31	
AG27X9	98.2	13.3	55.5	785.60	
P28T08R	97.5	13.3	55.5	780.24	
R2C2674	91.6	13.4	55.3	733.07	
S29-K3X	91.2	14.1	54.8	729.45	
P27T47R	90.5	13.0	55.9	724.21	
RX2710	90.1	13.6	55.2	721.07	
S27-M8X	89.7	13.1	55.7	717.45	
P27T59R	88.8	13.3	55.5	710.34	
RX2538	86.7	13.1	55.8	693.43	
AG26X8	86.6	13.4	55.4	692.49	
S30-M9X	86.2	13.4	55.4	689.35	
AG28X9	82.8	13.2	55.5	662.04	
RX2910	82.3	13.5	55.4	658.70	
AG30X9	79.9	13.1	55.6	639.04	
RX2700	79.1	13.3	55.5	632.82	
P28T71X	79.0	13.7	55.1	632.27	
RX2560	78.1	13.3	55.5	624.45	
AG29X9	77.6	13.0	55.8	621.15	
AG29X8	72.6	13.8	55.0	580.64	
Mn	85.8	13.3	55.4	686.58	
CVErr	5.950	1.849	0.491	5.949	
LSD(.10)	8.7	0.4	0.5	69.32	
#Reps	2	2	2	2	

\$/Acre Assumptions = \$8.00/Bushel Selling Price



Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of Winfield United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices."

© 2018 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.