



Location: Janesville, WI																							
Trial: S-110		38,000 plants/acre												30,000 plants/acre									
Hybrid	RM	Yield30%DM tons/acre	Moisture	Milk/acre	Milk/ton	NDFD	NDF	STARCH	CP	IVD	TDN	RL	Yield30%DM tons/acre	Moisture	Milk/acre	Milk/ton	NDFD	NDF	STARCH	CP	IVD	TDN	RL
5290DGV2P/RIB	112	45.1	59.9	43561	3229	49.2	32.7	41.3	7.3	83.4	69.8	4.0	41.4	62.6	42086	3395	49.8	33.0	41.1	7.3	83.5	71.9	1.0
P0987AMX	109	42.8	61.6	43326	3372	49.8	31.9	42.1	7.3	84.0	71.5	1.0	39.4	61.7	40093	3384	50.1	32.0	41.8	7.3	84.0	71.7	1.0
N69D-3000GT	112	42.7	64.6	44781	3498	49.7	33.4	40.7	7.3	83.2	73.2	1.0	41.5	64.2	43828	3521	50.6	32.8	41.0	7.3	83.9	73.5	1.0
TMF2H747	113	42.5	66.0	45604	3578	51.3	34.4	40.7	7.3	82.4	74.5	1.0	40.6	65.7	43457	3563	51.0	34.1	40.8	7.3	82.6	74.3	1.0
6110VT2P/RIB	110	41.7	60.8	41924	3354	50.4	31.5	41.9	7.3	84.4	71.3	2.0	39.1	61.1	40140	3430	51.3	30.7	42.4	7.3	85.0	72.1	1.0
DKC61-79RIB	111	41.5	61.6	41546	3338	49.6	32.8	41.4	7.3	83.5	71.2	1.0	38.5	62.9	39872	3438	50.3	32.7	41.2	7.3	83.8	72.4	2.0
6265SS/RIB	112	41.4	64.3	43063	3473	49.7	33.6	40.7	7.3	83.1	72.9	2.0	35.7	66.5	36611	3417	48.0	35.1	36.9	7.3	81.8	72.3	1.0
5975VT3P/RIB	108	41.3	61.1	39481	3195	47.3	34.9	37.9	7.3	81.6	69.4	1.0	40.4	61.5	40716	3366	49.7	32.1	41.7	7.3	83.9	71.4	1.0
TMF2H708	108	40.9	65.8	43385	3542	50.6	33.4	39.5	7.0	82.4	74.1	1.0	39.8	63.4	41461	3470	51.1	33.1	41.3	7.3	83.3	72.9	1.0
N70J-3111A	112	40.8	62.5	41307	3373	49.2	33.0	41.3	7.3	83.3	71.6	1.0	37.4	63.3	38723	3443	49.5	32.7	41.6	7.3	83.5	72.4	1.0
6110SS/RIB	110	40.7	63.5	42303	3455	49.8	32.8	41.2	7.3	83.6	72.7	1.0	39.4	63.6	41419	3510	50.6	32.1	41.4	7.3	84.2	73.3	1.0
4895SS/RIB	108	40.6	63.6	42406	3476	50.0	32.5	41.5	7.3	83.8	72.9	1.0	36.4	64.8	38883	3568	50.7	32.6	41.2	7.3	84.0	74.1	2.0
DKC58-06RIB	108	40.6	61.1	40878	3350	50.2	32.0	41.6	7.3	84.1	71.3	1.0	37.0	63.1	36736	3304	48.2	34.7	37.5	7.2	82.0	70.8	1.0
N66V-3000GT	110	40.6	64.4	42332	3485	49.2	33.2	40.9	7.3	83.2	73.0	6.0	40.0	64.2	41746	3479	49.2	33.1	41.4	7.2	83.3	72.9	1.0
DKC60-67RIB	110	40.5	62.5	41168	3389	49.6	32.8	41.4	7.3	83.5	71.8	3.0	37.6	63.5	38898	3458	50.1	33.1	41.0	7.3	83.6	72.7	1.0
P1197AMXT	111	40.4	67.0	44173	3652	50.3	33.4	40.9	7.3	83.4	75.2	2.0	41.6	65.5	45047	3618	50.5	32.4	41.7	7.3	84.0	74.6	1.0
DKC62-20RIB	112	40.2	61.7	40838	3389	50.1	31.8	41.9	7.3	84.1	71.7	1.0	39.9	63.3	41924	3493	50.6	32.3	41.6	7.3	84.1	73.0	1.0
5887VT2P/RIB	108	40.1	60.8	39201	3255	49.2	33.3	40.9	7.3	83.0	70.2	5.0	38.6	60.6	35792	3107	48.0	31.1	39.4	7.3	83.9	68.5	4.0
N68K-3111A	111	40.1	61.9	40741	3381	50.2	32.4	41.5	7.3	83.9	71.7	1.0	35.4	63.8	33689	3179	46.1	31.5	37.5	7.0	83.0	69.5	1.0
6065SS/RIB	111	38.5	65.0	39470	3417	47.1	33.5	39.5	7.1	82.3	72.3	1.0	37.7	63.9	39069	3458	49.6	33.5	40.9	7.3	83.2	72.7	1.0
4895VT2P/RIB	108	38.3	63.2	38623	3373	48.0	33.1	39.7	7.1	82.8	71.7	1.0	34.8	64.5	37115	3564	50.2	32.1	41.6	7.3	84.0	73.8	1.0
S5000GT	109	37.5	64.0	39523	3514	51.7	33.3	40.1	7.3	83.8	73.6	6.0	39.0	62.4	40345	3464	51.9	32.4	41.0	7.3	84.3	72.8	4.0
TMF09S97	109	37.5	67.5	38759	3445	50.8	37.1	34.9	7.4	80.8	73.2	2.0	39.7	65.2	41894	3520	51.1	34.8	39.7	7.3	82.6	73.7	1.0
P1180XR	111	37.0	65.8	39603	3584	50.3	33.1	40.5	7.3	83.6	74.5	1.0	36.3	63.7	36469	3356	49.9	34.5	37.1	7.3	82.7	71.7	1.0
Mn		40.3	63.1	41240	3414	49.7	33	40.7	7.3	83.3	72.2	2	38.5	63.3	39563	3428	50	32.7	40.6	7.3	83.6	72.3	1.4
LSD(.10)		2.1	1.9	2139	91	2	1.5	2.7	0.2	1.3	1.2	2.2	2.1	2.2	2910	230	2	2.1	3.3	0.1	1.5	2.7	1.9
CVErr		3.14	1.77	3.055	1.566	2.34	2.7	3.93	1.85	0.95	0.97	63.5	3.2	2.034	4.334	3.95	2.37	3.79	4.84	0.66	1.07	2.2	78

* RL= Root Lodging

WINFIELD

CROPLAN
by WINFIELD

Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.

**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.



Location: Janesville, WI																							
Trial: S-115		38,000 plants/acre												30,000 plants/acre									
Hybrid	RM	Yield30%DM tons/acre	Moisture	Milk/acre	Milk/ton	NDFD	NDF	STARCH	CP	IVD	TDN	RL	Yield30%DM tons/acre	Moisture	Milk/acre	Milk/ton	NDFD	NDF	STARCH	CP	IVD	TDN	RL
7927VT3P/RIB	117	46.4	61.0	47112	3377	51.6	32.6	40.4	7.3	84.3	71.7	2.0	45.1	61.3	46342	3420	51.8	32.2	40.7	7.3	84.5	72.0	1.0
DKC64-87RIB	114	45.8	59.1	44824	3272	50.5	31.7	41.4	7.3	84.4	70.1	2.0	42.1	60.5	42380	3365	51.3	31.7	41.1	7.3	84.6	71.4	1.0
DKC65-79RIB	115	44.6	61.1	44547	3338	50.3	33.0	40.6	7.3	83.6	71.0	2.0	43.1	61.0	43759	3379	51.5	32.5	40.6	7.3	84.3	71.6	2.0
TMF2H747	113	44.2	57.8	40938	3090	49.5	33.8	40.4	7.3	82.8	68.1	3.0	41.7	56.4	37355	2989	49.8	34.4	40.4	7.3	82.2	67.0	1.0
N78S-3111	116	43.8	60.9	44349	3373	50.9	32.1	40.9	7.3	84.3	71.5	1.0	41.8	62.8	43650	3494	51.1	32.1	40.8	7.3	84.3	72.9	1.0
TMF14L46	114	43.4	64.3	45469	3484	52.2	35.2	38.5	7.3	82.6	73.4	5.0	43.5	63.3	44903	3454	51.5	34.4	39.2	7.3	83.2	72.7	2.0
N74L-3010	114	43.2	60.2	43336	3335	50.8	32.1	40.9	7.3	84.2	70.9	1.6	41.8	60.4	42059	3352	51.7	32.5	40.2	7.3	84.3	71.3	2.0
TMF15H88	115	43.2	64.4	45276	3496	51.8	34.9	38.7	7.3	82.8	73.4	3.0	43.0	63.1	44304	3435	51.2	34.1	39.4	7.3	83.2	72.6	2.0
6594SS/RIB	113	43.0	59.6	42591	3302	50.5	31.6	41.5	7.3	84.4	70.4	1.0	40.5	59.8	40667	3348	51.4	31.3	41.5	7.3	84.8	71.0	1.0
5678VT2P	116	42.9	59.7	41471	3213	49.4	33.3	40.4	7.3	83.1	69.6	1.0	41.4	59.3	40175	3240	49.9	32.5	41.1	7.3	83.8	69.8	2.0
6926VT3P/RIB	114	42.8	60.2	42343	3309	50.2	32.2	41.0	7.3	84.0	70.6	2.0	39.6	61.3	40183	3376	51.0	32.5	40.6	7.3	84.1	71.6	1.0
P1449AMX	114	42.3	59.2	41797	3291	51.7	31.5	40.8	7.3	84.8	70.7	2.0	39.8	60.0	40038	3351	52.4	31.5	40.6	7.4	85.0	71.6	1.0
DKC67-72RIB	117	42.0	58.8	40778	3238	50.9	32.0	41.2	7.3	84.3	69.8	4.0	39.3	59.2	38463	3274	51.1	32.0	41.2	7.3	84.3	70.2	1.0
N74R-3000GT	113	41.9	62.0	43179	3427	51.3	32.4	40.5	7.3	84.3	72.3	1.0	40.0	62.0	41838	3487	52.6	31.4	40.9	7.3	85.2	73.2	1.0
P1602AMX	116	41.9	61.2	42793	3396	51.2	31.9	41.0	7.3	84.5	71.8	1.0	40.8	60.2	41288	3371	51.6	31.2	41.5	7.3	84.9	71.4	1.0
P1498AM1	114	41.8	59.0	40806	3265	50.7	31.7	41.5	7.3	84.4	70.0	2.0	40.7	60.6	41332	3389	51.0	31.2	41.7	7.3	84.8	71.5	3.0
DKC66-40RIB	116	41.2	63.3	43039	3471	51.1	33.4	39.9	7.3	83.7	72.9	4.0	40.0	62.7	41657	3474	51.6	32.8	40.2	7.3	84.2	72.9	1.0
P1311AMXT	113	40.9	63.4	42603	3479	51.5	33.5	39.5	7.4	83.8	73.1	4.0	42.0	62.8	44023	3495	50.7	31.6	41.1	7.3	84.7	72.9	2.0
7087VT2P/RIB	115	40.1	60.6	40121	3329	51.1	32.9	40.3	7.3	83.9	71.0	2.0	39.3	60.9	40092	3398	51.7	32.0	40.8	7.3	84.6	71.8	2.0
N79Z-3111	115	40.1	64.2	42483	3526	51.5	33.6	39.5	7.3	83.7	73.6	1.0	40.5	62.7	42361	3486	51.7	32.5	40.4	7.3	84.3	72.9	1.0
5570VT2P/RIB	115	39.5	61.4	40240	3396	51.3	32.2	40.8	7.3	84.3	71.9	6.0	39.6	60.4	39964	3359	51.4	31.8	41.2	7.3	84.6	71.3	5.0
6594VT2P/RIB	113	38.9	58.9	37974	3260	50.8	31.6	41.5	7.3	84.4	70.0	4.0	39.8	59.1	39639	3317	51.5	31.1	41.6	7.3	85.0	70.6	3.0
6926VT2P/RIB	114	36.8	62.1	37741	3418	51.2	32.9	40.2	7.4	84.0	72.2	6.0	36.2	61.8	37119	3406	51.0	32.6	40.5	7.3	84.1	72.0	2.0
6640VT3P/RIB	113	35.3	60.1	34063	3214	49.2	33.8	40.4	7.3	82.8	69.6	2.0	39.1	58.4	37374	3196	50.3	32.4	41.1	7.3	83.9	69.2	1.0
Mn		42.1	60.7	42114	3336	50.9	32.7	40.5	7.3	83.9	71.1	2.7	40.8	60.8	41267	3369	51.3	32.2	40.8	7.3	84.3	71	1.6
LSD(.10)		2	1.5	1981	65	0.8	1.1	1	0	0.5	0.9	3	2	1.9	1593	89	0.8	0.9	0.7	0	0.5	1.2	1.6
CVErr		2.78	1.41	2.772	1.145	0.87	1.91	1.43	0.25	0.38	0.75	66.1	2.86	1.821	2.274	1.55	0.88	1.64	1.07	0.18	0.36	1	60

*RL= Root Lodging

WINFIELD

CROPLAN
by WINFIELD

Learn more about our brands at
winfield.com


*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.

**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.



**Relationship Between Yield and Milk/Ton in the S-115 RM Trial 38,000 ppa
Janesville, WI**



WINFIELD

CROPLAN
By WINFIELD

Learn more about our brands at
winfield.com


*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.
**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.



Relationship Between Yield and NDFD in the S-115 RM Trial 38,000 ppa

Janesville, WI



WINFIELD

CROPLAN
By WINFIELD

Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.


**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.



Relationship Between Yield and Milk/Ton in the S-115 RM Trial 30,000 ppa

Janesville, WI



WINFIELD

CROPLAN
By WINFIELD

Learn more about our brands at
winfield.com


*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.
**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.



Relationship Between Yield and NDFD in the S-115 RM Trial 30,000 ppa

Janesville, WI



WINFIELD

CROPLAN
By WINFIELD

Learn more about our brands at
winfield.com


*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.

**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.



Relationship Between Yield and Milk/Ton in the S-110 RM Trial 38,000 ppa
Janesville, WI



WINFIELD

CROPLAN
By WINFIELD


Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.
**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.
Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.



Relationship Between Yield and NDFD in the S-110 RM Trial 38,000 ppa

Janesville, WI



WINFIELD

CROPLAN
By WINFIELD

Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.


**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.



Relationship Between Yield and Milk/Ton in the S-110 RM Trial 30,000 ppa

Janesville, WI



WINFIELD

CROPLAN
By WINFIELD


Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.
**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.
Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.



Relationship Between Yield and NDFD in the S-110 RM Trial 30,000 ppa

Janesville, WI



WINFIELD

CROPLAN
By WINFIELD

Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.

**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.