



Location: Platteville, WI																					
Trial: S-110		38,000 plants/acre										30,000 plants/acre									
Hybrid	RM	Yield30%DM tons/acre	Moisture	Milk/acre	Milk/ton	NDFD	NDF	STARCH	CP	IVD	TDN	Yield30%DM tons/acre	Moisture	Milk/acre	Milk/ton	NDFD	NDF	STARCH	CP	IVD	TDN
TMF2H747	113	45.0	61.4	41371	3065	46.5	39.4	34.1	7.2	79.0	67.8	41.1	61.9	38240	3098	46.5	38.9	35.9	7.1	79.2	68.2
6065SS/RIB	111	44.1	57.3	38594	2924	46.5	36.6	37.5	7.1	80.4	65.9	38.6	61.4	35918	3110	47.3	38.5	33.1	7.3	79.8	68.5
S5000GT	109	43.0	57.9	39533	3066	48.9	33.8	38.2	7.2	83.3	67.5	42.1	59.4	37800	3001	48.3	36.0	34.1	7.4	81.4	67.4
5290DGV2P/RIB	112	42.9	55.1	36299	2815	46.1	36.5	35.9	7.2	80.4	64.7	41.8	59.5	38002	3029	47.1	37.4	34.2	7.3	80.3	67.5
N70J-3111A	112	42.5	59.3	38855	3048	47.0	36.4	35.2	7.3	80.7	67.8	35.8	60.8	33472	3120	47.1	36.7	37.7	7.1	80.5	68.4
N69D-3000GT	112	42.4	57.0	37248	2922	46.5	36.3	37.5	7.0	80.6	65.8	40.2	62.3	36871	3060	48.3	37.6	31.7	7.5	80.5	68.2
TMF09S97	109	42.1	59.8	36159	2858	47.3	41.9	28.0	7.5	77.9	65.5	39.8	60.6	35922	3000	47.0	41.8	30.8	7.3	77.9	67.0
DKC62-20RIB	112	41.7	57.2	37481	2988	47.2	34.6	37.7	7.2	81.7	66.9	39.9	59.0	37076	3103	47.9	34.9	38.4	7.2	81.8	68.2
6110SS/RIB	110	41.6	56.9	36929	2965	47.0	34.3	38.4	7.1	81.9	66.6	40.4	61.8	38690	3190	48.4	33.9	36.4	7.4	82.4	69.8
N66V-3000GT	110	41.6	59.4	37536	3014	46.1	34.1	37.0	7.1	81.7	67.3	39.7	58.5	35839	3000	46.5	36.4	37.2	7.1	80.5	66.8
DKC61-79RIB	111	41.2	57.3	36484	2942	46.7	36.1	36.8	7.1	80.8	66.3	39.0	57.3	34659	2975	47.3	34.6	37.9	7.2	81.8	66.8
P0987AMX	109	40.7	58.6	36867	3022	46.7	36.2	36.0	7.3	80.7	67.3	38.9	58.5	35675	3063	47.5	35.0	37.1	7.2	81.7	67.8
DKC58-06RIB	108	40.4	58.2	36272	2998	47.3	34.2	36.7	7.3	82.0	67.3	37.1	59.0	33785	3030	47.7	35.0	35.8	7.4	81.8	67.6
5975VT3P/RIB	108	40.3	55.9	35460	2932	46.3	33.9	38.6	6.8	81.8	66.1	38.4	58.0	34382	2991	47.6	34.6	36.6	7.3	81.9	67.0
TMF2H708	108	39.9	60.8	35899	3004	46.6	40.9	30.5	7.4	78.2	67.3	37.9	62.3	35409	3120	47.1	39.7	32.1	7.4	79.0	68.7
6265SS/RIB	112	39.8	61.3	36955	3093	47.1	38.8	32.8	7.4	79.5	68.3	39.2	61.0	36802	3119	47.8	37.5	34.0	7.3	80.4	68.7
P1197AMXT	111	39.8	63.3	38594	3230	47.7	38.2	33.4	7.4	80.0	70.0	38.0	55.9	33547	2923	47.0	34.5	39.2	7.0	81.8	65.7
6110VT2P/RIB	110	39.5	55.9	34475	2909	47.2	34.8	36.7	7.3	81.7	66.1	39.8	59.5	36562	3059	47.9	34.1	36.5	7.3	82.3	68.1
N68K-3111A	111	39.2	57.5	35196	2997	47.5	35.6	36.2	7.3	81.4	67.1	33.8	60.7	30580	3027	47.0	36.1	34.3	7.2	80.9	67.5
4895SS/RIB	108	38.5	59.2	35436	3069	47.6	35.0	37.1	7.3	81.7	68.0	37.7	60.1	35186	3114	47.7	35.5	36.2	7.3	81.5	68.6
DKC60-67RIB	110	38.1	58.5	33881	2959	46.9	38.4	35.1	7.2	79.6	66.5	38.3	59.3	34864	3031	47.1	37.5	35.8	7.2	80.2	67.3
5887VT2P/RIB	108	38.0	58.8	34216	2989	46.8	38.0	36.2	7.0	81.7	66.4	37.8	59.0	34390	3031	47.2	37.1	35.6	7.3	80.5	67.4
4895VT2P/RIB	108	36.7	57.1	32825	2986	47.0	34.3	39.3	7.1	81.8	66.6	34.5	61.2	32755	3172	48.1	36.0	35.3	7.4	81.3	69.5
P1180XR	111	33.4	62.8	31772	3177	48.8	35.5	34.3	7.5	81.9	69.7	33.9	62.2	30395	2995	48.7	36.8	31.0	7.8	81.2	67.4
Mn		40.5	58.4	36326	2988	47	36.4	35.9	7.2	80.8	66.9	38.7	59.9	35414	3055	47.5	36.5	35.3	7.3	80.8	67.8
LSD(.10)		1.7	2.3	2030	141	0.9	3.6	4.3	0.3	2.3	1.7	1.4	2.5	1646	123	0.8	2.4	2.5	0.2	1.3	1.5
CVErr		2.48	2.31	3.292	2.778	1.18	5.86	7.01	2.22	1.66	1.46	2.09	2.42	2.738	2.378	1.04	3.79	4.12	1.67	0.97	1.32

WINFIELD

CROPLAN
By WINFIELD

Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.

**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.



Location: Platteville, WI																					
Trial: S-115		38,000 plants/acre										30,000 plants/acre									
Hybrid	RM	Yield30%DM tons/acre	Moisture	Milk/acre	Milk/ton	NDFD	NDF	STARCH	CP	IVD	TDN	Yield30%DM tons/acre	Moisture	Milk/acre	Milk/ton	NDFD	NDF	STARCH	CP	IVD	TDN
5290DGV2P/RIB	112	44.3	54.2	37404	2812	45.5	36.5	36.5	7.1	80.1	64.5	41.4	59.0	37012	2985	46.8	37.4	33.8	7.3	80.1	67.1
DKC67-72RIB	117	44.1	57.0	39480	2980	47.0	33.9	38.7	7.2	82.1	66.8	40.0	59.2	37326	3111	47.8	34.1	37.6	7.3	82.2	68.6
DKC66-40RIB	116	43.4	61.5	40681	3130	47.4	37.6	33.9	7.3	80.2	68.9	39.7	61.8	37589	3160	47.2	33.6	37.1	7.2	82.2	69.1
N79Z-3111	115	43.4	62.0	40690	3118	47.6	38.0	32.9	7.4	80.1	68.8	39.0	61.8	36556	3125	47.9	37.3	33.5	7.4	80.6	68.9
7927VT3P/RIB	117	43.1	62.3	39212	3040	48.1	39.9	30.1	7.5	79.3	67.8	39.2	63.0	38749	3284	47.8	36.5	36.0	7.2	81.0	70.5
5570VT2P/RIB	115	43.1	59.2	39695	3076	47.2	35.5	36.2	7.3	81.3	68.2	39.0	62.6	36667	3148	47.6	38.3	32.6	7.5	80.0	69.2
TMF2H747	113	42.9	61.2	40145	3125	48.9	39.1	34.0	7.2	79.1	68.9	39.8	60.5	37307	3135	48.7	36.8	35.6	7.2	80.6	69.0
DKC64-87RIB	114	42.8	58.7	39187	3050	46.8	34.4	38.0	7.1	81.7	67.7	40.3	61.0	37620	3118	47.9	35.3	35.4	7.3	81.7	68.9
DKC65-79RIB	115	42.8	62.6	40006	3113	47.4	41.0	30.5	7.4	78.4	68.6	42.2	62.1	40273	3172	47.8	38.1	33.9	7.3	80.1	69.3
TMF15H88	115	42.7	63.8	40109	3135	48.9	40.1	30.2	7.3	78.7	69.1	40.4	63.0	37396	3078	48.4	41.7	29.0	7.4	78.1	68.4
P1602AMX	116	42.5	58.8	38770	3040	47.3	34.9	36.4	7.3	81.7	67.8	40.6	60.3	38290	3151	47.7	34.8	36.9	7.3	81.9	69.1
6640VT3P/RIB	113	42.3	50.8	36109	2855	45.6	34.2	39.8	7.0	81.4	64.8	41.1	55.2	36506	2957	47.1	31.0	41.9	7.2	83.6	66.3
P1449AMX	114	41.4	58.6	35907	2897	47.9	35.9	33.1	7.6	81.3	66.1	39.0	61.6	34486	2939	48.6	37.3	30.2	7.7	80.8	66.7
N74L-3010	114	41.3	60.4	36863	2973	48.5	37.0	32.1	7.5	81.0	67.2	39.6	59.8	35751	3005	48.5	35.6	34.1	7.4	81.7	67.5
P1498AM1	114	41.2	59.6	36393	2945	45.9	37.6	33.9	7.0	79.7	66.3	37.9	60.4	36442	3211	47.9	33.6	40.4	7.1	82.5	69.4
6594SS/RIB	113	40.8	59.5	38082	3109	47.6	34.5	37.1	7.3	82.0	68.6	40.5	57.4	36626	3017	46.9	34.2	38.3	7.2	81.9	67.0
5678VT2P	116	40.6	58.5	36058	2969	46.7	37.7	36.6	7.1	80.0	66.4	40.6	59.3	37435	3069	47.1	36.0	36.0	7.2	80.9	67.9
P1311AMXT	113	40.2	62.5	39422	3259	48.6	35.4	36.1	7.4	81.8	70.4	39.7	61.6	38259	3215	47.9	36.1	35.8	7.3	81.2	69.7
6926VT3P/RIB	114	40.1	58.5	36337	3015	47.1	34.8	36.3	7.4	81.6	67.5	37.6	61.6	35379	3150	47.8	36.2	34.5	7.4	81.1	69.2
6594VT2P/RIB	113	39.5	56.3	34236	2889	46.6	35.5	37.9	7.1	81.1	65.6	39.4	58.2	35278	2989	47.4	35.2	35.9	7.3	81.5	67.3
N74R-3000GT	113	38.6	60.9	35614	3070	47.6	36.7	33.7	7.4	80.8	68.2	37.8	59.2	33867	2984	47.5	35.6	34.9	7.1	81.3	67.2
7087VT2P/RIB	115	38.4	58.6	35143	3054	47.4	35.2	37.3	7.0	81.6	67.2	37.4	60.8	35511	3173	48.6	34.8	36.7	7.4	82.2	69.3
TMF14L46	114	38.1	65.5	32298	2832	48.9	47.6	20.2	7.7	75.2	65.4	38.9	63.6	34673	2980	49.9	44.3	24.8	7.5	76.9	67.3
6926VT2P/RIB	114	37.6	59.6	34124	3033	46.7	38.1	34.1	7.2	79.7	67.3	36.8	61.0	34849	3159	47.7	35.0	36.0	7.3	81.6	69.3
N78S-3111	116	37.2	63.5	36661	3289	47.7	37.0	36.6	7.2	80.7	70.5	38.5	62.5	36575	3167	47.4	37.9	33.4	7.3	80.1	69.4
Mn		41.1	59.7	37504	3043	47.4	36.8	34.9	7.2	80.6	67.6	39.3	60.6	36482	3094	47.8	36.2	35	7.3	81	68.4
LSD(.10)		1.7	1.7	1980	100	0.7	2.6	3.4	0.3	1.5	1.1	1.6	2.5	1623	93	0.8	4	3.7	0.3	2.2	1.2
CVErr		2.42	1.64	3.111	1.933	0.9	4.21	5.67	2.29	1.07	0.98	2.43	2.4	2.621	1.774	1.01	6.45	6.19	2.1	1.63	0.99

WINFIELD

CROPLAN
By WINFIELD

Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.


**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.



Relationship Between Yield and Milk/Ton in the S-115 RM Trial 38,000 ppa

Platteville, WI



WINFIELD

CROPLAN
By WINFIELD

Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.
**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.


CORN SILAGE

Answer Plot®
By WINFIELD

YIELD REPORT 2016

Relationship Between Yield and NDFD in the S-115 RM Trial 38,000 ppa

Platteville, WI



WINFIELD

CROPLAN
By WINFIELD


Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.
**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.
Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.



Relationship Between Yield and Milk/Ton in the S-115 RM Trial 30,000 ppa

Platteville, WI



WINFIELD

CROPLAN
By WINFIELD

Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.


**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.



Relationship Between Yield and NDFD in the S-115 RM Trial 30,000 ppa

Platteville, WI



WINFIELD

CROPLAN
By WINFIELD

Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.


**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.



Relationship Between Yield and Milk/Ton in the S-110 RM Trial 38,000 ppa

Platteville, WI



WINFIELD

CROPLAN
By WINFIELD

Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.
**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.




CORN SILAGE

Answer Plot®
By WINFIELD

YIELD REPORT 2016

Relationship Between Yield and NDFD in the S-110 RM Trial 38,000 ppa

Platteville, WI



WINFIELD

CROPLAN
By WINFIELD

Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.

**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.


CORN SILAGE

Answer Plot®
By WINFIELD

YIELD REPORT 2016

Relationship Between Yield and Milk/Ton in the S-110 RM Trial 30,000 ppa

Platteville, WI



WINFIELD

CROPLAN
By WINFIELD

Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.

**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.


CORN SILAGE

Answer Plot®
By WINFIELD

YIELD REPORT 2016

Relationship Between Yield and NDFD in the S-110 RM Trial 30,000 ppa

Platteville, WI



WINFIELD

CROPLAN
By WINFIELD

Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.

**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.