



Location: West Salem, WI																					
Trial: S-100		38,000 plants/acre										30,000 plants/acre									
Hybrid	RM	Yield30%DM tons/acre	Moisture	Milk/acre	Milk/ton	NDFD	NDF	STARCH	CP	IVD	TDN	Yield30%DM tons/acre	Moisture	Milk/acre	Milk/ton	NDFD	NDF	STARCH	CP	IVD	TDN
4099SS/RIB	99	44.1	54.6	37806	2865	47.1	36.5	37.7	6.5	80.7	65.0	35.8	56.8	30400	2822	48.8	40.7	33.1	7.2	79.2	64.9
S4100VT3P/RIB	101	43.7	59.4	40788	3113	50.1	38.0	35.0	6.9	80.4	68.6	40.5	58.5	37372	3076	50.2	37.3	35.0	6.9	80.9	68.2
TMF99Q47RA	99	43.0	59.0	40239	3119	49.9	37.1	36.2	6.8	81.1	68.5	38.5	61.2	37226	3235	50.5	37.5	38.1	6.6	81.3	69.8
TMF2L538	101	42.6	58.9	38674	3038	48.5	39.1	34.0	7.0	80.0	67.3	34.8	63.8	32264	3080	48.2	45.0	34.0	6.6	76.7	67.8
N40L-3000GT	100	41.9	58.8	37910	3025	48.4	36.8	34.7	7.1	81.1	67.7	33.4	61.2	30605	3062	49.8	42.8	30.4	7.6	78.5	68.1
3899VT2P/RIB	96	41.6	56.7	34931	2808	47.3	40.3	38.9	6.2	78.8	64.2	38.2	56.9	32791	2865	47.7	39.6	36.5	6.7	79.3	65.1
N50D-3010	103	41.3	54.5	35519	2864	46.7	35.3	39.3	6.6	81.2	65.0	37.2	57.7	32596	2931	48.6	40.0	35.7	6.8	79.4	66.0
5146SS/RIB	101	40.9	60.3	37596	3065	48.6	39.7	37.3	6.4	79.5	67.6	33.4	59.8	30493	3034	48.5	40.7	35.2	6.8	79.1	67.2
4822VT2P/RIB	103	40.9	59.8	36948	3018	48.3	40.0	36.7	6.6	79.4	67.1	36.8	59.7	33943	3072	49.0	38.7	36.8	6.8	80.3	67.8
DKC51-40RIB	101	40.0	56.5	34834	2904	47.5	37.9	35.5	6.8	80.1	65.7	36.2	56.2	31659	2918	48.8	38.6	35.8	7.2	80.2	66.1
DKC52-68RIB	102	39.3	61.4	37362	3168	49.0	38.7	36.4	6.7	80.3	69.0	35.4	61.9	33864	3179	49.3	38.6	32.9	7.4	80.4	69.6
N45P-3122A	101	39.0	56.8	33587	2882	48.5	40.6	33.9	7.0	79.1	65.5	37.8	57.2	33343	2938	49.0	39.5	36.1	6.6	79.9	66.0
4975VT2P/RIB	102	38.6	58.5	33743	2907	48.4	41.1	38.5	6.2	78.8	65.5	35.7	58.7	31841	2978	48.6	41.4	33.2	7.0	78.8	66.7
4819AS3000/GT	103	38.3	54.8	32337	2812	48.5	40.8	30.6	7.3	79.1	65.1	34.8	57.0	30444	2914	49.3	39.4	33.8	7.1	80.1	66.2
3909SS/RIB	99	37.9	55.5	33273	2931	48.2	38.8	37.0	7.0	79.9	65.5	37.3	54.4	31667	2840	47.8	39.2	32.4	7.5	79.6	65.2
DKC49-72RIB	99	37.3	58.8	32708	2934	48.5	40.9	37.7	6.7	79.0	65.9	30.8	58.8	28712	3100	48.4	36.2	36.2	7.4	81.3	67.8
P9917AMX	99	37.3	56.8	31308	2794	47.7	41.7	38.2	6.4	78.2	64.0	33.2	58.3	29109	2919	49.1	41.5	36.0	7.0	78.9	65.9
4199VT2P/RIB	100	37.2	59.1	33610	3016	48.2	39.3	35.3	6.9	79.7	67.1	35.5	57.9	31400	2935	48.8	39.9	32.7	7.3	79.6	66.4
N46T-3010	101	36.7	56.2	31596	2865	48.4	39.6	31.8	7.4	79.7	65.7	33.8	56.7	28114	2768	46.7	42.8	32.8	7.0	77.1	63.7
DKC50-82RIB	100	35.5	57.0	30005	2824	47.4	43.2	29.7	7.1	77.4	64.7	34.9	60.7	31858	3049	48.4	41.2	33.8	7.1	78.7	67.6
P0157AMX	101	35.5	64.1	35100	3304	48.7	38.6	41.3	6.1	80.3	70.4	34.2	58.8	30574	2983	48.0	36.8	34.2	7.0	80.9	67.2
4199SS/RIB	100	35.4	62.3	33579	3168	49.7	40.8	36.4	6.9	79.5	69.1	34.4	60.7	32156	3124	49.7	39.2	35.1	7.2	80.3	68.8
P0238XR	102	33.9	64.7	33555	3305	50.3	40.7	32.0	7.6	79.8	71.1	32.1	62.9	30908	3220	50.3	38.6	32.8	7.6	80.9	70.2
Mn		39.2	58.6	35162	2994	48.4	39.3	35.8	6.8	79.7	66.8	35.4	59.2	32078	3016	48.8	39.8	34.6	7	79.6	67.2
LSD(.10)		2.4	3.1	2692	142	1.1	2.9	3.9	0.4	1.4	1.9	2.2	3.4	3039	178	1.3	3.7	6.4	0.6	2.1	2
CVErr		3.59	3.14	4.506	2.782	1.35	4.27	6.42	3.49	1.05	1.66	3.62	3.4	5.576	3.466	1.52	5.45	10.8	5.13	1.53	1.72

WINFIELD

CROPLAN
By WINFIELD

Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.

**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.



Location: West Salem, WI																					
Trial: S-105		38,000 plants/acre										30,000 plants/acre									
Hybrid	RM	Yield30%DM tons/acre	Moisture	Milk/acre	Milk/ton	NDFD	NDF	STARCH	CP	IVD	TDN	Yield30%DM tons/acre	Moisture	Milk/acre	Milk/ton	NDFD	NDF	STARCH	CP	IVD	TDN
DKC54-38RIB	104	45.0	59.8	43494	3227	50.0	35.1	38.4	6.7	82.4	69.6	35.5	64.3	35741	3359	50.1	38.1	35.7	7.0	81.0	71.4
4350SS	103	43.8	61.4	42901	3262	49.9	36.5	38.1	6.7	81.7	70.1	37.4	62.5	37294	3332	50.0	36.1	40.4	6.5	82.0	70.8
N61P-3000GT	108	41.3	64.1	43545	3525	49.6	33.2	42.5	6.3	83.3	72.9	39.8	63.9	40400	3382	50.0	37.1	38.0	6.9	81.4	71.5
4350DGV2P	103	40.8	55.5	34375	2805	47.0	37.2	43.3	5.8	80.3	63.9	38.0	56.6	34365	3012	48.9	33.9	42.9	6.2	82.7	66.7
4644DGV2P	106	40.5	65.9	41514	3417	49.7	39.2	36.8	6.8	80.3	72.0	37.9	65.0	39383	3453	50.7	37.6	37.5	6.9	81.5	72.5
5415SS/RIB	106	40.3	64.8	40716	3366	49.5	39.0	37.6	6.6	80.3	71.3	34.6	66.0	35516	3431	50.3	39.7	37.6	6.8	80.3	72.2
S4600SS	105	40.2	64.6	39670	3281	50.5	42.1	35.2	6.8	78.6	70.5	37.8	63.1	36579	3239	50.3	41.3	33.7	6.9	79.0	69.9
DKC56-03RIB	106	39.7	60.9	37087	3117	47.1	38.1	37.7	6.8	79.9	68.0	39.2	59.7	36570	3100	49.2	38.2	37.6	6.5	80.7	68.0
4819AS3000/GT	103	39.4	62.3	38927	3282	49.5	37.5	38.4	6.6	81.0	70.1	38.0	61.9	36396	3191	50.0	40.4	33.3	7.1	79.8	69.4
5412SS/RIB	105	39.4	66.0	40763	3441	49.6	38.3	36.0	6.9	80.7	72.4	36.6	63.7	36885	3356	49.9	37.2	38.0	6.8	81.4	71.2
DKC58-06RIB	108	39.3	65.6	40310	3432	51.0	38.8	32.9	7.4	81.0	72.8	42.0	60.3	40263	3198	49.0	36.1	37.0	6.9	81.6	69.2
4822VT2P/RIB	103	39.0	61.3	36540	3120	48.6	41.3	32.2	6.9	78.8	68.2	39.9	61.9	38826	3248	49.6	37.8	36.7	6.8	81.0	69.9
DKC55-20RIB	105	38.9	62.9	37587	3210	49.3	40.5	35.5	6.9	79.5	69.4	38.9	63.6	39002	3346	50.2	38.1	38.7	6.7	81.1	71.1
5516SS/RIB	106	38.3	65.5	39090	3401	49.6	39.2	38.6	6.4	80.2	71.7	38.0	63.7	36099	3183	47.7	38.2	36.0	6.9	80.1	69.3
TMF06S67RA	106	37.9	67.3	38270	3356	50.0	42.6	35.2	6.4	78.4	71.3	36.9	66.4	38794	3512	50.5	37.8	36.7	6.8	80.8	73.1
N59B-3122A	107	36.7	67.5	37959	3434	50.1	40.9	33.1	7.3	79.6	72.5	33.5	67.6	35568	3548	50.4	38.9	36.7	7.1	80.7	73.6
N60F-3111	107	36.7	66.0	37990	3451	48.1	38.5	35.0	7.0	80.1	71.7	36.6	66.3	38354	3503	50.7	38.2	36.8	6.9	81.2	73.1
4644SS	106	36.6	66.9	38027	3458	47.4	36.3	37.1	7.1	80.9	72.3	35.9	65.3	36854	3435	50.7	38.2	36.5	7.1	81.2	72.4
5369SS/RIB	104	36.6	60.5	34537	3158	49.1	37.1	39.2	6.6	81.1	68.7	33.9	63.3	33050	3265	49.4	38.3	38.2	6.7	80.6	70.1
TMF2L538	101	36.4	63.4	35876	3277	51.3	41.2	34.5	6.9	79.1	70.5	36.8	64.6	36550	3322	51.9	42.5	34.4	6.9	78.7	71.1
4791AS3111	107	36.2	65.6	36724	3382	49.5	39.6	34.9	6.9	80.1	71.8	35.2	67.1	37190	3524	51.0	39.0	35.1	7.1	80.9	73.4
N51R-3000GT	103	35.5	59.9	32676	3069	49.0	39.4	37.0	6.8	79.9	67.7	37.2	58.9	33363	2992	47.4	37.1	35.9	7.1	80.6	66.9
P0589AM	105	35.2	65.4	36369	3447	49.5	37.5	38.9	6.6	81.1	72.3	37.9	66.5	40056	3515	50.3	38.1	35.9	6.8	81.1	73.2
P0783XR		33.1	66.7	34213	3439	49.9	39.2	34.7	7.4	80.4	72.4	32.5	64.9	32900	3374	50.6	39.5	34.9	7.5	80.5	71.7
Mn		38.9	63.5	38439	3297	49.3	38.5	37.1	6.7	80.4	70.4	37.2	63.4	36943	3320	49.9	38	37.1	6.8	80.9	70.8
LSD(.10)		2.5	2.7	3473	172	1.9	3	3.3	0.4	1.8	2.3	2.7	3.5	2748	205	2.3	3.4	4.4	0.5	2.1	2.6
CVErr		3.76	2.52	5.311	3.063	2.24	4.65	5.3	3.31	1.31	1.91	4.2	3.21	4.373	3.624	2.67	5.24	6.93	4.28	1.54	2.17

WINFIELD



Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.


**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.



Relationship Between Yield and Milk/Ton in the S-105 RM Trial 38,000 ppa

West Salem, WI



WINFIELD

CROPLAN
By WINFIELD

Learn more about our brands at
winfield.com


*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.
**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.



Relationship Between Yield and NDFD in the S-105 RM Trial 38,000 ppa

West Salem, WI



WINFIELD

CROPLAN
By WINFIELD


Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.
**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.
Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.



Relationship Between Yield and Milk/Ton in the S-105 RM Trial 30,000 ppa

West Salem, WI



WINFIELD



Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.


**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.



Relationship Between Yield and NDFD in the S-105 RM Trial 30,000 ppa

West Salem, WI



WINFIELD

CROPLAN
By WINFIELD

Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.


**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.



Relationship Between Yield and Milk/Ton in the S-100 RM Trial 38,000 ppa

West Salem, WI



WINFIELD

CROPLAN
By WINFIELD

Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.
**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.


CORN SILAGE

Answer Plot®
By WINFIELD

YIELD REPORT 2016

Relationship Between Yield and NDFD in the S-100 RM Trial 38,000 ppa

West Salem, WI



WINFIELD

CROPLAN
By WINFIELD


Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.
**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.
Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.



Relationship Between Yield and Milk/Ton in the S-100 RM Trial 30,000 ppa

West Salem, WI



WINFIELD



Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.

**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.


CORN SILAGE

Answer Plot®
By WINFIELD

YIELD REPORT 2016

Relationship Between Yield and NDFD in the S-100 RM Trial 30,000 ppa

West Salem, WI



WINFIELD

CROPLAN
By WINFIELD

Learn more about our brands at
winfield.com

*Because of factors outside of Winfield Solutions' control, results to be obtained, including but not limited to yields, financial performance, profits, losses or otherwise, cannot be predicted or guaranteed by Winfield Solutions, LLC.

**Individual results and performance may vary from location and from year to year. These results may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible.

Answer Plot®, CROPLAN® and WinField® are registered trademarks of Winfield Solutions, LLC. © 2015 Winfield Solutions, LLC.