

Troy Elevator div of The Mennel Milling Company  
2600 N Dixie Highway  
Troy OH 45373  
937-335-8334 800-762-2584  
www.troyelevator.com

Wheat Discount Schedule  
Effective 7/2/2015

Test Weight	Discount
58.0 or more	.00
57.9 to 57.5	.03
57.4 to 57.0	.06
56.9 to 56.5	.10
56.4 to 56.0	.14
55.9 to 55.5	.18
55.4 to 55.0	.22
54.9 to 54.5	.26
54.4 to 54.0	.30
Below 54.0 subject to rejection	

Damage	Discount
4.1 to 5.0	.02
5.1 to 6.0	.04
6.1 to 7.0	.06
Above 7.0 subject to rejection	

Vomitoxin greater than 2.2 ppm are subject to a .15 cent a point discount:	
2.3 to 3.0	.15
3.1 to 4.0	.30
4.1 to 5.0	.45
5.1 to 6.0	.60

Other Discounts
<b>FM</b> — 2 cents each 1% or fraction 1.1% to 5.0%
<b>Shrunken &amp; Broken</b> —1 cent each 1% or fraction 5.1% to 20.0%
<b>Wheat of other classes</b> — 3 cents each 1% or fraction 5.1% to 8.0% 5 cents each 1% or fraction 8.1% to 10.0%
<b>Smut Balls:</b> 1 to 4 ... 5 cents 5 to 10 ... 10 cents 11 and over .... Rejected
<b>Dockage</b> —all dockage will be deducted from the gross weight starting at .1%*

Moisture	Shrink %
13.6 to 14.0	1%
14.1 to 14.5	2%
14.6 to 15.0	3%
15.1 to 15.5	4%
15.6 to 16.0	5%
16.1 to 16.5	6%
16.6 to 17.0	7%
17.1 to 17.5	8%
17.6 to 18.0	9%
18.1 to 18.5	10%
18.6 to 19.0	11%
19.1 to 19.5	12%
19.6 to 20.0	13%
20.1 to 20.5	14%
20.6 to 21.0	15%
21.1 to 21.5	16%
21.6 to 22.0	17%
22.1 to 22.5	18%
22.6 to 23.0	19%

**\*Dock** – all matter other than wheat, which can be removed readily from a test portion of the original sample by use of an approved device.

**Millable Quality:** Wheat of other and/or contrasting classes blended into specified wheat is subject to rejection. Wheat containing any residues of ethylene dibromide (EDB), ethylene dichloride (EDC), or carbon tetrachloride (CC14) will be rejected upon detection. Off quality wheat such as: smutty, heat damage, garlicky, musty, sour, off-odor, treated, sick, insect damage kernels, adulterated, and/or contaminated, etc. are subject to market discounts or rejection.

We request that oil dust suppressant treatment not be used on wheat delivered to us. Wheat testing less than 250 falling number subject to market discounts or rejection.

Sprout Damage		Discount	
.5 to 1.0	.20	5.1 to 6.0	1.20
1.1 to 2.0	.40	6.1 to 7.0	1.40
2.1 to 3.0	.60	7.1 to 8.0	1.60
3.1 to 4.0	.80	8.1 to 9.0	1.80
4.1 to 5.0	1.00	9.1 to 10.0	2.00
Over	10.0	3.50	

**Infested:** Two live insects injurious to grain or any combinations of dead or live insects totaling five will be rejected.

Seller guarantees that wheat supplied will pass FDA inspection until unloaded and is lien-free. Title remains with seller until unloaded.

***WE RESERVE THE RIGHT TO MAKE CHANGES WITHOUT NOTICE!***