

	Spiritwood		Crookston		Crystal		Gilby		Valley City		Mayville		Overall			
	Yield	%Mean	Yield	%Mean	Yield	%Mean	Yield	%Mean	Yield	%Mean	Yield	%Mean	Avg Yield	%Mean	Moisture	Tst WT
75K85	183.2	121.1%	191.6	117.2%	167.3	114.4%	178.5	97.7%	185.2	104.8%	139.2	93.4%	174.0	111.0%	18.9	53.8
25K85	182.8	120.8%	170.2	104.1%	155.6	106.4%	207.2	113.5%	154.7	87.6%	147.6	99.1%	165.7	105.2%	19.4	53.2
98E84	160.8	106.3%	176.2	107.7%	154.4	105.6%	184.8	101.2%	181.4	102.7%	152.7	102.5%	164.9	104.8%	17.4	52.7
23A85	162.9	107.6%	155.9	95.4%	158.0	108.0%	185.5	101.6%	187.3	106.1%	150.1	100.8%	164.2	104.4%	18.9	55.3
78A82	135.8	89.7%	168.2	102.9%	152.3	104.1%	188.1	103.0%	188.7	106.9%	149.0	100.0%	160.9	101.9%	17.0	56.3
21D82	150.6	99.5%	143.9	88.0%	149.4	102.2%	188.6	103.3%	171.6	97.1%	158.9	106.6%	154.9	98.2%	17.3	56.3
DKC33-78	155.8	102.9%	166.1	101.6%	141.3	96.7%	168.9	92.5%	150.5	85.2%	150.5	101.0%	153.0	97.5%	17.9	55.7
P8234AM	147.7	97.6%	150.3	92.0%	146.9	100.5%	183.6	100.5%	176.6	100.0%	142.7	95.7%	153.1	96.9%	16.3	55.0
21N78	118.7	78.4%	159.3	97.5%	147.4	100.8%	176.8	96.8%	165.5	93.7%	152.0	102.0%	151.8	96.5%	16.1	57.7
71V81	154.3	102.0%	147.9	90.5%	133.1	91.1%	180.1	98.6%	142.7	80.8%	137.5	92.2%	150.3	95.9%	17.2	57.9
2P198	149.3	98.7%	153.7	94.0%	131.8	90.2%	188.2	103.1%	174.0	98.5%	129.9	87.2%	151.5	95.9%	17.7	54.3
MY83T15	150.1	99.2%	152.6	93.3%	141.5	96.8%	174.7	95.7%	185.3	104.9%	129.6	87.0%	150.1	94.8%	16.6	54.4
71D83	149.4	98.8%	127.3	77.9%	151.9	103.9%	172.9	94.7%	162.7	92.1%	147.5	99.0%	148.9	94.7%	17.6	55.5
79M83	123.1	81.4%	179.4	109.7%	126.9	86.8%	133.7	73.2%	175.4	99.3%	124.9	83.8%	145.4	92.7%	18.3	56.6
14G85	143.3	94.7%	135.1	82.6%	131.4	89.9%	166.2	91.0%	171.3	97.0%	123.8	83.1%	138.0	86.9%	18.6	56.3
71C80	125.3	82.8%	136.2	83.3%	129.6	88.6%	163.4	89.5%	152.6	86.4%	105.5	70.8%	135.2	85.8%	17.0	56.5
	151.3		163.5		146.2		182.6		176.6		149.0		157.7			

PFS 2018 85-94

	Wahpeton		Lisbon		Fergus Falls		Spiritwood		Crookston		Staples		Valley City		Mayville		Overall without Harwood			
	Yield	%Mean	Yield	%Mean	Yield	%Mean	Yield	%Mean	Yield	%Mean	Yield	%Mean	Yield	%Mean	Yield	%Mean	Moisture	Tst WT		
P9188AM	218.5	111.4%	231.2	112.8%	244.1	111.3%	188.1	122.2%	171.7	111.6%	223.8	104.9%	207.1	109.6%	186.9	93.7%	208.9	109.7%	21.1	54.9
77P94	198.2	101.1%	225.6	110.0%	228.9	104.3%	157.4	102.3%	205.9	133.9%	228.7	107.2%	196.5	104.0%	179.0	89.7%	202.5	106.6%	19.5	45.4
79N94	201.9	103.0%	205.0	100.0%	217.2	99.0%	155.9	101.3%	175.4	114.1%	241.1	113.0%	232.9	123.3%	189.3	94.9%	202.3	106.1%	22.3	52.3
76S92	208.9	106.5%	202.1	98.6%	243.6	111.0%	180.5	117.3%	170.3	110.7%	211.1	98.9%	194.2	102.8%	203.6	102.1%	201.8	106.0%	22.4	53.0
16S92	209.9	107.0%	221.3	107.9%	232.9	106.1%	160.7	104.4%	165.0	107.3%	210.8	98.8%	205.6	108.9%	212.3	106.4%	202.3	105.9%	22.2	53.0
72A91	205.5	104.8%	222.1	108.4%	226.6	103.3%	160.1	104.0%	173.7	113.0%	210.7	98.7%	197.5	104.6%	217.9	109.2%	201.8	105.8%	21.3	52.7
P9404AM	207.9	106.0%	202.8	98.9%	222.9	101.6%	175.2	113.9%	162.8	105.9%	240.8	112.8%	171.5	90.8%	217.1	108.8%	200.1	104.8%	21.9	53.9
11W95	204.3	104.2%	216.8	105.8%	225.7	102.9%	166.4	108.2%	139.0	90.3%	213.1	99.9%	214.0	113.3%	213.2	106.9%	199.1	103.9%	21.8	53.5
26S92	207.2	105.7%	211.0	102.9%	221.1	100.8%	167.7	109.0%	169.4	110.1%	205.4	96.2%	185.2	98.0%	216.1	108.3%	197.9	103.9%	21.7	52.6
DKC45-66	151.7	77.4%	217.8	106.3%	231.6	105.5%	170.6	110.8%	180.6	117.4%	217.3	101.8%	200.0	105.9%	200.9	100.7%	196.3	103.2%	22.4	53.4
74Z87	191.1	97.5%	208.2	101.6%	213.0	97.1%	163.5	106.2%	158.8	103.3%	214.3	100.4%	214.3	113.4%	210.3	105.4%	196.7	103.1%	19.4	55.2
78G95	203.7	103.9%	197.7	96.5%	225.7	102.9%	159.9	103.9%	160.4	104.3%	226.7	106.2%	184.4	97.6%	208.9	104.7%	195.9	102.5%	23.2	52.7
33B88	199.1	101.5%	216.7	105.7%	227.2	103.6%	142.5	92.6%	155.0	100.8%	226.1	106.0%	179.8	95.2%	203.7	102.1%	193.8	100.9%	20.8	53.0
74J89	187.9	95.8%	201.9	98.5%	217.5	99.1%	144.1	93.6%	170.3	110.7%	224.0	105.0%	192.6	102.0%	201.1	100.8%	192.4	100.7%	20.3	53.5
76Q86NS	206.5	105.3%	189.4	92.4%	203.6	92.8%	147.1	95.6%	165.5	107.6%	233.5	109.4%	200.5	106.2%	190.8	95.7%	192.1	100.6%	23.8	52.6
Stine 9212-10	196.4	100.2%	205.1	100.0%	220.9	100.7%	154.6	100.4%	158.9	103.3%	201.5	94.4%	189.0	100.0%	210.1	105.3%	192.1	100.6%	23.6	62.7
DKC41-99	202.0	103.0%	192.6	94.0%	207.7	94.7%	168.2	109.3%	134.7	87.6%	227.9	106.8%	189.6	100.4%	214.7	107.6%	192.2	100.4%	20.8	53.9
Stine 9314-20	195.1	99.5%	210.4	102.6%	233.8	106.6%	155.6	101.1%	164.2	106.8%	196.2	91.9%	196.9	104.2%	168.9	84.7%	190.1	99.7%	20.2	44.7
76Q86	197.8	100.9%	200.4	97.7%	210.5	96.0%	154.5	100.4%	154.5	100.4%	209.3	98.1%	174.4	92.3%	201.1	100.8%	187.8	98.3%	19.8	53.8
76Q86NS+	190.7	97.3%	199.6	97.4%	211.7	96.5%	159.6	103.7%	157.9	102.7%	207.0	97.0%	192.6	102.0%	179.6	90.0%	187.4	98.3%	20.5	53.4
14Z87	189.9	96.8%	197.7	96.4%	216.2	98.6%	134.8	87.6%	135.3	87.9%	216.9	101.6%	210.6	111.5%	200.6	100.6%	187.7	97.6%	19.6	54.6
75K85	189.0	96.4%	194.0	94.7%	197.9	90.2%	150.5	97.8%	169.1	110.0%	210.1	98.4%	155.4	82.2%	208.1	104.3%	184.2	96.7%	20.3	54.9
73D91	195.5	99.7%	188.7	92.1%	203.4	92.7%	144.5	93.9%	140.9	91.6%	218.4	102.4%	176.5	93.4%	193.9	97.2%	182.7	95.4%	20.8	53.4
77H87	182.3	93.0%	207.6	101.3%	216.5	98.7%	136.3	88.6%	140.6	91.4%	210.8	98.8%	170.5	90.2%	195.8	98.1%	182.6	95.0%	20.0	53.6
23A85	177.1	90.3%	194.6	94.9%	212.7	97.0%	120.2	78.1%	120.7	78.5%	204.7	95.9%	181.5	96.1%	196.9	98.7%	176.1	91.2%	22.9	65.1
14G85	182.4	93.0%	179.6	87.6%	171.2	78.0%	130.7	84.9%	124.4	80.9%	198.7	93.1%	179.5	95.0%	196.9	98.7%	170.4	88.9%	20.3	55.9
	196.1		205.0		219.4		153.9		153.8		213.4		188.9		199.5		191.3			

PFS	Wahpeton		Fergus Falls		Morris		Westport		Glencoe		Lisbon		Morgan		Dawson		Overall			
	Yield	%Mean	Yield	%Mean	Yield	%Mean	Yield	%Mean	Yield	%Mean	Yield	%Mean	Yield	%Mean	Yield	%Mean	Moisture	Tst WT		
11W95	209.5	112.3%	212.2	99.0%	203.0	100.4%	192.3	97.4%	192.1	122.0%	223.1	105.2%	185.3	105.7%	178.0	102.1%	199.4	105.5%	19.4	55.2
82X98	206.6	110.8%	227.8	106.3%	217.5	107.6%	196.9	99.7%	177.3	112.6%	214.6	101.2%	184.3	105.1%	174.8	100.2%	200.0	105.4%	21.7	55.0
78B98	191.8	102.8%	233.3	108.8%	216.0	106.9%	207.8	105.2%	197.7	125.5%	203.1	95.8%	161.0	91.8%	178.9	102.6%	198.7	104.9%	20.8	54.7
26Y96	195.7	105.0%	218.8	102.0%	232.7	115.2%	216.5	109.6%	127.7	81.1%	215.8	101.8%	194.4	110.9%	197.4	113.2%	199.9	104.8%	21.4	55.0
87A01	200.8	107.7%	249.1	116.2%	196.2	97.1%	207.8	105.2%	185.9	118.0%	190.5	89.9%	162.5	92.7%	186.8	107.1%	197.4	104.2%	21.7	53.7
88B03	201.5	108.0%	227.4	106.0%	212.2	105.0%	211.8	107.3%	154.3	97.9%	219.7	103.6%	166.3	94.9%	182.8	104.8%	197.0	103.5%	23.8	54.9
79N94	190.0	101.9%	228.8	106.7%	223.2	110.4%	207.9	105.3%	180.9	114.8%	186.6	88.0%	174.2	99.4%	172.8	99.1%	195.6	103.2%	20.8	54.1
81X02	196.1	105.2%	230.8	107.7%	217.5	107.6%	216.8	109.8%	157.9	100.2%	221.7	104.6%	150.0	85.6%	180.3	103.4%	196.4	103.0%	22.9	54.4
P9608AM	170.0	91.1%	224.8	104.9%	227.6	112.6%	212.3	107.5%	184.4	117.1%	193.6	91.3%	144.4	82.4%	198.8	114.0%	194.5	102.6%	20.5	56.8
78G95	163.9	87.9%	200.4	93.5%	202.9	100.4%	185.6	94.0%	201.3	127.8%	219.5	103.6%	192.8	110.0%	177.8	101.9%	193.0	102.4%	20.3	54.6
76Y96	189.8	101.7%	228.3	106.5%	217.1	107.4%	213.0	107.9%	150.4	95.5%	208.7	98.4%	176.4	100.6%	173.2	99.3%	194.6	102.2%	21.3	54.9
25S96	194.4	104.2%	221.9	103.5%	208.8	103.3%	197.3	99.9%	147.9	93.9%	223.2	105.3%	168.6	96.2%	192.7	110.5%	194.3	102.1%	21.2	54.4
77P94	197.7	106.0%	207.1	96.6%	177.9	88.0%	191.5	97.0%	188.3	119.6%	210.6	99.3%	191.0	108.9%	168.3	96.5%	191.6	101.5%	19.7	54.8
72D00	195.5	104.8%	227.0	105.9%	203.6	100.7%	207.6	105.1%	127.7	81.1%	210.9	99.5%	180.5	103.0%	194.0	111.3%	193.3	101.4%	22.6	53.4
Stine 9437-20	191.1	102.5%	235.2	109.7%	198.0	98.0%	183.1	92.7%	156.8	99.6%	213.7	100.8%	186.1	106.1%	176.3	101.1%	192.5	101.3%	20.4	53.1
Stine 9540-20	179.4	96.2%	219.8	102.5%	186.5	92.3%	194.7	98.6%	172.6	109.6%	237.4	112.0%	181.4	103.5%	166.6	95.5%	192.3	101.3%	21.7	52.5
P9703AM	195.4	104.7%	211.7	98.8%	209.1	103.5%	212.2	107.4%	144.7	91.9%	238.0	112.3%	140.8	80.3%	191.7	109.9%	193.0	101.1%	20.7	54.7
DKC 49-72	160.4	86.0%	214.1	99.9%	223.7	110.7%	209.1	105.9%	178.4	113.3%	179.4	84.6%	173.0	98.7%	188.7	108.2%	190.9	100.9%	21.1	54.0
75S96	192.6	103.3%	221.9	103.5%	193.3	95.6%	196.8	99.6%	137.0	87.0%	216.2	102.0%	186.7	106.5%	187.3	107.4%	191.5	100.6%	21.0	54.9
Stine 9437-0	187.3	100.5%	227.0	105.9%	189.9	93.9%	188.5	95.4%	158.3	100.5%	210.7	99.4%	178.5	101.8%	167.0	95.7%	188.4	99.2%	21.8	53.9
89C99	168.7	90.5%	219.9	102.6%	201.3	99.6%	214.0	108.3%	176.3	111.9%	191.6	90.4%	147.1	83.9%	179.0	102.7%	187.2	98.7%	21.8	55.3
81W01	197.5	105.9%	212.1	98.9%	212.3	105.0%	197.0	99.7%	117.0	74.3%	205.4	96.9%	179.6	102.4%	184.8	106.0%	188.2	98.6%	22.9	53.6
Stine 9540-0	179.3	96.2%	223.7	104.4%	197.9	97.9%	205.3	103.9%	146.3	92.9%	201.8	95.2%	182.3	104.0%	163.5	93.8%	187.5	98.5%	22.3	52.7
Stine 9539-20	197.6	106.0%	214.8	100.2%	200.4	99.1%	195.7	99.1%	118.7	75.4%	225.0	106.1%	172.4	98.3%	175.4	100.5%	187.5	98.1%	22.8	53.1
81W95	166.4	89.2%	209.4	97.6%	197.6	97.8%	188.5	95.5%	182.5	115.8%	198.3	93.5%	173.2	98.8%	165.3	94.8%	185.1	97.9%	20.8	54.4
DKC 50-09	136.2	73.0%	154.3	72.0%	216.7	107.2%	198.8	100.7%	167.6	106.4%	213.7	100.8%	164.0	93.5%	203.2	116.5%	181.8	96.3%	20.4	56.0
Stine 9401-0	198.0	106.2%	168.7	78.7%	181.5	89.8%	183.7	93.0%	116.9	74.2%	210.8	99.4%	188.1	107.3%	155.7	89.3%	175.4	92.2%	22.4	53.1
2MD02	150.3	80.6%	185.2	86.4%	185.5	91.8%	151.9	76.9%	153.0	97.1%	197.0	92.9%	158.7	90.6%	143.2	82.1%	165.6	87.3%	25.5	52.9
	186.5		214.4		202.1		197.8		157.5		212.0		175.3		174.4		190.0			

PFS 2018 100-109

	Blue Earth				Morgan				Flandreau				Overall			
	Yield	%Mean	Moisture	Tst WT	Yield	%Mean	Moisture	Tst WT	Yield	%Mean	Moisture	Tst WT	Yield	%Mean	Moist	Tst WT
DK 51-38	210.2	119.4%	22.8	53.3	180.6	100.2%	14.9	58.1	224.7	115.4%	17.5	56.5	205.2	111.7%	18.4	56.0
88B03	202.3	114.9%	22.3	54.0	186.1	103.3%	15.0	57.2	212.9	109.3%	19.6	56.9	200.4	109.2%	19.0	56.0
81X02	183.9	104.4%	21.5	53.8	194.1	107.7%	14.5	56.2	220.6	113.2%	16.2	56.3	199.5	108.5%	17.4	55.4
72D00	188.8	107.2%	19.8	53.0	202.0	112.1%	14.4	54.7	206.3	105.9%	16.0	56.1	199.0	108.4%	16.7	54.6
EX105	198.3	112.6%	23.1	54.5	191.9	106.5%	15.5	57.9	202.6	104.0%	18.7	58.0	197.6	107.7%	19.1	56.8
85K05	208.4	118.3%	21.4	55.5	174.4	96.8%	15.0	57.9	204.6	105.0%	17.7	58.6	195.8	106.7%	18.1	57.4
P0157AM	192.3	109.2%	21.5	53.4	180.4	100.1%	15.6	58.7	207.7	106.6%	17.9	57.9	193.5	105.3%	18.3	56.7
P0339AMXT	181.9	103.3%	21.4	52.2	187.9	104.3%	15.6	56.7	204.3	104.9%	17.8	56.3	191.4	104.2%	18.3	55.1
87A01	178.2	101.2%	17.4	55.3	190.3	105.6%	14.4	57.2	191.0	98.0%	18.6	57.1	186.5	101.6%	16.8	56.6
81W01	181.7	103.2%	21.1	52.3	184.0	102.1%	14.7	55.9	193.5	99.3%	17.2	56.4	186.4	101.5%	17.7	54.9
Stine 9633E-G	168.3	95.6%	21.2	49.4	191.5	106.3%	14.6	54.3	198.8	102.0%	17.8	52.4	186.2	101.3%	17.9	52.0
Stine 9537E-0	174.2	98.9%	21.8	50.2	186.7	103.6%	14.4	53.9	194.9	100.1%	17.4	53.6	185.3	100.9%	17.9	52.5
Stine 9540-0	173.2	98.4%	19.0	52.0	192.6	106.9%	14.4	54.9	184.8	94.9%	17.1	54.1	183.6	100.0%	16.9	53.7
Stine 9538-20	179.4	101.9%	21.8	53.2	174.3	96.7%	15.9	58.0	191.0	98.0%	18.6	57.1	181.6	98.9%	18.8	56.1
Stine 9540-20LL	165.5	94.0%	18.3	51.9	183.4	101.8%	14.4	53.9	185.2	95.1%	15.1	54.2	178.0	96.9%	15.9	53.3
Stine 9539-20LL	159.8	90.7%	19.8	53.1	173.1	96.1%	14.4	55.5	181.9	93.4%	16.3	56.3	171.6	93.4%	16.8	55.0
	177.0				180.2				194.8				184.0			