


DAVID L. LAWRENCE

CONVENTION CENTER

PITTSBURGH




Branding Opportunities

"From Steel to Sustainable"

A Legends Global managed facility

Digital Overheads



Type: Digital

Installed and Dismantled by: DLCC

SURFACE AREAS


- •Pixel dimensions are 1920 x 857 horizontally, available image space is 1866x577
- Screens are 65" across
- •12 double-sided overhead screens throughout DLCC
- •7 elevator screens throughout DLCC, available image space is 1023x735 pixels

- Compatible with .jpg, .png, and files
- ·Image file must be sent to your Event Manager at least 2 weeks prior to event
- •May not be used for sponsorships. For this option, please coordinate with showNets for sponsor packages
- ·Overheads are shared by all licensed events in building

^{*}Available based on space usage

Digital Overheads


OverheadElevator







Digital Ribbon Walls



Type: Digital

Installed and Dismantled by: DLCC


SURFACE AREAS

- •Pixel dimensions are 1848 x 280 for Halls A, B, & C
- •Pixel dimensions are 1008x244 for Halls D & E (Note: there is only one sign for both Halls D & E)

- Displayed on LED board
- ·Compatible with .jpg, .eps, .tif, or windows media video file
- ·Image file must be sent to your Event Manager at least 2 weeks prior to event
- •May not be used for sponsorships. For this option, please coordinate with showNets for sponsor packages


^{*}Available based on space usage

Meeting Room and Ballroom Monitors





Installed and Dismantled by: DLCC



SURFACE AREAS


- •Pixel dimensions are 1920x857 horizontal, 43" across for Meeting Room monitors
- •Pixel dimensions are 1080x1700 vertical for Spirit of Pittsburgh Ballroom monitors
- •Spirit of Pittsburgh Ballroom monitors are 55" high

- ·Monitors display session titles that are input by your Event Manager and event logo
- •Session titles and logo must be sent to your Event Manager at least 2 weeks prior to event
- Character limit for session titles is 209 with spaces
- •May not be used for sponsorships. For this option, please coordinate with showNets for sponsor packages

^{*}Available based on space usage


Meeting Room and Ballroom Monitors








French Way and 10th Street









Type: Banner

Installed and Dismantled by: DLCC House Carpenters

SURFACE AREAS

Small Banner: Up to 12' high x 20' wide

Large Banner: Up to 20' high x 60' wide

REQUIREMENTS

Small Banner

- •Re-enforced grommets every 3' around perimeter
- Air pockets cut into banner
- Approximate install/dismantle time: 2 men, 3 hours (2 up, 1 down)

Large Banner:

- Must be made with mesh material
- •Re-enforced grommets every 3' around perimeter
- Approximate install/dismantle time: 2 men, 8 hours (6 up, 2 down)

^{*}Available based on space usage

10th St Sidewalks



Type: Banner

Installed and Dismantled by: DLCC House Carpenters

SURFACE AREAS

Up to 12' high x 60' wide

REQUIREMENTS

- •Height of banner must run in 2' increments
- •Re-enforced grommets every 2' on sides of banner and 4' on top and bottom of banner
- ·Air pockets cut into banners larger than 20' in width

FORT DUQUESNE BLVD.

TENTH STREET


Off

Lobby

^{*}Available based on space usage



10th St East and West Lobby Entrance





Type:

Interior: Window Decal or Foam Core

Exterior: Window Decal


Installed and Dismantled by: Service Contractor

Carpenters

SURFACE AREAS

Interior — 2 Individual windows: 3' 8" high x 9'1" wide

Exterior — 2 windows: 3'8" high x 19'7" wide



The 2 *interior* top windows are unavailable for show signage. The Visit Pittsburgh Store signage is on display at the East Lobby entrance.

All 4 exterior windows are available for signage and may cover the Visit Pittsburgh Store sign.

Approved decal substrate is 3M 40C-20R.

*Available based on space usage

10th St Water Feature Pillars





Installed and Dismantled by: Service Contractor

Carpenters



Square Pillars (10): 20' high x 3' wide

Large Round Pillars (2): 20' high x 15' 6" in circumference


Small Round Pillars (18): 20' high x 7' 9" in circumference •

- ·Available when all areas of DLCC are licensed
- •Approved substrate is 3M 40C-20R, any other type of material must be submitted to your Event Manager 30 days prior to licensed dates for approval

^{*}Available based on space usage



Ft. Duquesne Blvd. West Lobby Glass Panels





Type: Window Decal

Installed and Dismantled by: Service Contractor Carpenters

SURFACE AREAS


3'8" high x 9'9" wide

- ·Available when Halls DE are licensed
- •Approved substrate is 3M 40C-20R, any other type of material must be submitted to your Event Manager 30 days prior to licensed dates for approval

^{*}Available based on space usage



Ft. Duquesne Blvd. Glass Wall



Type: Window Decal

Installed and Dismantled by: Service Contractor Carpenters


SURFACE AREAS

3'8" high x 10' wide — smooth surface with the potential for up to 12 windows

- ·Available when Halls DE are licensed
- •Approved substrate is 3M 40C-20R, any other type of material must be submitted to your Event Manager 30 days prior to licensed dates for approval

^{*}Available based on space usage

North Escalators









Type: Window Decal or Banner

Installed and Dismantled by: Service Contractor Carpenters


SURFACE AREAS

3'4" high x 17' wide

- •Grommets on top of banner, every 3'
- •If banner, use S hooks and re-enforce with non-adhesive tape to secure on top of glass panel
- •Approved substrate is 3M 40C-20R, any other type of material must be submitted to your Event Manager 30 days prior to licensed dates for approval

^{*}Available based on space usage

Windows



Type: Window Decal


Installed and Dismantled by: Service Contractor Carpenters

SURFACE AREAS

- •3' 8" high x 9' 9" wide
- •12 windows per section, window 12 at corner is marked ★ and is 3'8" high and 8'5" wide
- ·Allows for a fraction of spacing between cling and window edge
- •Mullions are 2.5" wide and 3.5" tall

REQUIREMENTS

Columns









Type: Foam Core Insert

SURFACE AREAS

- •45 degree angle
- •Recommended height 5'
- •Inset 5/8"
- Hall A 3 columns
- Hall B 5 columns
- Hall C − 1 column ►


Type: Decal

SURFACE AREAS

- •1: Angled side: bench to ceiling 20′ 5″ x 3′ dimensions vary by pillar location, ask your Event Manager for specific dimensions
- •2: Straight side 16′ 3″

REQUIREMENTS

Glass Elevator



Type: Window Decal


Installed and Dismantled by: Service Contractor Carpenters

SURFACE AREAS

•Up to 3' high x 6' wide

REQUIREMENTS


Visitor Corridor



- •Approximately 3'8" x 9'9"
- •Size of windows will vary based on arch
- •Mullions are 2.5" wide and 3.5" tall

- ·East windows available when Hall A is licensed
- ·West windows available when Hall B is licensed
- •Approved substrate is 3M 40C-20R, any other type of material must be submitted to your Event Manager 30 days prior to licensed dates for approval

Column Wraps





Type: Window Decal or Banner Installed and Dismantled by: Service Contractor Carpenters



angled pillar




SURFACE AREAS

- 12' high x 6'4" circumference
- 12' high x 5'3 1/2" circumference
- 12' high x 6'3 1/2" circumference
- 12' high x 5'3 1/2" circumference angled pillar
- 12' high x 4'1 1/4" circumference angled pillar
- 20' high x 6'4"circumference
- 16' high x 6'4" circumference

REQUIREMENTS

Walls



Type: Banner

Installed and Dismantled by: Service Contractor Carpenters

SURFACE AREAS

•North Wall: 7'11" high x 27' wide

•West Wall: 7'11" high x 17' wide


•East Wall: 7'11" high x 19' wide

REQUIREMENTS

Grommets every 3' on top of banner

^{*}Available based on space usage

Ballroom Gallery Glass Panels



Type: Window Decal


Installed and Dismantled by: Service Contractor Carpenters

SURFACE AREAS

- •5' high x 40' wide (top glass only)
- •11'6" high x 40' wide (full glass)

REQUIREMENTS

Ballroom Gallery Doors





Type: Window Decal

Installed and Dismantled by: Service Contractor Carpenters


SURFACE AREAS

- •7'3" high x 3' wide per door
- •4'1" to handle from top of door
- •1.5" high (handle)
- •3.5" in from sides (handle)
- •3'1.5" to handle from bottom
- •3.5" high metal trim on top and bottom

REQUIREMENTS



Glass Windows by Regional Gallery and Atrium



Type: Window Decal

Installed and Dismantled by: Service Contractor Carpenters

SURFACE AREAS

- •3'8" high x 9'9" wide
- •Mullions are 2.5" wide and 3.5" tall

REQUIREMENTS

Escalator Runners



Type: Decal


Installed and Dismantled by: Service Contractor Carpenters

SURFACE AREAS

- •East and West Escalators: 3" wide x 70' long
- •2nd Level Escalators:3" wide x 66' long
- •3rd Level Escalators:3" wide x 52' long

- ·Available based on licensed areas
- •Approved substrate is 3M 40C-20R, any other type of material must be submitted to your Event Manager 30 days prior to licensed dates for approval

Escalator Glass



Type: Window Decal

Installed and Dismantled by: Service Contractor Carpenters

SURFACE AREAS

- •Straight Area of Escalator: Up to 20" high x 3' long
- •Angled Area of Escalator: Up to 20" high x 10' long

- ·Available based on licensed areas
- •Approved substrate is 3M 40C-20R, any other type of material must be submitted to your Event Manager 30 days prior to licensed dates for approval





Type: Decal


Installed and Dismantled by: Service Contractor Carpenters

SURFACE AREAS


Ballroom: Up to 3.5' wide by 7' high, panels measure 1.7' wide by 7' high

Other: Up to 14.6' wide by 8' high, panels measure 14.6' outer, 14.75' inner, by 8' high

- ·Available when all areas of DLCC are licensed
- •Approved substrate is 3M 40C-20R, any other type of material must be submitted to your Event Manager 30 days prior to licensed dates for approval








Floor Decals









Type: Floor Decal

Installed and Dismantled by: Service Contractor Carpenters

SURFACE AREAS

Recommended not to be larger than 2'

- ·Available in licensed areas
- •Approved substrate is 3M 40C-20R, any other type of material must be submitted to your Event Manager 30 days prior to licensed dates for approval

^{*}Available based on space usage

Executive Podium



Used in Spirit of Pittsburgh Ballroom A, B, C

DLCC Podium



Used in Meeting Rooms

Type: Podium Signage

Installed and Dismantled by: Service Contractor Carpenters

SURFACE AREAS

•Executive Podium: 25" wide x 11 1/2" high

•DLCC Podium: 20" wide x 20" high

- May only be affixed with Remo Specialty Tape
- •May purchase Remo Specialty Tape from DLCC if unable to provide it, speak with your Event Manager
- •DLCC Podium has removable sign, approved substrate is 1/4" Sintra board
- ** NO velcro
- ***Damage fees to be incurred if tape, velcro, or other adhesive used on podium(s)


^{*}Available based on space usage

Podiums

Standing Podium



Tabletop Podium



Used in Meeting Rooms 323-338

Used in Meeting Rooms 401-415, Exhibit Halls

Type: Podium Signage

Installed and Dismantled by: Service Contractor Carpenters


SURFACE AREAS

·Standing Podium: 24" wide x 48" high


•Table Top Podium: 24" wide x up to 18 ½ " high

- May only be affixed with Remo Specialty Tape
- •May purchase Remo Specialty Tape from DLCC if unable to provide it, speak with your Event Manager
- ** NO velcro
- ***Damage fees to be incurred if tape, velcro, or other adhesive used on podium(s)

Steps









Type: Step Signage

Installed and Dismantled by: Service Contractor


Carpenters

SURFACE AREAS

- •Steps from Level 1 to Level 2 3 sets of 16 steps
- •Steps from Level 2 to Level 3 3 sets of 15 steps
- •Steps from Level 3 to Level 4 2 sets of 18 steps
- •Steps measure 52 ¼" wide x 6 ½" high

- ·Available in licensed areas only
- ·Lobby steps available only when the entire building is licensed
- Approved substrate is 3M 40C-20R

Overheads



Direction indicates which way the screen faces.

Please email your Event Manager with files and indicate which file belongs to which overhead.

Branding Order Form

Number / Approval	Options (Please check)
1 -	☐ Use previous page
2 -	□ Email Event Manager
2 - 3 -	☐ Email Event Manager
4 -	□ Small □ Large & □ East □ West
5 -	□ East □ West
6 -	☐ 2 window ☐ 4 window ☐ East ☐ West
7 -	□ Square □ Large □ Small
8 -	□Yes
9 -	□Yes
10 -	□ East □West
11-	Concourse □A □B □C
12 -	□Insert □Decal Concourse □A □B □C
13 -	□Level 2 □Level 3
14 -	□Hall A □Hall B
15 -	□301-305 □306-311 □315-321
16 -	□North □East □West
17 -	☐ Middle ☐ East ☐ West
18 -	□A □B □C
19 -	□Middle □East □West
20 -	□East □West
	□1st Level □2nd Level □3rd Level
21 -	□East □West
	□1st Level □2nd Level □3rd Level
22 -	□East □West □ Ballroom
	□1st Level□2nd Level
	□ 3rd Level □ 4th Level
23 -	□1st Level□2nd Level
	☐ 3rd Level ☐ 4th Level
24 -	☐ Executive ☐ Acrylic
25 -	□Standing □Tabletop
26 -	□East □West
	□ Level 1-2 □ Level 2-3 □ Level 3-4

Numbers reference type numbers used in this guide.