



PDC Laboratories, Inc.
Professional. Dependable. Committed.

| Drinking Water Sampling Timeline Based on a 12 Week Quarter | | | | |
|--|--|---------------------------|---|--|
| Parameter | Collect Samples By | Shortest Hold Time | Turnaround | Due Date To The Lab |
| SOC | Week 7 of the quarter | 7 days | 4 weeks | 11 th week of the qtr |
| VOC | Week 9 of the quarter | 14 days | 2 weeks | 11 th week of the qtr |
| THM/HAA | Week 9 of the quarter | 14 days | 2 weeks | 11 th week of the qtr |
| TOC | Week 3 of the month | 28 days | 7 days | 20 th of the month 4 th week of the qtr |
| IOC | Week 9 of the quarter | 28 days | 2 weeks | 11 th week of the qtr |
| FLUORIDES | Week 3 of the month | 28 days | 7 days | 20 th of the month 4 th week of the qtr |
| NITRATE/NITRITE | 20 th day of the month | 48 hours | 48 hours | 11 th week of the qtr |
| BROMATE/BROMIDE | 15 th day of the month | 14 days | 2 – 3 weeks | 15 th of the month |
| LEAD/COPPER | Within 3 weeks of the end date of the cycle: -Triennial – Sep 10 th -Annual – Sep 10 th -Every 6 Months: -June 10 th -Dec 10 th | 6 months | 3 weeks | Sep 30 th June 30 th June 30 th Dec 31 st |
| RADIOLOGICAL | Week 4 of the quarter | 6 months | 6 – 8 weeks | 12 th week of the qtr |
| TOTAL/FECAL COLIFORM | - Weekly: Mon – Fri - Monthly: 3 rd week of the month - Twice: 3 rd week of the month | 30 hours | Routine = 1 – 2 days MF = 4 – 5 days | 5 business days 5 business days |
| <p>The IEPA deadline is the 10th of the month following the month or quarter monitoring schedules...</p> <p>Monthly samples are due the 10th of the following month Jan – Mar samples are due Apr 10th Jan – Jun samples are due Jul 10th Jun – Sep samples are due Oct 10th</p> <p>Following this Schedule will ensure the timely delivery of the results of your water system to the appropriate agency (IEPA and/or IDPH).</p> <p style="text-align: center;">For more information or to obtain sampling kits please contact Julie Rada at jrada@pdclab.com or 309-683-1724.</p> | | | | |