


2014 eCQM Flow
 Measure Identifier: CMS50v3
 Closing the Referral Loop: Receipt of Specialist Report



*Please refer to the specific section of the eCQM to identify the QDM data elements and associated value sets for use in reporting this eCQM.
 ‡ For a listing of appropriate encounters, please refer to the QDM data elements and associated value sets as specific data elements have not been listed.

SAMPLE CALCULATION:

Performance Rate =

$$\frac{\text{Numerator (a=8 patients)}}{\text{Denominator (b=10 patients) - Denominator Exclusions (N/A) - Denominator Exceptions (N/A)}} = 80.00\%$$

2014 eCQM Flows
Measure Identifier: CMS50v3
Closing the Referral Loop: Receipt of Specialist Report

Please refer to the specific section of the eCQM to identify the QDM data elements and associated value sets for use in reporting this eCQM.

1. Start Initial Patient Population
2. Check Intervention Performed:
 - a. If Occurrence A of the QDM data element, REFERRAL, during measurement period, equals No, do not include in Initial Patient Population. Stop Processing.
 - b. If Occurrence A of the QDM data element, REFERRAL, during measurement period, equals Yes, proceed to check Encounters.
3. Check Encounter Performed:
 - a. If the QDM data element, PREVENTIVE CARE – INITIAL OFFICE VISIT, 0 to 17, during the measurement period equals Yes, include in the Initial Patient Population and continue on to the Denominator.
 - b. If the QDM data element, PREVENTIVE CARE – INITIAL OFFICE VISIT, 0 to 17, during the measurement period equals No, do not include in the Initial Patient Population. Check next Encounter Performed.
 - c. If the QDM data element, PREVENTIVE CARE – ESTABLISHED OFFICE VISIT, 0 - 17, during the measurement period equals Yes, include in the Initial Patient Population and continue on to the Denominator.
 - d. If the QDM data element, PREVENTIVE CARE – ESTABLISHED OFFICE VISIT, 0 - 17, during the measurement period equals No, do not include in the Initial Patient Population. Check next Encounter Performed.
 - e. If the QDM data element, PREVENTIVE CARE SERVICES – ESTABLISHED OFFICE VISIT, 18 AND UP, during the measurement period equals Yes, include in the Initial Patient Population and continue on to the Denominator.
 - f. If the QDM data element, PREVENTIVE CARE SERVICES – ESTABLISHED OFFICE VISIT, 18 AND UP, during the measurement period equals No, do not include in the Initial Patient Population. Check next Encounter Performed.
 - g. If the QDM data element, PREVENTIVE CARE SERVICES - INITIAL OFFICE VISIT, 18 AND UP, during the measurement period equals Yes, include in the Initial Patient Population and continue on to the Denominator.
 - h. If the QDM data element, PREVENTIVE CARE SERVICES - INITIAL OFFICE VISIT, 18 AND UP, during the measurement period equals No, do not include in the Initial Patient Population. Check next Encounter Performed.
 - i. If the QDM data element, OFFICE VISIT, during the measurement period, equals Yes include in the Initial Patient Population and continue on to the Denominator.
 - j. If the QDM data element, OFFICE VISIT, during the measurement period equals No, do not include in the Initial Patient Population. Check next Encounter Performed.
 - k. If the QDM data element, FACE-TO-FACE INTERACTION, during the measurement period equals Yes, include in the Initial Patient Population and continue on to the Denominator.
 - l. If the QDM data element, FACE-TO-FACE INTERACTION, during the measurement period equals No, do not include in the Initial Patient Population. Stop Processing.

4. Start Denominator
 - a. Denominator equals the Initial Patient Population. Denominator is represented by letter B in the sample calculation listed at the end of this document. Letter B equals 10 patients in the sample calculation.
5. Start Numerator
6. Check Intervention Performed:
 - a. If Occurrence A of the QDM data element, REFERRAL, ends before start of Occurrence A of Communication From Provider to Provider QDM data element CONSULTANT REPORT, during measurement period equals No, include in the No/Missing Data Submitted count. Stop Processing.
 - b. If Occurrence A of the QDM data element, REFERRAL, ends before start of Occurrence A of Communication From Provider to Provider QDM data element CONSULTANT REPORT, during measurement period equals Yes, include in Numerator Count. Numerator is represented by letter A in the sample calculation listed at the end of this document. Letter A equals 8 patients in the sample calculation.

SAMPLE CALCULATION:

Performance Rate =

Numerator (a=8 patients)

÷

Denominator (b=10 patients) – Denominator Exclusions (N/A) – Denominator Exceptions (N/A)

= 80.00%