



OUR H.I.T. TECHNOLOGY STORES MORE ENERGY DURING THE DOWNSWING AND RELEASES THE ENERGY JUST BEFORE IMPACT WHILE MAINTAINING STABILITY.

AND OUR "SMART-SHAPING" OF THE TIP ENABLES THESE BENEFITS WHILE MINIMIZING WEIGHT, ALLOWING THE TIP END TO ACCELERATE FASTER.



H.I.T. TECHNOLOGY

- SMART SHAPE TIP SECTION
- STABILIZES HEAD AT IMPACT
- STORES MORE ENERGY FOR RAPID ACCELERATION

MOTORE

	FLEX	LENGTH	WEIGHT	TIP FLEX	BUTT FLEX	TORQUE	TIP DIA	BUTT DIA	BEND PT	SPIN	LAUNCH
MOTORE F1 55	R2	46	55	122	88	4.3	0.335	0.605	M	M	M
	R	46	57	117	84	4.0	0.335	0.610	M	M	M
	S	46	57	108	78	4.0	0.335	0.610	M	M	M
	X	46	59	100	70	4.0	0.335	0.610	M	M	M
MOTORE F1 65	R2	46	63	118	94	3.5	0.335	0.610	M/H	L	L/M
	R	46	65	112	84	3.2	0.335	0.610	M/H	L	L/M
	S	46	65	103	76	3.2	0.335	0.610	M/H	L	L/M
	X	46	65	93	66	3.2	0.335	0.615	M/H	L	L/M
MOTORE F1 75	R	46	75	113	88	3.0	0.335	0.620	M/H	L	L/M
	S	46	75	103	78	3.0	0.335	0.625	M/H	L	L/M
	X	46	79	95	68	3.0	0.335	0.625	M/H	L	L/M
MOTORE F3 60	R	46	61	110	87	3.1	0.335	0.603	M	M	M
	S	46	61	106	83	3.1	0.335	0.604	M	M	M
	X	46	61	98	75	3.1	0.335	0.604	M	M	M
MOTORE F3 70	S	46	71	101	78	2.8	0.335	0.607	M	M	M
	X	46	71	94	73	2.8	0.335	0.607	M	M	M
MOTORE F3 80	S	46	81	93	73	2.7	0.335	0.606	M	M	M
	X	46	81	89	70	2.7	0.335	0.606	M	M/L	M