

# DicksonOne



TEMPERATURE MONITORING JUST GOT **COOL.**

**LOOK INSIDE FOR**

Letter from DicksonOne Product Manager **Page 2**

Pre-Calibrated Sensors **Page 3**

Automating your Monitoring **Pages 10-11**

**Winter 2013 Catalog**

CD262

**DICKSON**

# DICKSON MEANS DATA

**And we mean business too.** We know that products, processes, buildings, and monitoring application is vital to your business. For that reason, Dickson has been designing and manufacturing reliable data logging devices for over 90 years and continues to do so today.

## LETTER FROM DICKSON ONE PRODUCT MANAGER

Greetings!

When we started developing **DicksonOne**, our environmental monitoring SaaS, we realized that we'd have to shift the focus of our conversations with customers from the hardware (data loggers) to the application or SaaS (software).

In the past the focus was on the devices themselves. Moving forward the focus needs to shift towards the cloud and the **DicksonOne** application. Now it is about your temperature & humidity data and what you can do with it.

Of course, this isn't to say the hardware is unimportant. In fact, we're currently developing hardware that is far beyond what you've seen from Dickson or any company for that matter. But it is what happens after the logger that is now more important than ever.

The logger is an integral part of the system, automatically pushing your temperature and humidity data to the web. Alarms can and will occur at the device (if you choose), but they can also occur on the website, in your email, or on your phone. Email & text alerts aren't new, but the level of flexibility and customization the cloud allows for is pretty unique.

The **DicksonOne** web app allows us add new features, improve the user experience, and ultimately respond faster to our customers' needs. Dickson Means Data and the data is in the cloud.

We received great questions and feedback and I want to hear more of it. As always you can find an expansive repository of questions at **Support.DicksonOne.com**, and if it isn't there you can ask, or....

You can EMAIL ME DIRECTLY at: **Matt@DicksonOne.com**. I look forward to speaking!

Matt McNamara

**DicksonOne** Product Manager

## TABLE OF CONTENTS

### Calibrations

Letter from DicksonOne Product Manager 2

### Data Loggers

Temperature & Humidity Display Logger 4

Paperless Touchscreen Chart Recorder 5

Pro Series Data Loggers 6

Compact Data Loggers 7

WiZARD2 Wireless Logging System 7

Report Logger 8

High Temperature Stainless Steel Loggers 8

DicksonOne Monitoring System 10-11

### Chart Recorders

8 Inch Temperature Chart Recorder 9

6 Inch Temperature Chart Recorder 9

8 Inch Temperature & Humidity Chart Recorder 12

6 Inch Temperature & Humidity Chart Recorder 13

4 Inch Temperature Chart Recorder 13

3 Inch Temperature Chart Recorder 14

Vaccine Chart Recorder 14

Voltage Chart Recorder 15

Disposable Chart Recorder 15

### Thermometers & Indicators

Vaccine Alarm Thermometer 16

Temperature & Humidity Handheld Indicators 16

Infrared Temperature Thermometers 16

### Pressure Monitors

8 Inch Pressure Chart Recorder 17

4 Inch Pressure Chart Recorder 17

Pressure Data Loggers 18

# Pre-Calibrated Sensors.

No longer do you have to be without your logger while it's calibrating.

- **The PCS is So Simple** - Simply order a new pre-calibrated sensor and swap it with the old one and that's it! You're device is now calibrated again!
- **Don't be Without Your Logger** - Continuously monitor your application; never be without your device!
- **Save Money** - No longer do you need to pay to ship your PCS compatible logger to or from Dickson!

## COMPATIBLE WITH:

- **Touchscreens:** FH625, FH635, FT600 (page 5)
- **WiZARD2 (900Mhz):** WT320, WH345 (page 7)
- **DicksonOne:** ENT20, ENH20, WFT20, WFH20 (page 8-9)



Look for this symbol throughout the catalog for compatible products.

## Temperature Data Logger

**SM300** \*\$249 Range -4 to 158°F, -20 to 70°C.  
Accuracy ±0.8°F.

**SM320\*** \$299 Remote Probe. Range with Probe  
-300 to 2000°F. Accuracy ±1.8°F.

**SM325\*** \$399 Two Remote Probes. Range with Probe  
-300 to 2000°F. Accuracy ±1.8°F.

**SM420** \*\$499 Remote Probe. Range -50 to 350°F,  
-45 to 176°C. Accuracy ±0.5°F.



**\$299** Add \$99 for 1-Point NIST

SM325 Temperature Model With  
Two Remote Probes

## Temperature/Humidity Data Logger

Industries & Applications

- Warehouses
- Archives
- Surgical Suites
- Laboratories

**TM320** \*\$299 Range -4 to 158°F, -20 to 70°C. Accuracy ±0.8°F.


**TM325** \*\$399 Remote Probe. Range -40 to 185°F, -40 to 85°C.  
Accuracy ±0.8°F.

From  
**\$299** Add \$99 for 1-Point NIST



TM320 Temperature Model

Not for use over 95% RH. Software required and sold separately. For software and other accessories, please call **800.323.2448** or visit [www.DicksonData.com](http://www.DicksonData.com).  
\*Temp Range using standard K-TC probe: -300 +500°F (A203 probe required for +2000°F range).



## Digital Graph Displays Trends

### Full control at your fingertips!

- Jumbo 4.9" x 6.4" touchscreen temperature and temperature/humidity logger
- Zoom and scroll at the touch of the screen
- Audible/visual alarms
- USB and FLASH card data download
- Rechargeable battery backup
- No running back to your PC to see data. Everything you need at the touch of a finger!
- Display Lock
- Pre-Calibrated Sensors

**\$399** Add \$99 for 1-Point NIST



**New Display Locking Capability**



**Compatible with New Pre-Calibrated Sensors**



MODEL	REMOTE PROBE	PROBE TYPE	TEMPERATURE RANGES	ACCURACY	RELAYS	PRICE
<b>TEMPERATURE/HUMIDITY</b>						
FH625	Optional	Temp/RH PCS*	-40°F to 185°F (-40° to 85°C)	±0.8°F		\$469
FH635	Optional	Temp/RH PCS*	-40°F to 185°F (-40° to 85°C)	±0.8°F	•	\$529
<b>TEMPERATURE</b>						
FT600	Optional	Temp PCS*	0 to 122°F (-17° to 50°C)	±0.8°F		\$399
FT620	1	KT/C	-300°F to 2000°F (-184° to 1093°C)	±1.8°F		\$429
FT630	2	KT/C	-300°F to 2000°F (-184° to 1093°C)	±1.8°F	•	\$469
FT625	•	Thermistor	-40°F to 300°F (-40° to 148°C)	±0.8°F		\$429
FT640	1	Thermistor/Glycol	-40°F to 158°F (-40° to 70°C)	±1.2°F		\$449
FT645	2	Thermistor/Glycol	-40°F to 158°F (-40° to 70°C)	±1.2°F		\$469
FT660	•	RTD	-148°F to 350°F (-100° to 176°C)	±0.5°F		\$549

\*Pre-Calibrated Sensor

For more information, please visit [www.DicksonData.com](http://www.DicksonData.com).

## Temperature and Temperature/Humidity Data Logger

**Start/Stop for precision reading!**

Features

- LCD display of current and MIN/MAX readings
- High-speed USB connectivity
- User-replaceable battery
- Range -4 to 158°F

**SP425 \$159** Temperature Logger. Digital Display. Accuracy ±1.2°F. Range -4 to 158°F.

**TP425 \$249** Temperature and Humidity Logger. Digital Display. Accuracy ±0.8°F. Range -4 to 158°F.



SP425 Temperature Model

**\$159** Add \$99 for 1-Point NIST



SP125

## Temperature and Temperature/Humidity Data Logger

**Great for shipping or moving!**

Features

- High/low alarm
- High-speed USB connectivity
- User-replaceable battery

**SP125 \$119** Temperature Logger. Accuracy ±1.2°F. Range -10 to 176°F.

**SP175 \$229** Temperature Logger with Thermocouple Probe. Accuracy ±1.8°F. Range -300 to 2000°F.

**TP125 \$199** Temperature and Humidity Logger. Accuracy ±0.8°F. Range -10 to 176°F.

**From \$119** Add \$99 for 1-Point NIST

Software required and sold separately. For software and other accessories, please call **800.323.2448** or visit **www.DicksonData.com**.

\*Temp Range using standard K-TC probe: -300 +500°F (A203 probe required for +2000°F range).

## Compact-Sized Data Loggers

**Ideal when space is a concern!**

Features

- USB connection
- Economical 12-pack
- Six month battery life
- Ranges -4 to +158°F (-20 to +70°C)
- Accuracy ±1.8°F (±1°C)

**SK550 \$699** Temperature. Pack of twelve.

**TK550 \$999** Temperature & Humidity. Pack of twelve.

Software required and sold separately. For software and other accessories, please call **800.323.2448** or visit [www.DicksonData.com](http://www.DicksonData.com).



Pack of 12

# WIZARD2



## Systems Starting at \$498

For the times when DicksonOne isn't an option due to lack of WiFi or Ethernet access points the WIZARD2 system creates its own wireless network.

Features

- Offering email and text alerts for: excursions, low battery, lost communications, and calibration due
- Large monitoring network - Create large wireless network and add wired loggers in the hard to reach areas
- Data comes to you - All data is transmitted wirelessly to one local computer

New calibration options; visit [DicksonData.com/pcs](http://DicksonData.com/pcs) for more information

**TO GET STARTED**

CALL **888.452.4626**

OR VISIT [DICKSONDATA.COM/WIZARD](http://DICKSONDATA.COM/WIZARD)

## Compact-Sized Report Logger

**No Software!**

**\$49**

**Features**

- Reusable
- Connects directly to your computer via USB
- No cables

For an online product demonstration video, go to: [www.DicksonData.com/RL](http://www.DicksonData.com/RL)



MODEL NUMBER	LOGGING PERIOD	SAMPLE RATE	OPERATING TEMPERATURE RANGE
RL101	1 Day	1 Minute	-40 to 176°F (-40 to 80°C)
RL103	3 Day	1 Minute	-20 to 176°F (-30 to 80°C)
RL107	7 Day	1 Minute	-4 to 176°F (-20 to 80°C)
RL110	10 Day	1 Minute	-4 to 176°F (-20 to 80°C)
RL120	20 Day	2 Minute	32 to 176°F (0 to 80°C)
RL140	40 Day	4 Minute	32 to 176°F (0 to 80°C)
RL175	75 Day	7 Minute	32 to 176°F (0 to 80°C)
RL190	90 Day	9 Minute	32 to 176°F (0 to 80°C)

## Stainless Steel Watertight Temperature Data Loggers

**New generation of high temperature data logging!**

Sample report generated by the compact-sized RL Report Loggers

**Features**


- User-replaceable battery
- USB download capability
- Reinforced probe on the HT225 to prevent breakages
- IP68 rating
- Range: -40 to 257°F

**Prices Starting At**

**\$310** Add \$99 for 1-Point NIST

MODEL	LOGGER LG	LOGGER DIA	PROBE LG	PROBE DIA	PRICE
HT200	5.36"	0.75"			<b>\$310</b>
HT220	7.72"	0.75"	2.36"	0.19"	<b>\$349</b>
HT225	10.24"	0.75"	4.88"	0.11"	<b>\$399</b>

Software required and sold separately. For software and other accessories, please call **800.323.2448** or visit [www.DicksonData.com](http://www.DicksonData.com).



## 8 Inch Temperature Chart Recorder

**Easy-to-read chart lets you see temperature details, not just trends!**

Industries & Applications

- Ovens
- Warehouses
- Food Processing
- Archives
- Laboratories
- Health - Blood storage, Dialysis Centers, Medical Centers

MODELS AND FEATURES

**KT800 \$419** Probe. Battery operated.

**KT802 \$469** Probe. Display.

**KT803 \$569** Probe. Display. Alarm. **BEST SELLER.**

**KT856 \$729** 2 Probes. Display. Alarm. Relays.

ALL MODELS HAVE THE FOLLOWING RANGES:

-50 to +50°F/C • -20 to 20°F/C • 0 to 100°F/C  
 0 to 150°F/C • 0 to 250°F/C • 0 to 500°F/C  
 0 to 1000°F/C • 0 to 2000°F



KT803



KT622

## 6 Inch Temperature Chart Recorder

**Easy-to-read chart lets you see temperature details, not just trends!**

Industries & Applications

- Refrigerators
- Storage
- Clean Rooms
- Laboratories
- Pharmaceuticals
- Medical Equipment

MODELS AND FEATURES

**KT621 \$369** Probe.

**KT622 \$469** Probe. Display. **BEST SELLER.**

**KT625 \$599** Probe. Display. Alarm. Relays.

ALL MODELS HAVE THE FOLLOWING RANGES:

-100 TO 0°F/C • -50 TO 0°F/C • -50 TO +50°F/C  
 0 TO 50°F/C • 0 TO 100°F/C • 50 TO 100°F/C  
 0 TO 250°F/C • 0 TO 500°F/C

Charts sold separately. For charts and accessories, please call 800.323.2448 or visit [www.DicksonData.com](http://www.DicksonData.com).

# DicksonOne

## YOUR ENVIRONMENTAL MONITORING ALL IN ONE PLACE

**DicksonOne** is a SaaS platform that simplifies your temperature and humidity monitoring process. It is a revolutionary system that rethinks the entire environmental monitoring process. In talking to our customers we identified a number of pain points and set out to solve them.

### The **Old** Way

#### PROBLEM

**Retrieval of Data:** in most cases someone is literally responsible for going around their facility collecting the paper charts from a recorder or downloading the data from a logger.

#### PROBLEM

**Storage of Data:** some customers require dedicated rooms for the storage of paper charts or computers that hold large quantities of log files.

#### PROBLEM

**Multiple Location Monitoring:** one person cannot adequately and efficiently monitor multiple locations.

### The **DicksonOne** Way

#### SOLUTION

**Automation:** No longer does an individual have to go retrieve data from all over your facility or multiple facilities. The loggers send the data directly to the cloud.

#### SOLUTION

**Organization:** data in the cloud is easier to organize and access. Monitor data onsite simply from any internet enabled device.

#### SOLUTION

**Anytime, Anywhere:** Multiple location monitoring is no longer problematic; Within the US or internationally, you can place loggers anywhere and have the data at your fingertips.

To Learn More About This Amazing Product Visit  
**DicksonOne.com**

Starting At Just  
**\$598**

# DO **MORE** WITH YOUR DATA




**Intuitive Interface:** Quick to learn and easy to use, DicksonOne was designed to be a pain free experience that's easy to pick up.




**Sharing Data:** Whether you need to send a report to your coworker, boss, or an auditor, giving access to the right people is simple.



**Alarms:** You need to know when something isn't right. Setup email and SMS text alerts to as many people as you'd like.



**Organization:** Keep your loggers, locations, and ultimately your data organized and within reach.



**Multi Locations:** From small single-building operations to large international corporations with many locations, monitor every critical point from one place!



**Historical Data:** Never lose that chart or log file again; we'll save all of your data for as long as your account is active so there's no question when the auditor stops by.

For more information visit [DicksonOne.com](http://DicksonOne.com) or call a system specialist at: **888.452.4626**

## 8 Inch Temperature & Humidity Chart Recorder

**Easy-to-read chart lets you see temperature and humidity details, not just trends!**

**Industries & Applications**

- Pharmaceuticals
- Archives
- Laboratories & Clean Rooms
- Warehouses
- Health - Blood storage, Dialysis Centers, Medical Centers

**MODELS AND FEATURES**

**TH800 \$489** Battery operated.

**TH802 \$569** Display.

**TH803 \$679** Display. Alarm. Probe. **BEST SELLER.**

**TH805 \$729** Display. Alarm. Probe. Relays.

Not for use over 95% RH



TH800

RANGES	MODELS
32 to 120°F	TH800
0 to 50°C	TH800
-20 to 120°F	TH802, TH803, TH805
-20 to 50°C	TH802, TH803, TH805
40 to 110°F	TH802, TH803, TH805
5 to 40°C	TH802, TH803, TH805
0 to 185°F	TH803, TH805

Charts sold separately. For charts and accessories, please call 800.323.2448 or visit [www.DicksonData.com](http://www.DicksonData.com).

## Add an Optional Probe to your Temperature Unit!



**D617 \$52** 10' K-TC Straight Extension Cable



**D605 \$73** 4" Piercing Probe



**D608 \$99** 5" Immersion Probe



**A203 \$125** 6" High Temperature Immersion Probe

## 6 Inch Temperature & Humidity Chart Recorder

**Easy-to-read chart lets you see temperature details, not just trends!**

**Industries & Applications**

- Ovens
- Warehouses
- Food Processing
- Archives
- Laboratories
- Health - Blood storage, Dialysis Centers, Medical Centers

**MODELS AND FEATURES**

**TH621 \$489** Probe.

**TH622 \$569** Display.

**TH623 \$679** Probe, Display, Alarm. **BEST SELLER.**

ALL MODELS HAVE THE FOLLOWING RANGES:

32 to 100°F • 0 to 50°C



TH623

Charts sold separately. For charts and accessories, please call 800.323.2448 or visit [www.DicksonData.com](http://www.DicksonData.com).



SL4100 Temperature Model

Charts sold separately. For charts and accessories, please call 800.323.2448 or visit [www.DicksonData.com](http://www.DicksonData.com).

## 4 Inch Temperature Chart Recorder

**Designed with simplicity in mind!**

Easy-to-use, battery operated and portable

- Digital display
- 24 hour / 7 day recording time
- Wall mount
- Battery door
- Hinged door

**Applications**

- Refrigerators
- Warehouses
- Freezers
- Laboratories



**\$239** Add \$99 for 1-Point NIST

MODEL	DIGITAL DISPLAY	TEMPERATURE RANGES	PRICE
SL4350	•	-22 to 122°F • -30 to 50°C	<b>\$239</b>
SL4100	•	0 to 100°F • -18 to 37°C	<b>\$239</b>
SL490	•	45 to 90°F • 7 to 32°C	<b>\$239</b>



SC367

## 3 Inch Mini Temperature Chart Recorder

**Ideal when space is a concern!**

Applications

- Refrigerators
- Clean Rooms
- Transportation
- Storage

**\$219** Add \$99 for 1-Point NIST

MODEL	TEMPERATURE RANGES	PRICE
SC367	-14 to 32°F • -25 to 0°C	<b>\$219</b>
SC377	4 to 50°F • -15 to 10°C	<b>\$219</b>
SC386	22 to 68°F • -5 to 20°C	<b>\$219</b>
SC387	50 to 96°F • 10 to 35°C	<b>\$219</b>
SC397	76 to 122°F • 25 to 50°C	<b>\$219</b>

Charts sold separately. For charts and accessories, please call 800.323.2448 or visit [www.DicksonData.com](http://www.DicksonData.com).



VFC70

## Vaccine Chart Recorder

**VFC70**

Features

- Easy-to-read special vaccine chart with circular bands highlighting the acceptable vaccine ranges of 35-46°F, 2-8°C
- LCD display shows current temperature for quick reference
- Fahrenheit/Celsius Selectable

**\$259** Add \$99 for 1-Point NIST

Charts sold separately. For charts and accessories please call 800.323.2448 or visit [www.DicksonData.com](http://www.DicksonData.com).

## Voltage Chart Recorder

### ET855

#### Features

- Audible/visual alarm
- Large digital display
- Two screw terminal connectors on the back of the instrument for easy connection of the input transmitter

**\$659**

CHART RANGE	7-DAY CHART	24-HR CHART	31-DAY CHART
0 to +100	C412	C410	C409
0 to +1000	C440	C441	
0 to +200	C436	C456	
0 to +14	C453	C457	
0 to +150	C435	C425	
0 to +300	C431	C422	
-10 to +10	C405	C495	
-150 to +250	C452	C442	

Charts sold separately. For charts and accessories, please call **800.323.2448** or visit [www.DicksonData.com](http://www.DicksonData.com).

## Disposable Recorder

**One-time use! This disposable temperature recorder is perfect for monitoring goods while in transit.**

Multiple features tailored for shipping needs:

- Failsafe start-up and pull out start tab
- Tamper-proof crimped seal
- Shock and vibration protection
- Low cost shipping alternative

**\$49** Each

### D301

MODEL	TEMPERATURE RANGES	RECORDING TIME
D301	-20 to 100°F • -30 to 37.5°C	10 Day
D302	-20 to 100°F • -30 to 37.5°C	20 Day
D307	-20 to 100°F • -30 to 37.5°C	40 Day
D309	-20 to 100°F • -30 to 37.5°C	75 Day



ET855



# Vaccine Alarm Thermometer

MM120/125

Features

- LCD display shows current temperature, MIN/MAX temperatures, uses visual alert when in alarm mode and battery level indicator
- High/Low alarms
- Temperature range -58 to ±122°F (-50 to 50°C)

MM120 \$49 One Probe.  
MM125 \$59 Two Probes.

**\$59** Add \$99 for 1-Point NIST



MM125 Two Probe Temperature Indicator



TC200



TH300



D182 Infrared



D186 Infrared

## Indicators

**Quickest readings!**

Available Features

- Digital display
- Infrared (IR)
- Stores and recalls 16 readings
- Hold button stores readings for later recall
- K-thermocouple probe

MODEL	TEMPERATURE RANGES	PRICE
<b>TEMPERATURE</b>		
D182	-76 to +932°F	\$60
D186	-67 to 536°F	\$149
TC200	-300 to +2000°F	\$299
<b>TEMPERATURE/HUMIDITY</b>		
TH300	-22 to +185°F • -30 to 185°C	\$399

Add \$99 for 1-Point NIST

## 8 Inch Pressure Chart Recorder

**Large, easy-to-read chart!**

**Features**

- Rugged low-maintenance design features
- Single AA battery power
- Corrosion-resistant case
- 7-day or 24-hour operation
- Keyhole slot for wall mount
- Splashproof case with an IP rating of 66
- 1/4 inch NPT Connector

**PW860 \$629** 7-day. 0 to 100 PSI.

**PW861 \$629** 24-hour. 0 to 100 PSI.

**PW864 \$629** 7-day. 0 to 200 PSI.

**PW865 \$629** 24-hour. 0 to 200 PSI.

**PW866 \$629** 7-day. 0 to 300 PSI.

**PW867 \$629** 24-hour. 0 to 300 PSI.

**PW875 \$749** 24-hour. 0 to 1000 PSI.



PW875

**\$599**

Add \$99 for 1-Point NIST

## 4 Inch Pressure Chart Recorder

**Compact and durable design!**

**Features**

- Operates up to one full year on a single AA battery
- 1/4 inch NPT connection
- For applications where splashproof IP rating is not required
- 7-day or 24-hour selectable

**PW470 \$449** 0 to 100 PSI.

**PW474 \$449** 0 to 200 PSI.

**PW476 \$449** 0 to 300 PSI.

**PW479 \$449** 0 to 500 PSI.



PW470

**\$449**

Add \$99 for 1-Point NIST

Charts sold separately. For charts and accessories, please call 800.323.2448 or visit [www.DicksonData.com](http://www.DicksonData.com).

## Pressure Data Logger

### User-friendly features!

- One-second sampling rate
- User-replaceable battery
- Pressure sensor includes built-in diaphragm seal
- Display, USB connectivity, FLASH memory downloads
- IP68 case
- Delayed start - start logging once unit is in place

- A.** Digital display
- B.** USB
- C.** FLASH memory card
- D.** Battery
- E.** Splashproof case

**PR125 \$499** Range 0 to 100 PSI.

**PR325 \$499** Range 0 to 300 PSI.

**PR525 \$599** Range 0 to 500 PSI.

**\$499** Add \$99 for 1-Point NIST



PR325



## Rugged Utility Pressure Data Logger

### Compact and discreet!

This data logger fits in toolboxes, tight corners or in wide open spaces without attracting attention. Built for real-world water and gas pressure monitoring.

- Water resistant case
- 3 year battery
- Unobtrusive design
- Fits easily in a toolbox
- Pressure sensor includes built in diaphragm seal.
- USB Connection

**PR150 \$449** 0-100 PSI

**PR350 \$449** 0-300 PSI

**\$499** Add \$99 for 1-Point NIST

**ALL NEW**

**Fast, USB Downloads!**

Software required and sold separately. For more information, please visit [www.DicksonData.com](http://www.DicksonData.com).

# The Perfect Choice.

Versatility and Ease-Of-Use make this chart recorder a Dickson favorite.

The TH803 is one of our best selling chart recorders. Offering the highest data resolution, a digital display, Audio and Visual Alarms, as well as a remote probe it is the perfect choice for many applications.

**For more information on this model and others like it see pages 11-14.**

- 10 ft remote probe
- Battery Backup
- 24-Hour, 7-Day, or 31-Day Charts available
- Temperature Accuracy of +/- 1.8F (+/- 1C)
- Humidity Accuracy of +/- 3%
- Wall Mountable



## Dickson Is More Than Print!

Dickson has a growing collection of great videos on:

- Product Introductions and Overviews
- Application Showcases
- How To's

Check out all our videos at [www.youtube.com/dicksondata](http://www.youtube.com/dicksondata)



### Product Highlights



### Applications



### Instructional



Have an idea for a video? Want us to highlight your application? Email [marketing@dicksondata.com](mailto:marketing@dicksondata.com) for details!

# DICKSON

Dickson  
930 South Westwood Avenue  
Addison, Illinois 60101-4917

800 323 2448 tel  
800 676 0498 fax  
www.DicksonData.com

PRSRT. STD.  
U.S. Postage  
**PAID**  
The Dickson  
Company

## WE'RE READY TO TAKE YOUR ORDER!

1-800-323-2448 or online at [www.DicksonData.com](http://www.DicksonData.com)



SM320

## Large, Easy-to-Read Display

- Great for a wide variety of applications including refrigerators, liquids, ovens, and many more
- Wide variety of K-Thermocouple probe options for specific applications

See Page 4 for more information

**\$299** Add \$99 for 1-Point NIST

## Pre-Calibrated Sensor

- Don't be without your logger while it is calibrating
- Simply replace your old PCS with a new one and you're now calibrated
- Compatible with New Touchscreen and WIZARD2 models as well as our all new DicksonOne (pages 8 & 9)

Visit [dicksondata.com/pcs](http://dicksondata.com/pcs) for more information

All prices are subject to change without notice. In the event of a printing error, Dickson reserves the right to charge the correct price.  
All shipments ship 2nd day unless otherwise requested.