

# SUMMIT Product Catalog

Summit Appliance Division | Felix Storch, Inc.  
770 Garrison Avenue Bronx, NY 10474 USA  
Phone: [718] 893-3900 | Fax [718] 842-3093  
Email: info@summitappliance.com



## Professional Appliances

## Commercial Appliances



## Specialty Household Appliances

www.summitappliance.com | 718-893-3900

# BUILT-IN 24" WIDE ALL-REFRIGERATORS



**FF7BISSHV**

## FF7BI SERIES

FF7BI models are approved for commercial use, and carry UL and ETL Sanitation approval (complies with ANSI-NSF Standard 7). Available in white, black or stainless steel. The interior light on these models is controlled with an on/off rocker switch. FF7BI models have one of the widest and deepest shelves in the industry, and can accommodate trays up to 19 1/2" by 16". All FF7BI Models are all-refrigerator and have automatic defrost. All feature SUMMIT's unique "hidden" evaporator for a clean seamless interior and a flat door. Capable of maintaining interior temperatures in the 2°C to 6°C range (36°F to 44°F). Models with white cabinets include wire shelves and models with black cabinets have glass shelves. Optional stainless steel shelves are available for all models.

## FF6BI SERIES

FF6BI models are similar to FF7BI but include a European-designed luxury interior with shelves on the door, a full crisper and an automatic interior light. FF6BI has the same features as FF7BI, but are suitable for household use.

Choose an optional stainless steel kickplate for any model

<b>FF7BI</b>	White all-refrigerator with automatic defrost and wire shelves
<b>FF7LBI</b>	Same as above with front lock
<b>FF7BBI</b>	Black all-refrigerator with automatic defrost and glass shelves
<b>FF7LBLBI</b>	Same as above with front lock
<b>FF6BI</b>	White all-refrigerator with door storage and wire shelves
<b>FF6LBI</b>	Same as above with front lock



**FF6BI**

These models are also available in ADA height (32") versions. Add Suffix 'ADA' to model number.



Shown are all-freezer FS62BISSTB (LHD) on the left and all-refrigerator FF6BISSTB (RHD) on the right.

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR COLOR	CABINET FINISH
<b>FF7BI</b>	5.5 cu.ft.	33 1/8"-34 3/4"	23 5/8"	23 1/2"	Automatic	Reversible	White	White
<b>FF7LBI</b>	5.5 cu.ft.	33 1/2"-34 3/4"	23 5/8"	23 1/2"	Automatic	Reversible	White	White
<b>FF7BBI</b>	5.5 cu.ft.	33 1/8"-34 3/4"	23 5/8"	23 1/2"	Automatic	Reversible	Black	Black
<b>FF7LBLBI</b>	5.5 cu.ft.	33 1/2"-34 3/4"	23 5/8"	23 1/2"	Automatic	Reversible	Black	Black
<b>FF6BI</b>	5.5 cu.ft.	33 1/2"-34 3/4"	23 5/8"	23 1/2"	Automatic	Reversible	White	White
<b>FF6LBI</b>	5.5 cu.ft.	33 1/2"-34 3/4"	23 5/8"	23 1/2"	Automatic	Reversible	White	White
SUFFIX	OPTIONS FOR ALL ABOVE MODELS							
<b>SSTB</b>	Wrapped stainless steel door with 12" pro stainless steel towel bar handle							
<b>SSHV</b>	Wrapped stainless steel door with vertical stainless steel handle (14mm diameter)							
<b>SSHH</b>	Wrapped stainless steel door with full width horizontal stainless steel handle (14mm diameter)							
<b>FR</b>	Two piece stainless steel frame accepts custom panels with stainless steel handle (Panel size: 23 1/8" W X 28 1/8" H)							
<b>IF</b>	Integrated frame accepts full overlay panels							
<b>CSS</b>	Fully wrapped stainless steel cabinet and wrapped stainless steel door with pro towel bar handle							
<b>DPL</b>	Diamond plate aluminum wrapped door and pro style polished stainless steel towel bar handle							
<b>ADA</b>	32" height for ADA counters. 4 level legs included							

Models in red meet standards for commercial use and carry ETL-Sanitation listing (complies with NSF Standard 7)

**SUMMIT ALL-REFRIGERATORS AND ALL-FREEZERS CAN BE MATCHED FOR A PERFECT SIDE BY SIDE SET.**

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# BUILT-IN 24 INCH WIDE ALL-FREEZERS

## FS62BI UNDER-COUNTER FREEZERS

SUMMIT PROFESSIONAL FS62BI freezers are innovative and elegant, yet are engineered to be capable to meet standards for commercial use. Extra thick insulation and three removable interior drawers reduce energy waste. Choose a model with a stainless steel frame ('FR' or 'IF') for custom panels, or a wrapped stainless steel door or stainless steel cabinet (CSS). Capable of -25°C (-13°F) operation.

### FS62BI features

- Manual defrost
- Reversible door swing on base models
- Order RHD or LHD on SSTB and CSS models
- 3 interior (removable) baskets
- Capable of -13°F operation
- Exterior adjustable thermostat
- Power-on light (except CSS model)
- Fan cooled compressor



Model FS62LBI is an exact match to SUMMIT all-refrigerator FF6LBI, and makes a perfect side by side set in white or stainless steel. Shown with optional SSHV handle.

## SCFF55 BUILT-IN FROST-FREE COMMERCIAL FREEZER

Bring the convenience of frost-free operation to under-counter built-in freezers, with SUMMIT SCFF55. Available in a white, black or stainless steel cabinet with a choice of door styles and handles, including our popular wrapped stainless steel door with a choice of professional towel bar handles. Now add the convenience of an optional icemaker to any SCFF55. Model SCFF55 has fan-forced interior cooling for even temperature distribution, an adjustable thermostat, and never needs defrosting. The foamed-in-place insulation and solid foamed door also enhance energy efficiency.

- Interior light (not available on models with ice makers installed)
- Adjustable shelves
- U.L. Sanitation Approval (meets NSF-7) on models without icemakers
- 110 Volts, 60 Hz, 1.5 amps
- Fan-forced interior commercial cooling system
- Frost-free operation
- Reversible door swing on base models
- Adjustable thermostat
- Built-in capable

These models are also available in ADA height (32") versions. Add Suffix 'ADA' to model number.



<b>FS62BI</b>	White all-freezer (manual defrost) with fixed wire shelves under the removable drawers. Reversible door.
<b>FS62LBI</b>	Same as above with a front-mounted lock
<b>SCFF55</b>	Frost-free all-freezer with white cabinet and door, built-in capable, with wire shelves and reversible door. Matches FF7BI all-refrigerator.
<b>SCFF55L</b>	Same as above with front mounted lock
<b>SCFF55IM</b>	Same as SCFF55 but with factory installed icemaker.
<b>SCFF55LIM</b>	Same as SCFF55L but with factory installed icemaker
<b>SCFF55B</b>	Frost-free all-freezer with black cabinet and door, built-in capable with glass shelves. Reversible door.
<b>SCFF55LBL</b>	Same as above with front mounted lock
<b>SCFF55BIM</b>	Same as SCFF55B but with factory installed icemaker
<b>SCFF55LBLIM</b>	Same as SCFF55LBL but with factory installed icemaker.

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR COLOR	CABINET FINISH
<b>FS62BI</b>	3.2 cu.ft.	33 1/2" - 34 3/4"	23 5/8"	23 1/2"	Manual	Reversible	White	White
<b>FS62LBI</b>	3.2 cu.ft.	33 1/2" - 34 3/4"	23 5/8"	23 1/2"	Manual	Reversible	White	White
<b>SCFF55</b>	5.0 cu.ft.	33 1/4" - 34 3/4"	23 3/4"	23 1/2"	Frost-Free	Reversible	White	White
<b>SCFF55B</b>	5.0 cu.ft.	33 1/4" - 34 3/4"	23 3/4"	23 1/2"	Frost-Free	Reversible	Black	Black
<b>SCFF55L</b>	5.0 cu.ft.	33 1/2" - 34 3/4"	23 3/4"	23 1/2"	Frost-Free	Reversible	White	White
<b>SCFF55LBL</b>	5.0 cu.ft.	33 1/2" - 34 3/4"	23 3/4"	23 1/2"	Frost-Free	Reversible	Black	Black
SUFFIX	OPTIONS FOR ALL ABOVE MODELS							
<b>SSTB</b>	Wrapped stainless steel door with 12" pro stainless steel towel bar handle							
<b>SSHV</b>	Wrapped stainless steel door with vertical stainless steel handle (14mm diameter)							
<b>SSHH</b>	Wrapped stainless steel door with full width horizontal stainless steel handle (14mm diameter)							
<b>FR</b>	Two piece stainless steel frame accepts custom panels with stainless steel handle (Panel size: 23 1/8" W X 28 1/8" H)							
<b>IF</b>	Integrated frame accepts full overlay panels							
<b>CSS</b>	Fully wrapped stainless steel cabinet and wrapped stainless steel door with pro towel bar handle							
<b>DPL</b>	Diamond plate aluminum wrapped door and pro style polished stainless steel towel bar handle							
<b>ADA</b>	32" height for ADA counters. 4 level legs included							
<b>IM</b>	Factory installed icemaker (SCFF55 Series only)							

Models in red meet standards for commercial use and carry UL-Sanitation listing (complies with NSF Standard 7)

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# BUILT-IN 24" WIDE UNDER-COUNTER REFRIGERATOR-FREEZERS



**BI540L** with custom wood panel

SUMMIT PROFESSIONAL built-in refrigerator-freezers feature our unique dual evaporator cooling system with separate evaporators for the fresh-food and freezer sections, with a 5°F freezer that will keep ice cream frozen! All have automatic defrost refrigerator sections and manual defrost freezers. Choose a frame for custom panels, a wrapped stainless steel door or a full stainless steel finish.

**BI540/BI541B** series refrigerators offer outstanding value, all the features you'd expect and more. Designed for built-in use, they include a stainless steel frame to accept custom panels.

**THESE MODELS ALL ARE AVAILABLE IN ADA HEIGHT (32" HIGH)**

SEE [WWW.SUMMITAPPLIANCE.COM](http://WWW.SUMMITAPPLIANCE.COM) FOR DETAILS



**BI541B**



**BI540** interior

<b>BI540</b>	White built-in refrigerator-freezer with stainless steel frame for custom panels (panel size is 23 1/8" W X 28 1/8" H) and 1 1/2" professional stainless steel handle. Reversible door, dual evaporator cooling, interior light, wire shelves, door shelves and clear crisper. Manual defrost freezer and automatic defrost fresh food section.
<b>BI540L</b>	Same as above with front lock
<b>BI541B</b>	Same as BI540 but in a black finish with glass shelves.
<b>CT67BI</b>	White built-in refrigerator with black full frame and integrated handle to accept custom panels (panel size is 23 1/4" W X 28 1/4" H). Glass shelves and all the features found in Model BI540.

SUMMIT **CT67BI** is our lowest priced built-in refrigerator-freezer with a frame to accept custom panels. It also includes standard glass shelves and a deluxe interior including a light, see through crisper, a reversible freezer door and generous door storage. It has the same dual evaporator cooling system, "hidden" fresh food evaporator, and four star freezer as model BI540.



**CT67**

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR COLOR	CABINET FINISH
<b>BI540</b>	5.1 cu.ft.	33 1/4"	23 5/8"	23 1/2"	Cycle	Reversible	White	White
<b>BI540L</b>	5.1 cu.ft.	33 1/2"	23 5/8"	23 1/2"	Cycle	Reversible	White	White
<b>BI541B</b>	5.1 cu.ft.	33 1/4"	23 5/8"	23 1/2"	Cycle	Reversible	Black	Black
<b>CT67BI</b>	5.1 cu.ft.	33 1/4"	23 5/8"	23 1/2"	Cycle	Reversible	White	White
SUFFIX	OPTIONS FOR ALL ABOVE MODELS							
<b>SSTB</b>	Wrapped stainless steel door with 12" pro stainless steel towel bar handle							
<b>SSHV</b>	Wrapped stainless steel door with vertical stainless steel handle (14mm diameter)							
<b>SSHH</b>	Wrapped stainless steel door with full width horizontal stainless steel handle (14mm diameter)							
<b>FR</b>	Two piece stainless steel frame accepts custom panels with stainless steel handle (Panel size: 23 1/8" W X 28 1/8" H)							
<b>IF</b>	Integrated frame accepts full overlay panels							
<b>CSS</b>	Fully wrapped stainless steel cabinet and wrapped stainless steel door with pro towel bar handle							
<b>DPL</b>	Diamond plate aluminum wrapped door and pro style stainless steel towel bar handle							
<b>ADA</b>	32" height for ADA counters. 4 level legs included							

# CREATE YOUR INDIVIDUAL BUILT-IN MODEL



SUMMIT PROFESSIONAL offers a choice of built-in under-counter 24" wide models in all-refrigerator, all-freezer or refrigerator-freezers. Most models are available with front-mounted locks, door frames for custom panels and stainless steel handles, and the option of a wrapped stainless steel door or full stainless steel cabinet. Models with frames have reversible doors, and models with a wrapped stainless steel door and our horizontal (HH) handle are also reversible, while our popular wrapped stainless steel door and pro vertical 12" handle (SSTB) or vertical HV thin handle can be ordered with a right or left hand door swing.

SUMMIT PROFESSIONAL truly offers the best combination of elegance, quality, dependability and value in the industry.



## SELECT THE BASE UNIT

All Refrigerators	All Freezers	Refrigerator-Freezer
<b>FF7BI</b>	<b>FS62BI</b>	<b>BI540</b>
<b>FF7LBI</b>	<b>FS62LBI</b>	<b>BI540L</b>
<b>FF7BBI</b>	<b>SCFF55</b>	<b>BI541B</b>
<b>FF7LBLBI</b>	<b>SCFF55L</b>	<b>CT67BI</b>
<b>FF6BI</b>	<b>SCFF55IM</b>	
<b>FF6LBI</b>	<b>SCFF55LIM</b>	
<b>Glass Doors</b>	<b>SCFF55B</b>	
<b>SCR600LBI</b>	<b>SCFF55LBL</b>	
<b>SCR600LBLBI</b>	<b>SCFF55BIM</b>	
	<b>SCFF55LBLIM</b>	

SUMMIT PROFESSIONAL models offer as much quality on the inside as beauty on the outside. Our all-refrigerators feature our unique hidden evaporator (behind the rear wall) for a seamless interior liner that looks better and operates more efficiently. This results in one of the largest shelf sizes in the industry. SUMMIT refrigerator-freezers all include our exclusive dual evaporator cooling system, with a separate system for the freezer (which will keep ice-cream frozen) and a hidden evaporator for the fresh food section. All of our 24" wide refrigerators include interior lights, adjustable thermostats and adjustable shelves.



## ADD SUFFIX FOR DOOR FINISH

SUFFIX	DESCRIPTION
<b>FR</b>	Stainless steel frame to accept custom panels. Standard on BI540 and BI541 models. Panel size on "FR" is 23 $\frac{1}{4}$ " W X 28 $\frac{1}{4}$ " H
<b>IF</b>	Stainless steel integrated frame to accept full overlay panels.
<b>SSTB</b>	Wrapped stainless steel door with 12" pro stainless steel handle
<b>SSHH</b>	Wrapped stainless steel door with horizontal full width stainless steel thin (1.4mm diameter) handle
<b>SSHV</b>	Wrapped stainless steel door with vertical towel bar (1.4mm) stainless steel handle
<b>CSS</b>	Full stainless steel cabinet and wrapped door with SSTB finish.
<b>DPL</b>	Diamond plate aluminum wrapped door and pro styled handle

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# SUMMIT MODELS INTERIOR PHOTOS



**FF7BI/FF7LBI**



**FF6BI/FF6LBI**



**BI540/BI540L**



**FF7BBI/FF7LBLBI**



**CT67BI**



**BI541B**



**SCFF55IM/SCFF55LIM**



**FS62BI/FS62LBI**



**SCFF55/SCFF55L**



**SCFF55BIM/SCFF55LBLIM**

**ALL MODELS  
ARE AVAILABLE IN  
BUILT-IN HEIGHT  
(STANDARD)  
(33 1/2" TO 34 3/4")  
OR ADA HEIGHTS  
(32" - 32 1/2")**



**SCFF55B/SCFF55LBL**

*Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).*

# SUMMIT MODELS EXTERIOR PHOTOS



SSHV Finish on non-lock white models



Exterior of FF7 or SCFF55 series without locks



SSTB Finish on white unit



'FR' Frame: FF7 Series or SCFF55 series shown with 'FR' frame and customer provided slide-in door panel



Fully wrapped doors are available in 7 colors: black, red, blue, cream, gold vein, copper vein and silver vein. Choose a white, black or stainless steel 12 inch pro handle for a custom look. See our website for photos of all seven.




'IF' Frame: FF7 Series or SCFF55 series shown with 'IF' frame and customer provided full overlay door panel and handle.



CSS Finish



DPL Finish



SSHH Finish on black unit

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# 36" AND 24" WIDE DRAWER REFRIGERATORS AND FREEZERS

## 36" Wide All-Refrigerators

Made for SUMMIT in Italy by Ariston, the BDR190 series of 36" wide two drawer all-refrigerators offers rich style in a modern design. These automatic defrosting units can all be fully built-in under standard counters (base models have unfinished sides and door fronts), but SUMMIT offers a finish option for freestanding capable versions available with fully wrapped stainless steel cabinets. The generous interior capacity and elegant style make these refrigerators the perfect solution for kitchens in need of practical yet attractive appliances for undercounter use. The fully wrapped doors on these units with a choice of handles are a SUMMIT exclusive.



**BDR190NASSHH**

(Wrapped stainless steel doors, unfinished sides and top)



**BDR190CSSHH**

(Full wrapped doors and cabinet)



**BDR190NASSTB**

(Wrapped stainless steel doors, unfinished sides and top)



**BDR190CSS**

(Full wrapped doors and cabinet)

### 36" Refrigerator Models

<b>BDR190NASSTB</b>	2 drawer all-refrigerator with wrapped stainless steel drawer fronts and towel bar handles. Unfinished top and sides, for built-in undercounter installation only. Includes interior lighting, adjustable thermostat, and lift-out containers with covers.
<b>BDR190NASSHH</b>	Same as above, with thin stainless steel handles that match many popular cabinet styles. Auto defrost, silent operation.
<b>BDR190CSS</b>	Fully wrapped stainless steel all-refrigerator for built-in or freestanding use. Auto defrost with solid towel bar handles, stainless steel level legs, and 6.7 cu.ft. capacity. Includes interior lighting, adjustable thermostat, and lift-out containers with covers.
<b>BDR190CSSHH</b>	Same as above with thin stainless steel handles.



**SP6DSSTB**



**SP6DSSTBTHIN**

**ALL 24" WIDE  
MODELS ARE ALSO  
AVAILABLE IN  
ADA HEIGHT (32")  
VERSIONS. ADD  
'ADA' SUFFIX  
TO MODEL  
NUMBERS**



**SP6DS**

## Three-Drawer Refrigerators & Freezers

Bring modern luxury under the counter with SUMMIT's line of three drawer refrigerators and freezers. All are capable of built-in or freestanding use in any 24" space and are fully constructed from durable stainless steel, inside and out. Our all-refrigerator models are conveniently auto defrost and offer three selections in handle style. Match the SPF5DSSTB all-freezer to the SP6DSSTB to create a complete side-by-side set fit for the kitchen, den, or wet bar in any home looking to maximize space with refined style.

### 24" Wide Refrigerator Models

<b>SP6DS</b>	All stainless steel (interior and exterior) 3 drawer refrigerator with fan-assisted cooling and recessed handles. Adjustable thermostat.
<b>SP6DS2D</b>	Same as above with 2 drawers and full stainless steel thin handles; includes kit to install full overlay panels. Holds large bottles upright in top drawer.
<b>SP6DSSTB</b>	3 drawer all-refrigerator with full pro stainless steel towel bar handles.
<b>SP6DSSTBTHIN</b>	Same as above with 3 full width thin (14mm diameter) stainless steel handles.

### 24" Wide Freezer Models

<b>SPF5DSSTB</b>	All stainless steel (interior and exterior) 3 drawer freezer (manual defrost) and three full stainless steel towel bar handles. Matches SP6DSSTB.
<b>SCFF552D</b>	Frost-free freezer with 2 drawers, all stainless steel. Matches SP6DS2D.
<b>SCFF55IM2D</b>	Same as above with built-in icemaker. Matches SP6DS2D.

# 24" WIDE DRAWER REFRIGERATORS AND FREEZERS



SCFF552D

## SP6DS2D Two-drawer all refrigerator (with kit to accept full overlay panels)

SUMMIT SP6DS2D is a versatile two drawer all-refrigerator that can be built-in under counters in any 24" opening or used freestanding. Fully wrapped in stainless steel and fitted with full width professional handles, the SP6DS2D is also convertible to accept full overlay panels, allowing users to customize the look of their refrigerator to match cabinetry and kitchen design. Automatic defrost operation simplifies maintenance and lift-out baskets provide convenient organization solutions. The top drawer holds tall bottles including two liter sizes upright.



SP6DS2D/ SCFF552D/ SCFF551M2D

### FEATURES OF 24" WIDE DRAWER UNITS

- Only 24" wide
- Capable of built-in or freestanding use
- Complete stainless steel construction inside and out
- Professional stainless steel handles
- Fan-cooled compressor
- Internal forced air circulation for even temperature distribution (Except SP6DS2D)
- No-frost operation on all refrigerator models and SCFF552D freezers
- Adjustable thermostat
- Height adjustable with four leveling legs
- Magnetic gaskets on each drawer
- Anti-tip bracket
- Custom panel installation kit on two drawer models
- Two removable storage baskets (SP6DS2D only)
- Rapid chill compartment (SP6DS2D only)

### SCFF552D

SUMMIT SCFF552D brings the convenience of frost-free operation to an elegant two drawer all-freezer fully wrapped in stainless steel. At just under 24" wide, the SCFF552D fits easily in tight settings and can function built-in or used freestanding. Two easy-glide drawers can accommodate large boxes, offering 5 cu.ft. of interior capacity to meet your full storage needs. This commercially approved freezer is an ideal match for the SP6DS2D all-refrigerator and can also accept full overlay panels for a customized kitchen look.



### SCFF551M2D

The SCFF551M2D takes the advanced design of the SCFF552D all-freezer and adds a factory-installed icemaker to provide a constant supply of ice inside. Perfect for settings in need of a full-service freezer with built-in capabilities, this fully stainless steel unit uses frost-free operation to eliminate the need for the defrosting process. Customize the front with a full overlay panel or enjoy the refined look of stainless steel, complete with two professional handles.

REFRIGERATOR MODELS	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	ST. STEEL HANDLES	DOOR FINISH	CABINET FINISH
BDR190NASSHH	6.7 cu.ft.	33 3/8" - 35 5/8"	35 1/2"	22"	Automatic	Thin (14mm)	Stainless Steel	Unfinished
BDR190NASSTB	6.7 cu.ft.	33 3/8" - 35 5/8"	35 1/2"	22"	Automatic	Pro (7/8")	Stainless Steel	Unfinished
BDR190CSS	6.7 cu.ft.	33 3/8" - 35 5/8"	35 1/2"	22"	Automatic	Pro (7/8")	Stainless Steel	Stainless Steel
BDR190CSSHH	6.7 cu.ft.	33 3/8" - 35 5/8"	35 1/2"	22"	Automatic	Thin (14mm)	Stainless Steel	Stainless Steel
SP6DS	3 Drawers	33 1/8" - 34 3/4"	23 3/4"	23 1/2"	Automatic	Recessed	Stainless Steel	Stainless Steel
SP6DS2D	2 Drawers	33 1/8" - 34 3/4"	23 3/4"	23 1/2"	Automatic	Thin (14mm)	Stainless Steel	Stainless Steel
SP6DSSTB	3 Drawers	33 1/8" - 34 3/4"	23 3/4"	23 1/2"	Automatic	Pro (7/8")	Stainless Steel	Stainless Steel
SP6DSSTBThin	3 Drawers	33 1/8" - 34 3/4"	23 3/4"	23 1/2"	Automatic	Thin (14mm)	Stainless Steel	Stainless Steel
FREEZER MODELS								
SPF5DSSTB	3 Drawers	33 1/8" - 34 3/4"	23 3/4"	23 1/2"	Manual	Pro (7/8")	Stainless Steel	Stainless Steel
SCFF552D	2 Drawers	33 1/8" - 34 3/4"	23 3/4"	23 1/2"	Automatic	Thin (14mm)	Stainless Steel	Stainless Steel
SCFF551M2D	2 Drawers	33 1/8" - 34 3/4"	23 3/4"	23 1/2"	Automatic	Thin (14mm)	Stainless Steel	Stainless Steel

# OUTDOOR ALL-REFRIGERATORS AND ALL-FREEZERS

Backyard entertainment reaches new levels of luxury with SUMMIT's extensive series of outdoor appliances. With complete lines of refrigerators, freezers, icemakers, beer dispensers, and party carts designed and U.L. approved for outdoor use, SUMMIT offers more choices with superior durability. Models feature stainless steel construction, 100% redundant weatherproofing to keep all electrical components safe from the elements, and most include an integrated Ground Fault Circuit Interrupter (GFCI) with automatic reset.



**SCFF55OS**



**SPR7OS**



**SPR7OS**

Expand your living space into the backyard with SUMMIT front opening outdoor refrigerators and freezers. All are conveniently no-frost and come fully featured for safe and reliable cold storage. Slim 24" widths with weatherproof construction and integrated GFCI built into line cords (except SPR6OS). Pair the SPR7OS refrigerator with the SCFF55OS all-freezer to create a matching set in complete stainless steel.

<b>SPR7OS</b>	Freestanding all-refrigerator with 304 grade stainless steel cabinet and door with professional towel bar handle and front lock. Automatic defrost with flat door liner and adjustable shelves. For freestanding use or undercounter with clearance. Matches freezer SCFF55OS
<b>SPR7OSBI</b>	Same as above for built-in or freestanding use. Matches all-freezer SCFF55OS .
<b>SPR620OS</b>	All-refrigerator for built-in or freestanding use, with black cabinet and stainless steel door. Automatic defrost with digital thermostat and interior LED light.
<b>SPR6OS</b>	Stainless steel all-refrigerator for built-in or freestanding use. Auto defrost with full handle, reversible door, front lock, and door shelves.
<b>SCFF55OS</b>	Frost-free outdoor freezer for built-in or freestanding use, with a fully wrapped stainless steel exterior. Flat door liner and professional towel bar handle
<b>SCFF55OSIM</b>	Same as above with installed icemaker. No drain required.



**SPR6OS**



**SPR620OS**

**SUMMIT OUTDOOR  
REFRIGERATORS AND FREEZERS  
ARE ALL U.L. APPROVED FOR  
OUTDOOR USE.**



**SPR620OS**

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR COLOR	CABINET FINISH
<b>SCFF55OS</b>	5.0 cu.ft.	33 1/4"	23 3/4"	25 1/2"	Frost-Free	RHD / LHD	Stainless Steel	Stainless Steel
<b>SCFF55OSIM</b>	5.0 cu.ft.	33 1/4"	23 3/4"	25 1/2"	Frost-Free	RHD / LHD	Stainless Steel	Stainless Steel
<b>SPR7OS</b>	5.5 cu.ft.	33 1/4"	23 3/4"	25 1/2"	Automatic	RHD/LHD	Stainless Steel	Stainless Steel
<b>SPR7OSBI</b>	5.5 cu.ft.	33 1/4"	23 3/4"	25 1/2"	Automatic	RHD/LHD	Stainless Steel	Stainless Steel
<b>SPR6OS</b>	4.8 cu.ft.	34"	23 3/8"	22"	Automatic	Reversible	Stainless Steel	Stainless Steel
<b>SPR620OS</b>	5.3 cu.ft.	34"	23 3/8"	23"	Automatic	Reversible	Stainless Steel	Black

# OUTDOOR GLASS DOOR REFRIGERATORS AND DRAWER UNITS



**SPR601BLOSRC**  
Refreshment Center



**SPR601BLOS**

SUMMIT glass door refrigeration for outdoor use is designed to display cold contents with full visibility while storing under optimal conditions. All are U.L. approved for outdoor use and feature fully wrapped stainless steel cabinets with factory installed locks and double pane tempered glass doors for heat-safe storage. Choose single or dual zone all-refrigerators with different options in shelving and handle style.



**SPR601BLOSRC**



SP6DS2DOS

SUMMIT drawer refrigerators and freezers bring an innovative look with modern convenience to outdoor cold storage. Stainless steel inside and out, these two and three drawer models have the same features as our indoor line but with added protection to stand up to all seasons. All models feature sealed backs, and an enhanced forced air cooling system.

<b>SPR601BLOS</b>	Glass door all-refrigerator with stainless steel cabinet, front lock, and 12" stainless steel handle. Auto defrost with adjustable glass shelves.
<b>SPR601BLOSRC</b> Refreshment Center	Same as above but with full length stainless steel handle. Includes 2 wooden shelves and 3 glass shelves for beverage storage.
<b>SPR6OS2Z</b>	Automatic defrost all-refrigerator with two separate zones for storing beverages and wine. Two glass French doors with locks. Stainless steel cabinet and two digital thermostats.
<b>SP6DS2DOS</b>	2 drawer outdoor all-refrigerator for built-in or freestanding use with 304 grade stainless steel (interior and exterior). Top drawer accommodates 2 liter and tall wine or water bottles easily. Auto defrost with interior baskets included.
<b>SP6DSSTBOS</b>	3 drawer, outdoor all-refrigerator for built-in or freestanding use with 304 grade stainless steel. Auto defrost, includes 3 full-width towel bar handles.
<b>SP6DSSTBOSThin</b>	Same as above but with thin (14mm diameter) professional handles that match many outdoor cabinet lines.



SP6DSSTBOSTHIN



SP6DSSTBOS



SPR6OS2Z

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
<b>SPR6OS2Z</b>	4.8 cu.ft.	34"	23 5/8"	22"	Automatic	French	Glass	Stainless Steel
<b>SPR601BLOS</b>	5.5 cu.ft.	33 1/4"	23 3/4"	25 1/2"	Automatic	RHD/LHD	Glass	Stainless Steel
<b>SPR601BLOSRC</b>	5.5 cu.ft.	33 1/4"	23 3/4"	25 1/2"	Automatic	RHD/LHD	Glass	Stainless Steel
<b>SP6DSSTBOS</b>	3 drawers	33 1/4"	23 3/4"	25 1/2"	Automatic	Drawers	Stainless Steel	Stainless Steel
<b>SP6DS2DOS</b>	2 drawers	33 1/4"	23 3/4"	25 1/2"	Automatic	Drawers	Stainless Steel	Stainless Steel
<b>SP6DSSTBOSThin</b>	3 drawers	33 1/4"	23 3/4"	25 1/2"	Automatic	Drawers	Stainless Steel	Stainless Steel

# OUTDOOR BEER DISPENSERS, ICE MAKERS, AND CARTS

Put your party on the move with outdoor serving carts that maximize space with innovative solutions. Each includes a generous amount of cabinet space, stainless steel construction, and is perfect for storing dry goods and party supplies in one place. These fully assembled units (including heavy duty casters for easy mobility) come with a removable center top that can be used as a work surface or removed to accommodate a SUMMIT outdoor refrigerator, freezer, or beer dispenser. Side rails are included for tall bottles, and a tray for ice cubes is built-in.



**CARTOSBC**



**SBC490OSSSTBTWIN**

**SBC490OSSSTB**

Bring the pleasure of an ice cold draft to your very own backyard with SUMMIT's collection of outdoor beer dispensers in single, double, or triple tap style. All are fully wrapped in 304 grade stainless steel and come complete with the accessories you need for the smoothest pour. Automatic defrost for added convenience, with a curved towel bar handle standard on all models

<b>SBC490OS</b>	Full sized outdoor beer dispenser with all accessories. Fully stainless steel, with professional towel bar handle. Automatic defrost, includes tap kit with 5 lb. CO <sub>2</sub> tank
<b>SBC490OSSSTB</b>	Same as SBC490OS. Wrapped door and TB handle is now standard on SBC490OS.
<b>SBC490OSTWIN</b>	Outdoor beer dispenser in complete stainless steel with dual tap system
<b>SBC490OSSSTBTWIN</b>	Same as above. Automatic defrost, professional towel bar handle.
<b>SBC490OSTRIPLE</b>	Stainless steel beer dispenser with three taps to serve three different types of beer.
<b>SBC490OSSSTBTRIPLE</b>	Same as above. Automatic defrost, professional towel bar handle.
<b>BIM24OS</b>	Outdoor icemaker for built-in or freestanding use. Fully stainless steel, no drain required.
<b>Base34</b>	Adjustable storage base to elevate BIM24OS to standard counter height
<b>Base32</b>	Adjustable storage base to elevate BIM24OS to 32" (ADA compliant counter height)
<b>CARTOS</b>	SUMMIT premium full-sized outdoor cart in complete stainless steel. Ships fully assembled with heavy duty casters. Two cabinets with multiple shelves, ice well, outer rails for large bottles, and removable work surface. 24" cutout section to accept SUMMIT refrigerator, freezer, or beer dispenser.
<b>CARTOSBC</b>	Above cart shipped with an SBC490OS outdoor beer cooler.
<b>CARTOSSCRRC</b>	Above cart shipped with an SCR600LOSRC outdoor refreshment center.
<b>CARTOSSPR7</b>	Above cart shipped with an SPR7OS outdoor refrigerator.
<b>CARTOSSCFF55</b>	Above cart with an SCFF55OS outdoor frost-free freezer.
<b>VCOS</b>	Vinyl cover (gray finish) to cover any 24" wide outdoor refrigerator.



Why deal with the mess of leaking bags of ice when you can enjoy the luxury of ready-made cubes at your disposal? SUMMIT's BIM24OS is a perfectly sized icemaker with a slim 15" width and a solid design to produce a constant supply of ice no matter what the weather conditions may be. Fits perfectly into many outdoor kitchen designs or add one of our custom made storage bases to raise the icemaker to standard counter or 32" ADA compliant height.

MODEL	CAPACITY	HEIGHT	WIDTH	Depth	DEFROST	DOOR SWING	DOOR COLOR	CABINET FINISH
<b>CARTOS</b>	Choice	40"	61"	26"	-	N/A	Stainless Steel	Stainless Steel
<b>CARTOSSPR7</b>	5.5 cu.ft.	40"	61"	26"	Automatic	RHD	Stainless Steel	Stainless Steel
<b>CARTOSSCRRC</b>	5.5 cu.ft.	40"	61"	26"	Automatic	RHD	Stainless Steel	Stainless Steel
<b>CARTOSBC</b>	½ keg	40"	61"	26"	Automatic	RHD	Stainless Steel	Stainless Steel
<b>CARTOSSCFF55</b>	5.0 cu.ft.	40"	61"	26"	Frost-free	RHD	Stainless Steel	Stainless Steel
<b>SBC490OS/SSTB</b>	½ keg	34 ½"	23 ¾"	26"	Automatic	RHD	Stainless Steel	Stainless Steel
<b>SBC490OS/SSTBTWIN</b>	½ keg	34 ½"	23 ¾"	26"	Automatic	RHD	Stainless Steel	Stainless Steel
<b>SBC490OS/SSTBTRIPLE</b>	½ keg	34 ½"	23 ¾"	26"	Automatic	RHD	Stainless Steel	Stainless Steel
<b>BIM24OS</b>	24.0 lbs/day	25"	14 ¾"	23"	Manual	RHD	Stainless Steel	Stainless Steel

\*Height not including tower and tap



**BIM24OS**  
(above)  
shown on  
right with  
**Base34**

# SUMMIT BUILT-IN COMPACT ICE MAKERS

Have the convenience of ice on hand with SUMMIT Ice Makers. Our compact BIM24 model can produce up to 24 pounds of ice cubes daily while our BIM44 series can produce more than 40 pounds of clear ice per day. Both models are capable of built-in (zero clearance) installation, yet are fully finished for freestanding use as well. In addition, the BIM44 is also available in an ADA compliant model, at only 32" high.

## SUMMIT BIM44

Makes up to 44 pounds of clear cube-shaped ice daily, with a bin that can store up to 25 pounds. With fully finished sides and a front-breathing cooling system, it can function as a freestanding or built-in unit. A front-opening reversible stainless steel door provides easy access while the professional full length handle adds modern style. This unit must be operated with a drain, and an optional pump is available where a drain is not conveniently situated.



BIM44 / BIM44ADA

## SUMMIT BIM24

This versatile compact model has a black cabinet with a stainless steel door and matching handle. At just 25" high and 15" wide, it can be installed under counters for built-in use or function as a freestanding unit in tight spaces. The insulated storage bin can hold up to 10 pounds of crescent shaped ice at a time while the ice maker can produce nearly 24 pounds a day. This unit does not require a drain.



BIM24



BIM24

## BIM44ADA

With the same quality, capacity and features as the BIM44, this model at just 32½" high is designed to fit under ADA counters.



FF7BBIBWD

## THROUGH-THE-DOOR BOTTLED WATER DISPENSER

Never lift another 5 gallon bottle of water again!

SUMMIT brings a new level of convenience to water cooler design with a through-the-door bottled water dispenser on our popular 24" wide FF7 all-refrigerator (suffix 'BWD'). Load a 5 gallon bottle of water with the detachable ramp (which stores inside the refrigerator) without having to lift or flip the jug. Interior adjustable shelves are designed to accommodate a 5 liter keg of beer, with added room above or below to store beverages. Great as a primary water cooler and beverage refrigerator in any home or office.



MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	CABINET FINISH	DOOR FINISH	KEY FEATURES
<b>BIM24</b>	24 lbs	25"	15"	17 ¾"	Black	Stainless Steel	Compact ice maker for built-in or freestanding under-counter use
<b>BIM44</b>	44 lbs	33 ½"	14 ⅝"	23 ⅝"	Black	Stainless Steel	Indoor, black icemaker with stainless steel door
<b>BIM44ADA</b>	44 lbs	32 ½"	14 ⅝"	23 ⅝"	Black	Stainless Steel	Same as BIM44, but 32 ½" high for ADA counters
<b>FF7BBIBWD</b>	5.5 cu.ft.	33 ¼"	23 ¾"	25 ½"	Choice	Choice	Also available on FF7 (white), FF7L, and FF7LBL series.

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# BUILT-IN UNDER-COUNTER BEER DISPENSERS



For built-in beer dispensers designed for undercounter installation, SUMMIT offers more choices, solid construction, and superior value with the SBC490BI series. Less than 24" wide to fit into cabinetry but with a generous interior that accepts half, quarter, or mini kegs, these models are offered in a variety of finish and tap options. All except model SBC490BINK come fully equipped with everything you need to serve the smoothest draft: a 5 lb. CO<sub>2</sub> tank with regulator, Sankey American tap (European taps also available), draft tower, manifold, and cleaning kit. For those "do-it-yourselfers," we also offer the SBC490BINK base model with no tap accessories.

<b>SBC490BINK</b>	For those selecting their own custom tap equipment: built-in beer cooler only, without dispenser kit.
<b>SBC490BI</b>	Black door and cabinet complete with full dispenser kit and CO <sub>2</sub> tank with regulator included.
<b>SBC490BIFR</b>	Black with stainless steel frame for custom panels. Panel size is 31"H X 23"W
<b>SBC490BIBF</b>	Black with brass tap and brass frame for custom panels. Panel size is 31"H X 23"W
<b>SBC490BIDPL</b>	Black cabinet with diamond plate aluminum wrapped door and polished towel bar handle.
<b>SBC490BIBRS</b>	Brass wrapped door and brass tap. An optional brass double tap is available.
<b>SBC490BISSTB</b>	Wrapped seamless stainless steel door and pro 12" handle.
<b>SBC490BISSHV</b>	Wrapped seamless stainless steel door and thin vertical handle.
<b>SUMMIT BEER COOLER ACCESSORIES AND OPTIONS</b>	
<b>KIT 490</b>	Complete tap system for SBC490. Includes 5 lb. CO <sub>2</sub> tank and regulator.
<b>KIT 495TWIN</b>	Twin tap system for any SUMMIT SBC490 beer cooler. Included in models with suffix "Twin."
<b>KIT 498TRIPLE</b>	Triple tap system for any SUMMIT SBC490 beer cooler. Included in models with suffix "Triple."
<b>SS Drip Tray</b>	Stainless steel drip tray for any beer dispenser.
<b>ST Top</b>	Add a seamless durable stainless steel top to any SBC490. Must be factory installed



**ALL SBC490  
MODELS WITH INCLUDED KITS HAVE  
STAINLESS STEEL TOWERS.**



**Brass option**

**ALL SUMMIT  
BUILT-IN BEER  
COOLERS HAVE  
FULLY FINISHED SIDES  
AND TOPS AND  
ARE USABLE AS  
FREESTANDING UNITS.**



**DPL finish**



**SBC490BITWIN**  
with optional stainless steel drip tray.

# BUILT- IN UNDER-COUNTER BEER DISPENSERS

All SUMMIT built-in SBC490 series keg coolers are conveniently auto defrost, and, as an added bonus can be converted to a standard all-refrigerator with large shelves included. Each has an adjustable thermostat with an interior temperature range of 38-44°F to keep beer fresh for up to 30 days. Additional features include a stainless steel floor mat for safer loading, an attractive top rail for neater service, and sturdy casters to install when using the beer dispenser as a portable unit. Designed for built-in use, all SBC490BI beer coolers can also be used freestanding.

The base model comes in an easy-to-match jet black exterior, with a stainless steel draft tower, and a chrome guard rail. Additional finish options include the following:

- Wrapped stainless steel doors for true elegance in any setting. Choose a 12" towel bar handle with a robust grip (SSTB suffix) or our new "HV" handle with a sleek 14mm diameter that matches many popular styles of kitchen cabinetry.
- Diamond plate wrapping (DPL suffix) in textured aluminum, perfect for achieving a modern industrial look. A towel bar handle in polished stainless steel is included.
- Brass doors and matching draft towers for rustic style with a classic feel. Single and double taps available.
- For a truly customized look, SUMMIT offers the SBC490BI beer dispensers with a two-piece door frame that accepts custom panels (dimensions 31" x 23"). Choose the "FR" option for stainless steel (professional handle included) or the "BF" suffix for a striking brass frame with matching brass tap.



SBC490BISSHVTRIPLE



SBC490BIFRTWIN

**SBC490BI  
BEER DISPENSERS ARE  
AVAILABLE WITH  
SINGLE, DOUBLE, OR  
TRIPLE TAP SYSTEMS TO  
PROVIDE MORE CHOICES  
IN BREW SERVICE.  
BRASS UNITS  
ARE AVAILABLE IN  
SINGLE AND DOUBLE  
TAPS.**



SBC490BIBFTWIN  
(Panel not included)

**ALL SBC490 MODELS  
INCLUDE SHELVES TO  
CONVERT TO  
AUTOMATIC DEFROST  
ALL-REFRIGERATORS WITH  
6 CU.FT. OF CAPACITY**

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
SBC490BI	Half keg	34 1/2"	23 3/4"	24"	Automatic	RHD	Black	Black
SBC490BIFR	Half keg	34 1/2"	23 3/4"	24"	Automatic	RHD	St. Steel Frame	Black
SBC490BISSTB	Half Keg	34 1/2"	23 3/4"	24"	Automatic	RHD	Stainless Steel	Black
SBC490BISSHV	Half keg	34 1/2"	23 3/4"	24"	Automatic	RHD	Stainless Steel	Black
SBC490BINK (no kit)	Half keg	34 1/2"	23 3/4"	24"	Automatic	RHD	Black	Black
SBC490BIDPL	Half keg	34 1/2"	23 3/4"	24"	Automatic	RHD	Diamond plated	Black
SBC490BIBRS	Half keg	34 1/2"	23 3/4"	24"	Automatic	RHD	Brass	Black
SBC490BIBF	Half keg	34 1/2"	23 3/4"	24"	Automatic	RHD	Brass Frame	Black

# BUILT-IN UNDER-COUNTER WINE CELLARS

With advanced features, elegant styling, and superior construction, SUMMIT PROFESSIONAL Wine Collection sets the standard for built-in wine cellars designed for undercounter installation.

## SWC530LBI (DUAL-ZONE)

Store your finest collection in SUMMIT SWC530LBI, a stunning wine cellar capable of built-in or freestanding use. Available with a black or stainless steel cabinet (CSS), this glass door unit holds up to 46 bottles in two distinct temperature zones, perfect for chilling white wines while preserving reds. Six slide-out wooden shelves and LED lighting display wine in luxurious style, while auto defrost reduces use maintenance and two digital thermostats allow easy and precise temperature control. A top lock and professional stainless steel handle complete the package.



SWC530LBI/SWC530LBI CSS



SWC530LBI



**SWC1530** 15" wide built-in wine cellar with interior light and LCD display panel. Black cabinet, glass door and scalloped wine rack with 28 bottle capacity. An added feature is a temperature alarm mode to alarm for temperature changes. Approved for freestanding or built-in use. Fully front breathing, and a full length handle is standard.

<b>SWC530LBI</b>	Dual zone built-in undercounter glass door wine cellar with black cabinet, front lock, LED light and two digital thermostats.
<b>SWC530LBI CSS</b>	Same as above with fully wrapped stainless steel cabinet. Slide-out wooden shelves, professional handle, and auto defrost operation.
<b>SWC1530</b>	15" wide glass door wine cellar with LCD display.
<b>SWC6GBLBI</b>	Glass door, commercial built-in wine cellar with a black cabinet and factory installed lock. Aluminum door trim.
<b>SWC6GWLBI</b>	Glass door, built-in wine cellar with a factory installed lock, white cabinet and door trim.
<b>SWC6BLBI</b>	Solid door, built-in wine cellar with a black cabinet and door.
<b>SWC6WLBI</b>	Solid door, built-in wine cellar with a white cabinet and door.
<b>Suffix</b>	<b>SWC6GBI Commercial Glass Door Series Options</b>
<b>TB</b>	12" stainless steel professional vertical handle
<b>SH</b>	Full length stainless steel handle
<b>SHWO</b>	SH handle with wooden shelves
<b>CSS</b>	Stainless steel cabinet and 12" TB handle
<b>CSSWO</b>	Stainless steel cabinet with wooden shelving
<b>Suffix</b>	<b>SWC6BI Solid Door Commercial Series Options</b>
<b>SSTB</b>	Wrapped stainless steel door with 12" pro stainless steel towel bar handle
<b>SSHV</b>	Wrapped stainless steel door with vertical stainless steel handle (14mm diameter)
<b>SSHH</b>	Wrapped stainless steel door with full width horizontal stainless steel handle (14mm diameter)
<b>FR</b>	Two piece stainless steel frame accepts custom panels with stainless steel handle (Panel size: 23 1/8" W X 28 1/8" H)
<b>IF</b>	Integrated frame accepts full overlay panels
<b>CSS</b>	Fully wrapped stainless steel cabinet and wrapped stainless steel door with pro towel bar handle
<b>DPL</b>	Diamond plate aluminum wrapped door and pro style polished stainless steel towel bar handle

Models in red meet standards for commercial use, and carry ETL-Sanitization, UL-Sanitization or NSF listings (comply with NSF Standard 7).

# 24 INCH WIDE COMMERCIAL UNDER-COUNTER WINE CELLARS

When you need a wine cellar with solid construction and approved for commercial uses, **SUMMIT SWC6BI** series features solid and glass door wine cellars perfectly sized for built-in use under counters, with widths of 24" for an easy fit in tight settings. All are commercially approved (ETL-S to ANSI-NSF 7) and fully auto defrost, with SUMMIT's own cold wall design that "hides" the evaporator behind the rear wall to create a seamless easy-to-clean interior. Base units feature reversible doors, scalloped wine shelves, interior lighting, and factory installed locks, with additional options in handle style, cabinet finish (white, black, and stainless steel), shelf type, and door frames for custom panels (solid door only). European design with professional style and proven construction.



SWC6GWLBI



SWC6GBLBI



SWC6BLBISSTB



SWC6GBLBICSSWO



SWC6GWLBIHWO



SWC6WLBIFRWO

SUMMIT SWC6WLBI is our wine cellar that has commercial approval (ETL-S meets NSF-7), required for use in restaurants or facilities selling wine. Ideal for home use when a commercial unit is desired.

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
<b>SWC6GBLBI</b>	42-48 bottles	33½" - 34¾"	23 ⅝"	23 ½"	Automatic	Reversible	Glass	Black
<b>SWC6GWLBI</b>	42-48 bottles	33½" - 34¾"	23 ⅝"	23 ½"	Automatic	Reversible	Glass	White
<b>SWC6BLBI</b>	42-48 bottles	33½" - 34¾"	23 ⅝"	23 ½"	Automatic	Reversible	Black	Black
<b>SWC6WLBI</b>	42-48 bottles	33½" - 34¾"	23 ⅝"	23 ½"	Automatic	Reversible	White	White
<b>SWC530LBI</b>	46 bottles	34½"	23⅝"	23 ½"	Automatic	RHD/ LHD	Glass	Black
<b>SWC530LBICSS</b>	46 bottles	34½"	23⅝"	23 ½"	Automatic	RHD/ LHD	Glass	Stainless steel
<b>SWC1530</b>	28 bottles	33½" - 34¾"	14 ¾"	24"	Automatic	RHD	Glass	Black

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# COLD CAVERN™ BEER FROSTERS

SUMMIT Appliance brings innovation to cold beer storage with a complete selection of COLD CAVERN™ beer frosters. These compact and counter height units are specially designed to store aluminum bottles of beer at an arctic 24°F, just above beer's freezing point. Bottles literally frost when removed from the unit, providing a unique and refreshing experience unmatched by standard beverage coolers. Choose from a variety of models for commercial or residential use, with a range of finishes including white, black, stainless steel, or SUMMIT's new COLD CAVERN™ decal.



SCFF44FROST



FS60SSVHFROST



SCFF55LBFROST



FS60FROST



FS60FROST



FS20LFROST Spanish decal



FS20LFROST

Original door decals feature high resolution imagery, refreshing in any home or commercial setting. English decal on the FS60FROST. Choose Spanish or English text for the SCFF44FROST and FS20LFROST.

<b>SCFF44FROST</b>	Commercially approved beer froster with frost-free operation; Stainless steel door and top mounted compressor, available with English or Spanish decal or no decal.
<b>SCFF55LBFROST</b>	Commercially approved beer froster in white for built-in or freestanding use in 24" openings. Frost-free with flat door liner, factory installed lock, and adjustable wire shelves.
<b>SCFF55LBFROST</b>	Same as above in black finish with adjustable glass shelves.
<b>FS60FROST</b>	22" wide beer froster for freestanding use with white cabinet and full decal on the door. Digital thermostat, door shelves, and fixed wire shelves for optimum air flow.
<b>FS60SSVHFROST</b>	Same as above with wrapped stainless steel door and sleek professional handle.
<b>FS20LFROST</b>	Compact beer froster in countertop "cube" size. White cabinet with lock and English or Spanish door decal.

**COMPACT,  
COUNTER HEIGHT  
AND BUILT-IN  
UNDERCOUNTER  
SIZES AVAILABLE**

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
<b>SCFF44FROST</b>	3 cu.ft.	33 7/8"	18 1/2"	21 3/8"	Frost-free	RHD	Stainless Steel	Black
<b>SCFF55LBFROST</b>	5.5 cu.ft.	33 1/2"	23 3/4"	23 1/2"	Frost-free	Reversible	White	White
<b>SCFF55LBFROST</b>	5.5 cu.ft.	33 1/2"	23 3/4"	23 1/2"	Frost-free	Reversible	Black	Black
<b>FS60FROST</b>	5 cu. Ft	33 1/2"	22"	25 1/4"	Manual	RHD	Decal	White
<b>FS60SSVHFROST</b>	5 cu. Ft	33 1/2"	22"	25 1/4"	Manual	RHD	Stainless Steel	White
<b>FS20LFROST</b>	1.6 cu. ft	22 1/4"	19 3/4"	21"	Manual	Reversible	Decal	White

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

# BUILT-IN UNDER-COUNTER GLASS DOOR ALL-REFRIGERATORS

SUMMIT PROFESSIONAL SCR600 built-in models are derived from our commercial models, and are designed for serious use. Yet, they have the style and elegance you'll love in your kitchen, bar area, rec room or den. These models all meet standards for commercial use, (ETL-Sanitation; complies with ANSI/NSF-7) and are fully finished to be used either freestanding or built-in. All models feature SUMMIT's "hidden" evaporator (behind the rear wall) for a clean seamless interior liner, and some of the largest shelves in the industry. All are fully automatic defrost, and all have fan-cooled compressors. Models with white cabinets have wire shelves, and models with black or stainless steel cabinets have standard glass shelves. Basic models all have reversible doors, but optional stainless steel pro handles must be ordered with RHD or LHD. All models have an interior light (on a rocker switch).



SCR600BLBI



SCR600BLBITB

**MODELS WITH BLACK CABINETS AND CSS MODELS ALL HAVE STANDARD GLASS SHELVES**

**ALL SCR600 MODELS ARE COMMERCIAL QUALITY, WITH OVERSIZED COMPRESSORS FOR MORE RAPID TEMPERATURE RECOVERY AND ARE ETL-SANITATION LISTED (MEET ANSI-NSF STANDARD 7)**

<b>SCR600BLBI</b>	Built-in under-counter glass door all-refrigerator with automatic defrost. Black cabinet with glass door with aluminum frame, glass shelves, front lock and black handle on base model. Reversible door on base model. On models with handle upgrades, specify RHD or LHD swing.
<b>SCR600LBI</b>	Same as above in white. White door trim around glass, white cabinet and kickplate, wire shelves.
<b>SUFFIX</b>	<b>OPTIONAL FINISH</b>
<b>TB</b>	Add a 12" professional stainless steel towel bar handle. Order RHD or LHD
<b>SH</b>	Add a full length stainless steel handle. Order RHD or LHD
<b>HH</b>	Add a full width horizontal professional thin stainless steel handle (14 mm diameter). (Note: this handle will interfere with the easy operation of the door lock, and is offered for those wishing to match handles with other cabinets, and where the lock use is not primary).
<b>SHWO</b>	Our popular refreshment center. A full length stainless steel (SH) handle plus 2 wooden shelves and 2 beverage shelves. Order RHD or LHD.
<b>CSS</b>	Seamless stainless steel cabinet (sides and top), includes a 12" TB handle. Order RHD or LHD. <b>SCR600BLCSS</b> (black kickplate and aluminum trim around the glass door) or <b>SCR600LCSS</b> (white kickplate and white trim around the glass door). CSS models are always built-in and do not require the 'BI' suffix.
<b>CSSRC</b>	Refreshment center. Full stainless steel cabinet, full length stainless steel handle (SH), and two wooden and two glass shelves. Same features as models 'CSS' above.
<b>ADA</b>	32" height for ADA counters. 4 level legs included



SCR600LBISHWO



SCR600LBISH

## FEATURES OF ALL MODELS

- Fully automatic defrost
- Adjustable thermostat
- Front mounted lock
- Adjustable shelves
- Interior Light
- Cold wall design (no evaporator is visible inside the refrigerator)
- Oversized compressor for better cooling
- European designed and built for SUMMIT

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
<b>SCR600BLBI</b>	5.5 cu.ft.	33½" - 34¾"	23 ⅝"	23½"	Automatic	Reversible	Glass / Aluminum trim	Black
<b>SCR600LBI</b>	5.5 cu.ft.	33½" - 34¾"	23 ⅝"	23½"	Automatic	Reversible	Glass / White trim	White

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# FROST-FREE BOTTOM FREEZER REFRIGERATOR-FREEZERS

Just because your refrigerator cutout is limited doesn't mean your appliance should be. SUMMIT's ENERGY STAR qualified FFBF series features no-frost refrigerator-freezers with deluxe interiors, elegant styling, and small footprints with generous capacity. For 24" spaces, choose the white FFBF240W or stainless steel FFBF245SS, both with nearly 10 cu.ft. of storage space inside. Larger spaces can accommodate the FFBF280W or FFBF285SS, both 27" wide but only 24" deep. All units are designed in Europe and have large bottom freezers with easy slide drawers to keep the cold inside. With an ENERGY STAR qualified performance and desirable dimensions, the FFBF series offers annual savings with luxury and style.

- ENERGY STAR qualified refrigerator-freezers
- Slim width and cabinet depth
- Large bottom freezer
- Frost-free freezer and automatic defrost fresh food section
- Removable transparent freezer drawers
- Interior freezer fan for even temperature distribution
- Adjustable glass shelves
- Two clear crispers
- Ultra quiet performance
- Scalloped steel wine shelf
- Interior light
- Adjustable thermostat
- Reversible doors
- Aluminum handles
- Large leveling legs
- European design



FFBF240W

FFBF280W



FFBF245SSIM

ADD AN  
OPTIONAL ICE  
MAKER TO ANY  
MODEL

TALL, SLIM & ENERGY EFFICIENT!



FFBF285SS

FFBF245SS

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
FFBF240W	9.8 cu.ft.	73"	23 5/8"	24"	No-frost	Reversible	White	White
FFBF245SS	9.8 cu.ft.	73"	23 5/8"	24"	No-frost	Reversible	St. Steel	Platinum
FFBF280W	13.8 cu.ft.	75"	27 1/2"	24"	No-frost	Reversible	White	White
FFBF285SS	13.8 cu.ft.	75"	27 1/2"	24"	No-frost	Reversible	St. Steel	Platinum
FFBF240WIM*	9.8 cu.ft.	73"	23 5/8"	24"	No-frost	Reversible	White	White
FFBF245SSIM*	9.8 cu.ft.	73"	23 5/8"	24"	No-frost	Reversible	St. Steel	Platinum
FFBF280WIM*	13.8 cu.ft.	75"	27 1/2"	24"	No-frost	Reversible	White	White
FFBF285SSIM*	13.8 cu.ft.	75"	27 1/2"	24"	No-frost	Reversible	St. Steel	Platinum

\* Models on this page are not icemaker ready - icemakers must be ordered at time of initial order placement

# FROST-FREE STAINLESS STEEL REFRIGERATOR-FREEZERS

## FINGERPRINT-FREE GENII STAINLESS STEEL DOORS



**FF1152SS**



**FF1325SSTB**  
(with Optional TB handles)



**FF1425SSIM**



**FF1425SS**

<b>FF1625SS</b>	Full size frost-free refrigerator-freezer, 29 1/4" wide, but only cabinet depth (27" deep) for kitchens needing a shallow depth. GENII stainless steel doors, platinum sides, glass shelves and deluxe interior. Huge door storage, reversible doors and recessed handles.
<b>FF1425SS</b>	Ideally sized, full size, frost-free refrigerator-freezer, only 26" wide and deep. GENII stainless steel doors, platinum sides, glass shelves, reversible door and recessed handles.
<b>FF1325SS</b>	One of the largest frost-free refrigerators available with a 24" width and 24" depth with an extra large freezer compartment. GENII stainless steel doors, platinum sides, glass shelves, recessed handles, reversible doors, huge shelf area and door storage.
<b>FF1152SS</b>	Frost-free ENERGY STAR listed refrigerator-freezer with an ideal size for apartments or smaller kitchens, under 24" wide and under 60" high, with over 10 cu.ft. of capacity. Stainless steel doors, black cabinet, reversible doors, recessed handles, and a freezer shelf.
<b>FF985SS</b>	Frost-free, easy to fit, only 24" wide and deep, value priced refrigerator-freezer with GENII stainless steel doors and platinum cabinet, recessed handles, reversible doors and convenient door storage.
<b>FF1625SSIM*</b>	Same as <b>FF1625SS</b> with factory installed icemaker.
<b>FF1425SSIM*</b>	Same as <b>FF1425SS</b> with factory installed icemaker.
<b>FF1325SSIM*</b>	Same as <b>FF1325SS</b> with factory installed icemaker.
<b>FF1152SSIM*</b>	Same as <b>FF1152SS</b> with factory installed icemaker.
<b>Suffix</b>	<b>Description</b>
<b>TB</b>	Installed set of towel bar handles for easier opening. Order RHD or LHD.

GENII stainless steel doors on models FF1625SS, FF1425SS, FF1325SS and FF985SS, is the next generation of door finishes to blend the elegance and grain of stainless steel with the ease of cleaning of conventional finishes. GENII stainless steel is a remarkable blend of metals, putting a stainless steel coating (rather than just a painted imitation) on rust-proof galvanized steel, and finishing with a thin clear lacquer coating that is easy to clean. Consumers get the best of all worlds, with an actual stainless steel material, grain and appearance, magnetic properties (from the under coating of steel), and cleaning ease with our fingerprint-free coating. Model FF1152SS continues to utilize lacquer coated solid stainless steel for a fingerprint-free luxurious finish.



**FF1325SSIM\***

### FEATURES

- Fingerprint free
- Recessed handles
- Optional TB handles
- Large front leveling legs
- Freezer shelves
- Reversible doors
- Transparent crispers
- Adjustable glass shelves
- Interior light
- Door storage
- Interior fan circulation
- Adjustable thermostat
- 100% CFC Free
- U.L. approved
- All models on this page are manufactured in North America

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR COLOR	CABINET FINISH
<b>FF1625SS</b>	15.8 cu.ft.	70"	29 1/4"	27"	Frost-free	Reversible	Stainless Steel	Platinum
<b>FF1425SS</b>	12.7 cu.ft.	69"	26"	26"	Frost-free	Reversible	Stainless Steel	Platinum
<b>FF1325SS</b>	10.2 cu.ft.	70"	23 1/2"	24"	Frost-free	Reversible	Stainless Steel	Platinum
<b>FF1152SS</b>	10.3 cu.ft.	59"	23 3/4"	26"	Frost-free	Reversible	Stainless Steel	Black
<b>FF985SS</b>	8.8 cu.ft.	60 1/2"	23 1/2"	24"	Frost-free	Reversible	Stainless Steel	Platinum
<b>FF1625SSIM*</b>	15.8 cu.ft.	70"	29 1/4"	27"	Frost-free	Reversible	Stainless Steel	Platinum
<b>FF1425SSIM*</b>	12.7 cu.ft.	69"	26"	26"	Frost-free	Reversible	Stainless Steel	Platinum
<b>FF1325SSIM*</b>	10.3 cu.ft.	70"	23 1/2"	24"	Frost-free	Reversible	Stainless Steel	Platinum
<b>FF1152SSIM*</b>	10.2 cu.ft.	59"	23 3/4"	26"	Frost-free	Reversible	Stainless Steel	Black

\* Models on this page are not icemaker ready – icemakers must be ordered at time of initial order placement.



**FF1625SSIM\***



**FF1325SS**

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# BUILT-IN AND PORTABLE INDUCTION COOKTOPS



SINC430220

Induction cooking is today's answer to getting dinner on the table faster, offering more safety and efficiency over traditional cooking with less mess, higher speed heating, and professional levels of temperature precision.

Unlike gas or electric cooking, induction utilizes magnetic energy to instantly generate heat inside the induction-capable pot or pan. Heating begins with the cookware, allowing nearly 90% of the energy generated to go directly towards cooking what's inside. SUMMIT induction cooktops can boil a pot of water in half the time it takes on a conventional gas or electric cooking surface, and because all the heat is created by the cookware, the cooktop surface remains relatively cool when the pot is removed.

No gases, no fumes, no residual heat. Just safe, easy, and quick cooking!



SINC1110

SINCFS1	Portable induction cooktop for freestanding use. 110V, Schott Ceran™ surface and brushed stainless steel base. Ships in one point-of-sale colored box with 7-Piece Induction Cookware Set.
SINC1110	Built-in 110V single zone induction cooktop. Schott Ceran™ glass surface, beveled edges, ten power settings and child lock.
SINC2220	Built-in 220V two-zone induction cooktop. Smooth Schott Ceran™ glass surface. Touch controls, ten power settings, child lock.
SINC424220	Built-in 220V cooktop with four cooking zones (two 1600W, two 1800W). Unique 23" width takes up less counter space. Schott Ceran™ glass surface. Multiple power settings, timer, child lock. Cutout: 21"
SINC430220	Same as above unit with a larger 30" wide surface.



SINC2220

**COOK IN HALF THE TIME SAVING HALF YOUR ENERGY COSTS WITH SUMMIT INDUCTION.**



SINCFS1

# BUILT-IN AND PORTABLE INDUCTION COOKTOPS

SUMMIT's collection of induction cooktops features built-in and portable units all constructed with state-of-the-art Schott Ceran™ glass. Made in Europe, Schott Ceran™ is the leading glass ceramic surface material for electric and induction cooktops because of its proven durability, sleek look, and easy-clean convenience with superior strength and impact resistance. Our built-in cooktops come with convenient cutout dimensions and beveled edges for seamless installation, while the portable SINCFS1 has a lightweight design for versatile use in any room. All feature multiple power levels with instant temperature control, digital LED displays, and timer settings.



**INDUCTION COOKWARE:** 7-Piece set of induction-friendly cookware. Free and included in the carton with every SUMMIT induction cooktop. Glass lids included. Safe for use in dishwashers and on induction, gas, and electric cooking surfaces.



SINC430220

SEE OUR WEBSITE FOR CUTOUT DIMENSIONS AND  
INSTALLATION INSTRUCTIONS FOR BUILT-IN COOKTOPS

MODEL	Type	VOLTAGE	HEIGHT	WIDTH	DEPTH	BURNERS	FINISH
SINCFS1	Induction	110V	4 ¼"	12 ⅝"	14 ½"	1	Black Glass
SINC1110	Induction	110V	3 ¼"	11 ¾"	14 ½"	1	Black Glass
SINC2220	Induction	220V	3 ¼"	11 ¼"	20"	2	Black Glass
SINC424220	Induction	220V	3 ¼"	22 ⅞"	20 ⅛"	4	Black Glass
SINC430220	Induction	220V	3 ¼"	30 ⅝"	21 ⅝"	4	Black Glass



SINCFS1

## FEATURES:

- ELEGANT BEVELED FRAMELESS GLASS
- TOUCH CONTROLS ON ALL MODELS
- BUILT-IN AND PORTABLE COOKTOPS
- SMOOTH SCHOTT CERAN™ GLASS SURFACE
- INSTANTLY HEATS TO COOK IN HALF THE TIME OF STANDARD COOKTOPS
- COMPLIMENTARY 7-PIECE COOKWARE SET INCLUDED WITH EACH COOKTOP
- TEN POWER SETTINGS WITH INSTANT PRECISION
- MAGNETICALLY GENERATED HEAT MEANS SAFER COOKING WITH NO OPEN FLAMES OR HOT COILS



SINC1110

# DELUXE STAINLESS STEEL AND SLIDE-IN RANGES

**SUMMIT Professional** brings refinement to apartment-sized ranges, with sleek stainless steel models offering full-scale cooking in every size. Stainless steel doors dress the deep oven and lower broiler, while elegant towel bar handles add a modern touch. Dinner is never out of sight with our deluxe door window and light. Deluxe backguards include digital clocks and timers or choose a slide in look with a stainless steel trim in back. Stainless steel ranges all have porcelain burner boxes.

Model	Type	Oven Cap.	Door Finish	Cabinet Finish	Overall Height	Width	Depth	Additional features
TNM13027BFKWY	Gas	2.46 cu.ft	Stainless Steel	Black	44"	20"	24"	Electronic clock with timer, Oven window/light in oven, Black porcelain control panel, Electric Ignition, Sealed top burners, Stainless front & backguard, Deluxe 2 piece porcelain broiler pan.
TNM63027BFKWY	Gas	2.92 cu.ft	Stainless Steel	Black	44"	24"	24"	Same as TNM13027BFKWY in 24" width
TNM23027BFKWY	Gas	3.69 cu.ft	Stainless Steel	Black	44"	30"	24"	Same as TNM13027BFKWY in 30" width
TEM130BKWY	Electric	2.46 cu.ft	Stainless Steel	Black	44"	20"	24"	Electronic clock with timer, Oven window/light in oven, Storage compartment, Black porcelain control panel, Stainless front & backguard.
TEM630BKWY	Electric	2.92 cu.ft	Stainless Steel	Black	44"	24"	24"	Same as TEM130BKWY in 24" width
TEM230BKWY	Electric	3.69 cu.ft	Stainless Steel	Black	44"	30"	24"	Same as TEM130BKWY in 30" width



WEM619R



WNM616RW  
(Shown with optional stainless steel grates)



TEM630BKWY



TNM23027BFKWY

## SLIDE-IN LOOK RANGES

SUMMIT slide-in look ranges are perfect for kitchens seeking a "built-in" look. With no backguard, these deluxe ranges allow users to install their own backsplash or expand custom kitchen design above the range. Gas and electric slide-in ranges are available in black, white, and stainless steel and come in slim apartment-friendly sizes. Stainless steel manifold trim.

MODEL	TYPE	OVEN CAP.	DOOR FINISH	CABINET FINISH	Overall Height	WIDTH	DEPTH	ADDITIONAL FEATURES
TNM130R	Gas	2.46 cu.ft	Stainless Steel	Black	36"	20"	24"	Oven window/light in oven, Black porcelain control panel with stainless steel insert, Electric Ignition, Sealed top burners, Deluxe 2 piece porcelain broiler pan. Lower broiler.
TNM630R	Gas	2.92 cu.ft.	Stainless Steel	Black	36"	24"	24"	Same as TNM130R in 24" width
TNM230R	Gas	3.69 cu.ft.	Stainless Steel	Black	36"	30"	24"	Same as TNM130R in 30" width
TEM130R	Electric	2.46 cu.ft.	Stainless Steel	Black	36"	20"	24"	Oven window/light in oven, Prop rod for main top, Two oven racks, Storage compartment, Black porcelain control panel, Stainless steel manifold, Porcelain burner box. Broiler in oven.
TEM630R	Electric	2.92 cu.ft.	Stainless Steel	Black	36"	24"	24"	Same as TEM130R in 24" width
TEM230R	Electric	3.69 cu.ft.	Stainless Steel	Black	36"	30"	24"	Same as TEM130R in 30" width
WNM114R*	Gas	2.46 cu.ft.	White	White	36"	20"	24"	Sealed burners, Stainless Steel manifold trim and flat backguard
WNM114RW*	Gas	2.46 cu.ft.	White	White	36"	20"	24"	Oven window/light in oven, Sealed burners, Stainless steel manifold trim and flat backguard
WEM115R*	Electric	2.46 cu.ft.	White	White	36"	20"	24"	Stainless steel manifold trim and flat backguard, storage below oven
WEM115RW*	Electric	2.46 cu.ft.	White	White	36"	20"	24"	Oven window/light in oven, Stainless steel manifold trim and flat backguard, storage below oven
WNM616R*	Gas	2.92 cu.ft.	White	White	36"	24"	24"	Sealed burners, Stainless steel manifold trim and flat backguard
WNM616RW*	Gas	2.92 cu.ft.	White	White	36"	24"	24"	Oven window/light in oven, Sealed burners, Stainless steel manifold trim and flat backguard
WEM619R*	Electric	2.92 cu.ft.	White	White	36"	24"	24"	Stainless steel manifold trim and flat backguard, storage below oven
WEM619RW*	Electric	2.92 cu.ft.	White	White	36"	24"	24"	Oven window/light in oven, Stainless steel manifold trim and flat backguard, storage below oven

\* These models are also available in a black finish. To order, replace the first letter (W) of the model number with "T".

# GAS AND ELECTRIC COOKTOPS

For true convenience with maximum safety, SUMMIT offers a choice of glass smooth-top or conventional gas and electric cooktops to suit various kitchen styles, budgets and cooking needs. Our 110V and 220V smooth-top glass, one and two burner units are available in a classic black or unique white finish with superior glass ceramic construction. All include key safety features for stress-free cooking, including a hot burner indicator light, power-on indication, heat-limiting surface protectors, and push-to-turn controls for precise and secure temperature management. Smooth-top units below are made in the USA for us by Kenyon.

## Glass Smooth-Top Electric Cooktops

MODEL	TYPE	HEIGHT	WIDTH	DEPTH	BURNERS	VOLTAGE	FINISH
B41605	Electric	2 5/8"	12"	12 1/2"	1	120	Black Glass
B49517	Electric	2 5/8"	12"	12 1/2"	1	120	White Glass
B41601	Electric	2 5/8"	21"	12 1/2"	2	120	Black Glass
B41602	Electric	2 5/8"	21"	12 1/2"	2	240	Black Glass
B49510	Electric	2 5/8"	14 1/2"	23 1/4"	2	120	White Glass
B49511	Electric	2 5/8"	14 1/2"	23 1/4"	2	240	White Glass
B49515	Electric	2 5/8"	12"	21"	2	120	White Glass
B49516	Electric	2.63"	12"	21"	2	240	White Glass



## 24" Wide Cooktops

All units below are made in the USA, Cutout Dimensions: 22 5/8" W X 18 5/8" D

MODEL	TYPE	HEIGHT	WIDTH	DEPTH	BURNERS	IGNITION	FINISH
WTLO3	Gas	3 3/4"	24"	20"	4	Pilot light	White
STLO3	Gas	3 3/4"	24"	20"	4	Pilot light	Bisque
TTL03	Gas	3 3/4"	24"	20"	4	Pilot light	Black
ZTLO3	Gas	3 3/4"	24"	20"	4	Pilot light	Brushed chrome
WTLO33	Gas	3 3/4"	24"	20"	4	Spark Ignition	White
STLO33	Gas	3 3/4"	24"	20"	4	Spark Ignition	Bisque
TTL033	Gas	3 3/4"	24"	20"	4	Spark Ignition	Black
ZTLO33	Gas	3 3/4"	24"	20"	4	Spark Ignition	Brushed chrome
WELO3	Electric coil	3 3/4"	24"	20"	4	220V	White
SELO3	Electric coil	3 3/4"	24"	20"	4	220V	Bisque
TELO3	Electric coil	3 3/4"	24"	20"	4	220V	Black

SUMMIT gas and electric cooktops with 24" and 30" wide surfaces are all made in the USA for years of safe high quality cooking. Choose from scratch resistant porcelain models for long-lasting durability in white, black, and bisque, or brushed chrome that stands up to years of use with elegant style. All feature a convenient lift-up design and removable knobs for easy cleanup. Electric cooktops include an indicator light for added safety.



ZTLO3

## 30" Wide Cooktops

All units below are made in the USA, Cutout Dimensions: 28 3/8" W X 18 5/8" D

MODEL	TYPE	HEIGHT	WIDTH	DEPTH	BURNERS	IGNITION	FINISH
WTLO5	Gas	3 3/4"	29 3/4"	20"	4	Pilot light	White
STLO5	Gas	3 3/4"	29 3/4"	20"	4	Pilot light	Bisque
TTL05	Gas	3 3/4"	29 3/4"	20"	4	Pilot light	Black
ZTLO5	Gas	3 3/4"	29 3/4"	20"	4	Pilot light	Brushed chrome
WTLO53	Gas	3 3/4"	29 3/4"	20"	4	Spark Ignition	White
STLO53	Gas	3 3/4"	29 3/4"	20"	4	Spark Ignition	Bisque
TTL053	Gas	3 3/4"	29 3/4"	20"	4	Spark Ignition	Black
ZTLO53	Gas	3 3/4"	29 3/4"	20"	4	Spark Ignition	Brushed chrome
WELO5	Electric coil	3 3/4"	29 3/4"	20"	4	220V	White
SELO5	Electric coil	3 3/4"	29 3/4"	20"	4	220V	Bisque
TELO5	Electric coil	3 3/4"	29 3/4"	20"	4	220V	Black



WELO3



ZTLO5

# 20" WIDE ELECTRIC AND GAS RANGES

SUMMIT's extensive collection of 20" wide ranges are all designed with 24" depths for an easy fit in the tightest kitchen. Freestanding gas and 220V electric ranges are available in white, black, bisque, and stainless steel with lower storage drawers in most electric units and lower broiler compartments in all gas ranges. For a custom look in the kitchen, we offer slide-in look ranges with flat backguards (see page 24).



**WNM1307KW**



**WNM110**



**R200W**  
(White Pearl Series)



**REX204W**  
(White Pearl Series)



**WEM110/WEM111**



**RE20W**  
(White Pearl Series)

SUMMIT's White Pearl series of deluxe ranges includes the REX204W, a 220V electric range with a slim 20" width and black glass oven window. Fully featured for comfortable use, this attractive range has a black ceramic glass surface with four easy-to-clean cooking zones.

MODEL	TYPE	OVEN CAP.	BROILER	BURNERS	OVERALL HEIGHT	WIDTH	DEPTH	ADDITIONAL FEATURES
<b>REX204W</b>	220V electric	2.62 cu.ft.	In oven	Glass top	42"	20"	24"	White on white finish, digital clock and timer, oven window and light
<b>R200W</b>	Gas spark ignition	2.62 cu.ft.	In oven	Sealed burners	43 1/4"	20"	24"	White on white finish, continuous grates, lower storage
<b>RE20W</b>	220V electric	2.62 cu.ft.	In oven	4 Coil elements	43"	20"	24"	White on white finish, chrome drip pans
<b>WNM110*</b>	Gas pilot light	2.5 cu.ft.	Below oven	Open Burners	40"	20"	24"	Two oven racks, lower broiler
<b>WNM110CHJ*</b>	Gas pilot light	2.5 cu.ft.	Below oven	Open Burners	40"	20"	24"	Black glass door and black broiler door and trim
<b>WNM1107*</b>	Gas spark ignition	2.5 cu.ft.	Below oven	Open Burners	40"	20"	24"	Two oven racks
<b>WNM1107F*</b>	Gas spark ignition	2.5 cu.ft.	Below oven	Sealed burners	40"	20"	24"	Two oven racks, continuous grates
<b>WNM1307KW*</b>	Gas spark ignition	2.5 cu.ft.	Below oven	Open Burners	44"	20"	24"	Recessed oven door, oven light, digital clock and timer and window
<b>WNM1307DK*</b>	Gas spark ignition	2.5 cu.ft.	Below oven	Open Burners	44"	20"	24"	Recessed oven door, oven light, digital clock and timer, black glass see-thru door
<b>WNM1307DFK*</b>	Gas spark ignition	2.5 cu.ft.	Below oven	Sealed burners	44"	20"	24"	Recessed oven door, oven light, digital clock and timer, black glass see-thru door
<b>WEM110*</b>	220V electric	2.5 cu.ft.	In oven	4 Coil elements	40"	20"	24"	Recessed oven door, two oven racks, lower storage area, removable oven door
<b>WEM1171Q</b>	220V electric	2.5 cu.ft.	In oven	4 Coil elements	40"	20"	24"	Same as WEM110 but HUD/ADA approved electric range with cord, oven light and 5 indicator lights for each burner and oven
<b>WEM111*</b>	220V electric	2.5 cu.ft.	In oven	4 Coil elements	40"	20"	24"	Same as WEM110 with one oven rack and no storage below oven
<b>WEM130DK*</b>	220V electric	2.5 cu.ft.	In oven	4 Coil elements	44"	20"	24"	Recessed oven door, oven light, digital clock and timer, black glass see-thru door, lower storage area, removable top and oven door,

\* These models are also available in a bisque finish by changing the first letter of the model name to "S" and adding a suffix "C"

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# 24" WIDE ELECTRIC AND GAS RANGES

All SUMMIT 24" wide ranges are made in the USA and are just 24" deep, with recessed doors for a built-in look and cabinet protection. Gas and 220V electric ranges come in white or bisque in freestanding style with full backguards. Slide-in look ranges are available in white and stainless steel with flat backguards that can blend into any kitchen design (see page 24). All are 100% front serviceable with easy-clean porcelain oven cavities, lift-off oven doors, and backs fully finished in galvanized steel.



WNM6307KW



WNM610/WNM6107



WEM611/WEM610

EXPLANATION OF SUMMIT Range MODEL NUMBERS (Except White Pearl Series)					
Color	Fuel	Series	Size	Backguard	Options
'W'	'N'	'M'	'6'	'10'	'7'
W - White S - Bisque T - Black Z - Brushed Chrome (cooktop only)	N - Natural Gas <sup>1</sup> E - Electric L - LPG T - Natural Gas <sup>2</sup>	M is range series  L is cooktop series	1 = 20" 6 = 24" 2 = 30" 4 = 36"  7 = Walloven  Cooktops 3 - 24" 5 - 30"	10 = 4" 11 = 4" 12 = 4" 17 = 4" 18 = 4" 30 = 8"	1 - 3 prong 220V cord attached 2 - Deluxe 2 piece broiler pan 3 - Electronic ignition (on cooktops) 7 - Electronic ignition (on ranges) B - Stainless steel finish C - Black manifold D - Black glass window door & oven light F - Sealed gas burner H - Black glass door J - Black broiler door K - Digital clock with timer Q - Oven light (on solid door models) W - Oven window and light Y - Porcelain burner box
(Not all models are available in all colors)	<sup>1</sup> N ranges require an optional kit to convert to LPG.  <sup>2</sup> T ranges convert without a kit.				



WNM6307DK

MODEL	TYPE	OVEN CAP.	BROILER	BURNERS	OVERALL HEIGHT	WIDTH	DEPTH	ADDITIONAL FEATURES
WNM610*	Gas pilot light	2.9 cu.ft.	Below oven	Open Burners	40"	24"	24"	4 Burners, lower broiler compartment, porcelain removable oven top and door, anti-tip bracket, color matched knobs and handles.
WNM6107*	Gas spark ignition	2.9 cu.ft.	Below oven	Open Burners	40"	24"	24"	Same as WNM610 with spark ignition
WNM6107E*	Gas spark ignition	2.9 cu.ft.	Below oven	Sealed Burners	40"	24"	24"	Same as WNM610 with sealed burners and spark ignition
WNM610CHJ*	Gas pilot light	2.9 cu.ft.	Below oven	Open burners	40"	24"	24"	Same as WNM610 with a black glass oven door with black broiler door and trim
WNM6307DK*	Gas spark ignition	2.9 cu.ft.	Below oven	Open Burners	44"	24"	24"	Same as WNM6107 with black glass window door & oven light, digital clock and timer.
WNM6307KW*	Gas spark ignition	2.9 cu.ft.	Below oven	Open Burners	44"	24"	24"	Same as WNM6107 with oven window with light, digital clock and timer,
WNM6307DFK*	Gas spark ignition	2.9 cu.ft.	Below oven	Sealed burners	44"	24"	24"	Same as WNM6307DK with sealed gas burners
WEM610*	220V electric	2.9 cu.ft.	In oven	4 Coil elements	40"	24"	24"	4 coil elements, Two oven racks, lift-up top, removable oven door, lower storage area
WEM611*	220V electric	2.9 cu.ft.	In oven	4 Coil elements	40"	24"	24"	4 coil elements, One oven rack, removable oven door
WEM6171Q	220V electric	2.9 cu.ft.	In oven	4 Coil elements	40"	24"	24"	Elderly/HUD qualified, Individual indicator lights, oven light and power cord
WEM630DK*	220V electric	2.9 cu.ft.	In oven	4 Coil elements	44"	24"	24"	Two oven racks, oven light, lower storage area, removable top and oven door, digital clock and timer

\* These models are also available in a bisque finish by changing the first letter of the model name to "S" and adding a suffix "C"

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# 30" WIDE GAS AND ELECTRIC RANGES

## SUMMIT'S WHITE PEARL SERIES

SUMMIT's White Pearl Series of gas and electric ranges offers top quality construction, advanced features, and refined style in 20" and 30" wide white ranges. All include extra large oven cavities and removable oven doors with color matched handles for a clean kitchen look. All gas ranges are equipped with sealed burners with continuous grates, electronic ignition, two oven racks, and broilers. Our selection of 220 V electric White Pearl ranges features models with smooth ceramic glass tops (20" only) or coil elements with chrome drip pans included. Each is constructed entirely from steel and heavy duty porcelain for true durability and elegance designed to last in the busiest kitchen space.



**R301W**  
(White Pearl Series)



**RE304W**  
(White Pearl Series)



**RG306W**  
(White Pearl Series)

### RG306 (6 Burner White Pearl Series)

SUMMIT's White Pearl Series RG306W is the full package: a 30" wide gas range with a generous 4.33 cu.ft. oven capacity and 6 sealed gas burners with 3 heavy-duty continuous grates. Fully featured with digital clock and timer, oven window, interior light, and broiler drawer, the RG306W offers a professional cooking experience with everything you need in one elegant model. The all porcelain and steel construction provides long-lasting durability, with electronic ignition for added safety and convenience.

MODEL	TYPE	OVEN CAP.	BROILER	BURNERS	OVERALL HEIGHT	WIDTH	DEPTH	ADDITIONAL FEATURES
RG306W	Gas spark ignition	4.3 cu.ft.	Below oven	6 Sealed burners	43"	30"	23 5/8"	White on white finish, anti-tip bracket, digital clock, timer, window and oven light
R301W	Gas spark ignition	4.3 cu.ft.	Below oven	4 Sealed burners	43"	30"	23 5/8"	White on white finish, anti-tip bracket, heavy-duty continuous grates
RE304W	220V electric	4.3 cu.ft.	In oven	4 Coil elements	43"	30"	23 5/8"	White on white finish, chrome drip pans, power indicators for burners and oven



**WNM2307KW**



**SNM2107CF**

SUMMIT's line of 20", 24", 30", and 36" wide ranges offers a huge assortment of options to fit nearly every kitchen. Our basic series is offered in white and bisque (white only in 36" width), with a full black glass door available on both electric and gas models. Gas units can be ordered with electronic or pilot light ignition and include the option of sealed burners and stainless steel continuous grates. Electric ranges are offered with a storage compartment, or with a front panel on our more value priced units. All can be equipped with a deluxe backguard, digital clock and timer, oven light, and oven window. We also carry HUD approved electric ranges with individual indicator lights for each burner and the oven. Available in white these 20", 24", and 30" ranges include an oven light and three-prong cord.

# 30" AND 36" WIDE GAS AND ELECTRIC RANGES

SUMMIT's 30" wide gas and electric ranges feature convenient 24" depths and come in freestanding or slide-in style. Choose from a variety of features for the range that fits your precise cooking and style needs. All are constructed from porcelain and steel for lasting durability with easy-clean convenience. Level legs and an anti-tip bracket are standard with all ranges. A unique feature of SUMMIT ranges on this page are recessed oven doors to direct hot air outward and protect cabinets.



WEM211



WNM2307KW



WNM2107F



WNM2307DK

MODEL	TYPE	OVEN CAP.	BROILER	BURNERS	OVERALL HEIGHT	WIDTH	DEPTH	ADDITIONAL FEATURES
WNM210*	Gas pilot light	3.69 cu.ft.	Below oven	Open burners	40"	30"	24"	White on white finish, porcelain removable oven top and door, lower broiler
WNM2107*	Gas spark ignition	3.69 cu.ft.	Below oven	Open burners	40"	30"	24"	Same as WNM210 with spark ignition
WNM2107F*	Gas spark ignition	3.69 cu.ft.	Below oven	Sealed burners	40"	30"	24"	Same as WNM210 with sealed burners and spark ignition
WNM2307DK*	Gas spark ignition	3.69 cu.ft.	Below oven	Open burners	44"	30"	24"	Same as WNM2107 with black glass oven door with window, oven light, digital clock and timer
WNM2307KW*	Gas spark ignition	3.69 cu.ft.	Below oven	Open burners	44"	30"	24"	Same as WNM2107 with oven window with light, digital clock and timer
WNM2307DFK*	Gas spark ignition	3.69 cu.ft.	Below oven	Sealed burners	44"	30"	24"	Same as WNM2307DK with sealed gas burners, white on white finish
WEM210*	220V electric	3.69 cu.ft.	In oven	4 coil elements	40"	30"	24"	Two oven racks, removable oven door, lower storage area
WEM211*	220V electric	3.69 cu.ft.	In oven	4 coil elements	40"	30"	24"	One oven rack, removable oven door, white on white finish
WEM2171Q	220V electric	3.69 cu.ft.	In oven	4 coil elements	44"	30"	24"	Elderly/HUD-qualified, individual indicator lights, oven light and power cord, two oven racks, lower storage compartment
WEM230DK*	220V electric	3.69 cu.ft.	In oven	4 coil elements	44"	30"	24"	Two oven racks, black glass see-thru door, oven light, lower storage area, digital clock and timer

\* These models are also available in a bisque finish by changing the first letter of the model number to "S" and adding a suffix "C"

## ALL MODELS ON THIS PAGE ARE MADE IN THE USA



WNM4307KW

Our 36" wide gas and electric ranges feature a generously sized porcelain surface, a large oven with recessed door, and a convenient 12" wide storage cabinet. Choose a 4" high backguard in porcelain (gas model only) or a deluxe 8" backguard with a digital clock and timer included. Available in white only, these 36" wide ranges are all made in the USA.

SUMMIT WNM430KW is a deluxe 36" wide gas range with an 8" high backguard complete with a digital clock and timer. This white range uses electronic ignition and features four burners on the large porcelain surface. A recessed oven door helps to protect adjacent cabinetry, while the removable top and door simplify cleaning and maintenance. Additional features include an oven light and window, a lower broiler compartment, anti-tip bracket, porcelain broiler tray, and a 12" wide storage cabinet built into the unit. Also available in electric (WEM430KW) with 4 coil elements and similar features.

MODEL	TYPE	OVEN CAP.	BROILER	BURNERS	OVERALL HEIGHT	WIDTH	DEPTH	ADDITIONAL FEATURES
WNM430	Gas pilot light	2.92 cu.ft.	Below oven	Open burners	40"	36"	24"	Two oven racks, anti-tip bracket, removable oven top and door, 2-shelf storage area, anti-tip bracket
WNM4307	Gas spark ignition	2.92 cu.ft.	Below oven	Open burners	40"	36"	24"	Same as WNM430 with spark ignition
WNM4307KW	Gas spark ignition	2.92 cu.ft.	Below oven	Open burners	44"	36"	24"	Same as WNM4307 with oven window with oven light, digital clock and timer
WEM430KW	220V electric	2.92 cu.ft.	In oven	4 coil elements	44"	36"	24"	Deluxe electric range, oven window, oven light, clock and timer

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice


C-110

# WALLOVENS AND RANGE HOODS

Keep kitchen air fresh with a SUMMIT range hood, available in standard and some hard-to-fit sizes to match conventional ranges. Choose from our wide selection of deluxe high CFM models, recirculating ductless, convertible ducted/ductless, and basic shell hoods in a variety of finishes including white, black, bisque, and stainless steel. All SUMMIT range hoods are made in the USA. Standard sizes are 20", 24", 30", and 36" widths, with select stainless steel models available in 42" and 48". Additional sizes can be specially ordered (minimums apply; contact your sales representative for more information).

## ULT Series

Exclusive ultra series of 425 CFM low profile range hoods in contemporary styling with a stainless steel finish. Convertible hoods, fully equipped with washable aluminum filters and variable speed options.




## H1600 Series

Convertible for ducted or ductless operation, our H1600 Series are versatile range hoods equipped with a two-speed fan, switchable light, and aluminum charcoal filter. Top or rear venting, or convert for non-vented (recirculating) mode. 20", 24", 30", and 36" hoods are available in white, black, bisque, and stainless steel. Larger 42" and 48" range hoods in stainless steel only.

## H1700 Series

Our best-selling series, these recirculating (ductless) range hoods come ready to install. Features include a two-speed fan, switchable light, and aluminum charcoal filter. Available in white, bisque, and stainless steel in 20", 24", 30", and 36" widths.



## Shell Series

SUMMIT shell hoods have the same construction as our basic range hoods, but without the standard fan, light or filter. Designed to match most ranges with four finishes available: white, bisque, black, and stainless steel.

## Backsplashes

SUMMIT backsplashes add a fully finished look to your kitchen in professional stainless steel. Available in six sizes and all made in the USA. Includes 2 mounting holes. Custom sizes and finishes available by special order (minimums apply).

SUMMIT BASIC RANGE HOODS			
SERIES	WIDTH	FINISH	CIRCULATION
1600	20", 24", 30", 36"	White, Black, Bisque, Stainless Steel	Convertible
1600	42", 48"	Stainless Steel	Convertible
1700	20", 24", 30", 36"	White, Bisque, Stainless Steel	Ductless
Shell	20", 24", 30", 36"	White, Black, Bisque, Stainless Steel	-
Dimensions 5" X Width X 18"			

SUMMIT DELUXE 425 CFM RANGE HOODS					
MODEL	HEIGHT	WIDTH	DEPTH	FINISH	CIRCULATION
ULT2820SS	8"	20"	19"	Stainless Steel	Convertible
ULT2824SS	8"	24"	19"	Stainless Steel	Convertible
ULT2830SS	8"	30"	19"	Stainless Steel	Convertible
ULT2836SS	8"	36"	19"	Stainless Steel	Convertible

SERIES	WIDTH	FINISH
Backsplash	20", 24", 30", 36", 42", 48"	Stainless Steel
Dimensions: 24"H X Width		



SUMMIT offers a diverse selection of fully featured wallovens, all with cutout dimensions of 34 1/8" H x 22 3/8" W x 23" D. These units fit many discontinued cutouts such as Caloric, Slattery, and older makes, including Magic Chef and Tappan. Our 220V electric walloven comes in black glass with a see-through oven door. Gas wallovens are available in white, bisque, and black, with windows or see-through glass doors and gas spark ignition. All are equipped with a digital clock, timer, oven light, and full two-piece broiler pan with grill top. Gas models include a broiler below the oven and electric models have a broiler inside the oven.

MODEL	TYPE	VOLTAGE	HEIGHT	COLOR	IGNITION	DESCRIPTION
WTM7212KW	Gas	120V	34 1/2"	White	Electronic	Digital clock and timer, oven window with light, drop-down broiler door, spark ignition
STM7212KW	Gas	120V	34 1/2"	Bisque	Electronic	Digital clock and timer, oven window with light, drop-down broiler door, spark ignition
TTM7212DK	Gas	120V	34 1/2"	Black	Electronic	Black glass oven door with see through window and oven light, digital clock and timer, drop-down broiler door, spark ignition
TTM7212KW	Gas	120V	34 1/2"	Black	Electronic	Digital clock and timer, black porcelain door with oven window with light, drop-down broiler door, spark ignition
TEM721DK	Electric	220V	34 1/2"	Black	-----	Black glass oven door, digital clock and timer,

# CYCLE DEFROST REFRIGERATOR-FREEZERS

“THIN LINE” MODELS AND INNOVATIVE TWO-COMPRESSOR MODELS



**CP171W**



**CP171SS**

As one of SUMMIT's most innovative models, the CP171 series includes refrigerator-freezers built with two separate compressors. This allows an independent cooling system in both compartments with two separate thermostats. Automatic defrost in the fresh food section and manual defrost in the freezer. These deluxe models come with a spacious and well designed interior featuring adjustable glass shelves, twin crispers, and three removable drawer compartments in the freezer section to prevent temperature fluctuations when the door is open. Designed by renowned Danish artist David Whitten Lewis (the designer of Bang and Olufsen audio systems), the CP171 series is built in Denmark for SUMMIT and is made to conserve energy. These slim refrigerator-freezers consume less than 15¢ per day of electricity (based on the national average).

<b>CP171SS</b>	Two door, two compressor, bottom freezer, cycle defrost, with a large 40% freezer compartment, designed for elegance, style and energy savings. Reversible doors, matching designer handles, door storage, adjustable glass shelves and a wine rack. Platinum cabinet and stainless steel doors
<b>CP171W</b>	Same as above in white finish.
<b>CP133</b>	Two door, cycle defrost refrigerator-freezer with ideal dimensions under 24" wide and under 60" high, yet with 9.5 cu.ft. of capacity. Reversible doors, interior light, adjustable shelves, full crisper, and huge door storage. Energy efficient operation and large 0°F freezer.
<b>CP97R</b>	Same features as the CP133 in an easy to fit size. Recessed handles, only 24" deep overall, and under 21½" wide.

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR COLOR	CABINET FINISH
<b>CP171W</b>	12 cu.ft.	81"	23 5/8"	24"	Cycle	Reversible	White	White
<b>CP171SS</b>	12 cu.ft.	81"	23 5/8"	24"	Cycle	Reversible	Stainless Steel	Platinum
<b>CP133</b>	9.5 cu.ft.	60"	23 5/8"	24"	Cycle	Reversible	White	White
<b>CP97R</b>	7.4 cu.ft.	57"	21 1/4"	24"	Cycle	Reversible	White	White

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).



**CP133**

SUMMIT CP133 is ideal for apartments facing space limitations, yet still in need of a high quality, energy efficient refrigerator-freezer with a large capacity. Under 60" high and 24" wide, this cycle defrost 9.5 cu.ft. unit utilizes time-saving auto defrost in its refrigerator compartment and energy saving manual defrost in the 0°F freezer. Adjustable shelves, a crisper drawer, door racks, and reversible doors make this the smart choice for smaller kitchens.

**ALL MODELS ARE JUST 24" DEEP TO FIT FLUSH WITH YOUR CABINETS**



**CP97R**

**CP97R**

At just 21 ½" wide, the CP97R fits easily into even the narrowest of kitchen spaces. Cycle defrost combines an auto defrost fresh food section with the manual defrost freezer for an energy efficient, low maintenance unit with a full 7.4 cu.ft. of storage capacity inside. Adjustable shelves, a clear crisper, and multiple door racks provide easy storage options in the refrigerator section, while ice cream stays frozen in the 0°F top freezer.

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# FROST-FREE REFRIGERATOR-FREEZERS FOR SMALLER KITCHENS



**FF1410W (glass shelves)**

**FF1320WIM\* (glass shelves)**

**FF1320W**

**FF1112W**

SUMMIT has long provided one of the most extensive lines of frost-free refrigerator-freezers for the smaller kitchen, with over 30 models from 5 cubic feet up to 15 cubic feet, in white and stainless steel, including a half dozen with ENERGY STAR listings. We know there are many kitchens and lifestyles that demand models with specific widths, heights, or depths, and we have choices for virtually any of these situations. We also feature many of our models with very deluxe interiors, including glass shelves in selected models, and optional icemakers in some (base units are not icemaker ready, and customers must specify icemaker installation at time of order).

## FEATURES

- Fully frost-free
- Recessed handles
- Optional towel bar handles
- Large leveling legs
- Freezer shelves
- Reversible doors
- Fruit/vegetable crispers
- Adjustable shelves
- Interior light
- Door storage
- Interior fan circulation
- Adjustable thermostat
- U.L. Approved

<b>FF1112W</b>	ENERGY STAR model, with ideal dimensions for smaller kitchens with cabinets above the refrigerators. Door storage for large bottles, adjustable shelves, interior light, and adjustable thermostat.
<b>FF1320W</b>	Deluxe interior and one of the largest capacities and freezer sizes in a 24" footprint. Glass shelves, interior light, huge shelf area and door storage.
<b>FF1251W</b>	26" wide with as much shelf space as many larger models; adjustable wire shelves, reversible door and interior light.
<b>FF1410W</b>	Large capacity in only 26" X 26" footprint, with glass shelves, deluxe interior, huge shelf and door storage areas, interior light.
<b>FF1112WIM*</b>	Same as <b>FF1112W</b> with factory installed icemaker.
<b>FF1320WIM*</b>	Same as <b>FF1320W</b> with factory installed icemaker.
<b>FF1251WIM*</b>	Same as <b>FF1251W</b> with factory installed icemaker.
<b>FF1410WIM*</b>	Same as <b>FF1410W</b> with factory installed icemaker.
<b>Suffix</b>	<b>Description</b>
<b>TB</b>	Installed set of towel bar handles for easier opening. Order RHD or LHD.

ALL MODELS ON THIS PAGE ARE  
MADE IN NORTH AMERICA

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR COLOR	CABINET FINISH
<b>FF1112W</b>	10.3 cu.ft.	59"	23 ¾"	26"	Frost-free	Reversible	White	White
<b>FF1320W</b>	10.2 cu.ft.	70"	23½"	24"	Frost-free	Reversible	White	White
<b>FF1251W</b>	11.7 cu.ft.	66"	26"	26"	Frost-free	Reversible	White	White
<b>FF1410W</b>	12.7 cu.ft.	69"	26"	26"	Frost-free	Reversible	White	White
<b>FF1112WIM*</b>	10.3 cu.ft.	59"	23 ¾"	26"	Frost-free	Reversible	White	White
<b>FF1320WIM*</b>	10.2 cu.ft.	70"	23 ½"	24"	Frost-free	Reversible	White	White
<b>FF1251WIM*</b>	11.7 cu.ft.	66"	26"	26"	Frost-free	Reversible	White	White
<b>FF1410WIM*</b>	12.7 cu.ft.	69"	26"	26"	Frost-free	Reversible	White	White



**FF1251W**

**FF1251WTB**

(Shown with optional TB handles)

\* Models on this page are not icemaker ready – icemakers must be ordered at time of initial order placement

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# FROST-FREE REFRIGERATOR-FREEZERS FOR SMALLER KITCHENS

Whether you're seeking extra capacity, a hard to fit space, the nicest interior or simply the best overall value, SUMMIT has the frost-free refrigerator for you. From ENERGY STAR to ADA compliant, we offer dozens of choices. Moreover, SUMMIT has been specializing in the smaller kitchen frost-free business longer than almost anyone, offering models with decades of proven reliability, quality, and features customers demand.



**FF882W**



**FF1074**



**FF1062W**

<b>FF1274*</b>	Offers 12.2 cu.ft. of capacity in only a 24" width, with reversible doors, interior light, gallon door storage, a full freezer shelf, can storage, adjustable shelves and clear fruit and vegetable crisper.
<b>FF1074*</b>	10 cu.ft., only 24" wide and under 60" high with the same features as the FF1274.
<b>FF874*</b>	8 cu.ft. of capacity featuring reversible doors, interior light, adjustable shelves and huge door storage.
<b>FF882W</b>	24" wide, frost-free refrigerator with adjustable wire shelves. Made in North America.
<b>FF1062W</b>	Featured with interior light, adjustable <b>glass shelves</b> and reversible doors. Clear door bins and see-thru crisper for convenience. Full freezer shelf and two freezer door shelves. Made in North America.
<b>FF71</b>	ADA compliant, frost-free refrigerator, adjustable glass shelves, adjustable thermostat. Made in North America.
<b>SUFFIX</b>	<b>DESCRIPTION</b>
<b>TB</b>	Installed set of towel bar handles for easier opening
<b>*IM</b>	Factory installed icemaker. Models on this page are not icemaker ready – icemakers must be ordered at time of initial order placement



**FF1274**



**FF71**



**FF874**

### FEATURES

- Fully frost-free
- Reversible doors
- Recessed handles
- Glass shelves in FF1062W
- Interior light
- Fruit and vegetable crisper
- Door storage
- Freezer door storage
- Adjustable shelves
- Adjustable thermostat

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
<b>FF874</b>	8.1 cu.ft.	50 3/4"	23 5/8"	26 5/8"	Frost-free	Reversible	White	White
<b>FF882W</b>	8.8 cu.ft.	60 1/2"	23 1/4"	24"	Frost-free	Reversible	White	White
<b>FF1062W</b>	9.4 cu.ft.	63"	23 1/4"	24"	Frost-free	Reversible	White	White
<b>FF1074</b>	10.0 cu.ft.	59 3/4"	23 5/8"	26 5/8"	Frost-free	Reversible	White	White
<b>FF1274</b>	12.2 cu.ft.	59 3/4"	23 5/8"	29 5/8"	Frost-free	Reversible	White	White
<b>FF71</b>	4.8 cu.ft.	46"	18 3/4"	23"	Frost-free	Reversible	White	White

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# FROST-FREE REFRIGERATOR-FREEZERS WITH LOCKING DOORS

**SUMMIT'S UNIQUE 'LLF' OR KEYLESS 'LLF2' LOCK USES ONE FRONT-MOUNTED LOCK TO LOCK BOTH THE REFRIGERATOR AND FREEZER DOORS. AVAILABLE ON FOUR OF THE MOST POPULAR HOUSEHOLD REFRIGERATOR SIZES**

SUMMIT's CTR-LLF series features quality refrigerator-freezers with large capacities, expert designs, and double front locks that offer dependable security. These frost-free models are offered in four popular sizes for household use.

On models with the standard 'LLF' suffix, we add our exclusive front lock system that uses one lock and key to securely lock both doors. Our LLF2 is for applications where many users need access to a secured refrigerator, and a keyless combination lock is more convenient than a keyed lock. (A key override is included on LLF2 models). No extra width or height is needed.

Each CTR contains a deluxe interior designed for the utmost in storage convenience. Both reversible doors include well-sized shelves, with adjustable shelving, twin crispers, and interior lighting in the bottom refrigerator section. Frost-free operation inside both compartments, with fan-forced cooling for even temperature conditions.

Four models are available to meet most space requirements, with capacities ranging from 14.8 to 20.5 cu.ft. The CTR15LLF and CTR17LLF have wire shelves; the CTR18LLF and CTR21LLF have glass shelves. All models are icemaker ready and an optional icemaker can be added prior to shipment. Additional SUMMIT options, including alarms or thermometers, can also be added at the time of order (certain features require two per model).



## FEATURES OF ALL MODELS

- REVERSIBLE DOORS
- WHITE FINISH
- FRONT LOCK LOCKS BOTH DOORS
- ADJUSTABLE THERMOSTAT
- ICE MAKER READY
- INTERIOR LIGHT
- DOOR STORAGE FOR TALL OBJECTS
- MADE IN NORTH AMERICA



LLF



LLF2



MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	SHELVES	DOOR SWING	DOOR COLOR	CABINET FINISH
CTR15LLF	14.8 cu. ft.	60"	28"	31"	Frost-free	Wire	Reversible	White	White
CTR17LLF	16.5 cu. ft.	65"	28"	31"	Frost-free	Wire	Reversible	White	White
CTR18LLF	18.2 cu. ft.	66"	29 3/4"	30"	Frost-free	Glass	Reversible	White	White
CTR21LLF	20.5 cu. ft.	69"	29 3/4"	32"	Frost-free	Glass	Reversible	White	White

### Options

LLF	Keyed lock to lock both doors.
LLF2	Combination lock (with key override) for refrigerators in multi-user locations.
IM	Factory installed icemaker. Units are all icemaker ready.

# BUILT-IN UNDER-COUNTER 24" WIDE REFRIGERATOR-FREEZERS

## FULL 6 CU. FT. OF CAPACITY, MANUAL OR FULLY AUTO-DEFROST

SUMMIT BI605 is a workhorse built-in refrigerator-freezer with a full 6 cu.ft. capacity, solid construction, a reversible door and door storage. Available in white or black finish or with our signature wrapped stainless steel door with a professional stainless steel handle (suffix SSVH) or with a stainless steel frame\* to accept custom panels. (Panel Size is 30 1/8" H X 23 5/8" W). Model BI605 has been a fixture in the SUMMIT line for two decades, used extensively in apartments, efficiency kitchens, university and military housing, institutional kitchens and by many other users.



**BI605BFF**

BI605B is identical without digital thermostat



**BI605BFF Interior**



**BI605BFFSSVH**




**BI605SSVH**

For customers seeking the utmost in convenience, Model BI605FF (white) and BI605BFF (black) are fully auto-defrost in both the fresh food and freezer sections. Both units have a digital thermostat for precise temperature control, and the same features as the BI605. These models are also available with a frame\* for custom panels, or a wrapped stainless steel door and pro handle (Suffix SSVH).



**BI605FF**

\* Model BI605 was previously offered with plastic "Z" clips to accept thin custom panels. This option has been replaced with our new two piece stainless steel frame that accepts panels up to 1/4", and offers a more professional appearance. For those who own older models, we will continue to stock "Z" clips and stainless steel panels.



**BI605BFFFR**  
with customer supplied panel

<b>BI605</b>	Large capacity refrigerator-freezer with manual defrost. It has a bottom condenser and fan-forced front breathing. White finish with black kickplate. Includes interior light, reversible door, door storage and 20°F freezer. Adjustable mechanical thermostat inside the unit.
<b>BI605B</b>	Same as above in black finish.
<b>BI605FF</b>	Same as BI605 with full auto defrost system and a precision digital thermostat in the kickplate. Reversible door. White finish with black kickplate.
<b>BI605BFF</b>	Same as above in black finish
<b>SUFFIX</b>	<b>DESCRIPTION</b>
<b>SSVH</b>	Add a fully wrapped stainless steel door and pro stainless steel vertical handle to any BI605 model. Order RHD/LHD
<b>FR</b>	Add a stainless steel frame to any BI605 to accept custom panels. Panel size is 30 1/8" H x 23 5/8" W. 16" pro handle included. (Photos below illustrate a customer supplied panel.)

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
<b>BI605</b>	6 cu.ft.	34 1/2"	23 3/4"	25"	Manual	Reversible	White	White
<b>BI605B</b>	6 cu.ft.	34 1/2"	23 3/4"	25"	Manual	Reversible	Black	Black
<b>BI605FF</b>	6 cu.ft.	34 1/2"	23 3/4"	25"	Automatic	Reversible	White	White
<b>BI605BFF</b>	6 cu.ft.	34 1/2"	23 3/4"	25"	Automatic	Reversible	Black	Black
<b>SUFFIX</b>	Description							
<b>SSVH</b>	Wrapped stainless steel door with pro handle (order RHD/LHD)							
<b>FR</b>	Frame to accept custom panel. Handle is included. Panel size is 30 1/8" H X 23 5/8" W.							

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# COUNTER HEIGHT 24" WIDE REFRIGERATOR-FREEZERS

SUMMIT answers the need for high quality counter height refrigerators with our CT66 and CT67. Both have 4 star freezers which safely store frozen foods at near zero degrees. The unique dual evaporators provide separate cooling for the freezer and refrigerator, with plenty of reserve capacity. These freestanding units are ideal for studio apartments, dormitories, senior residences, hospitals, hotels, or in recreation rooms or bars. The design of the CT66 and CT67 is also elegant, and can be customized with wrapped stainless steel doors (all models) or custom panels. (See page 4 for built-in refrigerator-freezers models BI540 and CT67BI)

<b>CT66J</b>	Unique 24" wide counter height refrigerator-freezer. 5.1 cu.ft. with dual-evaporator cooling. Cycle defrost (manual-defrost freezer and automatic defrost fresh food section), interior light, door storage, wire shelves and vegetable crisper. White on white finish. Reversible door
<b>CT66L</b>	Same as above with front lock. Reversible door.
<b>CT66B</b>	Same as CT66, but in black finish and with <b>glass shelves</b> .
<b>CT67</b>	Same as CT66 in white, but with a deluxe interior with <b>glass shelves</b> and a wine rack; and with a factory installed black frame that accepts custom panels (panel size is 28 3/16" high by 23 3/16" W X 1/8" thick). One side of the frame is full length handle. Reversible door. Can also accept optional SUMMIT 'FR' frame and all wrapped door and handle options.
<b>CT70</b>	Large capacity, 6.0 cu.ft. counter height freestanding refrigerator-freezer with wire shelves, reversible door, vegetable crisper, interior light and door storage. Manual defrost. Freezer compartment is rated 20°F.



**CT66L**



**CT66BCSS**

All CT66 and CT67 models are also available in ADA height (32"). Add Suffix 'ADA' to model number.



**CT66B Interior**



**CT66J / CT66L interior**



**CT67**



**CT70**

Large capacity freestanding refrigerator-freezer with adjustable wire shelves. The 6 cu.ft. capacity and value price of this manual defrost unit makes it ideal for short term residence, hotels, inns or dormitory housing.

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
<b>CT66J</b>	5.1 cu.ft.	33 1/4"	23 5/8"	23 1/2"	Cycle	Reversible	White	White
<b>CT66L</b>	5.1 cu.ft.	33 1/2"	23 5/8"	23 1/2"	Cycle	Reversible	White	White
<b>CT66B</b>	5.1 cu.ft.	33 1/4"	23 5/8"	23 1/2"	Cycle	Reversible	Black	Black
<b>CT67</b>	5.1 cu.ft.	33 1/4"	23 5/8"	23 1/2"	Cycle	Reversible	White/frame	White
<b>CT70</b>	6.0 cu.ft.	34"	23 3/4"	25"	Manual	Reversible	White	White
<b>Suffix</b>	<b>For Models CT66 / CT66L / CT66B / CT67</b>							
<b>SSTB</b>	Wrapped stainless steel door with 12" pro stainless steel towel bar handle							
<b>SSHV</b>	Wrapped stainless steel door with vertical thin stainless steel handle (14mm diameter)							
<b>SSHH</b>	Wrapped stainless steel door with full width horizontal stainless steel handle (14mm diameter)							
<b>FR</b>	Two piece stainless steel frame accepts custom panels; includes a stainless steel handle. Panel sizes for CT66 models is 23 3/8" W X 28 5/8" H and for CT67 models is 23 3/16" W X 28 3/16" H.							
<b>IF</b>	Integrated stainless steel frame accepts full overlay panels							
<b>CSS</b>	Fully wrapped stainless steel cabinet and wrapped stainless steel door with 12" pro towel bar handle							
<b>DPL</b>	Diamond plate aluminum wrapped door and pro style polished stainless steel towel bar handle							
<b>ADA</b>	32" height for ADA counters. 4 level legs included							

# ENERGY STAR COMPACT REFRIGERATOR-FREEZER



**CP35LL**



**CP35 Interior**



**CP35**

Over 20 years ago, SUMMIT pioneered some of the most unique counter height refrigerator-freezers in the industry, including the two-door CP35 Series of thin-line refrigerator-freezers. These 18 ¾" wide ENERGY STAR qualified units can properly store frozen foods and ice cream at 0°F in the low energy manual defrost freezer while keeping fresh food fresh in the conveniently auto defrost refrigerator section. Great for any setting in need of a true refrigerator-freezer combo with low maintenance, energy saving design in a slim fitting cabinet. Made in North America.



**CP35 (white)**

<b>CP35</b>	Two door, cycle defrost (manual defrost freezer and automatic defrost fresh food section), counter height, freestanding refrigerator with separate zero degree freezer. Reversible doors, door storage in both sections, 2.9 cu.ft. of capacity. White finish. ENERGY STAR listed.
<b>CP35B</b>	Same as above in black finish. ENERGY STAR listed.
<b>CP35LL</b>	CP35 in white with 2 side mounted locks installed.
<b>CP35BLL</b>	CP35B (black) with 2 side mounted locks installed.
<b>CP35ADA</b>	Same as CP35, but in a lower height for ADA counters
<b>CP35BADA</b>	Same as CP35B, but in lower height for ADA counters.
<b>CP36</b>	Similar to CP35, but with slightly different dimensions (See box below) Model CP36 is not ENERGY STAR listed.
<b>CP36B</b>	Same as CP36, but in black finish.

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
CP35	2.9 cu.ft.	33"	18 ¾"	21"	Cycle	Reversible	White	White
CP35B	2.9 cu.ft.	33"	18 ¾"	21"	Cycle	Reversible	Black	Black
CP35LL	2.9 cu.ft.	33"	19 ¾"	21"	Cycle	RHD/LHD	White	White
CP35BLL	2.9 cu.ft.	33"	19 ¾"	21"	Cycle	RHD/LHD	Black	Black
CP35ADA	2.9 cu.ft.	32"	18 ¾"	21"	Cycle	Reversible	White	White
CP35BADA	2.9 cu.ft.	32"	18 ¾"	21"	Cycle	Reversible	Black	Black
CP36	3.2 cu.ft.	34"	20"	20"	Cycle	Reversible	White	White
CP36B	3.2 cu.ft.	34"	20"	20"	Cycle	Reversible	Black	Black



**CP35B open**

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# AUTO DEFROST COUNTER HEIGHT REFRIGERATOR-FREEZERS

Over two decades ago SUMMIT, already a leader in compact refrigeration, answered the demand for a fully auto-defrost refrigerator-freezer with our FF4 Series. Today, that same series has evolved into our FF41ES (white) and FF43ES (black) models, with all the same features and benefits but now ENERGY STAR qualified. Moreover, we have expanded the range of products to include versions with wrapped stainless steel doors and modified to fit under shorter ADA counters.



FF43ES open



FF43ES



FF43ESSSTB



FF43ESSS

<b>FF41ES</b>	ENERGY STAR listed refrigerator-freezer with full automatic defrost in both refrigerator and freezer sections and 3.6 c.f. capacity. White exterior with reversible door
<b>FF41ESADA</b>	Same as above with 32" ADA compliant height
<b>FF43ES</b>	ENERGY STAR listed, same as the FF41ES but with a black finish.
<b>FF43ESADA</b>	Same as above with 32" ADA compliant height
<b>FF41OWH</b>	20" wide auto-defrost refrigerator-freezer in white, with adjustable shelves, door storage, can dispensers, and 3.9 cu.ft. of storage capacity. This model is not ENERGY STAR listed.
<b>FF43OBL</b>	Same as above in black finish
<b>FF41OWHL</b>	FF41OWH with front mounted lock near the top.
<b>FF43OBLL</b>	FF43OBL with front mounted lock near the top.



FF41ES



FF41ES open



FF41OWHL

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
<b>FF41ES</b>	3.6 cu.ft	33¼"	18¾"	20½"	Automatic	Reversible	White	White
<b>FF41ESADA</b>	3.6 cu.ft	32"	18¾"	20½"	Automatic	Reversible	White	White
<b>FF43ES</b>	3.6 cu.ft	33¼"	18¾"	20½"	Automatic	Reversible	Black	Black
<b>FF43ESADA</b>	3.6 cu.ft	32"	18¾"	20½"	Automatic	Reversible	Black	Black
<b>FF41OWH</b>	3.9 cu.ft	33½"	19 ⅝"	20"	Automatic	Reversible	White	White
<b>FF43OBL</b>	3.9 cu.ft	33½"	19 ⅝"	20"	Automatic	Reversible	Black	Black
<b>FF41OWHL</b>	3.9 cu.ft	34 ½"	19 ⅝"	20"	Automatic	Reversible	White	White
<b>FF43OBLL</b>	3.9 cu.ft	34 ½"	19 ⅝"	20"	Automatic	Reversible	Black	Black
<b>SUFFIX</b>	<b>OPTIONAL FINISHES FOR FF41ES/FF41ESADA AND FF43ES/FF43ESADA</b>							
<b>SS</b>	Wrapped stainless steel door with recessed handle							
<b>SSTB</b>	Wrapped stainless steel with pro stainless steel 12" handle							

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# COMPACT REFRIGERATOR-FREEZERS

SUMMIT has been manufacturing compact refrigerator-freezers for over 40 years, with a proven record in uniquely sized units with innovative designs. Today, we continue to offer quality products with the features our customers demand, including locks on many models and ENERGY STAR qualified models. Models on this page are thoughtfully sized in "cube" shape or counter height for use in offices, hotels, schools, and other settings in need of a true refrigerator-freezer in a compact size.



CM420ESBL interior



CM420ESBL



CM420ES



CM420ES interior



<b>CM420ES</b>	ENERGY STAR refrigerator-freezer in white, under 20" wide with front lock, reversible door, adjustable shelves, door storage, and crisper
<b>CM420ESBL</b>	Same as CM420ES in black. Front lock, manual defrost. ENERGY STAR
<b>CM40WH</b>	Compact refrigerator-freezer in white, 18 3/4" wide with reversible door, door storage, adjustable shelves. Manual defrost.
<b>CM40B</b>	Same as CM40WH in black finish
<b>CM45L</b>	19 1/2" wide refrigerator-freezer with front lock. White finish, large clear crisper, door storage, adjustable shelves and reversible door.
<b>S19R</b>	Value priced cube sized compact refrigerator-freezer. Manual defrost, reversible door, adjustable thermostat and door storage.
<b>S19L</b>	Same as S19 with a front mounted lock.



CM40WH



CM40WH



S19L



S19L open

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
CM420ES	4.1 cu.ft.	33 3/8"	19 1/2"	21 1/4"	Manual	Reversible	White	White
CM420ESBL	4.1 cu.ft.	33 3/8"	19 1/2"	21 1/4"	Manual	Reversible	Black	Black
CM40B	3.9 cu.ft.	33 3/8"	18 3/4"	18 5/8"	Manual	Reversible	Black	Black
CM40WH	3.9 cu.ft.	33 3/8"	18 3/4"	18 5/8"	Manual	Reversible	White	White
CM45L	4.1 cu.ft.	34"	19 1/2"	21"	Manual	Reversible	White	White
S19R	1.7 cu.ft.	21"	19"	18"	Manual	Reversible	White	White
S19L	1.7 cu.ft.	21"	19"	18"	Manual	Reversible	White	White



CM40B



CM40B

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# HOUSEHOLD COMPACT AND MID-SIZED CHEST FREEZERS

SUMMIT offers our customers a wide variety of compact chest freezers to meet their needs with quality and value. Our selection includes models designed for household and commercial use, as well as low temperature scientific freezers that can safely hold certain vaccines, pharmaceuticals, and other sensitive materials. Finish options are available in white, or stainless steel (select models). Many of our units include baskets and defrost drains, as well as factory installed locks, counterbalanced hinges, and extra thick insulation for long term storage of frozen contents. Larger chest and upright freezers are also available, and SUMMIT also offers a wide range of low temperature freezers (-25°C, -30°C, -35°C, -40°C and -45°C) for medical, laboratory and scientific use. Please see our website for details.



CF07ES



CF11ES



CF04



CF055

Our latest selection of chest freezers includes the ENERGY STAR qualified CF11ES, with a 10.6 cu.ft. capacity, and the compact CF07ES, with 6.4 cu.ft. of interior space. Both are manual defrost with adjustable thermostats, sturdy rollers, wired baskets, counterbalanced hinges and factory installed locks.

<b>CF04</b>	Compact chest freezer with lock and basket
<b>CF055</b>	Compact chest freezer with over 5.0 cu.ft. of interior space. Manual defrost with drain, heavy-duty counter-balance hinges. White exterior.
<b>CF055CSS</b>	Same as above with a stainless steel wrapped cabinet and lid.
<b>CF07ES</b>	ENERGY STAR qualified, 6.4 cu.ft. chest freezer with adjustable thermostat, drain and lock. White exterior. Basket included.
<b>CF11ES</b>	ENERGY STAR qualified 10.6 cu.ft. chest freezer with adjustable thermostat, drain, wire basket and lock. White exterior.
<b>FCL44</b>	Low temperature (-30°C) freezer with digital thermostat and front lock. Ships complete with basket, small rollers and lock.
<b>SPRF26</b>	12V compressor portable refrigerator or freezer with digital thermostat that operates at any temperature between 0°F and 45°F. Optional lock or trolley.



SPRF26

SUMMIT **SPRF26** is a portable 12V refrigerator/freezer designed for reliable refrigeration on the go. With a high quality compressor, this cooler can function at refrigerator or freezer temperatures (-18°C capable), easily managed by an externally located digital thermostat. Plug into a 12V DC lighter socket in any vehicle, or use in a 110V wall outlet (AC adapter is included).

## MANUAL DEFROST OR FROST FREE?

### ONLY SUMMIT OFFERS A CHOICE IN A FULL RANGE OF PRODUCTS.

Many companies and retailers offer chest freezers. SUMMIT has one of the largest selection of anyone, with compact and mid-sized models on this page, full-sized models up to 25 cu.ft (see our website for details) and a full range of **frost-free chest freezers** (shown on p. 63) from 5.5 cu.ft. up to 24 cu.ft. comprising 6 models in the most popular sizes.

Now the choice is yours. For maximum energy efficiency choose manual defrost. For maximum convenience and freedom from the chore of defrosting a freezer, choose our frost-free models

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	LID COLOR	CABINET FINISH
<b>CF04</b>	3.5 cu.ft.	34"	24"	22"	Manual	Lift-up	White	White
<b>CF055</b>	5.1 cu.ft.	35"	27"	24"	Manual	Lift-up	White	White
<b>CF055CSS</b>	5.1 cu.ft.	35"	27"	24"	Manual	Lift-up	Stainless Steel	Stainless Steel
<b>CF07ES</b>	6.4 cu.ft.	34"	38"	24"	Manual	Lift-up	White	White
<b>CF11ES</b>	10.6 cu.ft.	34"	44¼"	27"	Manual	Lift-up	White	White
<b>FCL44</b>	3.8 cu.ft.	33 ½"	22"	24"	Manual	Lift-up	White*	White*
<b>SPRF26</b>	0.9 cu.ft.	17"	21 ¼"	14"	Manual	Lift-up	White	Gray

\*FCL44 is currently only available in a platinum finish, but will change to white in mid-2010.

## WHY CHOOSE A CHEST FREEZER?

Because of their energy efficiency and steady temperature performance, chest freezers provide households with multiple benefits. The reliability and convenience of a second freezer allows many consumers to buy groceries in bulk, saving money with the reassurance that frozen foods can be safely stored for months at a time. Plus, chest freezers generally consume less energy than standard upright units (two of SUMMIT's models are ENERGY STAR qualified), saving users on utility bills every month. With a lower price than most front-opening units of the same capacity, chest freezers offer great value in every way.

# COMPACT "CUBE" ALL-REFRIGERATORS AND ALL-FREEZERS

The "better" alternative to many compact refrigerator-freezers

Many customers who purchase compact refrigerators would prefer all-refrigerators to combination units, as they offer the convenience of fully automatic defrost and a larger capacity. At SUMMIT, we go one step further and add a front lock to all our choices, including the popular **FFAR2L** all-refrigerator. This compact "cube" sized unit is fully equipped with the features you'd expect on larger or more expensive models, including a front lock on the reversible door and seamless one-piece interior liner.



**FFAR2L All-Refrigerator**

<b>FFAR2L</b>	Countertop all-refrigerator with full auto defrost and front lock. White exterior with reversible door. Door shelves and adjustable thermostat included.
<b>FFAR2LCSS</b>	Same as above with a completely wrapped stainless steel cabinet and reversible door.
<b>FS20L</b>	Cube shaped all-freezer with a reversible door, interior shelf, and front lock. Manual defrost and capable of -20°C operation, the ideal temperature for many vaccines and long-term food storage.
<b>FS20LCSS</b>	Same as above with fully wrapped stainless steel cabinet and reversible door.

Best of all, this auto defrost refrigerator can be perfectly paired with SUMMIT **FS20L**, a -20°C capable **all-freezer** with a front lock, flat door liner, and extra thick insulation. Both are available fully wrapped in stainless steel. Sized to fit almost anywhere!



**FFAR2L/FS20L**



**FFAR2LCSS/FS20LCSS**



**FS20L All-Freezer**

**COMMERCIALLY APPROVED AND GLASS DOOR VERSIONS OF OUR FFAR2L AND FS20L ARE ALSO AVAILABLE.**

**(SEE PAGES 68 - 71)**

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
<b>FFAR2L</b>	1.8 cu.ft.	20"	20"	21"	Automatic	Reversible	White	White
<b>FFAR2LCSS</b>	1.8 cu.ft.	20"	20"	21"	Automatic	Reversible	St. Steel	St. Steel
<b>FS20L</b>	1.6 cu.ft.	20"	20"	21"	Manual	Reversible	White	White
<b>FS20LCSS</b>	1.6 cu.ft.	20"	20"	21"	Manual	Reversible	St. Steel	St. Steel



**FFAR2LCSS**

# FULL SIZED ALL-REFRIGERATORS

For full-sized all-refrigerators (no freezer section), SUMMIT has the product line to fit your space, budget, and cooling needs. From 8.5 up to 16.5 cu.ft., our models offer the footprint, capacity and features you need. All include more shelves than household refrigerators, multiple door shelves (except VKS670), and true storage convenience with 100% of the capacity in the refrigerated zone.

SUMMIT **FFAR10** is a versatile easy-to-fit all-refrigerator with adjustable shelves and full length door storage inside the 10 cu.ft. interior. All FFAR10 models have interior air circulation fans and are capable of maintaining 2-7°C (36-45°F). Also available in our "MED" series or "LAB" series for use in medical or laboratory facilities with upgraded features (choice of locks, hospital grade plugs, and alarms with external temperature readouts). Optional wrapped stainless steel door with pro stainless steel handle.



FFAR10 (above left) / FFAR10SSTB (above right)



SUMMIT's **R17FF** uses frost-free operation for low user maintenance with a dynamic fan-forced cooling system. Available in white or with a wrapped stainless steel door and professional towel bar handle (suffix SSTB), this model is ideal for settings in need of a full-sized all-refrigerator with quality construction.



FFAR9L interior



FFAR9L

SUMMIT **FFAR9L** is a perfectly sized all-refrigerator with a unique 22" footprint and a full 8.5 cu.ft. A factory installed lock offers security and the reversible door and handle add placement flexibility. The auto defrost interior features an internal fan for even temperature distribution. Additional features include adjustable shelves, interior lighting, a lower crisper, and door shelves to accommodate a variety of packages. This all-refrigerator can be perfectly matched with the UF850L all-freezer for a slim-fitting set with full storage capacity.

<b>FFAR9L</b>	Thin-line auto defrost all-refrigerator with slim 21 1/2" width. Fan-forced cooling inside the 8.5 cu.ft. interior. Adjustable shelves, full-length door storage, and a transparent crisper drawer included. Reversible door with front lock and a perfect match for all-freezer UF850L.
<b>FFAR10</b>	All-refrigerator, with easy-to-fit-dimensions, internal fan for even cooling, over 10 cu.ft. of capacity, large shelf area (shelves are adjustable), reversible door (on base model), interior light and convenient door storage.
<b>FFAR10SSTB</b>	Same as above with wrapped stainless steel door and pro stainless steel handle. RHD only.
<b>VKS670</b>	Two-door convenience with a single refrigerated zone inside. Static cooling system (no fans) and reversible doors.
<b>R17FF</b>	16.5 cu.ft., fan-forced interior cooling with frost-free design, large interior shelves and door storage.
<b>R17FFSSTB</b>	Same as above with stainless steel door and towel bar handle.

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR COLOR	CABINET FINISH
<b>FFAR9L</b>	8.5 cu.ft.	57"	21 1/2"	22 1/2"	Automatic	Reversible	White	White
<b>FFAR10</b>	10.1 cu.ft.	55"	23 5/8"	24"	Automatic	Reversible	White	White
<b>FFAR10SSTB</b>	10.1 cu.ft.	55"	23 5/8"	24"	Automatic	RHD	Stainless Steel	White
<b>VKS670</b>	12.0 cu.ft.	72 3/4"	23 5/8"	24"	Automatic	Reversible	White	White
<b>R17FF</b>	16.5 cu.ft.	64 1/2"	32"	26 1/2"	Frost-free	RHD	White	White
<b>R17SSTB</b>	16.5 cu.ft.	64 1/2"	32"	26 1/2"	Frost-free	RHD	Stainless Steel	White

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

# FULL SIZED ALL-FREEZERS

SUMMIT carries a diverse line of full-sized household all-freezers for a variety of storage needs. These front-opening models are available in white finish and all include reversible doors and factory installed locks. Sizes range from 6.4 cu.ft. to 20.5 cu.ft., model UF850L is manual defrost, and all larger models are frost-free.



UF21FF



UF21FF



UF17FF



UF17FF

<b>UF850L</b>	Thin-line all-freezer with manual defrost and full 6.4 cu.ft. capacity. Flat door liner, wire baskets with transparent fronts, high temperature light, and fast freeze setting included. White exterior with reversible door and factory installed lock. Slim 21 1/2" width to match FFAR9L all-refrigerator.
<b>UF14FF</b>	Frost-free all-freezer with 13.8 cu.ft. capacity. White exterior with reversible door and front lock. Interior includes full-length door storage, adjustable wire shelves, lower wire basket, adjustable thermostat, and automatic light.
<b>UF17FF</b>	Same features as the UF14FF with a larger 16.8 cu.ft. capacity.
<b>UF21FF</b>	Same features as above with an extra large 20.5 cu.ft. capacity.



UF850L

SUMMIT UF850L is an all-freezer designed to match our FFAR9L all-refrigerator, with the same look and exterior dimensions. This manual defrost model has a full 6.4 cu.ft. capacity in a conveniently small footprint that's just 21 1/2" wide and 22 1/2" deep. A reversible door and factory installed front lock (top-mounted) are included. The thoughtfully designed interior includes wire basket drawers with transparent plastic fronts, an ideal storage system for protecting stored contents from constant exposure to ambient temperature when the door is opened. The flat door liner is carefully insulated for maximum efficiency, with a fast freeze setting and high temperature light included.



MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR COLOR	CABINET FINISH
<b>UF850L</b>	6.4 cu.ft.	57"	21 1/2"	22 1/2"	Manual	Reversible	White	White
<b>UF14FF</b>	13.8 cu.ft.	60 1/2"	28"	28"	Frost-free	Reversible	White	White
<b>UF17FF</b>	16.8 cu.ft.	63"	31 1/2"	28"	Frost-free	Reversible	White	White
<b>UF21FF</b>	20.5 cu.ft.	73 5/8"	31 1/2"	28"	Frost-free	Reversible	White	White

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# ALL-REFRIGERATORS WITH AUTOMATIC DEFROST

SUMMIT FF6 Series features some of our most popular counter height all-refrigerators for every application, from storing employee lunches in the office to serving as a primary refrigerator in a small apartment kitchen. Less than 24" wide but with a generous 5.5 cu.ft. capacity, these auto defrost all-refrigerators feature deluxe interiors with adjustable shelves, door storage, a crisper drawer, interior lighting, and an adjustable thermostat. SUMMIT's own "hidden" evaporator is set behind the rear wall to create a seamless, easy-to-clean interior. Base models FF6 and FF6L (with factory installed lock) come in white, with additional exterior options including stainless steel, professional handles, diamond plate finish, and door frames that accept custom slide-in or overlay panels.



**FF6L**



**FF6/FF6L open**



**FF6SSTB**



**FF6LSSHV**

<b>FF6</b>	An all-refrigerator with full automatic defrost. It features door shelves, adjustable thermostat, interior light and crisper. Reversible door, white finish. See door finish options on page 45.
<b>FF6L</b>	Same as above with factory installed front lock
<b>FF510L</b>	All-refrigerator, with auto-defrost, spacious interior with three shelves, and front lock. Reversible door and white finish.
<b>FF520L</b>	Same as above in black finish.
<b>FF28L</b>	Compact all-refrigerator with full automatic defrost and a front lock. It features door shelves, adjustable thermostat and interior light. Reversible door, white finish.
<b>FF29BL</b>	Same as above in black finish.

SUMMIT's commitment to value extends to our quality line of compact all-refrigerators, all designed to be space efficient and user friendly. The extra slim FF510L and FF520L are just 20" wide and counter height and offer 4 cu.ft. of interior capacity. Adjustable shelves, door racks, and a crisper provide easy storage solutions. Available in white or black, both include a reversible door and factory installed lock. Our FF28L and FF29BL are ideally sized for countertop use, with factory installed locks, reversible doors, and compact 25" x 19" x 18" dimensions.



**FF28L**



**FF29BL open**



**FF510L open**



**FF510L**



**FF520L**



**FF520L open**

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
<b>FF6</b>	5.5 cu.ft.	33 1/2"	23 5/8"	23 1/2"	Automatic	Reversible	White	White
<b>FF6L</b>	5.5 cu.ft.	33 1/2"	23 5/8"	23 1/2"	Automatic	Reversible	White	White
<b>FF510L</b>	4 cu.ft.	34 1/4"	20"	21"	Automatic	Reversible	White	White
<b>FF520L</b>	4 cu.ft.	34 1/4"	20"	21"	Automatic	Reversible	Black	Black
<b>FF28L</b>	2.5 cu.ft.	25"	19"	18"	Automatic	Reversible	White	White
<b>FF29BL</b>	2.5 cu.ft.	25"	19"	18"	Automatic	Reversible	Black	Black

# COMPACT FRONT OPENING ALL-FREEZERS

SUMMIT has one of the industry's largest lines of compact and counter height all-freezers, with ideally sized units designed for serious use. Our energy efficient selection offers choices with low temperature capabilities, front mounted locks, reversible doors, and stainless steel finishes. Most of the all-freezers on this page can be paired with a SUMMIT all-refrigerator for a matching side-by-side or stackable set.

<b>FS62</b>	The FS62 is a -25°C (-13°F) freezer which is perfect for keeping your ice cream frozen and for long term food storage. Three see-thru baskets provide convenient and easily identifiable storage. The oversized compressor makes it ideal for medical, laboratory and commercial uses. Optional stainless steel doors can provide a stylish decor for any apartment setting. 3" foamed-in insulation, slide-out drawers and an adjustable thermostat are energy saving features. Reversible door, flat door liner and power indicator lights are standard. Manual defrost.
<b>FS62L</b>	Same as FS62 with a front mounted lock. Reversible door.
<b>FS60</b>	SUMMIT FS60 is one of the few full 5.0 cu.ft. counter height freezers that can meet stringent DOE energy standards, yet it has convenient open shelves and door shelves. Manual defrost, RHD, and made in North America.
<b>FS60L</b>	Same as FS60 with side mounted lock.
<b>FS60SSVH</b>	FS60 with wrapped stainless steel door and 16" pro vertical stainless steel handle.
<b>FS40L</b>	Counter height, easy to fit, front opening freezer with front lock and reversible door. 4 removable baskets save energy and provide convenience. White finish, manual defrost.



FS62L



FS62 / FS62L open

True frozen storage with an oversized compressor, three cold-safe basket drawers, and 3" foamed insulation. Energy efficient and ideally sized.



FS62

All FS62 models are also available in ADA height (32") versions. Add Suffix 'ADA' to model number.



FS60SSVH



FS60L



FS60L interior



FS60



FS40L open



FS40L

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR COLOR	CABINET FINISH
<b>FS40L</b>	3.0 cu.ft.	34"	20"	25"	Manual	Reversible	White	White
<b>FS62</b>	3.2 cu.ft.	33 1/2"	23 5/8"	23 1/2"	Manual	Reversible	White	White
<b>FS62L</b>	3.2 cu.ft.	33 1/2"	23 5/8"	23 1/2"	Manual	Reversible	White	White
<b>FS60</b>	5.0 cu.ft.	33 1/2"	22"	25"	Manual	RHD	White	White
<b>FS60L</b>	5.0 cu.ft.	33 1/2"	23"	25"	Manual	RHD	White	White
<b>FS60LSSVH</b>	5.0 cu.ft.	33 1/2"	23"	25"	Manual	RHD	St. Steel	White
<b>Suffix</b>	<b>Options for FS62/FS62L/FF6/FF6L</b>							
<b>SSTB</b>	Wrapped stainless steel door with 12" pro stainless steel towel bar handle							
<b>SSHV</b>	Wrapped stainless steel door with vertical stainless steel handle (14mm diameter)							
<b>SSHH</b>	Wrapped stainless steel door with full width horizontal stainless steel handle (14mm diameter)							
<b>FR</b>	Two piece stainless steel frame accepts custom panels with stainless steel handle (Panel size: 23 1/8" W X 28 1/8" H)							
<b>IF</b>	Integrated frame accepts full overlay panels							
<b>CSS</b>	Fully wrapped stainless steel cabinet and wrapped stainless steel door with pro towel bar handle							
<b>DPL</b>	Diamond plate aluminum wrapped door and pro style stainless steel towel bar handle							
<b>ADA</b>	32" height for ADA counters. 4 level legs included							

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# FULL SIZE HOUSEHOLD BEER DISPENSERS

SUMMIT beer dispensers have been setting the industry standard for two decades, with proven reliability, full size capacity in every model, and models for freestanding, built-in, outdoor and commercial use.

The backbone of our freestanding beer dispenser line is model **SBC500**, our “original” beer dispenser, and still a perennial best seller with tens of thousands sold. Manufactured in North America, this unit is full sized to hold half, quarter or mini kegs and ships with all accessories, including sturdy casters, a 5 lb. carbon dioxide cylinder and regulator, draft tower, Sankey American tap, wooden slats for changing kegs, top rail, plastic drip tray, (a stainless steel drip tray is optional), and a cleaning kit. An adjustable thermostat is mounted on the rear of the unit. All accessories are made in the USA, and meet NSF standards.

<b>SBC500B</b>	Freestanding beer cooler, “the original”, in black finish, full sized to hold half, quarter or mini kegs – complete with all accessories.
<b>SBC500BST</b>	Same as above with a wrapped heavy gauge stainless steel top.
<b>SBC500SSST</b>	Same as SBC500B but in stainless steel finish. Door and top are fully stainless steel with a fingerprint-free finish, and the cabinet sides are matching platinum finish. Complete with all accessories
<b>SBC500BSSTB</b>	Same as SBC500B but with a fully wrapped stainless steel door and a 12" pro styled handle
<b>SBC500BSSTBST</b>	Same as above with a heavy duty stainless steel top .
<b>SBC490NK</b>	Freestanding SBC490, full size beer dispenser, accepts half, quarter and mini kegs. Fully automatic defrost with shelves included to convert to an all-refrigerator. This model does not include an accessory kit. Ships with a top rail, stainless steel floor and drip tray. Adjustable thermostat.
<b>SBC490</b>	Same as above with a single tap complete accessory kit, including a 5 lb. CO <sub>2</sub> tank and regulator, stainless steel draft tower, Sankey American tap, connection hardware and a cleaning kit. Adjustable thermostat. Accessories are all NSF approved.
<b>SBC570B</b>	Freestanding beer cooler in black finish for half, quarter or mini kegs, complete with all accessories.
<b>SBC570BTWIN</b>	Same as above with twin tap kit for two mini-kegs.



SUMMIT **SBC570B** is our newest full size beer dispenser, and ships complete with all accessories. It is able to accommodate any keg size and has a convenient flush (no coil) back, a recessed handle and rollers. Similar to all our other beer dispensers, the tap equipment is all made in the USA and meets NSF standards. Converts to a 6 cu.ft. all-refrigerator.



Top of **SBC500SSST** with seamless stainless steel top.



**SBC490TWIN**



Brass Tap option for **SBC490** series.

SUMMIT **SBC490** is a full size auto defrost beer dispenser we offer in a variety of configurations to meet your customers’ needs, including unique door finishes such as stainless steel, brass, and diamond plate, or customizable door fronts that accept slide-in panels. Single, double, and triple taps are available for most models and include all the accessories needed for drafts: 5 lb. carbon dioxide cylinder, regulator, Sankey American tap (European also available), stainless steel draft tower, and cleaning kit. Additional features include adjustable thermostat, casters, a top rail, drip tray, stainless steel floor guard, and shelves to convert the unit into a refrigerator. For “do-it-yourselfers” who want to customize their own beer dispenser, our “NK” models are offered with no tap accessories.

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
<b>SBC500B</b>	All kegs	50"	23 3/4"	25"	Manual	RHD	Black	Black
<b>SBC500SSST</b>	All kegs	50"	23 3/4"	25"	Manual	RHD	St. Steel	Platinum
<b>SBC490</b>	All kegs	50"	23 3/4"	24"	Automatic	RHD	Black	Black
<b>SBC570B</b>	All kegs	50"	23 5/8"	24"	Automatic	Reversible	Black	Black
Suffix	Description							
<b>SSTB</b>	Wrapped stainless steel door with 12" pro handle							
<b>TWIN</b>	Twin tap system instead of single tap system (SBC490 and SBC570B)							
<b>ST</b>	Stainless steel top							
<b>For additional options on SBC490 see page 14</b>								

# FULL SIZE WINE CELLARS



SWC1545

SUMMIT Professional SWC1545 offers the ideal conditions for storing red and white wines at their finest in one innovative model, conveniently sized with a 24" footprint. This elegant wine cellar holds up to 80 bottles on luxurious slide-out wooden shelves in two distinct zones, easily allowing users to store whites at 50°F and reds at a warmer 58°F with two digital thermostats. The jet black cabinet is fitted with a tinted glass door that protects your collection while displaying it with classic style. Automatic defrost for added convenience, with an air filtration system and passive humidity maintenance to bring the best to each bottle.

## FULL-SIZED WINE CELLARS

### FEATURES:

- Double Pane Tempered Tinted Glass Doors
- Adjustable Slide-Out Wooden Shelves
- Automatic Defrost with Passive Humidity Maintenance
- Interior Lighting
- No Internal Fans
- Activated Carbon Filter
- Vibration Dampening System



## SAFE STORAGE FOR YOUR COLLECTION

Made in Denmark for SUMMIT, the SWC1775 is a full-sized one-zone wine cellar that can hold up to 120 bottles. Two reversible doors on the black cabinet allow you to separate reds and whites, or ready-to-drink wines from those needing more time to mature. Tinted glass protects your collection from harmful UV rays while a key lock keeps contents secure. Bottles are stored on handsome wooden shelves and carefully preserved with an advanced air filtration system that maintains fresh airflow. The vibration dampening system absorbs tremors that can affect wine's natural maturation process. Commercially approved, the SWC1775 is also user friendly and makes an elegant addition to any home.



SWC1775



SWC1735C

SUMMIT SWC1735C is equipped with the same advanced preservation system as the SWC1775, with an activated carbon filter that keeps the interior fresh and prevents odors from harming your collection. The unique 24" footprint on the silver cabinet can store 120 bottles on wood shelves, safely preserved behind an elegant concave tinted glass door. With automatic defrost and passive humidity control that maintains the proper storage conditions, this wine cellar is made in Denmark and approved for home or commercial use. The adjustable temperature range of 43-61°F allows the SWC1735C to be set at standard long-term storage or ready-to-pour temperatures.

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR COLOR	CABINET FINISH
SWC1545	80 bottles	64 1/2"	23 5/8"	24"	Automatic	Reversible	Tinted Glass	Black
SWC1735C	120 bottles	72"	23 3/8"	24"	Automatic	Reversible	Tinted Glass	Silver
SWC1775	120 bottles	72"	23 3/8"	24"	Automatic	Reversible	Tinted glass	Black

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# COMPACT AND COUNTER HIGH WINE CELLARS

SUMMIT sets the standard for quality under counter wine cellars designed for incredible value and complete convenience. Our European built, commercially approved (ETL-S to ANSI-NSF Standard 7) SWC6G series features a selection of 24" wide auto defrost wine cellars with an efficient cold wall design that keeps the evaporator hidden behind the rear wall. Cabinets are offered in white, black, or wrapped stainless steel and all include a choice of professional handles for the double pane tempered glass door. All models are complete with a factory lock, interior light, and scalloped or flat chrome shelves. Base models include reversible doors; stainless steel handle options must be ordered left hand or right hand door swing.



SWC6GBL



SWC6GBLSHWO



SWC6GWL



SWC6GWLSHWO

<b>SWC6GBL</b>	SWC6GBL is a counter height, European built wine cellar with standard scalloped chrome wine shelves. Automatic defrost featuring SUMMIT's unique hidden evaporator for a clean seamless interior liner. Reversible door with a lock located in the top center. All models feature a glass door with aluminum trim, adjustable thermostat preset for white wine storage (36°F to 48°F), and an interior light on a rocker switch.
<b>SWC6GWL</b>	Same as above with a glass door with white door trim. Includes flat chrome shelves, but other shelf styles are optional. White cabinet and kickplate.
<b>SCR312LWC</b>	Commercially approved compact wine cellar with black cabinet and glass door equipped with lock and pro handle. Auto defrost with digital thermostat and interior LED light. Ideal for above counter use.
<b>SCR312LCSSWC</b>	Same as above with stainless steel cabinet.



SWC6GBLCSSWO



SWC6GBLCSS

SUMMIT wine cellars offer a significant difference from those found in big box stores. All of the compact units on this page meet tough commercial standards (ETL-S, UL-S, or NSF listed) and are suitable for use in restaurants, bars, wine retailers, or homes. The European built SWC6G series comes in a variety of finishes to fit any commercial or residential setting. For advanced features with slim countertop dimensions, our SCR312LWC and SCR312LCSSWC are also commercially approved. The SCR312L comes with a thermostat for white wine temperature only. For red wine storage order option REDW for factory installation of a wide range thermostat.

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR COLOR	CABINET FINISH
<b>SWC6GBL</b>	50 bottles	33 1/2"	23 5/8"	23 1/2"	Automatic	Reversible	Glass	Black
<b>SWC6GWL</b>	50 bottles	33 1/2"	23 5/8"	23 1/2"	Automatic	Reversible	Glass	White
<b>SCR312LWC</b>	24 bottles	25 3/4"	17 1/8"	19"	Automatic	RHD	Glass	Black
<b>SCR312LCSSWC</b>	24 bottles	25 3/4"	17 1/8"	19"	Automatic	RHD	Glass	Stainless Steel
<b>Suffix</b>	<b>SWC6GWL / SWC6GBL</b>							
<b>TB</b>	12" stainless steel pro vertical handle							
<b>SH</b>	Full length stainless steel handle							
<b>SHWO</b>	SH handle with wooden shelves							
<b>CSS</b>	Stainless steel cabinet and 12" TB handle							
<b>CSSWO</b>	Stainless steel cabinet with wooden shelving							



SWC312LWC

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

# VODKA FREEZERS AND PUB CELLARS



FS20LGL7CSSVK

SUMMIT's compact vodka freezers add a touch of modern luxury to any home bar while keeping vodka at a glacial  $-5^{\circ}\text{F}$ . Specially designed for the true connoisseur, these unique commercially approved units display vodka bottles behind a solid glass door with a factory installed lock. Built-in racks let you suspend martini glasses from the ceiling for a professional lounge look with energy saving illumination from an interior fluorescent lamp. Choose a white or stainless steel cabinet in conveniently easy-to-place countertop dimensions.



FS20LGL7VK

<b>SCR600LPUB</b>	Glass door pub cellar designed to store ales and red wines. Digital adjustable thermostat preset to $62^{\circ}\text{F}$ . White cabinet, interior light, adjustable wire shelves, reversible door, and front lock. Commercially approved with 5.5 cu.ft. capacity, 24" wide and counter height.
<b>SCR600BLPUB</b>	Same as above with black cabinet, glass door in aluminum trim, and adjustable glass shelves.
<b>FF7LPUB</b>	Solid door pub cellar for wine and ale storage. Auto defrost, counter height with digital thermostat, adjustable wire shelves, and interior light. White cabinet and reversible door. Front door lock.
<b>FF7LBPUB</b>	Same as above with jet black exterior and adjustable glass shelves.
<b>FS20LGL7VK</b>	Unique vodka freezer in compact cube size. White cabinet with glass door to display vodka bottles and decorative glasses. Commercially approved with a front lock and interior lighting.
<b>FS20LGL7CSSVK</b>	Same as above in stainless steel wrapped cabinet.


Certain wines and ales, such as stouts and porters, are ideally served at a warmer temperature than most refrigerators are designed to hold. For this specialized storage, SUMMIT has created a diverse line of PUB CELLARS™, auto defrost all-refrigerators equipped with a digital thermostat preset to  $62^{\circ}\text{F}$ . Explore the FF7LPUB series for solid door units in black, white, or stainless steel, or the glass door SCR600LPUB series to fully display the stored collection. Available for built-in or freestanding use, all are commercially approved and equipped with factory installed locks. Choose from a variety of professional handles and shelving options.

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR COLOR	CABINET FINISH
<b>FS20LGL7VK</b>	1.6 cu.ft.	20 3/4"	20"	21"	Manual	RHD	Glass	White
<b>FS20LGL7CSSVK</b>	1.6 cu.ft.	20 3/4"	20"	21"	Manual	RHD	Glass	Stainless Steel
<b>FF7LBPUB</b>	5.5 cu.ft.	33 1/2"	23 5/8"	23 1/2"	Automatic	Reversible	Black	Black
<b>FF7LPUB</b>	5.5 cu.ft.	33 1/2"	23 5/8"	23 1/2"	Automatic	Reversible	White	White
<b>SCR600LPUB</b>	5.5 cu.ft.	33 1/2"	23 5/8"	23 1/2"	Automatic	Reversible	Glass	Black
<b>SCR600LPUB</b>	5.5 cu.ft.	33 1/2"	23 5/8"	23 1/2"	Automatic	Reversible	Glass	White
<b>SUFFIX</b>	<b>FF7LPUB/FF7LBPUB</b>							
<b>CSS</b>	Fully wrapped stainless steel cabinet and wrapped door with pro handle							
<b>SSTB</b>	Wrapped stainless steel door with 12" pro stainless steel handle							
<b>SSHH</b>	Wrapped stainless steel door with full width horizontal (thin) stainless steel handle							
<b>SSHV</b>	Wrapped stainless steel door with vertical (thin) stainless steel handle							
<b>DPL</b>	Wrapped full aluminum door with diamond plate finish and polished stainless steel towel bar handle							
<b>FR</b>	Stainless steel frame accepts custom panels (23 1/8" W x 28 1/8" H)							
<b>IF</b>	Stainless steel frame accepts full overlay panels							
<b>SUFFIX</b>	<b>SCR600LPUB /SCR600BLPUB</b>							
<b>TB</b>	Add a 12" vertical stainless steel towel bar handle.							
<b>SH</b>	Add a 26" vertical stainless steel full length towel bar handle.							
<b>HH</b>	Add a full width horizontal thin stainless steel handle (not recommended if lock will be used)							
<b>CSS</b>	Full stainless steel cabinet with 'TB' handle							
<b>CSSRC</b>	Full stainless steel cabinet and 'TB' handle with 2 wooden wine shelves and two flat shelves							



SCR600BLPUBTB

IDEAL FOR KEEPING RED WINE AT PERFECT TEMPERATURE.



FF7LBPUB

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# COMPACT AND MIDSIZED MICROWAVE OVENS

SUMMIT makes it convenient to complete food preparation with our compact or mid-sized microwave ovens. Sensibly priced, yet loaded with features, these units offer everything customers request. Compact models are available in white or black and mid-sized units in white, black or stainless steel.

## COMPACT MODELS

Soft-touch electronic controls make cooking easy to manage, with variable power settings, rotary turntable and a convenient one-touch auto cook option. An audible signal goes off at the end of each cycle and a child lock is included for maximum safety. A digital clock and timer are standard on these compact models to complete a sleek look for your kitchen or food prep station.

**SM902B** has a complete black exterior, with a matching black handle.

**SM900W** has a complete white finish and interior, with a matching white handle.



SM1100B

## MID-SIZED MODELS

With a large 1.0 cu.ft. capacity, a metal exterior and molded plastic interior for easy clean-up, these models offer classic style. Powerful 1000 watt operation gives you strong cooking power on a fully featured model that includes variable power settings and one-touch cooking functions for defrosting, popcorn, potatoes, and more. A removable rotary glass turntable ensures even cooking and a child lock provides added safety.

**SM1100B** - Complete black exterior with matching black handle

**SM1100W** - Complete white finish and interior, with a matching white handle.



SM1100W

## ALL STAINLESS STEEL MID-SIZED MODEL, SCM852

Brushed stainless steel adds luxury to the exterior cabinet, with a curved handle for comfortable use. The interior is made of polished stainless steel that's easy to clean, with a sturdy glass turntable included. Full cooking options feature settings for popcorn, soup, pizza, and more. The **SCM852** has a memory button and clock for full convenience. All digital controls.



SCM852



## OTR24 (left)

SUMMIT **OTR24** is a unique built-in 24" wide microwave oven for fully enclosed spaces. Capable of installation in a 20" space with our optional KIT20. 900 watts of power, 0.9 cu.ft. with digital controls, a rotary turntable, 10 power levels, and program cooking. A mirror finish door and full pro handle make this an elegant addition to any kitchen or food prep station. Professional installation is required (details on our website).

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	FINISH	KEY FEATURES
<b>SCM852</b>	1.0 cu.ft.	13 ¼"	20 ½"	17 ½"	S. Steel	1000 Watt stainless steel microwave oven with digital touch controls.
<b>SM900W</b>	0.7 cu.ft.	12"	18"	14"	White	600 Watt microwave with rotary turntable, touchpad, and interior light in white.
<b>SM902B</b>	0.7 cu.ft.	12"	18"	14"	Black	Same as above in black.
<b>SM1100W</b>	1.0 cu.ft.	15"	21"	16"	White	1000 Watt microwave oven with rotary turntable, touchpad, and interior light in white.
<b>SM1100B</b>	1.0 cu.ft.	15"	21"	16"	Black	Same as above in black.
<b>OTR24</b>	0.9 cu.ft.	15¼"	20"*-24"	18"	St. Steel	900 Watt built-in microwave with stainless steel front and digital touchpad.

\*custom built cabinet

# MICROWAVE-REFRIGERATOR COMBINATIONS

One size fits all is fine for some products, but discerning customers want models to fit their exact needs. At SUMMIT, we build one plug refrigerator-microwave combinations to your specifications. Choose any refrigerator in our product line – add any microwave oven – and we'll build it for you- with or without our power allocator box that provides a single cord and limits overall power to 10 amps. Our power allocator even has an outlet for a coffee maker.

SUMMIT MRF series are refrigerator-microwave combinations that ship complete in one box and have a single plug. All models have an allocator to limit overall power consumption; most have reversible doors and locking brackets. The model number indicates the SUMMIT refrigerator used and can be built to customers' specifications.



MRF2L

MRF35

MRF35B



MRF71

MRF43

MRF67SSTB



MRF874

<b>MRF35</b>	Two-door ENERGY STAR compact refrigerator CP35 with zero degree freezer, in white with a compact microwave oven, SUMMIT model SM900W.
<b>MRF35B</b>	Same as the MRF35 with a black finish and black microwave.
<b>MRF41ES</b>	This microwave/refrigerator combination uses the FF41ES fully automatic defrost ENERGY STAR refrigerator-freezer with a compact microwave oven.
<b>MRF43ES</b>	Same as above with a black finish using ENERGY STAR FF43ES.
<b>MRF43ESSSTB</b>	Same as above with stainless steel wrapped door with towel bar handle.
<b>MRF66J</b>	Mid-size microwave oven with cycle defrost 5.1 cu.ft. refrigerator-freezer, Model CT66J in white. Also available in black (MRF66B).
<b>MRF67SSTB</b>	Model CT67 with a stainless steel wrapped door with towel bar handle. Includes a stainless steel microwave SCM852.
<b>MRF70</b>	Large capacity refrigerator-freezer, CT70, with our mid-sized microwave, SM1100W.
<b>MRF40WH</b>	Manual defrost refrigerator-freezer, CM40WH, with our mid-sized microwave, SM1100W
<b>MRF40B</b>	Manual defrost refrigerator-freezer, CM40B, with our mid-sized microwave, SM1100B
<b>MRF28L</b>	FF28L all-refrigerator with auto defrost and front lock with a compact microwave oven.
<b>MRF29BL</b>	Same as above in black finish.
<b>MRF2L</b>	Compact microwave oven with automatic defrost all-refrigerator FFAR2L. White with front lock.
<b>MRF97</b>	Compact microwave oven with slim cycle defrost refrigerator CP97R. White
<b>MRF133</b>	Mid-sized microwave with cycle defrost, large capacity refrigerator-freezer CP133.
<b>MRF71</b>	Mid-sized frost-free FF71 refrigerator combined with SUMMIT touchpad microwave oven. White.
<b>MRF874</b>	Mid-sized microwave oven with frost-free refrigerator-freezer FF874.
<b>MRF882</b>	Mid-sized microwave oven with frost-free refrigerator-freezer FF882.
<b>MRF1112</b>	ENERGY STAR frost-free FF1112 paired with midsize microwave oven SM1100.

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR COLOR	CABINET FINISH
MRF35	2.9 cu.ft.	45"	19"	21"	Cycle	Reversible	White	White
MRF35B	2.9 cu.ft.	45"	19"	21"	Cycle	Reversible	Black	Black
MRF41	3.6 cu.ft.	45"	19"	21"	Automatic	Reversible	White	White
MRF43	3.6 cu.ft.	45"	19"	21"	Automatic	Reversible	Black	Black
MRF43SSTB	3.6 cu.ft.	45"	19"	21"	Automatic	RHD/LHD	St. Steel	Black
MRF66J	5.1 cu.ft.	48"	23 5/8"	24"	Cycle	Reversible	White	White
MRF67SSTB	5.1 cu.ft.	48"	23 5/8"	24"	Cycle	RHD / LHD	St. Steel	White
MRF70	6.0 cu.ft.	48"	24"	24"	Manual	Reversible	White	White
MRF40WH	3.8 cu.ft.	46"	19"	20"	Manual	Reversible	White	White
MRF28L	2.5 cu.ft.	37"	19"	20"	Automatic	Reversible	White	White
MRF29BL	2.5 cu.ft.	37"	19"	20"	Automatic	Reversible	Black	Black
MRF2L	1.8 cu.ft.	32"	20"	21"	Automatic	Reversible	White	White
MRF97	7.5 cu.ft.	68"	21 1/2"	24"	Cycle	Reversible	White	White
MRF133	10.1 cu.ft.	72"	23 5/8"	24"	Cycle	Reversible	White	White
MRF71	4.8 cu.ft.	58"	19"	24"	Frost free	Reversible	White	White
MRF874	8.1 cu.ft.	65"	23 5/8"	24"	Frost free	Reversible	White	White
MRF882	8.0 cu.ft.	75"	23 1/4"	24"	Frost free	Reversible	White	White
MRF1112	10.3 cu.ft.	74"	24"	26"	Frost free	Reversible	White	White

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# ALL-IN-ONE KITCHENETTES IN 4 SIZES

SUMMIT's All-In-One Combination Kitchens put everything food storage and preparation needs into a single easy-to-fit unit. Available in 30", 39", 48", and 60" widths, these full-service kitchenettes include a working sink, two-element electric cooktop, storage cabinet, and a refrigerator-freezer. Whether you need a permanent or temporary compact service station for your home, office, hotel, motel, inn, dormitory suite, or efficiency apartment, SUMMIT's combo kitchens offer the most choices and highest quality at prices far lower than you might expect. Our new Space Saving Appliance Station adds work and storage space above the kitchenette with a white or stainless steel shelf designed to house small appliances. All models operate from two 110V/60Hz lines, one for the cooking plate and one for the refrigerator. Faucets are included with all models.



C301/C301 AUTO



C39/C39AUTO



C48



C60

<b>C60</b>	60" wide kitchen with one-piece stainless steel top, sink, 2 solid element (110V) electric burners and 24" wide cycle defrost refrigerator-freezer (Model CT67).
<b>C48</b>	48" wide with 2 electric elements and stainless steel top. Includes CT67 refrigerator-freezer.
<b>C39</b>	39" wide combination kitchen with a 20" wide refrigerator-freezer, 2 burner cooktop (electric), and one-piece stainless steel top with drawn sink.
<b>C39AUTO</b>	Same as above with an ENERGY STAR automatic defrost refrigerator-freezer (FF41ES).
<b>C301</b>	30" wide with 2 electric elements, one-piece top and 20" wide refrigerator-freezer.
<b>C301AUTO</b>	Same as above with an ENERGY STAR auto defrost refrigerator-freezer. (FF41ES)
<b>Cab2416</b>	Wall cabinet that matches the finish of any all-in-one kitchen. 24" H X 16" W X 12" D.
<b>Cab2420</b>	Same as above – 24" H X 20" W X 12" D.

For cutout and rough-in-drawings and installation instructions, please visit our website, [www.summitappliance.com](http://www.summitappliance.com)

MODEL	HEIGHT	WIDTH	DEPTH	DEFROST	CAPACITY (REFRIGERATOR)	DOOR SWING (REFRIGERATOR)	DOOR COLOR	CABINET FINISH
<b>C60</b>	39"	60"	24"	Cycle	5.1 cu.ft.	Reversible	White	White
<b>C48</b>	39"	48"	24"	Cycle	5.1 cu.ft.	Reversible	White	White
<b>C39</b>	39"	39"	24"	Manual	3.9 cu.ft.	Reversible	White	White
<b>C39Auto</b>	39"	39"	24"	Automatic	3.6 cu.ft.	Reversible	White	White
<b>C301</b>	42"	30"	24"	Manual	3.9 cu.ft.	Reversible	White	White
<b>C301Auto</b>	42"	30"	24"	Automatic	3.6 cu.ft.	Reversible	White	White
<b>Cab 2416</b>	24"	16"	12"	N/A	-	RHD/LHD	White	White
<b>Cab 2420</b>	24"	20"	12"	N/A	-	RHD/LHD	White	White

# SPACE SAVING APPLIANCE STATION FOR SUMMIT KITCHENETTES

Our new Appliance Station is designed to compliment our popular line of All-in-One Combination Kitchens. Available in four sizes to fit our complete line, this one-piece heavy-duty metal shelf provides an ideal space above the Kitchenette to house small appliances. At 18" deep, it's perfectly sized for a microwave oven and a coffee pot. The shelf clearance is 17" above the Kitchenette counter to allow plenty of work space below while keeping appliances within reach. Each shelf is fitted with an electrical plug allocator to limit overall power consumption. Quick to install, these heavy-duty shelves are available in easy-to-clean white powder coated steel or stainless steel. Assembly screws included.

## ALL-IN-ONE KITCHEN FEATURES

- ALL UNITS SHIP FULLY ASSEMBLED
- FAUCET INCLUDED
- STORAGE COMPARTMENT WITH SHELF IN ALL MODELS (2 On C60)
- CONVENIENT 110V OPERATION
- STAINLESS STEEL ONE-PIECE TOP WITH STAINLESS STEEL SINK
- REFRIGERATOR WITH FREEZER INCLUDED
- SOLID CAST IRON BURNERS MEAN NO SPILLS AND EASIER CLEAN-UP
- ASSEMBLED IN THE U.S.A.
- WIDE CHOICE OF REFRIGERATORS (SEE OUR WEB SITE FOR REFRIGERATOR DETAILS)
- EASY INSTALLATION
- OPTIONAL APPLIANCE STATION HIGH SHELF
- OPTIONAL WALL CABINETS



C48APSW



C301AUTOAPSW



C60APSS

## Need more space for storing dry goods and kitchenware?

Extra cabinets are available in two sizes for mounting on the wall above your combination kitchen. Available for purchase pre-assembled or ready-to-assemble.



C39AUTOAPSS

MODEL	HEIGHT	WIDTH	DEPTH	DEFROST	REF. DOOR SWING	SHELF FINISH	CABINET FINISH
C301APSW	59 1/4"	30"	24"	Manual	Reversible	White	White
C301APSS	59 1/4"	30"	24"	Manual	Reversible	St. Steel	White
C301AUTOAPSW	59 1/4"	30"	24"	Automatic	Reversible	White	White
C301AUTOAPSS	59 1/4"	30"	24"	Automatic	Reversible	St. Steel	White
C39APSW	56 1/4"	39"	24"	Manual	Reversible	White	White
C39APSS	56 1/4"	39"	24"	Manual	Reversible	St. Steel	White
C39AUTOAPSW	56 1/4"	39"	24"	Automatic	Reversible	White	White
C39AUTOAPSS	56 1/4"	39"	24"	Automatic	Reversible	St. Steel	White
C48APSW	56 1/4"	48"	24"	Cycle	Reversible	White	White
C48APSS	56 1/4"	48"	24"	Cycle	Reversible	St. Steel	White
C60APSW	56 1/4"	60"	24"	Cycle	Reversible	White	White
C60APSS	56 1/4"	60"	24"	Cycle	Reversible	St. Steel	White

Models number above include both the All-In-One Kitchen and the matching Appliance Station.

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# EUROPEAN FRONT LOADING WASHER AND DRYER

## TURN A 24" WIDE SPACE INTO A LUXURIOUS LAUNDRY CENTER

European designed and built for SUMMIT, the SPW1103 Washer is ENERGY STAR certified, and uses less water and detergent than most other washers. The front-loading stainless steel drum provides superior fabric cleaning and care. In only a 24" wide space, this model can be installed under counter, or paired side by side or stacked with the matching SPDE1113 Dryer.

- Standard Installation
- Pull out drawer for prewash, detergent and bleach
- Multiple Wash Cycles
- Multiple Temperature Settings
- Adjustable Water Level Settings
- Stainless Steel Drum
- 1000 rpm
- 180 degree door opening
- Uses fuzzy logic sensors for ideal wash every time
- Unique detergent filter optimizes performance
- Motor overheat protection
- Stability control
- Super silent operation: 49 dba wash/68 dba spin
- Overflow protection

**SPACE-SAVING  
WITH  
FREESTANDING  
OR  
STACKABLE  
APPLICATION**



<b>SPW1103</b>	24" wide, front loading ENERGY STAR washer, with 12 pound capacity, 1000 rpm, European designed and built for SUMMIT, stainless steel interior, superior cleaning but gentler on clothes. Uses less water and detergent than most washers. Use under-counter or stack with matching dryer, SPDE1113.
<b>SPDE1113</b>	Matching dryer to SPW1103. 220 Volt, 60 cycle. Fully featured with 3 heat settings, and timer or auto-dry. Full stainless steel drum. Reversible door swing. Can be stacked on top of SPW1103 with included stacking legs (no kit needed). For vented installations.
<b>SPW1103ADA</b>	This front load ENERGY STAR washing machine is ADA compliant (32½") with the same specifications as SPW1103
<b>SPDE1113ADA</b>	ADA compliant height of 32½" with the same specifications as SPDE1113.

The SUMMIT SPDE1113 Dryer is the ideal mate to our SPW1103 ENERGY STAR certified Washer. This model offers full-service drying with 3 temperature options, timer, and auto dry setting. In a 24" wide space, this model can be installed under counter or stacked with our SPW1103 Washer. Stacking legs are included.



**SPW1103**

- 220V/60Hz
- 3 Temperature Options
- Timer
- Auto-Dry Setting
- Stainless Steel Drum
- Reversible Door Swing
- Removable Lint Trap
- Unique rib design for maximum performance
- Stack kit included



MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	ELECTRICAL	DOOR FINISH	CABINET FINISH
<b>SPW1103</b>	12 lb.	33 ½"	23 ⅝"	24"	110V / 60Hz	Glass	White
<b>SPDE1113</b>	12 lb.	33 ½"	23 ⅝"	24"	220V / 60Hz	White	White
<b>SPW1103ADA</b>	12 lb.	32 ½"	23 ⅝"	24"	110V / 60Hz	Glass	White
<b>SPDE1113ADA</b>	12 lb.	32 ½"	23 ⅝"	24"	220V / 60Hz	White	White

# VENTLESS COMBINATION WASHER/DRYERS

More and more people appreciate the convenience of having laundry facilities in their apartment, vacation home, timeshare, cabana, residence hotel or temporary residence, but don't have room for a separate washer and dryer. The solution: a combination unit from SUMMIT. Our two units offer superior features and first rate cleaning with in any budget. Both units fit anywhere, even under a counter in a powder room, work off standard 115V power and require no venting. Now you can have laundry facilities to fit your lifestyle in the location of your choosing.



Made in Italy by Ariston for us, the **AWD121C** Combination Washer/Dryer offers the highest level of fabric care for your clothes. With hi-tech, smart controls, it does everything but fold! Laundry goes from a washing cycle to a drying cycle instantly. ENERGY STAR certified with 9 wash settings and a 12-hour delay timer, plus, stain removal, extra rinse, speed control, and pre-wash settings. Clothes come out ready to wear; its advanced drying capabilities include a convenient easy-iron setting. Special sound-absorbing materials ensure a whisper quiet performance. Can stand alone or be installed under counter. Use for non-vented installation only.

- Standard Installation
- 110V/60Hz
- 9 Wash Settings
- Multiple Temperature Settings
- Multiple Drying Settings
- Smart Push-Button Controls
- Stainless Steel Drum
- Self-Locking Door
- 13 Pound Wash/dry Capacity
- 1200 rpm



## SPWD1470C

The SUMMIT SPWD1470C goes from a wash cycle to a dry cycle instantly, delivering clean dry clothes in less than 3 hours. This model provides superior fabric cleaning and care with 6 wash settings: Standard, Custom, Quick, Night, Heavy, and Delicate. Includes both a 30 and 60-minute drying cycle. Can stand alone or be installed under counter. Installation for non-vented use

- Standard Installation
- 110V/60Hz
- 6 Wash Settings
- 2 Timed Drying Settings
- 3 Water Level Settings
- Stainless Steel Drum
- Digital Time Display
- Self-Locking Door
- 13½ Pound Wash Capacity



MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	FINISH	VENTILATION	ELECTRICAL
AWD121C	13 lb	33 ½"	23 ½"	21 ¼"	White	Non-vented	110V/60Hz
SPWD1470C	13.5 lb	33"	23 ¼"	24"	White	Non-vented	110V/60Hz


Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com


Specifications are subject to change without notice

C-110

# DISHWASHERS AND PORTABLE WASHING MACHINE



SUMMIT dishwashers are ENERGY STAR qualified for their smart performance, using less water and energy than the federal standard requires. Our European built DW2432 series units are equipped with a three-way filter system to clean items with complete care and electronic controls that simplify operations. Advanced sound absorption technology guarantees an ultra quiet performance. Sized at just 24" wide, these dishwashers contain full capacity in a convenient fit. Choose from four wash settings to clean up to twelve place settings on adjustable racks that accommodate a variety of kitchenware shapes and sizes. Available in white, stainless steel, and in ADA compliant height for lower counter use.



DW2432SS

<b>DW2432</b>	ENERGY STAR, European-built dishwasher with ultra-quiet operation, stainless steel interior, adjustable top rack, 12 place setting capacity, 4 programs, 4 wash temperatures, smart-fold shelves allow extra cup capacity, 3 way filter system, 5 level wash system for better cleaning.
<b>DW2432SS</b>	Same as above with stainless steel door.
<b>DW2432SSADA</b>	ADA compliant height of 32" with the same specifications as DW2432SS
<b>DW2432ADA</b>	ADA compliant (32" high) with the same specifications as DW2432.
<b>SPW1200</b>	Portable top loading washing machine, convertible for a standard installation or one hose connection to a sink. Fully featured, full agitator, four cycles, 3 water temperature settings, adjustable water level settings, fabric and bleach dispenser, lint filters, fully digital controls, and 11 pound capacity.



The SUMMIT SPW1200 Portable Washer at just 21½" wide is ideal for small apartments, hotel suites, or anywhere a quality, space-saving clothes washer is needed. This top-loading model can be permanently installed or easily attached to a sink. It rolls smoothly on casters to a closet or corner when not in use. Load after load, the SUMMIT SPW1200 handles your clothes with efficiency and care.

- Standard Installation or Sink Hook-Up
- Adjustable Water Level Settings
- No-Rust Polypropylene Drum
- 3 Temperature Settings
- Full Agitator
- 4 Wash Cycles
- Digital Controls
- 11 Pound Capacity



MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	ELECTRICAL	DOOR FINISH	CABINET FINISH
<b>SPW1200</b>	11 lb.	37"	21 ½"	24"	110V / 60Hz	White	White
<b>DW2432</b>	12 pl. Set	32 ½"	23 ¾"	24"	110V / 60Hz	White	-
<b>DW2432SS</b>	12 pl. Set	32 ½"	23 ¾"	24"	110V / 60Hz	St. Steel	-
<b>DW2432ADA</b>	12 pl. Set	32"	23 ⅝"	24"	110V / 60Hz	White	-
<b>DW2432SSADA</b>	12 pl. Set	32"	23 ⅝"	24"	110V / 60Hz	St. Steel	-

# MINIBARS, PARTY COOLERS AND CART



**MB34L**

SUMMIT's silent minibars are all auto defrost, non-compressor all-refrigerators with a front lock. The dimensions are ideal for most counters, cabinets and armoires with proper ventilation. Their charcoal gray finish blends with most interiors. The completely silent absorption system is ideal for hotels, cruise ships, conference rooms, offices and bedrooms. Reversible doors provide flexibility for any interior design and the front lock offers additional security. Well-designed shelving maximizes product selection, display, and convenience.



**MB44L**

<b>MB24L</b>	Our smallest minibar, auto defrost and sized for easy placement on top of counters or inside cabinets(with proper ventilation). Charcoal gray exterior, adjustable metal shelves, door storage, and a front lock.
<b>MB34L</b>	40 liter non-compressor minibar with adjustable shelves and door storage to accommodate both large bottles and miniature liquor bottles. Charcoal gray exterior with a reversible door and front-mounted lock. Silent automatic defrost operation.
<b>MB25LGL</b>	Glass door minibar for full display of stored contents. Same dimensions and features as the MB24L, including a front lock and automatic defrost.
<b>MB44L</b>	Slim auto defrost non-compressor minibar with 40 liter capacity and front-mounted lock. Charcoal exterior includes top section for storing and displaying dry goods, with a see-thru window to increase impulse purchases. The refrigerated interior includes adjustable shelves and door storage.
<b>FC07</b>	A mobile solution to keep beverages refrigerated anywhere needed. Suitable for can and bottled beverages, it holds all bottle sizes including two or three liter bottles, and includes baskets for other ingredients for the perfect drink. Included are two wire removable baskets suitable for holding smaller items. Towel bar handles on the tempered glass lids are included. The exterior is fully stainless steel. The hammered aluminum interior features a bottom drain for easy use and maintenance. Manual defrost. Casters are included (not needed when installed in SUMMIT Party Cart RPC07).
<b>PCC50</b>	Round all-refrigerator with party accents, ideal for backyard entertainment. Includes a chrome rack, two wooden trays and a hanging basket for large bottles.
<b>CC48</b>	Same as above but without the party accents and available in white for custom logos. Unique 'ice bank' system holds chilled beverages cold for hours without electricity.
<b>RPC07</b>	Our RPC07 refreshment cart is an affordable, deluxe all stainless steel cart that includes a unique chest refrigerator (Model FC07) with two glass lids. Thoughtfully designed with an interior cabinet (with shelf), a side rail for tall bottles, a handy work-top, and installed casters for portability. Ships fully assembled. All stainless steel handles, and interior surfaces.



**PCC50**

Now you can entertain in style, with a choice of convenient, practical and elegant refrigerated coolers and carts from SUMMIT. Our round party coolers have a unique "blue ice" wall liner. Simply add your contents, plug in, and cool overnight. Your contents will stay cold all day without power or ice, or if needed, operate plugged in all the time. Casters for portability are standard. Party cooler PCC50 includes two wooden serving shelves and a wire rack for large bottles. Can cooler CC48 has a larger capacity, and is approved for commercial or household use.



**FC07**

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
<b>MB44L</b>	30 L	31 1/2"	15 7/8"	17 1/2"	Automatic	Reversible	Charcoal	Charcoal
<b>MB34L</b>	40 L	22"	15 7/8"	19 1/4"	Automatic	Reversible	Charcoal	Charcoal
<b>MB25LGL</b>	30 L	20"	15 3/4"	18"	Automatic	Reversible	Glass	Charcoal
<b>MB24L</b>	30 L	20"	15 3/4"	18"	Automatic	Reversible	Charcoal	Charcoal
<b>PCC50</b>	50 cans	33"	21"	21"	Manual	Lift up	Clear	Blue/Red
<b>CC48</b>	50 cans	33"	21"	21"	Manual	Lift up	Clear	White
<b>RPC07</b>	1.8 cu.ft.	38 1/2"	28"	18"	Manual	Lift up	St. Steel	St. Steel
<b>FC07</b>	1.8 cu.ft.	26 3/4"	21"	16"	Manual	Lift up	Clear	St. Steel



**CC48**



**RPC07**

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

# HIGH-PERFORMANCE REACH-IN REFRIGERATORS AND FREEZERS

SUMMIT single and double door reach-in refrigerators and freezers are crafted inside and out from high-quality 304 grade stainless steel, with higher tensile strength for fewer dents and scratches. The cabinet structure and solid doors are foamed-in-place using high-density, CFC-free, polyurethane insulation for optimum insulation, lower utility costs and exceptional product safety. All offer an energy saving self-closing door, an easy-grip recessed handle, and a useful added touch that doors will stay open if opened beyond 90° to make bulk loading and unloading easy. Unique slide-out shelves can easily adjust to any level to accommodate your storage needs. A digital thermostat gives you accurate control, with external temperature readout so you can adjust settings without even opening the door. Interior lighting and front-mounted locks are also standard. Sturdy casters with locking brakes allow these models to be moved and secured in place as desired. All models can accommodate full size baking pans. NSF listed for commercial use and fully featured for high performance and outstanding value.




SCRI490 / SCFI495

MODEL	TEMP RANGE (C)	TEMP RANGE (F)
SCRI230	1°C to 4°C	33°F to 38°F
SCFI235	-23°C to -17°C	-10°F to -1°F
SCRI490	1°C to 4°C	33°F to 38°F
SCFI495	-23°C to -17°C	-10°F to -1°F

Note: Temperature ranges can be modified by us prior to shipping.



**ALL MODELS  
STAINLESS STEEL DOORS  
STAINLESS STEEL CABINETS  
STAINLESS STEEL INTERIORS**




SCRI230 / SCFI235

**THESE COMMERCIALLY APPROVED UNITS USE FROST-FREE OPERATION WITH AN OVERSIZED FACTORY-BALANCED REFRIGERATION SYSTEM TO MAINTAIN IDEAL CONDITIONS FOR FRESH OR FROZEN FOOD STORAGE.**

SUMMIT reach-in coolers are filled with thoughtful touches. The adjustable shelves consist of shelf glides that lock into the cantilevered clips, allowing the shelves to fully slide in and out. The doors on our reach-in refrigerators and freezers also have a unique feature, where the doors self close from any angle under 90°, yet stay open when extended over 90° for easier cleaning or loading and unloading. Each shelf can accommodate one full or two half-size standard commercial baking pans.

MODEL	TYPE	CAPACITY	FINISH	HEIGHT	WIDTH	DEPTH
SCRI230	Refrigerator	23 cu. ft.	Stainless Steel	80"	28 ¼"	30 ⅝"
SCFI235	Freezer	23 cu. ft.	Stainless Steel	80"	28 ¼"	30 ⅝"
SCRI490	Refrigerator	49 cu. ft.	Stainless Steel	80"	56 ⅝"	30 ⅝"
SCFI495	Freezer	49 cu. ft.	Stainless Steel	80"	56 ⅝"	30 ⅝"



Models in red meet standards for commercial use, and carry ETL-Sanititation, UL-Sanititation or NSF listings (comply with NSF Standard 7).

# FROST-FREE ALL-REFRIGERATORS AND ALL-FREEZERS



SCUR20

SUMMIT's **SCUR** series of upright refrigerators offers large capacity, convenient features, and the best in frost-free cooling. Choose from two full-size units, all with commercial approval (UL Sanitation) and all fully featured. Frost-free operation saves users maintenance, while a digital thermostat enables precise temperature management with easy electronic controls and an external temperature display. All SCUR refrigerators include locks for security, adjustable shelves for flexibility, and several door racks for added storage options. Each is set on sturdy locking casters for easier cleanup and mobility. A solid towel bar handle in brushed stainless steel adds easy-grip convenience.

<b>SCUR18/SCUF18</b>	17 cu.ft. interior capacity
<b>SCUR20/SCUF20</b>	20 cu.ft. interior capacity



SCUF20

Get the most out of freezer storage with SUMMIT's **SCUF** series of large capacity upright all-freezers. Each unit can be perfectly matched with an SCUR refrigerator for a full-sized combination with long towel bar handles in brushed stainless steel. All include digital thermostats complete with external temperature readouts. Locks protect stored contents and 6" locking casters allow flexible unit placement and sanitary cleaning. Adjustable shelves can accommodate large containers, with ample door storage providing even more options. All are commercially approved (UL Sanitation to meet ANSI/NSF-Std. 7).



FFAR10FC7



SCUR18

## SCUR AND SCUF FEATURES

- FROST-FREE OPERATION
- PRECISION DIGITAL THERMOSTAT
- ADJUSTABLE SHELVES
- DOOR RACKS
- LOCK
- LOCKING CASTERS
- STAINLESS STEEL TOWEL BAR HANDLE
- COMMERCIALLY APPROVED



SCUR18

SUMMIT **FFAR10FC7** is a full sized all-refrigerator with more than 10 cu.ft. of storage capacity in a conveniently sized 24 inch footprint. Fully auto defrost, with an internal fan to keep temperatures even throughout the roomy interior. Features include a reversible door, adjustable shelves, door storage, interior light, and adjustable thermostat. This commercially approved model (ETL-S to NSF-7) has a white exterior. For a stainless steel wrapped door and pro handle, add suffix SSTB.

## COMMERCIAL UPRIGHT STORAGE REFRIGERATORS

MODEL	CAPACITY	FINISH	HEIGHT	WIDTH	DEPTH	KEY FEATURES
<b>SCUR18</b>	16.8 cu.ft.	White	72"	31 1/2"	28"	Frost-free, full stainless steel handle, digital thermostat, 6" casters, lock, RHD
<b>SCUR20</b>	20.1 cu.ft.	White	82 1/2"	31 1/2"	28"	Frost-free, full stainless steel handle, digital thermostat, 6" casters, lock, RHD
<b>FFAR10FC7</b>	10.1 cu.ft.	White	55"	23 5/8"	24"	Mid-sized auto-defrost all-refrigerator with internal fan

All SCUR series are UL and UL-Sanitation approved (meet NSF-Std.7)

## COMMERCIAL UPRIGHT STORAGE FREEZERS

MODEL	CAPACITY	FINISH	HEIGHT	WIDTH	DEPTH	KEY FEATURES
<b>SCUF18</b>	16.8 cu.ft.	White	72"	31 1/2"	28"	Frost-free, full stainless steel handle, digital thermostat, 6" casters, lock, RHD
<b>SCUF20</b>	20.1 cu.ft.	White	82 1/2"	31 1/2"	28"	Frost-free, full stainless steel handle, digital thermostat, 6" casters, lock, RHD

All SCUF series are UL and UL-Sanitation approved (meet NSF-Std.7)

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# SOLID DOOR COMMERCIAL COMPACT REFRIGERATORS

SUMMIT's FF7 and FF67 Series are commercially approved (ETL-S meets NSF-7) all-refrigerators with compact 24 inch footprints. Fully capable of freestanding use or under counter (with proper ventilation or our built-in option), these auto defrost units offer 5.5 cu.ft. of interior capacity with deep tray space and adjustable shelving. Both series feature SUMMIT's own "hidden" evaporator mounted behind the wall for a seamless interior liner. Base units and refrigerators with custom door frames include reversible doors, while units with wrapped stainless steel doors must be ordered RHD or LHD.



FF7 / FF7L interior



FF67L / FF7L



FF67 / FF67L interior



FF7B / FF7LBL interior



FF7CSS



FF7LBL



FF7BDPL



SP6DSSTBTHIN7



SP6DSSTB7

<b>FF7</b>	Solid door, commercial, all-refrigerator with flat door liner, large wire shelves (capable of holding trays 19.5" wide by 16" deep , automatic defrost, reversible door (on base models), ETL-Sanitation listed (equal to NSF-7), and our unique "hidden" evaporator for a clean seamless interior liner. White finish. Interior light on rocker switch.
<b>FF7L</b>	Same as above with front door lock.
<b>FF7B</b>	Same as FF7, but in black finish with standard <b>glass shelves</b> .
<b>FF7LBL</b>	Same as FF7B with front door lock.
<b>FF67</b>	All refrigerator, 5.5 cu.ft. with door shelves in white with wire shelves.
<b>FF67L</b>	Same as above with front lock.
<b>SP6DS7</b>	All stainless steel (interior and exterior) 3 drawer refrigerator with fan-assisted cooling and recessed handles. Adjustable thermostat.
<b>SP6DS2D7</b>	Same as above with 2 drawers and full stainless steel thin handles; includes kit to install full overlay panels. Holds large bottles upright in top drawer.
<b>SP6DSSTB7</b>	3 drawer, all-refrigerator for built-in or freestanding use with 304 grade stainless steel. Auto defrost, includes 3 full-width towel bar handles.
<b>SP6DSSTBTHIN7</b>	Same as above with thin horizontal (14mm) stainless steel handles

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
<b>FF7</b>	5.5 cu.ft.	33 1/4"	23 5/8"	23 1/2"	Automatic	Reversible	White	White
<b>FF7B</b>	5.5 cu.ft.	33 1/4"	23 5/8"	23 1/2"	Automatic	Reversible	Black	Black
<b>FF7L</b>	5.5 cu.ft.	33 1/2"	23 5/8"	23 1/2"	Automatic	Reversible	White	White
<b>FF7LBL</b>	5.5 cu.ft.	33 1/2"	23 5/8"	23 1/2"	Automatic	Reversible	Black	Black
<b>FF67</b>	5.5 cu.ft.	33 1/2"	23 5/8"	23 1/2"	Automatic	Reversible	White	White
<b>FF67L</b>	5.5 cu.ft.	33 1/2"	23 5/8"	23 1/2"	Automatic	Reversible	White	White
<b>SP6DSSTB7</b>	5.0 cu.ft.	33 1/8"	23 3/4"	23 1/2"	Automatic	Drawer	St. Steel	St. Steel
<b>SP6DSSTBTHIN7</b>	5.0 cu.ft.	33 1/8"	23 3/4"	23 1/2"	Automatic	Drawer	St. Steel	St. Steel
<b>SP6DS7</b>	3 Drawers	33 1/8"	23 3/4"	23 1/2"	Automatic	Drawer	St. Steel	St. Steel
<b>SP6DS2D7</b>	2 Drawers	33 1/8"	23 3/4"	23 1/2"	Automatic	Drawer	St. Steel	St. Steel
SUFFIX	OPTIONS FOR FF7 AND FF6 SERIES							
<b>SSTB</b>	Wrapped stainless steel door with 12" pro stainless steel towel bar handle							
<b>SSHV</b>	Wrapped stainless steel door with vertical stainless steel handle (14mm diameter)							
<b>SSHH</b>	Wrapped stainless steel door with full width horizontal stainless steel handle (14mm diameter)							
<b>FR</b>	Two piece stainless steel frame accepts custom panels with stainless steel handle							
<b>IF</b>	Integrated frame accepts full overlay panels							
<b>CSS</b>	Fully wrapped stainless steel cabinet and wrapped stainless steel door with pro 12" towel bar handle							
<b>DPL</b>	Diamond plate aluminum wrapped door and pro style stainless steel towel bar handle							
<b>ADA</b>	32" height for ADA counters. 4 level legs included							

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

# SOLID DOOR COMMERCIAL COMPACT FREEZERS

SUMMIT's fully featured counter height all-freezers are built with commercial cooling systems designed for constant use and precise temperature control. Units on this page are 24" wide and available with a variety of finishes and options, including factory installed locks and stainless steel exteriors.

SUMMIT's **SCFF55** Series of commercial all-freezers offers true convenience with frost-free operation that eliminates the need for customers to ever manually defrost the spacious 5 cu.ft. interior. Available in white, black, stainless steel, or with frames for custom panels, all SCFF55 units are 24" wide and capable of freestanding or built-in use. Features include adjustable shelves, adjustable thermostats, and flat door liners that accommodate deeper trays than most units in their class. Match any SCFF55 to a SUMMIT FF7 all-refrigerator for a complete side-by-side or stackable set.



SCFF55 / SCFF55L

SCFF55



SCFF55LBL

SCFF55B / SCFF55LBL

<b>FS627</b>	Solid door compact freezer, 24" wide, with reversible door, three interior baskets, oversized compressor capable of -25°C operation, manual defrost. White finish, adjustable thermostat. U.L. and ETL-S listed (meets NSF-7).
<b>FS62L7</b>	Same as above with front mounted lock. Reversible door.
<b>SCFF55</b>	Under-counter, <b>frost-free</b> freezer, with commercial cooling system, reversible door, adjustable shelves, large variety of finish options, adjustable thermostat, and convenient 24" width and 33.5" height. U.L. and U.L. Sanitation listed. Capable of built-in use, but fully finished for freestanding use.
<b>SCFF55L</b>	Same as above with front lock
<b>SCFF55B</b>	Same as SCFF55 but in black finish with <b>glass shelves</b>
<b>SCFF55LBL</b>	Same as above with front lock.

For long-term storage of commercial goods at lower temperatures, SUMMIT's **FS627** Series features counter height freezers that can maintain a constant -20 to -25°C inside a manual defrost interior. Derived from our medical line, these 23 5/8" all-freezers are built with an oversized compressor and extra thick insulation. Three removable drawers with clear plastic fronts prevent stored contents from being constantly exposed to ambient temperatures when the door is opened. ETL-S listed and perfectly matched with our FF67 series of commercial all-refrigerators.

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
<b>FS627</b>	3.2 cu.ft.	33 1/2"	23 5/8"	23 1/2"	Manual	Reversible	White	White
<b>FS62L7</b>	3.2 cu.ft.	33 1/2"	23 5/8"	23 1/2"	Manual	Reversible	White	White
<b>SCFF55</b>	5.0 cu.ft.	33 1/4"	23 3/8"	23 1/2"	Frost-Free	Reversible	White	White
<b>SCFF55B</b>	5.0 cu.ft.	33 1/4"	23 3/8"	23 1/2"	Frost-Free	Reversible	Black	Black
<b>SCFF55L</b>	5.0 cu.ft.	33 1/2"	23 3/8"	23 1/2"	Frost-Free	Reversible	White	White
<b>SCFF55LBL</b>	5.0 cu.ft.	33 1/2"	23 3/8"	23 1/2"	Frost-Free	Reversible	Black	Black
Suffix	Description							
<b>SSTB</b>	Wrapped stainless steel door with 12" pro stainless steel towel bar handle							
<b>SSHV</b>	Wrapped stainless steel door with vertical stainless steel handle (14mm diameter)							
<b>SSHH</b>	Wrapped stainless steel door with full width horizontal stainless steel handle (14mm diameter)							
<b>FR</b>	Two piece stainless steel frame accepts custom panels with stainless steel handle							
<b>IF</b>	Integrated frame accepts full overlay panels							
<b>CSS</b>	Fully wrapped stainless steel cabinet and wrapped stainless steel door with pro towel bar handle							
<b>DPL</b>	Diamond plate aluminum wrapped door and pro style stainless steel towel bar handle							



FS627 / FS62L7

FS62L7

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# LOW TEMPERATURE FREEZERS

SUMMIT's line of low temperature freezers offers a wide range of sizes, and a full combination of standard features our users have asked for. Models include both under-counter front-opening and chest styles, and all models are manual defrost without any fans or defrost heaters. All sizes are available with either a -30°C or -35°C operating temperature, using a precision digital thermostat for accurate control. Freezers utilize R404 refrigerant. All freezers are UL and UL Sanitation (equal to NSF-7) listed and built to commercial standards. Stainless steel edge protectors guard against the normal bumps and dings in high traffic locations.

## -30°C (-22°F) FREEZERS

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	FINISH
<b>VT65</b>	4 cu.ft.	33 1/2"	23 5/8"	24"	White
<b>VT85</b>	8.8 cu.ft.	35"	43"	24"	White
<b>VT125</b>	14.8 cu.ft.	35"	50"	29 1/2"	White
<b>VT175</b>	19.7 cu.ft.	35"	63"	29 1/2"	White
<b>VT175IB</b>	19.7 cu.ft.	35"	63"	29 1/2"	White
<b>VT225</b>	25.1 cu.ft.	34"	75"	29 1/2"	White



VT65



VT85

## -35°C (-31°F) FREEZERS

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	FINISH
<b>VLT650</b>	4 cu.ft.	33 1/2"	23 5/8"	24"	White
<b>VLT850</b>	8.8 cu.ft.	35"	43"	24"	White
<b>VLT1250</b>	14.8 cu.ft.	35"	50"	29 1/2"	White
<b>VLT1750</b>	19.7 cu.ft.	35"	63"	29 1/2"	White
<b>VLT175IB</b>	19.7 cu.ft.	35"	63"	29 1/2"	White
<b>VLT2250</b>	25.1 cu.ft.	34"	75"	29 1/2"	White



**UNIQUE ICE-BANK RESERVE PROVIDES PROTECTION FOR FROZEN CONTENTS FOR UP TO 42 HOURS\* IN CASES OF POWER LOSS.**



VT225

SUMMIT's ice-bank technology provides a reserve capacity of non-toxic, fluid-filled cold plates that can help protect contents in event of power failures, inadvertent disconnecting of the power supply, or malfunction of the freezer. A battery powered alarm is provided to warn of increasing temperatures, and will display the high and low temperatures recorded in the freezer. The ice-bank is fully installed and is maintenance-free. Model VT175IB has over 3" of insulation in the exterior walls.

\* Tests by an independent testing laboratory (Intertek/ETL) conducted at an ambient temperature of 70 degrees F (21°C) showed that when contents (75% filled) were stabilized at -22°F (-30°C), and power was turned off, contents were held below freezing (32° F or 0°C) for over 42 hours. Individual results will vary based on ambient temperature, percentage of capacity used, and frequency of lid opening. Full test results are presented on our website.

## LOW TEMPERATURE -40°C (-40°F) CHEST FREEZERS

SUMMIT's line of -40°C (-40°F) freezers are made for us in Denmark, by an ISO 14001 certified manufacturer and specialist in low temp freezers for half a century. These freezers utilize special electronic thermostats, made especially for these temperatures, and extra thick, 100 mm (4") wall insulation. These freezers are capable of reaching temperatures as low as -50°C (-58°F), and include a high temperature warning alarm, an integrated lock, wheels, and interior baskets. All freezers are manual defrost, and do not utilize fans or heaters in their design.



MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	FINISH
<b>VT217</b>	7.3 cu.ft.	35 1/2"	45"	24"	White
<b>VT257</b>	8.4 cu.ft.	35 1/2"	50"	24"	White
<b>VT327</b>	11.0 cu.ft.	35 1/2"	62"	24"	White

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

# FROST-FREE CHEST REFRIGERATORS AND FREEZERS

SUMMIT SCFF and SCFR series chest freezers bring the convenience of frost-free operation to a product category normally available in manual defrost only. A large choice of sizes, all with powerful cooling systems and fan-forced interior cooling for even temperature performance. Storage baskets included, and all have one piece seamless interior liners. Counter-balanced lids, recessed handle, and foamed lids for energy savings. Stainless steel corner guards for high traffic areas are standard. Made in the U.S.A.

## FROST FREE CHEST REFRIGERATORS

<b>SCFR50</b>	6.5 cu.ft. capacity frost-free all-refrigerator
<b>SCFR70</b>	8.2 cu.ft. capacity frost-free all-refrigerator.
<b>SCFR120</b>	10 cu.ft. capacity frost-free all-refrigerator with front lock
<b>SCFR150</b>	14 cu.ft. capacity frost-free all-refrigerator with front lock
<b>SCFR220</b>	19 cu.ft. capacity frost-free all-refrigerator with front lock
<b>SCFR250</b>	24.4 cu.ft. capacity frost-free all-refrigerator with front lock
<b>MED OPTION</b>	Add a hospital grade cord, and NIST traceable alarm with external temperature display to any model above (add suffix "MED" and add 4" to width). All "MED" models will have a front lock.

## FROST FREE CHEST FREEZERS

<b>SCFF50</b>	6.5 cu.ft. capacity frost-free freezer.
<b>SCFF70</b>	8.2 cu.ft. capacity frost-free freezer.
<b>SCFF120</b>	10 cu.ft. capacity frost-free freezer with front lock
<b>SCFF150</b>	14 cu.ft. capacity frost-free freezer with front lock.
<b>SCFF220</b>	19 cu.ft. capacity frost-free freezer with front lock.
<b>SCFF250</b>	24.4 cu.ft. capacity frost-free freezer with front lock.
<b>MED OPTION</b>	Add a hospital grade cord, and a NIST alarm with external temperature display to any model above (add suffix "MED" and add 4" to width). All "MED" models will have a front lock.

Why settle for a manual defrost chest freezer, when SUMMIT makes it so easy to go **frost-free** with chest freezers, and matching **frost-free** chest refrigerators in 6 sizes; from an easy-to-fit 5.5 cu.ft. all the way up to 24 cu.ft. All models utilize a rugged commercial, NSF approved cooling system; made in the USA and designed for years of demanding service. All are U.L. and U.L. Sanitation (equal to NSF-7) listed for commercial, food service or any other use.

**Special Applications:** The cooling system used on our SCFF / SCFR series is capable of a wide range of temperature settings when paired with an optional digital thermostat and a variety of coolants. For low temperature, or exacting performance needs, call our sales department. By special order we can accommodate ranges of -35°C (-31°F) up to 10° C (50° F)

MODEL	TYPE	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR FINISH	CABINET FINISH
<b>SCFR50</b>	Refrigerator	6.5 cu.ft.	34 ¼"	35"	23 ¼"	Frost-Free	White	White
<b>SCFR70</b>	Refrigerator	8.2 cu.ft.	34 ¼"	41"	23 ¼"	Frost-Free	White	White
<b>SCFR120</b>	Refrigerator	10 cu.ft.	34"	44"	28"	Frost-Free	White	White
<b>SCFR150</b>	Refrigerator	14 cu.ft.	35"	48"	29½"	Frost-Free	White	White
<b>SCFR220</b>	Refrigerator	19 cu.ft.	35"	61 ¼"	29½"	Frost-Free	White	White
<b>SCFR250</b>	Refrigerator	24.4 cu.ft.	35"	73 ¼"	29½"	Frost-Free	White	White
<b>SCFF50</b>	Freezer	6.5 cu.ft.	34 ¼"	35"	23 ¼"	Frost-Free	White	White
<b>SCFF70</b>	Freezer	8.2 cu.ft.	34 ¼"	41"	23 ¼"	Frost-Free	White	White
<b>SCFF120</b>	Freezer	10 cu.ft.	34"	44"	28"	Frost-Free	White	White
<b>SCFF150</b>	Freezer	14 cu.ft.	35"	48"	29½"	Frost-Free	White	White
<b>SCFF220</b>	Freezer	19 cu.ft.	35"	61 ¼"	29½"	Frost-Free	White	White
<b>SCFF250</b>	Freezer	24.4 cu.ft.	35"	73 ¼"	29½"	Frost-Free	White	White

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

**ELIMINATE  
MESSY,  
EXPENSIVE AND  
INCONVENIENT  
DEFROSTING  
FOREVER!**



SCFR70 / SCFF70



SCFR50 / SCFF50



SCFR120 / SCFF120



SCFR220 / SCFF220



SCFR250 / SCFF250

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# COMMERCIAL BEER FROSTERS



## SCFF44FROST - FROST-FREE BEER FROSTER

With a slim 19" width and counter height, this impressive beer froster features a top-mounted compressor allowing more storage on the bottom. Sleek, with a stainless steel wrapped door and original SUMMIT decal over compressor section (choose English or Spanish text). Sturdy casters for smooth mobility. External readout digital thermometer allows the user to be informed without opening the door. Also features full fluorescent interior lighting with an adjustable cantilevered shelf. Easy maintenance with frost-free operation. ETL-S listed for commercial use, an incredible value for the beer enthusiast or space constrained commercial establishments.



Our **SCFF55LFROST** series features perfectly sized under counter beer frosters capable of built-in or freestanding use. Just 24 inches wide and fully frost-free, available in a range of exterior options to suit any commercial setting.

<b>SCFF44FROST</b>	Counter height beer froster with top-mounted compressor, designed to store aluminum bottles of beer at a chilly 24°F. Stainless steel door, black cabinet, and original decal (choose English or Spanish) over top compressor compartment. Frost-free with digital thermostat, fluorescent lighting, and cantilevered shelving. Freestanding in slim 19" width, with sturdy casters.
<b>SCFF55LFROST</b>	Built-in capable undercounter beer froster with white exterior and front-mounted lock. Frost-free, with adjustable wire shelves, reversible door, and digital thermostat.
<b>SCFF55LBLFROST</b>	Same as above with black exterior and adjustable glass shelves.
<b>SCFR70FROST</b>	Chest style beer froster designed for back-bar use with 24" depth. Frost-free, digital thermostat, self-closing top lid with towel bar handle. Holds 6 cases of 16 oz. aluminum beer bottles.

## Back Bar Beer Froster

Bring true convenience and serving efficiency behind the bar with the SUMMIT SCFR70FROST chest beer froster. Easy-to-fit 24" depth with carefully designed stainless steel self-closing lid for safety and temperature control. Loading pins are included to keep lid open during loading. Lid opens with our elegant, easy-grip towel bar handle.



Frost-free operation guarantees low maintenance. Equipped with a precision digital thermostat for accurate temperature management. Temperature is preset to 24°F for frosty brews, but can be manually adjusted between 0°F and 45°F.

- Frost-free operation
- Self-closing top lid allows one handed serving safety
- Locking pins for easy loading
- Holds 6 cases of 16 oz. bottles or cans
- Digital thermostat preset for 24° with adjustable range of 0-45°F
- Optional stainless steel wrap



MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
<b>SCFF44FROST</b>	3 cu.ft.	33 <sup>3</sup> / <sub>8</sub> "	18 <sup>1</sup> / <sub>2</sub> "	21 <sup>3</sup> / <sub>8</sub> "	Frost-free	RHD	Stainless Steel	Black
<b>SCFF55LFROST</b>	5 cu.ft.	34"	23 <sup>3</sup> / <sub>4</sub> "	23 <sup>1</sup> / <sub>2</sub> "	Frost-free	Reversible	White	White
<b>SCFF55LBLFROST</b>	5 cu.ft.	34"	23 <sup>3</sup> / <sub>4</sub> "	23 <sup>1</sup> / <sub>2</sub> "	Frost-free	Reversible	Black	Black
<b>SCFR70FROST</b>	6.4 cu.ft.	35"	44"	24"	Frost-free	Slide	Stainless steel	White

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

# OUTDOOR REFRIGERATORS, FREEZERS AND BEER DISPENSERS

Season after season, SUMMIT COMMERCIAL outdoor appliances let you enjoy cold beverages in any climate. All are U.L. approved for outdoor use and either ETL-S or UL-S listed for use in foodservice establishments. Complete stainless steel exteriors offer superior construction, with integrated Ground Fault Circuit Interrupters included as added safety in the outdoors.



SCR600LOS



SCR600LOSRC  
Refreshment Center



SBC490OSSSTB7TWIN

<b>SCR600LOS</b>	UL-S approved (meets NSF-7), Stainless steel cabinet; glass door; front lock and 12 inch stainless steel handle.
<b>SCR600LOSRC</b>	Outdoor refreshment center with stainless steel cabinet and glass door. Full stainless steel handle, factory installed lock, adjustable shelves including two wooden shelves for wine storage
<b>SCR600LOSSD</b>	Outdoor auto defrost all-refrigerator for freestanding use in commercial settings. Fully wrapped stainless steel door and cabinet with lock and professional handle.
<b>SCR600LOBISD</b>	Same as above for built-in or under-counter use.
<b>SCFF55OS</b>	Outdoor 5.0 cu.ft. frost-free freezer with adjustable shelves; for built-in or freestanding use
<b>SBC490OSSSTB7</b>	Commercially approved outdoor beer dispenser with fully wrapped stainless steel exterior and professional towel bar handle. Includes 5 lb. CO <sub>2</sub> tank and complete tap accessories.
<b>SBC490OSSSTB7TWIN</b>	Commercially approved outdoor beer dispenser with two taps and stainless steel exterior.



SCR600LOSSD/SCFF55OS



SCFF55OS



SCR600LOBISD



SBC490OSSSTB7

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
<b>SCR600LOS</b>	5.5 cu.ft.	33 1/2"	23 3/4"	25 1/2"	Automatic	RHD/LHD	Glass	St. Steel
<b>SCR600LOSRC</b>	5.5 cu.ft.	33 1/2"	23 3/4"	25 1/2"	Automatic	RHD/LHD	Glass	St. Steel
<b>SCR600LOBISD</b>	5.5 cu.ft.	33 1/2"	23 3/4"	25 1/2"	Automatic	RHD/LHD	St. Steel	St. Steel
<b>SCR600LOSSD</b>	5.5 cu.ft.	33 1/2"	23 3/4"	25 1/2"	Automatic	RHD/LHD	St. Steel	St. Steel
<b>SCFF55OS</b>	5 cu.ft.	34 1/4"	23 3/4"	25"	Frost-free	RHD/LHD	St. Steel	St. Steel
<b>SBC490OSSSTB7</b>	6 cu.ft.	51 3/8"	23 5/8"	24 7/8"	Automatic	RHD	St. Steel	St. Steel
<b>SBC490OSSSTB7TWIN</b>	6 cu.ft.	51 3/8"	23 5/8"	24 7/8"	Automatic	RHD	St. Steel	St. Steel

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# COMMERCIALLY APPROVED BEER DISPENSERS



SBC500B7 with optional stainless top and drip tray

SUMMIT offers one of the industry's largest selections of beer dispensers with commercial approval (ETL-Sanitation listed meets ANSI-NSF Standard 18). Choose from 3 basic models of freestanding beer dispensers with a huge variety of tap and finish options; built-in beer dispensers and outdoor models. Add this to our best-selling line of household beer dispensers (including new models approved for outdoor use), and SUMMIT continues as your source for the best value in beer dispensers anywhere. And, as always, SUMMIT beer coolers are all full sized. SBC500 series have tens of thousands of satisfied users, and two decades of proven reliability. Our SBC500 models are complete with all accessories: including a 5 lb. CO<sub>2</sub> tank with regulator; draft tower, Sankey American tap, top rail, drip tray; wooden slats, casters, and a cleaning kit. Adjustable thermostat.

SUMMIT BEER COOLER ACCESSORIES	
<b>KIT 490</b>	Complete tap system for SBC490. (Standard on most models)
<b>KIT 495TWIN</b>	Twin tap system for any SUMMIT SBC490 beer cooler.
<b>KIT 498TRIPLE</b>	Triple tap system for any SUMMIT SBC490 beer cooler.
<b>SS Drip Tray</b>	Stainless steel drip tray for any beer dispenser.
<b>ST Top</b>	Add a seamless durable stainless steel top to any model.



SBC4907DPLTRIPLE



SBC4907BRSTWIN

<b>SBC500B7</b>	Black door and black leather-like top, full size beer dispenser that can hold half, quarter or mini kegs and features a 5 lb. CO <sub>2</sub> tank, regulator, Sankey American tap, draft tower, drip tray, wooden slats, top rail, sturdy casters and a cleaning kit. ETL-S meets NSF-18
<b>SBC500SSST7</b>	Same features as SBC500B7 with stainless steel door, stainless steel top and platinum cabinet.
<b>SBC500BSSTB7</b>	Same features as SBC500B7 with a wrapped stainless steel door, stainless steel pro styled handle and black cabinet.
<b>SBC500BSSTBST7</b>	Same features as SBC500B7 with a wrapped stainless steel door, stainless steel pro style handle, stainless steel top and black cabinet.
<b>SBC490BI7</b>	A commercial beer cooler for built-in applications, complete with all accessories
<b>SBC4907</b>	Full sized commercial beer dispenser with a variety of configurations to meet your customers' needs. Includes complete tap kit, casters, a top rail, drip tray, stainless steel floor guard for changing kegs, and shelves to convert into a beverage refrigerator.



SBC490BI7SSHVTRIPLE

**SUMMIT SBC490 SERIES USE A STAINLESS STEEL DRAFT TOWER.**

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
<b>SBC500B7</b>	All keg types	50"	23 3/4"	27"	Manual	RHD	Black	Black
<b>SBC500BST7</b>	All keg types	50"	23 3/4"	27"	Manual	RHD	Black	Black
<b>SBC500SSST7</b>	All keg types	50"	23 3/4"	27"	Manual	RHD	Stainless steel	Platinum
<b>SBC500BSSTB7</b>	All keg types	50"	23 3/4"	27"	Manual	RHD	Stainless steel	Black
<b>SBC500BSSTBST7</b>	All keg types	50"	23 3/4"	27"	Manual	RHD	Stainless steel	Black
<b>SBC490BI7</b>	All keg types	34"	23 5/8"	27"	Automatic	RHD	Black	Black
<b>SBC4907</b>	All keg types	50"	23 5/8"	27"	Automatic	RHD	Black	Black
SUFFIX	SBC490 only							
<b>SSTB</b>	Wrapped stainless steel door with 12" pro stainless steel towel bar handle							
<b>SSHV</b>	Wrapped stainless steel door with vertical stainless steel handle (14mm diameter)							
<b>FR</b>	Two piece stainless steel frame accepts custom panels with stainless steel handle (Panel size: 23" W X 31" H)							
<b>BFR</b>	Brass frame accepts panels with matching brass draft tower							
<b>DPL</b>	Diamond plate aluminum wrapped door and pro style polished stainless steel towel bar handle							
<b>BRS</b>	Brass door and matching brass draft tower							
<b>TWIN</b>	Twin tap system instead of single tap system. (Available in stainless steel or brass)							
<b>TRIPLE</b>	Triple tap system instead of single tap system. (Available in stainless steel only)							



SBC500SSST7 interior



SBC500SSST7

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 18).

# COMMERCIALLY APPROVED WINE CELLARS

From compact to full-sized, SUMMIT's line of commercially approved wine cellars offers superior quality in an extensive collection of elegant units for use in any restaurant, pub, commercial venue or home. Choose from a complete series of glass door counter height models or larger uprights with 120 bottle capacity in a convenient 24" footprint. All are either UL-S or ETL-S approved and include factory installed locks.

<b>SWC1775</b>	European wine preservation system, designed to provide long-term storage of white and red wine prior to chilling or warming to ideal serving temperatures. Fully featured with two tinted reversible doors, dark brown interior, wooden shelves (optional wire shelves for heavy commercial use are available), fluorescent lighted sign (with an on-off switch), adjustable thermostat, automatic defrost, a vibration dampening system and an air filtering system. Operates at 43°F to 61°F. Made in Europe for SUMMIT.
<b>SWC1735C</b>	Elegant European wine preservation system, styled for home or commercial use with a curved, reversible door, full aluminum handle, adjustable thermostat, hidden lighting, wooden shelves, air filtration system and automatic defrost. Made in Europe.
<b>SWC6GBL</b>	Counter height, European built wine cellar with standard scalloped chrome wine shelves. Automatic defrost featuring SUMMIT's unique hidden evaporator for a clean seamless interior liner. Reversible door with a lock located in the top center. All models feature a glass door with aluminum trim, adjustable thermostat preset for white wine storage (36°F to 48°F), and an interior light on a rocker switch. Optional red wine thermostat
<b>SWC6GWL</b>	Same as above with a glass door with white door trim. Includes flat chrome shelves, but other shelf styles are optional. White cabinet and kickplate.
<b>SCR312LWC</b>	Compact, commercially approved glass door wine cellar with black cabinet that holds 24 bottles of wine. Includes front lock, LED lighting, glass door with stainless steel trim and pro handle and a digital thermostat. For white wine temperature only. For red wine storage order option REDW for factory installation of a wide range thermostat.
<b>SCR312LCSSWC</b>	Same as above with seamless stainless steel cabinet.

Full-sized models SWC1775 (two flat doors) and SWC1735C (one curved door) are built in Denmark for SUMMIT and are true European wine preservation cabinets specially designed for long-term storage of red and white bottles. Both feature easily adjustable slide-out wooden shelves, interior lighting, and a rich dark brown interior behind elegantly tinted glass doors. Fully auto defrost for lowered maintenance, with an air filtration system and vibration dampening system to provide each bottle with the proper care.



**SWC1735C**

**SWC1775**



**SWC6GBLCSWO**



**SWC6GWLSHWO**

SUMMIT's SWC6 series of counter height wine cellars feature ETL-S listed European built units designed for long-lasting use in any commercial setting. These glass door wine cellars are available with white, black, or stainless steel wrapped cabinets and your choice of professional handle. All include a factory installed lock and are fully auto defrost, with a "hidden evaporator" cold wall design. Scalloped chrome shelves are standard for easy fitting bottle storage, or choose the "WO" suffix to substitute wooden shelves for added style.



**SWC6GWLSH**



**SWC6GBL**

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
<b>SWC1735C</b>	120 bottles	72"	23 5/8"	24"	Automatic	Reversible	Tinted glass	Silver
<b>SWC1775</b>	120 bottles	72"	23 5/8"	24"	Automatic	Reversible	Tinted glass	Black
<b>SWC6GBL</b>	42 bottles	33 1/2"	23 5/8"	23 1/2"	Automatic	Reversible	Glass	Black
<b>SWC6GWL</b>	42 bottles	33 1/2"	23 5/8"	23 1/2"	Automatic	Reversible	Glass	White
<b>SCR312LWC</b>	24 bottles	25 3/4"	18 1/2"	18 1/2"	Automatic	RHD	Glass	Black
<b>Suffix</b>	<b>SWC6GWL / SWC6GBL</b>							
<b>TB</b>	12" stainless steel pro towel bar handle							
<b>SH</b>	Full length stainless steel handle							
<b>SHWO</b>	SH handle with wooden shelves							
<b>CSS</b>	Stainless steel cabinet and 12" TB handle							
<b>CSSWO</b>	Stainless steel cabinet with wooden shelving							



**SWC312LWC**



**SWC312LWC**

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# COUNTERTOP REFRIGERATORS, FREEZERS AND VODKA FREEZERS

When you need compact refrigeration built for true reliability, think SUMMIT. Our collection of cube shaped countertop refrigerators and freezers includes commercially approved models designed for high performance and true convenience in a size that fits on any counter.



**FFAR2L7**

**ALL- REFRIGERATOR**

SUMMIT **FFAR2L7** series features automatic defrost all-refrigerators sized at just 20" high and wide, all with factory installed locks and reversible doors for convenience and security in any commercial setting. Available with a white or stainless steel cabinet, or with a glass door for product display. All units are conveniently designed with a one piece interior liner and adjustable thermostat. Solid door units feature door storage in addition to the removable interior shelf. ETL-S listed and CalCode compliant.



**FS20L7/FFAR2L7**



**FS20L7**

**ALL-FREEZER**

The "cube" sized **FS20L7** is a compact all-freezer that operates at -20°C, perfect for long-term storage of foods and many vaccines. With its easy-to-fit 20" profile, the FS20L7 fits well on top of counters and makes a perfect match to our popular FFAR2L7 all-refrigerator. Models are available in white, stainless steel, or with glass doors, and all are equipped with a factory installed lock, seamless interior liner, and adjustable thermostat. Manual defrost with no internal fan.

**CSS**

Both the FFAR2L and FS20L can be ordered with a complete stainless steel exterior (CSS suffix). The fully wrapped door is reversible and includes a factory installed lock, with a reversible handle for added convenience.



<b>FFAR2L7</b>	Compact all-refrigerator with front mounted lock and reversible door. Auto defrost with white exterior, seamless liner, adjustable thermostat, and door shelves.
<b>FFAR2LCSS7</b>	Same as above fully wrapped stainless steel cabinet and reversible stainless steel door. Lock included.
<b>FS20L7</b>	Compact "cube" sized above-counter all-freezer, manual defrost, capable of -20°C operation. Reversible door, front lock, one removable shelf, white finish, optional stainless steel finish or glass door. U.L. and ETL-Sanitation listed (meets NSF-7).
<b>FS20LCSS7</b>	Same as above fully wrapped stainless steel cabinet and door. Lock included.
<b>FS20LGL7VK</b>	Glass door freezer with interior light and rack to hang glasses. Manual defrost.
<b>FS20LGL7CSSVK</b>	Same as above with fully wrapped stainless steel cabinets



**VODKA  
DISPLAY FREEZER**

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
<b>FFAR2L7</b>	1.8 cu.ft.	20"	20"	21"	Manual	Reversible	White	White
<b>FFAR2LCSS7</b>	1.8 cu.ft.	20"	20"	21"	Manual	Reversible	Stainless steel	Stainless steel
<b>FS20L7</b>	1.6 cu.ft.	20"	20"	21"	Manual	Reversible	White	White
<b>FS20LCSS7</b>	1.6 cu.ft.	20"	20"	21"	Manual	Reversible	Stainless steel	Stainless steel
<b>FS20LGL7VK</b>	1.6 cu.ft.	20"	20"	21"	Manual	RHD	Glass	White
<b>FS20LGL7CSSVK</b>	1.6 cu.ft.	20"	20"	21"	Manual	RHD	Glass	Stainless steel

SUMMIT's compact vodka freezers offer a unique solution to storing and displaying vodka bottles, glasses, and other bar accessories. These glass door freezers are set at -5°F, the ideal storage temperature for vodka. Built-in racks allow customers to hang martini glasses from the ceiling and interior fluorescent lighting provides the ideal presentation. Cabinet available in white (**FS20LGL7VK**) or wrapped stainless steel (**FS20LGL7CSSVK**).

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

# GLASS DOOR COMMERCIAL FREEZERS

SUMMIT COMMERCIAL carries a wide range of commercially approved glass door freezers, with an array of sizes and styles designed to meet all needs.



**SCFU285**

SUMMIT's SCFU line of commercial glass door freezers are specially featured to increase impulse sales while storing frozen foods under the ideal conditions. Two compact models offer full visibility of stored products with fluorescent lighting and conveniently adjustable cantilevered shelves. Wrap-around cooling guarantees even temperature distribution, with a factory installed lock for added security. Available in countertop (**SCFU285**) and compact counter height sizes (**SCFU385**), these units are ETL-S listed for commercial use.



**SCFU385**

<b>SCFU385</b>	At just 24"W x 27" H, fits easily behind concession stands or in tight cafeteria space.
<b>SCFU285</b>	Counter top impulse freezer with self-closing glass door and front lock
<b>SCF1330</b>	Upright glass door freezer, frost-free, interior fluorescent light
<b>FS62GL7</b>	3.2 cu.ft. under counter display freezer, white
<b>FS62GL7CSS</b>	Same as above, with stainless steel cabinet
<b>SCFF55GL</b>	5.0 cu.ft. under counter display freezer, white
<b>SCFF55BGL</b>	Same as above, in black
<b>SCFF55GLCSS</b>	SCFF55GL with stainless steel cabinet
<b>FS20LGL7</b>	All-freezer, manual defrost, capable of -20°C operation with glass door for full display. Front lock, RHD only.
<b>FS20LCSSGL7</b>	Same as above with stainless steel wrapped cabinet and glass door with front lock. RHD only.



**FS62GL7**



**SCFF55GL**

**COUNTER HEIGHT (FS62GL7 & SCFF55GL)**

Our counter height glass door all-freezers include the frost-free SCFF55GL and the low temperature (-25°C) capable FS62GL7. Both feature 24" footprints, front mounted locks, and heated glass doors with full length stainless steel handles in curved towel bar style. Model SCFF55GL is available with a black, white, or stainless steel cabinet and is capable of built-in or freestanding use. The manual defrost FS62GL7 includes three removable storage baskets and comes in a white or stainless steel wrapped cabinet.



**FS20LGL7**

**FS20LGL7 "Cube" Display Freezer**

Save on energy with our value priced **FS20LGL7** glass door freezer, with a white cabinet or a stainless steel cabinet (Model **FS20LCSSGL7**). Commercially approved (ETL-S meets NSF-7) these models fit easily on counters. A front lock and an aluminum door frame are standard.

Model	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
<b>SCFF55GL</b>	5.0 cu.ft.	33 1/8"	23 5/8"	23 1/2"	Frost-Free	RHD/LHD	Glass	White
<b>SCFF55BGL</b>	5.0 cu.ft.	33 1/4"	23 5/8"	23 1/2"	Frost-Free	RHD/LHD	Glass	Black
<b>SCFF55GLCSS</b>	5.0 cu.ft.	33 1/4"	23 3/4"	23 1/2"	Frost-Free	RHD/LHD	Glass	St. Steel
<b>FS62GL7</b>	3.2 cu.ft.	33 1/2"	23 5/8"	23 1/2"	Manual	RHD/LHD	Glass	White
<b>FS62GL7CSS</b>	3.2 cu.ft.	33 1/4"	23 3/4"	23 1/2"	Manual	RHD/LHD	Glass	St. Steel
<b>SCFU385</b>	3.5 cu.ft.	27"	24"	21"	Manual	RHD	Glass	White
<b>SCFU285</b>	1.7 cu.ft.	20 3/4"	22 1/2"	21"	Manual	RHD	Glass	White
<b>SCF1330</b>	12 cu.ft.	73"	26"	24"	Frost-free	RHD	Glass	White
<b>FS20LGL7</b>	1.6 cu.ft.	20"	20"	21"	Manual	RHD	Glass	White
<b>FS20LCSSGL7</b>	1.6 cu.ft.	20"	20"	21"	Manual	RHD	Glass	Stainless steel

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# BACK BAR BEVERAGE MERCHANDISERS AND DISPENSERS



SCR7012D (2 swing doors)

<b>SCR700</b>	6.5 cu.ft. glass door back bar refrigerator with self-closing sliding doors.
<b>SCR7012D</b>	6.5 cu.ft. back bar refrigerator with swing glass doors; stainless steel trim
<b>BBS1</b>	4 gal. beverage dispenser with gentle paddle agitation
<b>BBS2</b>	8 gal. dual tank beverage dispenser with paddle agitation
<b>BBS2SS</b>	Same as above with stainless steel taps

SUMMIT back bar beverage merchandisers offer generous 6.5 cu.ft. storage capacities in practical models just 20" deep. Ideal for either self serve or back bar uses, these glass door all-refrigerators are designed to motivate impulse sales, providing a full display of stored products with interior lighting and adjustable shelves. Our SCR700 has a black cabinet with two self-closing sliding glass doors and the SCR7012D features two French doors finished in stainless steel trim, with stylish towel bar handles and a jet black cabinet. Both are commercially approved and include factory installed locks.

## BACK BAR MODEL FEATURES:

- **ETL-SANITATION LISTED (TO NSF-7)**
- **FACTORY INSTALLED LOCKS**
- **GLASS DOORS FOR FULL PRODUCT VISIBILITY**
- **ADJUSTABLE SHELVING**
- **STAINLESS STEEL DOOR TRIM ( ONLY ON SCR7012D)**
- **INTERIOR LIGHTING**
- **AUTOMATIC DEFROST**
- **6.5 CU.FT. CAPACITY**
- **20" DEPTH FOR EASY BACK BAR PLACEMENT**



SCR700 (self-closing sliding doors)

Model	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
<b>SCR700</b>	6.5 cu.ft.	36"	36"	20"	Automatic	Sliding	Glass	Black
<b>SCR7012D</b>	6.5 cu.ft.	36"	36"	20"	Automatic	French Swing	Glass	Black
<b>BBS1</b>	4 gal.	23 7/8"	7 7/8"	18 1/2"	Automatic	-	-	St. Steel
<b>BBS2</b>	8 gal.	23 7/8"	14 7/8"	18 1/2"	Automatic	-	-	St. Steel
<b>BBS2SS</b>	8 gal.	23 7/8"	14 7/8"	18 1/2"	Automatic	-	-	St. Steel

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).



BBS2



BBS1

SUMMIT COMMERCIAL refrigerated juice dispensers offer the outstanding performance you've come to expect from SUMMIT, with a commercial grade cooling system, high performance compressor, and gentle paddle agitation system suitable for high and low density beverages. UL and UL-S listed, these units feature clear polycarbonate tanks and 304 grade stainless steel cabinets. Easy to disassemble and reassemble for added convenience while cleaning.

# COMPACT BEVERAGE MERCHANDISERS



SCR485L

SUMMIT SCR485L offers plenty of storage and display space inside the slim 18 1/2" width. This glass door beverage refrigerator includes advanced features for the utmost in storage convenience: a digital thermostat, reversible door, adjustable shelves, interior LED lighting and full automatic defrost to reduce maintenance in busy commercial settings. With a compact 20" depth and an ideal 34" counter height, the SCR485L can be used above or below the counter. ETL-S listed and CalCode compliant

## FEATURES OF SCR312L AND SCR485L:

- ETL-S LISTED (TO NSF-7)
- AUTOMATIC DEFROST
- FACTORY INSTALLED FRONT LOCK
- DIGITAL THERMOSTAT WITH TEMPERATURE DISPLAY
- INTERIOR RECESSED LED LIGHTING
- ADJUSTABLE CHROME SHelves
- GLASS DOOR WITH STAINLESS STEEL TRIM
- SLIM WIDTH FOR TIGHT SPACES
- INTERNAL RECESSED FAN (SCR485L)
- FAST TEMPERATURE RECOVERY



SCR312L

The SCR312L is a versatile beverage refrigerator sized at just 25 3/4" for under-counter or above-counter use. Commercially approved and Calcode compliant, it features full automatic defrost for easy maintenance and an externally located digital thermostat for precise temperature control. Full interior LED lighting and adjustable chrome shelves provide the ideal display conditions to keep products moving. Available with a black cabinet or fully wrapped in seamless stainless steel (SCR312LCSS). All units include a glass door with stainless steel trim and a professional handle. RHD.

<b>SCR312L</b>	2.5 cu.ft. glass door beverage merchandiser with recessed LED lighting, digital thermostat full handle and lock. RHD.
<b>SCR312LCSS</b>	Same as above with stainless steel cabinet
<b>SCR485L</b>	4 cu.ft. glass door beverage merchandiser, digital thermostat, reversible door, front lock LED lighting. Adjustable shelves and interior fan.
<b>SCR485LCSS</b>	Same as above with stainless steel cabinet
<b>FFAR2LGL7</b>	Compact all-refrigerator with front mounted lock and reversible door. Auto defrost with white exterior, seamless liner, adjustable thermostat, with glass door for full display. Front lock.
<b>FFAR2LGLCSS7</b>	FFAR2L7 with stainless steel wrapped cabinet and glass door with front lock. RHD only.



FFAR2LGL7/FFAR2LGLCSS7

Turn a compact FFAR2L7 refrigerator into a commercial display unit by choosing a glass door. The FFAR2LGL7 refrigerator include a full glass door fitted with factory installed locks. Stainless steel wrapped cabinets also available (FFAR2LGLCSS7. These units perfectly match display freezer FS20LGL7 and FS20LGLCSS7).



Model	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
<b>FFAR2LGL7</b>	1.6 cu.ft.	20"	20"	21"	Automatic	Reversible	Glass	White
<b>FFAR2LGLCSS7</b>	1.6 cu.ft.	20"	20"	21"	Automatic	RHD	Glass	Stainless Steel
<b>SCR312L</b>	2.5 cu.ft.	25 3/4"	17 1/4"	19"	Automatic	RHD	Glass	Black
<b>SCR312LCSS</b>	2.5 cu.ft.	25 3/4"	17 1/4"	19"	Automatic	RHD	Glass	Stainless Steel
<b>SCR485L</b>	4 cu.ft.	34"	18 3/4"	20"	Automatic	Reversible	Glass	Black
<b>SCR485LCSS</b>	4 cu.ft.	34"	18 3/4"	20"	Automatic	RHD	Glass	Stainless Steel

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# COMPACT UNDER-COUNTER GLASS DOOR REFRIGERATORS

At just 24" wide, the SCR600 Series contains a generous 5.5 cu.ft. of storage capacity. Available in freestanding and built-in models, these display refrigerators all feature a completely automatic static defrost system that saves user maintenance with no defrost heaters, while an adjustable thermostat allows easy temperature management. All SCR600 models contain SUMMIT's unique "hidden" evaporator in the rear wall, a design that protects the unit's system while maximizing shelf space. An easy-to-clean seamless interior offers the optimum sanitary conditions for your commercial needs. SCR600 models are available in white, black or stainless steel cabinet finishes, and with a choice of handles.



SCR600BL



SCR600BLTB



SCR600BLSHWO



SCR600BLCSSRC

<b>SCR600BL</b>	Black with glass door and aluminum door trim. Front lock and black handle. Reversible door. U.L. and ETL-Sanitation listed. Standard glass shelves.
<b>SCR600BLBI</b>	Same as above and capable of built-in operation.
<b>SCR600L</b>	Same as SCR600BL but with white cabinet and white door trim. Standard wire shelves - optional glass shelves. Reversible door and white handle on base model.
<b>SCR600LBI</b>	Same as above but capable of built-in applications.
<b>SUFFIX</b>	<b>DESCRIPTION</b>
<b>TB</b>	12" stainless steel pro style vertical handle
<b>HH</b>	Horizontal thin stainless steel handle (Handle will interfere with lock operation)
<b>SH</b>	Full length handle
<b>SHWO</b>	Full length handle with 2 wooden shelves and 2 flat shelves
<b>CSS</b>	Stainless steel cabinet and 12" towel bar handle
<b>CSSRC</b>	2 glass beverage shelves and 2 wooden wine shelves. Stainless steel cabinet and 12" pro stainless steel handle. Order RHD/LHD.

## SCR600 SERIES FEATURE

- ETL Sanitation Approved (to ANSI-NSF-Standard 7)
- All-refrigerator
- Fully automatic defrost
- Front-mounted lock
- Interior light
- Reversible door (all base models)
- Double pane tempered glass door
- Adjustable thermostat
- Large adjustable shelves (each shelf holds trays up to 19 1/2" x 16")
- Glass shelves on models with black or stainless steel cabinet. Wire shelves on white models.
- Extra shelves available
- No internal fans
- One piece seamless interior liner



SCR600L



SCR600LSH

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
<b>SCR600BL</b>	5.5 cu.ft	33 1/2"	23 5/8"	23 1/2"	Automatic	Reversible	Glass	Black
<b>SCR600BLBI</b>	5.5 cu.ft	33 1/2"	23 5/8"	23 1/2"	Automatic	Reversible	Glass	Black
<b>SCR600L</b>	5.5 cu.ft	33 1/2"	23 5/8"	23 1/2"	Automatic	Reversible	Glass	White
<b>SCR600LBI</b>	5.5 cu.ft	33 1/2"	23 5/8"	23 1/2"	Automatic	Reversible	Glass	White
Suffix	Description							
<b>TB</b>	12" stainless steel pro style vertical handle							
<b>HH</b>	Horizontal thin stainless steel handle (Handle will interfere with lock operation)							
<b>SH</b>	Full length handle							
<b>SHWO</b>	Full length handle with 2 wooden shelves and two flat shelves							
<b>CSS</b>	Stainless Steel cabinet and 12" towel bar handle							
<b>CSSRC</b>	Two glass beverage shelves and two wooden wine shelves. Stainless steel cabinet and 12" pro stainless steel handle. Order RHD/LHD.							
<b>ADA</b>	32" height for ADA counters. 4 level legs included							

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

# FULL SIZED BEVERAGE MERCHANDISERS

SUMMIT has one of the largest selections of beverage merchandisers when your space is tight, yet maximum product storage is needed. Most products are counter depth or less, yet have dimensions consistent with the most common cutouts on the market. All products are commercially approved, fully featured, but sensibly priced to offer more storage in less space.



SCR1500

SUMMIT SCR1500 is the ideal choice when your depth is limited but you need lots of capacity. This model is fully featured and has fully cantilevered adjustable shelves, and a full fluorescent light. U.L. and U.L. Sanitation approved, 27" wide and 25" deep. A lock is standard. Internal fan (with on/off switch), adjustable thermostat and tropicalized for plenty of reserve capacity in hot ambient temperatures.



SCR1300

SCR1300 has been a standard in the SUMMIT line for two decades. Large product display (all the way to the floor), yet easy to fit anywhere with its 24" width and depth. Easy and quick slide out shelf adjustment with no clips to move, and fully featured with a full fluorescent light with on/off switch; standard lock, adjustable thermostat, internal fan, solid aluminum door frame, double pane heat reflective glass, U.L. and U.L. Sanitation approved (meets ANSI-NSF 7) and a reversible door. 4 slide-out shelves.

SUMMIT SCR1150 has all the same features as the SCR1300, but in a height of 61". Three slide out adjustable shelves.

<b>SCR1950</b>	NSF listed beverage merchandiser with 19.5 cu.ft. interior. Frost-free with fluorescent lighting, steel shelves, towel bar handle, and locking casters.
<b>SCR1500</b>	Full size glass door beverage merchandiser, but only 25" deep to fit better in many spaces.
<b>SCR1300</b>	24" wide full height beverage merchandiser with shelves all the way to the floor for more product display. A reversible door and lock are standard.
<b>SCR1150</b>	Similar to SCR1300, but only 61" high. Shelves all the way to the floor, reversible door and lock.

Model SCR1950 is a full-sized beverage merchandiser with almost 20 cu.ft. of storage capacity. NSF certified for use in foodservice establishments, this frost-free model utilizes a dynamic condenser for improved performance in high temperature environments. It has a black cabinet and dual pane argon-filled glass display door for an easy view inside, with full fluorescent lighting illuminating the entire interior. Adjustable steel shelves, a durable towel bar handle and heavy duty locking casters complete the package.



SCR1950

## ALL SUMMIT MERCHANDISERS FEATURE:

- OUTSTANDING VALUE
- LIGHTED INTERIORS
- MAXIMUM PRODUCT VISIBILITY
- ADJUSTABLE SHELVES
- HIGH CAPACITY IN SMALLER FOOTPRINTS
- STURDY HANDLES

Model	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	Door Swing	Door Finish	Cabinet Finish
<b>SCR1150</b>	11 cu.ft.	61"	23 5/8"	24"	Automatic	Reversible	Glass	White
<b>SCR1300</b>	13 cu.ft.	73"	23 5/8"	24"	Automatic	Reversible	Glass	White
<b>SCR1500</b>	16 cu.ft.	74"	27"	25"	Frost-free	Reversible	Glass	White
<b>SCR1950</b>	19.5 cu.ft.	75"	32"	29"	Frost-free	RHD	Glass	Black

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# COMMERCIAL ICE CREAM FREEZERS

A word about commercial freezers. SUMMIT commercial freezers are built to commercial standards, with larger compressors, more cooling coils, and deeper interiors. Please don't compare us to some competitors who start with household chest freezers and add glass lids.

Our long-running successful line of commercial sliding glass lid chest freezers offers outstanding value, but with a long list of standard features: including a lock, drain, casters, 19 7/8" deep interior (for two tubs of ice cream back-to-back), aluminum frames with reinforced corners, plastic coated runners for easy gliding and durable aluminum interiors. Large fan cooled compressors for better performance in hot and humid conditions. Optional baskets are available. U.L. and U.L. Sanitation approved.

<b>SCF630</b>	29" wide with a capacity of 6.5 cu.ft.
<b>SCF940</b>	36" wide with a capacity of 9 cu.ft.
<b>SCF1310</b>	50" wide with a capacity of 13.6 cu.ft.
<b>SCF1710</b>	61 1/2" wide with a capacity of 17.4 cu.ft.

## FEATURES:

- **ALUMINUM INTERIORS**
- **HIGH LOAD LINES**
- **DEEP INTERIORS**
- **SAFETY GLASS**
- **SLEEK ALUMINUM FRAMES FOR MORE VISIBILITY**
- **REINFORCED CORNERS FOR DURABILITY**
- **STRONG, TEMPERED SAFETY GLASS IN ALL LIDS**
- **INTERIORS HOLD TWO ICE CREAM TUBS BACK TO BACK**
- **STRONG CASTERS AND DRAIN INCLUDED IN ALL MODELS**
- **LOCK IS STANDARD IN ALL MODELS**
- **U.L. AND U.L. SANITARY APPROVAL (MEETS ANSI-NSF-7)**



SCF1710



SCF630



SCF1310



SCF1710  
with optional lighted sneeze guard

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	LOAD LINE	INTERIOR WIDTH	INTERIOR DEPTH	DEFROST	DOOR SWING	DOOR FINISH	CABINET FINISH
<b>SCF630</b>	6.5 cu.ft.	35 1/4"	28 1/2"	23 5/8"	23"	24"	19 7/8"	Manual	Sliding	Glass	White
<b>SCF940</b>	9 cu.ft.	35 1/4"	36 1/4"	23 5/8"	23"	32"	19 7/8"	Manual	Sliding	Glass	White
<b>SCF1310</b>	13.6 cu.ft.	35 1/4"	49 5/8"	23 5/8"	23"	45"	19 7/8"	Manual	Sliding	Glass	White
<b>SCF1710</b>	17.4 cu.ft.	35 1/4"	61 1/2"	23 5/8"	23"	57"	19 7/8"	Manual	Sliding	Glass	White
SUFFIX	DESCRIPTION										
<b>SG</b>	Non-lighted sneeze guard , polycarbonate and stainless steel construction.										
<b>LSG</b>	Sneeze guard with a fluorescent light, outlet for the light fixture (must be factory installed).										
<b>DT</b>	Precision digital thermostat to set your freezer to the ideal serving temperature (must be factory installed).										
ACCESSORIES											
<b>Novelty Baskets</b>	Basket with 2 dividers fits all SUMMIT freezers and many other brands. 11" wide.										
<b>Gelato Baskets</b>	Each basket holds 3 gelato pans (pan size is 11" X 5 1/4"). Baskets are 11" wide.										
<b>Tub Holder Set</b>	Basket with inserts for two 10" tubs and plastic guides back to back. Baskets are 11" wide.										

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

# DELUXE COMMERCIAL ICE CREAM FREEZERS



SCF1475S



SCF1475S



SCF1090

SUMMIT's '75' series of angled freezers is one of the industry's best values, with high product visibility, deep interiors, locks, an easy glide lid system, drain and aluminum interiors. Available in the two most popular sizes, these freezers can be enhanced with an array of options including baskets, sneezeguards or digital thermostats for dipping.

## FEATURES OF '90' SERIES

- ENAMEL STEEL INTERIORS FOR EXTRA DURABILITY
- LARGE 20" -22" DEEP INTERIORS
- STURDY CASTERS INCLUDED
- SHIPPED ON INDIVIDUAL PALLET
- HIGH LOAD LINES
- DRAIN IN ALL MODELS
- U.L. AND NSF APPROVED
- LOCK STANDARD ON ALL MODELS
- SLEEK ALUMINUM FRAME
- EASY LID GLIDE SYSTEM
- TEMPERED ANTI-FOGGING SAFETY GLASS LIDS
- DEEP INTERIORS HOLD 2 ICE-CREAM TUBS BACK TO BACK
- COLD WALL COPPER EVAPORATOR FOR LONG LIFE, AND NO LEAKING
- CHOICE OF 3 OPTIONAL BASKETS
- REINFORCED CORNERS FOR DURABILITY

SCF690	31" wide, flat glass lid
SCF692S	30" wide, angled (curved glass lids)
SCF1090	40" wide, flat glass lid
SCF1092S	40" wide, angled (curved glass lids)
SCF1490	53" wide, flat glass lid
SCF1492S	53" wide, angled (curved glass lids)
SCF1690	60" wide, flat glass lid
SCF1692S	60" wide, angled (curved glass lids)
SCF1075S	42 1/2" wide, angled glass lid
SCF1475S	53 1/4" wide angled glass lid

SUMMIT deluxe, "90" series freezers are our premium line, built for SUMMIT by Metalfrío, and featured with extra deep interiors, enamel steel interiors, locks, drains, and a superior lid system. Use the freezers as they ship, or customize one with all the options SUMMIT offers: interior baskets for gelato pans, tubs or novelties; sneeze guards with or without lights to create dipping cabinets; holding plates for temporary use without power, and flip lids to create carts or serving kiosks.



SCF1490



SCF690



SCF1492S

MODEL	CAPACITY	HEIGHT	WIDTH	DEPTH	LOAD LINE	INTERIOR WIDTH	INTERIOR DEPTH	DEFROST	DOOR SWING	DOOR FINISH	LIDS	CABINET FINISH	CABINET STYLE
SCF690	7 cu.ft.	37"	31"	25"	28"	26"	20 1/4"	Manual	Sliding	Glass	Flat	White	Flat
SCF692S	6.4 cu.ft.	36"	30 1/4"	26 3/4"	28"	25 3/4"	20 1/4"	Manual	Sliding	Glass	Curved	White	Angled
SCF1090	10 cu.ft.	36"	40"	25"	28"	34 7/8"	20 1/4"	Manual	Sliding	Glass	Flat	White	Flat
SCF1092S	9 cu.ft.	36"	40"	26 3/4"	28"	34 7/8"	20 1/4"	Manual	Sliding	Glass	Curved	White	Angled
SCF1490	14.4 cu.ft.	36"	53"	25"	28"	48 1/8"	20 1/4"	Manual	Sliding	Glass	Flat	White	Flat
SCF1492S	13 cu.ft.	36"	53"	26"	28"	48 1/8"	20 1/4"	Manual	Sliding	Glass	Curved	White	Angled
SCF1690	17 cu.ft.	36"	60"	27"	28"	54 3/8"	22 1/8"	Manual	Sliding	Glass	Flat	White	Flat
SCF1692S	16 cu.ft.	37"	60"	27"	28"	54 3/8"	22 1/8"	Manual	Sliding	Glass	Curved	White	Angled
SCF1075S	10 cu.ft.	32-35"	42 1/2"	26"	26"	37 3/8"	21"	Manual	Sliding	Glass	Flat	White	Angled
SCF1475S	13 cu.ft.	32-35"	53 1/4"	26"	26"	47 3/4"	21"	Manual	Sliding	Glass	Flat	White	Angled

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# FREEZER CARTS, DIPPING AND STORAGE FREEZERS

SERVING ICE-CREAM OR GELATO OR ITALIAN ICES? NO PROBLEM!

SUMMIT offers ice cream carts, dipping cabinets and storage freezers with a choice of options. Select your choice of baskets, lids, sneeze guards, and temperatures for the perfect serving solution.

SUMMIT offers a huge choice of options to deliver the perfect serving solution for ice-cream, sorbet, gelato, water-ice or whatever your frozen product is. We offer the following:



IC940

## SERVING CARTS

SUMMIT CARTS (for flat top freezers only) are one of the industry's best values. They include oversized 6" casters (two with brakes), a professional stainless steel handle; a sturdy all metal frame, a slot to mount an umbrella, and flip lids for convenience and temperature retention. Optional holding plates are available. Carts are available for our selected freezers.



Flip Lids

## SERVING FREEZERS

Combine a SUMMIT freezer, a lighted sneeze guard, and interior basket arrangement for one of the best values in the industry in serving freezers. Combine with a digital thermostat to offer products at the ideal temperature, and make serving or storing products a snap.

## DIGITAL THERMOSTAT

We can provide a freezer with a precision digital thermostat to set the ideal serving temperature. We use only the highest quality thermostats, for the longest life and most accurate results. Easy to set, and lock into the range set by the user. Perfect for ice cream or frozen products that need to be stored or served colder or warmer than freezer's usual setting.

## DIPPING CABINETS

SUMMIT offers a choice of polycarbonate or glass sneeze guards for our freezers, both with stainless steel top shelves. Sneeze guards are available for most flat freezers and several angled freezers in our line. Unlighted or lighted models are available. (Lighted models plug into a receptacle in the freezer and must be ordered at the same time as the freezer.) Sneeze-guards are built in the USA with glass or polycarbonate surfaces for the ultimate in durability, quality, convenience and value. See our website for available combinations. Sizes from 29" to 61".



SCF1310 with lighted sneeze guard

## OPEN FREEZER

Model SCF1075S is available with a polycarbonate frame to enable use as an open top freezer for short term use as an impulse freezer. The frame reduces energy consumption while still allowing full product visibility. Pair with a digital thermostat to achieve fresh food temperature as well.



Gelato Pan holder basket



Ice Cream Tub holder Basket

## INTERIOR BASKETS

SUMMIT offers four types of freezer baskets to fit any freezer we sell (and many other brands). Choose our tub holder baskets (with a plastic cover) designed to hold two 10" diameter tubs back to back: gelato pan holders designed to hold 3 rectangular gelato pans (11" X 5 1/4") or our novelty baskets with dividers for either flat or angled freezers.



Freezer with rear shelf

## REAR SHELF

Freezers with a rear shelf. Available on models SCF1092S, SCF1492S, SC1692S. Shelf is 18" deep and width of freezer

MODEL	DESCRIPTION	CAPACITY	HEIGHT	WIDTH	DEPTH	DEFROST	FINISH
<b>IC690</b>	Ice cream cart	6.5 cu.ft.	42"	33"	24"	Manual	White
<b>IC1090</b>	Ice cream cart	9 cu.ft.	42"	40"	24"	Manual	White
<b>IC1490</b>	Ice cream cart	13 cu.ft.	42"	54"	24"	Manual	White
<b>Shelf 1692S</b>	Top shelf for SCF1692S	-	12"	60"	18"	Manual	White
<b>Shelf 1492S</b>	Top shelf for SCF1492S	-	12"	53"	18"	Manual	White

Models in red meet standards for commercial use, and carry ETL-Sanitation, UL-Sanitation or NSF listings (comply with NSF Standard 7).

# OPTIONAL ACCESSORIES

SUFFIX	NAME	DESCRIPTION
<b>AC Keypad</b>	AC Powered Keypad Lock	Same as above with the keypad and mechanism powered from the appliance's power cord.
<b>ALARM</b>	High Temperature Alarm	Install a battery powered high temperature warning alarm that displays internal temperature, as well as high and low temperature with a high temperature warning alarm. NIST Traceable and calibrated.
<b>AM</b>	Anti-Microbial Coating	Stainless steel cabinets or wrapped stainless steel doors can be constructed of genuine AGION™ Anti-microbial coated steel. Matching handles will also have anti-microbial coating.
<b>Casters</b>	Set Of Casters (6")	Install a set of 6" NSF approved casters on selected models. Front casters will always have brakes.
<b>Dolly</b>	Free Standing Dolly	Adjustable dolly to hold most SUMMIT refrigerators or freezers that are 24" wide and 24" deep or less.
<b>DT</b>	Digital Thermostat	Install a precision digital thermostat on selected refrigerators and freezers. Specify desired set point and range at time of order. Available in Fahrenheit or Celsius.
<b>FC</b>	Internal Fan	Mount an internal air circulation fan on selected models. Includes fan housing and air distribution channel.
<b>FLL</b>	Led Light	Install a LED light with on/off switch in selected glass door refrigerators.
<b>GLS</b>	Glass Shelves	Add glass shelves to many 24" wide under-counter built-in refrigerators (selected models only).
<b>GR</b>	Stainless Steel Grates	Stainless steel continuous grates for any SUMMIT gas range with sealed burners
<b>HG</b>	Hospital Grade Plug	Install a hospital grade cord and plug (green dot) to most refrigerators or freezers.
<b>HH</b>	Horizontal Handle	Add a full width 14mm diameter stainless steel handle to selected 24" wide models.
<b>IB</b>	Ice Bank	Install an ice-bank of holding plates to protect chest freezers in event of power outage (selected freezers).
<b>Key</b>	Extra Key	Extra keys for selected models with locks. Specify model numbers.
<b>Keypad</b>	Keypad Lock	Add a keyless keypad lock on most SUMMIT refrigerators or freezers. Two door refrigerators require two locks. Accepts 10 user codes plus the master. Eliminates lost keys. Battery powered, emergency terminal for dead battery.
<b>L</b>	Side Lock	Install SUMMIT's exclusive side mounted lock on most models. Two door units require two locks.
<b>LLF</b>	Two Door Front Lock	Install SUMMIT's exclusive front lock on selected two door refrigerators. One lock locks both doors.
<b>LLF2</b>	Two Door Front Lock	Install SUMMIT's exclusive front combination lock with key override on selected two door refrigerators.
<b>LEG</b>	Flanged & Seismic Legs	Add 6" legs to selected appliances. Choose from flanged (sit on floor) or seismic (to attach to rods).
<b>Pump</b>	Drain Pump	Drain pump for built-in or outdoor icemakers, where a drain is not convenient.
<b>SH</b>	Stainless Steel Handle	A full length stainless steel towel bar professional handle for selected 24" wide undercounter models
<b>Shelf</b>	Extra Shelf	Extra shelves for selected models. Specify model number.
<b>SHLFSS</b>	Stainless Steel Shelves	Add a set of stainless steel shelves to selected under-counter 24" wide refrigerators.
<b>SSdripray</b>	Stainless Steel Drip Tray	Stainless steel drip tray for any beer dispenser.
<b>SSK</b>	Stainless Steel Kickplate	Add a stainless steel kickplate to selected under-counter 24" wide refrigerators and freezers.
<b>TB</b>	Towel Bar Handle	Installed 12" towel bar handle, a set of two for two door models
<b>TH</b>	Thermometer	Install a solar powered external readout thermometer to display internal temperature.
<b>TT</b>	Traceable (Calibrated) Thermometer	Install a battery powered external readout NIST traceable thermometer with a probe installed in a glycol solution for accurate temperature readings. Meets most Health Dept. regulations.
<b>WO</b>	Wooden Shelves	Add wooden wine shelves to many 24" wide under-counter model (selected models only).



SUMMIT 'TT' NIST calibrated external readout thermometer



Temperature warning alarm with external temperature display



'DT' Digital Thermostat on selected models



Stacking rack for mounting selected models



Keypad lock shown in white and black



'L/LL' Side locks in White or Chrome



Stainless steel drip tray



'LLF2' combination lock with key override for full sized two door refrigerator-freezers



'LLF' single lock for full sized two door refrigerator-freezers

OPTIONAL DOOR FINISHES FOR OUR MOST POPULAR MODELS	
SUFFIX	DESCRIPTION
<b>SSTB</b>	Wrapped stainless steel door with 12" pro stainless steel towel bar handle
<b>SSHV</b>	Wrapped stainless steel door with vertical stainless steel handle (14mm diameter)
<b>SSHH</b>	Wrapped stainless steel door with full width horizontal stainless steel handle (14mm diameter)
<b>FR</b>	Two piece stainless steel frame accepts custom panels with stainless steel handle (Panel size: 23 1/8" W X 28 1/8" H)
<b>IF</b>	Integrated frame accepts full overlay panels
<b>CSS</b>	Fully wrapped stainless steel cabinet and wrapped stainless steel door with pro towel bar handle
<b>DPL</b>	Diamond plate aluminum wrapped door and pro style polished stainless steel towel bar handle
<b>COLORS</b>	Fully wrapped doors are available in 7 colors: black, red, blue, cream, gold vein, copper vein and silver vein. Choose a white, black or stainless steel 12 inch pro handle for a custom look.
Any B1540 series, CT66/CT67 series, FF6 series, FF7 series, F562 series, SCFF55 series, SBC490 series, SWC6 series,	

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# SUMMIT ADA COMPLIANT (32" HIGH) APPLIANCES



SCR600BLADA  
Commercially Approved Beverage Merchandiser



FF7ADA/ FF7LADA  
Commercially Approved All-Refrigerator



SP6DS2DADA/SCF552DADA  
All-Refrigerator / Frost-free All-Freezer



FS62ADA/FS62LADA  
Commercially Approved All-Freezer



DW2432ADA  
ENERGY STAR Dishwasher



SPDE1113ADA  
European Built Dryer



CT66ADA/ CT66LADA  
Auto Defrost Refrigerator-Freezer



CP35BADA  
ENERGY STAR Two door Refrigerator Freezer



BIM44ADA  
Commercially Approved Ice Maker

Summit Appliance Division | Felix Storch, Inc. 770 Garrison Ave. Bronx, NY 10474 | 718-893-3900

Fax: [ 718 ] 842-3093 | E-mail: info@summitappliance.com | www.summitappliance.com

Specifications are subject to change without notice

C-110

# SUMMIT ADA COMPLIANT (32" HIGH) APPLIANCES




SP6DSSTBADA/SPF5SSTBADA  
All-Refrigerator / All-Freezer



SCFF55ADA/ SCFFL55ADA  
Frost-free All-freezer



SWC6GBLADA  
Wine Cellar




SPW1103ADA  
ENERGY STAR Front-load Washer



CP35ADA  
ENERGY STAR Two door Refrigerator Freezer



FF7BADA/FF7LBLADA  
24" Wide All-Refrigerator



DW2432SSADA  
ENERGY STAR Dishwasher



FF41ESADA  
ENERGY STAR Auto defrost Refrigerator-freezer



FF6ADA/FF6LADA  
24" Wide All-Refrigerator