



## Commercial Kitchen Small ware program

**ECOLAB®**

Everywhere It Matters.™

Call 800 822 2303 to order

## BLENDERS



### BLENDER, BAR TYPE

Hamilton Beach [Model No. HBB250R](#) Class: 85 Packed: each

**Rio™ Bar Blender, two speed motor, 44 oz. stackable** polycarbonate container, hi/low & pulse switches, w/wave-action™ system, s/s blades, 1/2 HP, 120v/60/1-ph, cULus, NSF listed, 2 year warranty. Weight: 8.5 lbs. total.

[SAP #: 75204350](#)



### BLENDER, BAR TYPE

Hamilton Beach [Model No. HBH450R](#) Class: 85 Packed: each

**Tango™ High Performance Bar Blender, two speed motor, 48 oz. stackable** polycarbonate container, variable timer, pulse switch, auto shutoff, w/wave-action™ system, s/s blades, 1 HP, 120v/60/1-ph, cULus, NSF listed, Express Care Service Program, 2 year warranty. Weight: 9.5 lbs. total.

[SAP #: 75204354](#)



### BLENDER, BAR TYPE

Hamilton Beach [Model No. HBH650](#) Class: 85 Packed: each

**Tempest™ High Performance Bar Blender, two speed motor, 64 oz. stackable** polycarbonate container, variable timer, jump cycle, pulse switch, auto shutoff, w/wave-action™ system, s/s blades, 3 HP, 120v/60/1-ph, cULus, NSF listed, Express Care Service Program, 2 year warranty Weight: 11.1 lbs. total.

[SAP #: 75204375](#)

## FOOD PROCESSORS



### FOOD PROCESSOR, ELECTRIC

Robot Coupe [Model No. R2N](#) Class: 85

Commercial Food Processor, 3 qt. gray ABS bowl w/handle, kidney-shaped opening, vegetable prep attachment with external ejection, "S" blade, 27577 5/64" (2mm) grating disc and 27566 5/32" (4mm) slicing disc, continuous feed, bowl attachment designed for vertical cutting and mixing, on/off & pulse switch, single speed, 1725 RPM, 120v/60/1-hp, 7 amps, 1 HP, ETL electrical and sanitation, Cetl. 1-Year parts & labor warranty. Weight: 31 lbs. total.

[SAP #: 75204415](#)

Call 800 822 2303 to order

## FOOD PROCESSORS



### FOOD PROCESSOR, ELECTRIC

Waring [Model No. FPC15](#) Class: UPS Packed: each

Food Processor, vertical chute feed design, with cutter bowl and continuous feed, medium-duty, 2-1/2 quart polycarbonate bowls, six s/s blades and discs, includes; fine shredding disc and french fry/julienne disc, UL & CSA listed. Standard 1-year limited warranty. 120v, 60Hz, std. Weight: 24.1 lbs. total.

[SAP #: 75204417](#)

## HAND MIXERS



### HAND MIXER

Robot Coupe [Model No. MP 350 TURBO](#) Class: 85

Series B Commercial Power Mixer, hand held, 14" s/s shaft, removable s/s foot & knife, ergonomically shaped handle, single speed 12,000 RPM, 120v/60/1-ph, 5.5 amps, 660 watt, 1 HP, ETL electrical and sanitation, Cetl. 1-Year replacement warranty. Weight: 14 lbs. total.

[SAP #: 75204421](#)



### HAND MIXER

Waring [Model No. WSB33](#) Class: UPS Packed: 6 pieces

Quik Stik™ **Immersion Blender, 12 qt. capacity, 7" s/s fixed shaft, 2 speed fingertip control, 6 ft. cord w/3 prong plug, 120v/60/1, 100W, NSF, ETL.** 1-Year limited warranty. Weight: 14 lbs. total.

[SAP #: 75204358](#)

## FOOD SLICERS



### FOOD SLICER, ELECTRIC

Globe [Model No. C10](#) Class: 85 Packed: each

Manual Slicer, 10" diameter knife, 0 to 9/16" slice thickness, removable gravity feed food chute, top mounted sharpener, slice deflector and knife cover, belt driven, ball bearing chute slide system, anodized aluminum with seamless edges & radius corners, non-slip rubber feet, 1/4 Hp, ETL, NSF, 115v/60/1, 2.5 amps . 1 year parts (excludes wear/expendable parts), 1 year labor warranty - CONTACT FACTORY FOR DETAILS. Weight: 38 lbs. total.

[SAP #: 75204376](#)



Call 800 822 2303 to order

## FOOD SLICERS



### FOOD SLICER, ELECTRIC

Globe **Model No. GC512** Class: 85 Packed: each

Chefmate Series Heavy Duty Compact Manual Slicer, 12" diameter knife, top mounted sharpener, stainless steel food contact areas, and anodized aluminum base, gear-driven, permanently attached knife ring guard, knife cover interlock, 1/3 Hp, ETL, NSF, 115v/60/1, 4.8 amps. 1 year parts (excludes wear/expendable parts), 1 year labor warranty - CONTACT FACTORY FOR DETAILS. Weight: 110 lbs total.

**SAP #:** 75204377



### FOOD SLICER, ELECTRIC

Globe **Model No. G12** Class: 85 Packed: each

Medium Duty Manual Slicer, 12" diameter knife, top mounted sharpener, belt driven, ball bearing chute slide, anodized aluminum with seamless edges & radiused corners, permanently attached knife ring guard, knife cover interlock, metal bottom enclosure, removable slice deflector, power indicator light, motor overload protection, 1/2 Hp, 115v/60/1, 3 amps, NEMA 5-15P, ETL, NSF. 1 year parts (excludes wear/expendable parts), 1 year labor warranty - CONTACT FACTORY FOR DETAILS. Weight: 61 lbs total.

**SAP #:** 75204381



### FOOD SLICER, ELECTRIC

Globe **Model No. 3600P** Class: 85 Packed: each

Manual Slicer, 13" dia. **PreciseEdge™ knife, top mounted knife sharpener**, stainless steel construction, gear-driven, antimicrobial protection, knife cover interlock, dual gear thickness adjustment, **EZ-Glide™ system**, open base design, ETL, NSF, 1/2 Hp, 115v/60/1, 7 amps. 2 year parts and 1 year labor warranty plus 15 years on the knife drive gears, standard. Weight: 132 lbs total.

**SAP #:** 75204387



### FOOD SLICER, ELECTRIC

Globe **Model No. 3850P** Class: 85 Packed: each

Two Speed Automatic Slicer, 40 & 60 strokes/minute, 13" dia. **PreciseEdge™ knife, gear-driven, top-mounted knife sharpener**, s/s construction, antimicrobial protection, knife cvr interlock, dual gear thickness adjustment, **EZ-Glide™ table, open base design, lift lever**, 1/2 Hp, ETL, NSF, 115v/60/1, 7 amps. 2 year parts and 1 year labor warranty plus 15 years on the knife drive gears, standard. Weight: 172 lbs total.

**SAP #:** 75204394

Call 800 822 2303 to order

## TOASTERS



### TOASTER, POP-UP

Hatco [Model No. TPT-120R](#) Class: 100

Pop-Up Toaster, (4) 1-1/4" wide self centering slots, individual toasting controls with bagel selector switch, removable crumb tray, stainless steel construction, 1800w, 120v. 120v/60/1-ph, 1800w, 15.0 amps, 6' cord w/NEMA 5-15P. Weight: 23 lbs total.

[SAP #: 75204383](#)



### TOASTER, CONVEYOR TYPE

Star Mfg. [Model No. QCS2-800A](#) Class: 85 Packed: each

Holman QCS® Conveyor Toaster, electric, horizontal conveyor, **1-1/2" product opening, 10"W belt** (2 slice), attached load-up tray, quartz sheathed heaters, variable heat/speed controls, 800 Slices/hour, stainless steel construction, UPS . 1 Yr, parts & labor warranty, std. 208v, 2.8kw, 14.0 amps, NEMA 6-20 plug. Weight: 64 lbs total.

[SAP #: 75204390](#)



### TOASTER, POP-UP

Waring [Model No. WCT702](#) Class: UPS Packed: each

Commercial Toaster, (2) extra wide 1-3/8" extra long slots, (2) slice capacity, electronic browning controls, removable crumb tray, brushed chrome steel, 6 ft. cord w/3-prong plug, 120V, 60Hz, NSF, UL & CUL listed. Standard 1 year labor warranty. Weight: 4.6lbs total.

[SAP #: 75204392](#)

## INDUCTION RANGE



### INDUCTION RANGE, COUNTERTOP / DROP-IN

Globe [Model No. IR10](#) Class: 85 Packed: each

Induction Range, countertop, 31 temperature settings from 150° -450° , 16 power levels, 150 minute timer, automatic empty pan safety shut off, stainless steel construction, Schott Ceran™ **glass HOB** surface, 5-1/2-ft. power cord, 120v/60/1-ph, 1800 watts, 15 amps, NEMA 5-15P, NSF, ETL & FCC approved. 1 year parts (excludes wear/expendable parts), 1 year labor carry-in warranty - CONTACT FACTORY FOR DETAILS Weight: 14 lbs total.

[SAP #: 75204110](#)

Call 800 822 2303 to order

## SANDWICH GRILL TOASTERS



### SANDWICH GRILL TOASTER

Globe [Model No. GPG10](#) Class: 85

**Bistro Panini Grill, single, countertop, electric, cast iron grooved plates, 10" x 10" surface size, temp control to 570°**, heavy duty spring hinge w/adjustable tension, s/s removable catch tray, non-skid rubber feet, stainless steel construction, attached power cord with NEMA 5-15P, 120v/60/1-ph, 1800 watts, NSF, UL. One year parts and labor warranty - CONTACT FACTORY FOR DETAILS. Weight: 47 lbs total.

[SAP #: 75204548](#)



### SANDWICH GRILL TOASTER

Globe [Model No. GPGDUE10](#) Class: 85

**Bistro Panini Grill, double, countertop, electric, cast iron grooved plates, 20" continuous bottom & (2) split 10" upper plates, temp control to 570°** heavy duty spring hinge w/adjustable tension, s/s removable catch tray, non-skid rubber feet, stainless steel construction, attached power cord with NEMA 6-15P, 240v/60/1-ph, 3200 watts, NSF, UL. One year parts and labor warranty - CONTACT FACTORY FOR DETAILS. Weight: 64 lbs total.

[SAP #: 75204413](#)

## FOOD WARMER



### FOOD WARMER COOKER RETHERMALIZER, COUNTERTOP

Vollrath Company L.L.C. [Model No. 72017](#) Class: 85 Packed: each

Cayenne® Heat'N Serve countertop Soup Merch, 7 qt, UNIT ONLY, brushed s/s ext with granite-look base, non-skid legs, dripless lip, thermostet well non/crack, pit or rust, bottom mount cord, 10-9/16"x9-5/8", 120V, 800W, 6.7amps, UL, NSF.

[72221 Adaptor Ring](#) - Adapts 7 qt, Round Warmers/Cookers to accept 4 qt, Insets/#10 Cans, Stainless steel. Sold separately.

Weight: 10.69 lbs total.

[SAP #: 75204416; 75204468 \(Adaptor Ring 72221\)](#)



### FOOD WARMER, SOUP CHILI

Vollrath Company L.L.C. [Model No. 72021](#) Class: 85 Packed: each

Cayenne® Heat'N Serve countertop Soup Merch, 11 qt, UNIT ONLY, brushed s/s ext with granite-look base, non-skid legs, dripless lip, thermostat well non/crack, pit or rust, bottom mount power cord, 12-5/8"x9-5/8", 120V, 800W, 6.7 amps, UL, NSF.

[72196 Adaptor Ring](#), adapts 11 qt, round warmers/cookers to accept 7 qt, insets and #10 cans, 18-8 stainless steel. Sold separately.

Weight: 12.31 lbs total.

[SAP #: 75204400; 75204469 \(Adaptor Ring 72196\)](#)

Call 800 822 2303 to order

## MICROWAVE OVENS



### MICROWAVE OVEN

Panasonic [Model No. NE-1022](#) Class: UPS Packed: each  
Pro Commercial Microwave Oven, 1000 Watts, single shelf, with 6 minute dial timer, bottom energy feed, stainless steel front & side hinged door, cavity dimensions; 13"Wx 13"Dx 8-1/16"H, 120v/60/1-ph, 13.4 amps, NEMA 5-15 or 5-20, UL, NSF. 6 months parts & labor warranty (mail-in repair - see website for details). NEMA 5-15P.

SAP #: 75204369



### MICROWAVE OVEN

Panasonic [Model No. NE-1054F](#) Class: UPS Packed: each  
Pro Commercial Microwave Oven, 1000 Watts, single shelf, 10 programmable memory pads, double quantity pad, Braille touch-control keypad, 6 power levels, bottom energy feed, stainless steel door, digital display, cavity: 13"Wx13"Dx8-1/16"H, 120v/60/1-ph, 13.4 amps, UL, NSF. One year parts and labor warranty. NEMA 5-15P. Weight: 39 lbs total.

SAP #: 75204368



### MICROWAVE OVEN

Panasonic [Model No. NE-1257R](#) Class: UPS Packed: each  
Pro I Commercial Microwave Oven, 1200 Watts, compact, 60 programmable memory pads, 3 power levels, see-thru side hinged door, s/s cabinet and cavity, stackable, digital display, cavity dimensions; 13"Wx 12"Dx 6-7/8"H, 120v/60/1-ph, 17.8 amps, UL, NSF. One year parts and labor warranty. NEMA 5-20P. Weight: 64 lbs total.

SAP #: 75204367



### MICROWAVE OVEN

ACP, Inc. [Model No. RMS10D](#) Class: UPS  
Amana® Commercial Microwave Oven, 1000 watts, low volume, stainless steel exterior wrap & painted interior, 6-minute dial timer with illuminated digits and end of cycle audible signal, 1 power level, side hinged door with glass window, 120v/60/1-ph, **9.6 amps, 15 MCA, 5' cord & NEMA 5-15P**, UL, ETL. 3-yr limited warranty. Weight: 39 lbs total.

SAP #: 75204366



### MICROWAVE OVEN

ACP, Inc. [Model No. RMS10T](#) Class: UPS  
Amana® Commercial Microwave Oven, 1000 watts, low volume, stainless steel exterior wrap & white powder coat painted interior, 10 menu pads with capacity to program 20 menus, 5 power levels, 3-stages, braille touch pads, sealed in ceramic shelf, side hinged door with glass window. 120v/60/1-ph, 9.6 amps, 15 MCA, 5' cord & NEMA 5-15P, UL, ETL. 3-yr limited warranty. Weight: 39 lbs total.

SAP #: 75199190

Call 800 822 2303 to order

## MICROWAVE OVENS

---



### MICROWAVE OVEN

ACP, Inc. [Model No. RFS12TS](#) Class: UPS

Amana® Commercial Microwave Oven, countertop, 1200 watts, medium volume, (2) magnetrons, 5 power levels, 10 menu pads with capacity to program 100 menus, Braille touch pads, removable air filter, s/s exterior, s/s interior w/sealed-in ceramic shelf, side hinged door. 120v/60/1-ph, 1800 total watts, 15 amps, 20 MCA, 5' cord & NEMA 5-20P, ETL. 3-yr warranty. Weight: 71 lbs total.

[SAP #: 75204348](#)

---



### MICROWAVE OVEN

ACP, Inc. [Model No. RFS18TS](#) Class: UPS Packed: each

Amana® Commercial Microwave Oven, countertop, 1800 watts, medium volume, 5 power levels, 10 menu pads with capacity to program 100 menus, X2 quantity pad, Braille touch pads, removable air filter, s/s exterior, s/s interior w/sealed-in ceramic shelf, side hinged door, 208-240v/60/1-ph, 2800 total watts, 13.5 amps, 5' cord & NEMA 6-20P, ETL. Full 3-yr warranty. Weight: 73 lbs total.

[SAP #: 75204342](#)

---

Many more brands and small ware types are available.  
Please call [800 822 2303](tel:8008222303) for more information.



## TERMS & CONDITIONS

Customer agrees to carefully inspect equipment/merchandise upon arrival, and note any damages, or quantity discrepancies on the carriers bill of lading (bol). Ecolab not liable for **deliveries signed for "free & clear". If concealed damage is discovered, please report to Ecolab within 2 business days.**

**Save all packaging materials to insure proper credit. Failure to save "original packaging materials" may result in additional return and/or restocking fees by the manufacturer.**

Unless otherwise stated in this quotation, the customer is responsible for unloading, positioning in place, final hook-up to utilities, and start-up, of any equipment delivered or drop-shipped.

### CUSTOMER ACKNOWLEDGES:

- > The electrical specifications, as detailed in this brochure, if applicable.
- > Plumbing, ventilation, rough-in, final connections & start-up are the customers responsibility.
- > Customer is responsible for obtaining any and all approvals, and/or permits, from health department, building inspector, fire Marshall, etc.

New equipment is warranted by the manufacturer. customer is responsible for reading all warranty disclosures contained in the specification sheets.

Customer is responsible for freight charges. Orders are delivered via common carrier or ground. Driver is responsible for bringing the delivery to the tailgate of the truck. Unloading is customers responsibility.

### RETURNS / CANCELLED ORDERS / RESTOCKING / CUSTOM ORDERS

- > Returns and/or Cancelled Orders are subject to prevailing Factory Restocking and/or Handling Fees and all freight & related costs to and from the Project Site.
- > Custom Orders for Equipment & Supplies are NON-REFUNDABLE and NON-RETURNABLE.

