



# SPORT FISHING

TACOMarine.com



# TABLE OF CONTENTS

Neptune Tops .....	3
Outrigger Mounts.....	5
Outrigger & Accessories.....	8
Center Riggers .....	9
Plates .....	10
Rigging & Accessories.....	11
Outrigger Kits.....	12
Neptune Leaning Posts .....	13
Accessory-Ready™ Accessories .....	15
Rod Holders.....	16
Rod Storage.....	18
Poly Rod Storage.....	21
LED Lights.....	23
Accessory-Ready™ Adapters .....	25
Marine Accessories .....	26
Filet Tables .....	27
Cast Nets .....	28
Rod Storage Carts.....	29
Reference .....	31
How-To Guide .....	32



## Neptune Accessory-Ready™ T-top

*Assembles and installs without welding.*

- Adjustable to fit most consoles up to 41" Wide
- Assembles and installs without welding
- Accessory-Ready™ adapters on outer ring offer easy installation and positioning of rod holders and other accessories
- Outrigger-Ready™ plates pre-drilled for easy installation of TACO Grand Slam 270 outrigger mounts
- Rugged anodized aluminum with brushed finish for lasting performance and durability
- Unique adjustable canvas top installs without lacing for faster, taut installation and easy removal
- Footprint dimensions: 39.5" Length x (18" to 51" Width)
- Overall dimensions: 83" Height x 80" Wide



**See page 15 for  
Accessory-Ready Rod Holders**

Part#	Description
T34-1001BSA-1	Neptune T-top w/ Blue Canvas Top
T34-1002BSA-1	Neptune T-top w/ Black Canvas Top
T34-1003BSA-1	Neptune T-top w/ White Canvas Top



## Clamp-on T-top Grab Rail

*Adjustable clamp fits all standard aluminum T-tops.*

- 50" center-to-center
- Anodized aluminum

Part#	Description
T36-1050BSA-1	Adjustable Grab Rail fits 1-1/16" to 1-5/16" O.D.

O.D. = Outside Diameter



Neptune Tele-Shade

*Offers the walkaround benefits of a T-top with the lightweight adjustability advantages of a "Bimini" top.*

- Add shade without obstructing deck and gunnels
- Mounts to center console for full walkaround access
- Stainless steel locking pins and pull rings for easy and secure height adjustments
- Adjust to fit consoles up to 46" Width x 48" Height
- Clamp-on assembly offers do-it-yourself installation with minimal tools required
- Anodized aluminum with satin finish for use in salt and freshwater environments
- Weighs only 30lbs.
- Three locking height positions (4-1/2' to 7')



Part#	Description
T34-2002VEL-1	Neptune Adjustable Tele-Shade w/Black Canvas Top

*Adjust height for use with low profile consoles and easy storage in garages and other height restricted areas.*




Tele-Shade Retracted



Tele-Shade Mid-Height



Tele-Shade Extended





# OUTRIGGER MOUNTS

## Grand Slam 370

*No more standing on gunnels! Fully adjustable from under your top.*

- Safe under-top operation
- Versatile design for use on soft tops and hard tops up to 2" thick
- Rotate and lock-in 12 fishing positions with heavy-duty grip for sure-handling
- Heavy-duty offset rotator handle for maximum clearance
- Adjust outrigger height with easy-turn crank handle
- Outrigger locking pin secures outriggers
- Fits most major brands of 1-1/2" Outside Diameter 15' & 18' outriggers
- Polished stainless steel arm and brushed anodized aluminum body for lasting performance



Patent #7,114,283




Fold-up crank handle



Part#	Description
GS-370	Grand Slam 370 Top Mount

*Sold in pairs*

Rotate outrigger positioning



Adjust outrigger height



TACO makes it easy to select the right Tele-Outriggers & Outrigger mounts for your boat. See Cross Reference Chart, on page 31

# OUTRIGGER MOUNTS

## Grand Slam 270 Series

*The Grand Slam 270 offers durability, reliability and ease of use.*

- Under-top handle rotates and locks in 12 fishing positions with heavy-duty grip for sure-handling
- Rotator handle installs at desired angle to avoid obstruction with top
- Adjustable outrigger height for fishing and lay down for bridges, storage and trailering
- Fits most major brands of 1-1/2" Outside Diameter 15' & 18' outriggers


Patent #6,668,745



Part#	Description
GS-270	Grand Slam 270 Top Mounts
GS-2701	Grand Slam 270 w/30° Offset Handle



GS-2701  
Offset handle for  
greater hand clearance



Variable rotator handle  
installation positioning to avoid  
obstruction during operation



## Sport Slam Mount

*Affordable bolt-down with multiple fishing positions.*



- Operates from above the top
- Easy bolt-down installation
- Multiple locking fishing positions
- Lay down arm for bridges, trailering and storage
- Outrigger locking pin secures outriggers
- Accepts 1-1/8" outriggers
- Easy bolt-down installation
- Includes template for installation
- Polished marine grade 316 stainless steel

Patent #7,007,906

Part#	Description
GS-100A	Sport Slam Top Mount

*Sold in pairs*



TACO makes it easy to select the right Tele-Outriggers & Outrigger mounts for your boat. See Cross Reference Chart, on page 31

## Striker Base



*Strong and versatile gunnel mounts.*

- Patented hex nut design offers multiple fishing positions
- Ambidextrous arms can be used in port and starboard
- Arms at 45°, ideal for trolling from gunnel
- Remove and stow arms when not in use for security and unobstructed gunnels
- Polished marine grade 316 stainless steel to look and perform great for years to come
- Available for 1-1/8" & 1-1/2" butt end diameter outriggers
- Compatible with most major brands of 15' & 18' outriggers
- Template included for installation



Gunnel Mount

Patented hex nut design offers multiple fishing positions



Patent #5,921,196

Arm



Base

Part#	Description
F16-0212-F*	Striker Base w/1-1/8" Arm (Base: 5-1/8" Length x 2-5/8" Width)
F16-0150-F*	Striker Base w/1-1/2" Base (Base: 6" Length x 4" Width)

\*Fits 12' & 15' standard Tele-Outriggers™ Compatible with gunnels 3/4" thick or less

\*Fits 15' & 18' heavy-duty Tele-Outriggers

# TELE-OUTRIGGERS & ACCESSORIES

## Telescoping Tele-Outriggers

*Super strong and sturdy even in the roughest seas.*



- Retracts under 6' trailering, bridges, storage
- Corrosion-resistant anodized aluminum
- Durable marine grade 316 stainless steel buttons, rings and eyes
- Available in 15' & 18' lengths
- 1-1/8" & 1-1/2" Outside Diameter for compatibility with all TACO outrigger mounts



Part#	Length	Color	Base Size
OT-0441BKA15	15'	Black/Gold	1-1/8"
OT-0441VEL15	15'	Silver/Gold	1-1/8"
OT-0541BKA15-HD	15'	Black/Gold	1-1/2"
OT-0541VEL15-HD	15'	Silver/Gold	1-1/2"
OT-0542BKA15-HD	15'	Black/Silver	1-1/2"
OT-0551BKA186	18'	Black/Gold	1-1/2"
OT-0551VEL186	18'	Silver/Gold	1-1/2"
OT-0552VEL186	18'	Silver/Silver	1-1/2"



Tele-Outriggers

TACO makes it easy to select the right Tele-Outriggers & Outrigger mounts for your boat. See Reference Chart, on page 31

## Outrigger Carry Bag

- Heavy-duty mesh bag
- 2 separate pockets protect each outrigger
- Straps for easy carrying and storage



## Outrigger Line Caddy

*Manage your lines.*

- Clamp to outriggers at desired spacing
- Wrap rigging line around ears when retracted to eliminate line from tangling
- Fit all sizes of TACO Tele-Outriggers



F40-0030BKA-1

## Base Reducer

- Reduces outrigger mount base I.D. from 1-1/2" to 1-1/8" to accept 1-1/8" butt end diameter outriggers



GSC-0025-1

Part#	Description	Unit
COK-0024-1	Mesh Carry Bag	Each
F40-0030BKA-1	Outrigger Line Caddy	2 Pairs
GSC-0025-1	Base Reducer	2 Pairs




# CENTER RIGGERS & MOUNTS

## Clamp-on Center Rigger

*Easy clamp-on installation.*

- Clamps fit most T-top and tower pipe, 1-1/16" and 1-5/16" Outside Diameter\*
- Set screw provides added security to prevent movement
- Designed for 1-1/8" Outside Diameter, 8' TACO center rigger poles
- Polished marine grade 316 stainless steel




## Sport Slam Center Rigger

*Top mount multi-position.*



- Operates from above the top
- Spring pin offers multiple trolling positions
- Bolt down to T-tops
- Designed for 1-1/8" Outside Diameter, 8' TACO center rigger poles
- Polished marine grade 316 stainless steel



\* See page 31 for I.P.S. pipe conversion



Part#	Description
F16-0311C-1	Clamp-on Center Rigger
GS-100A-2	Sport Slam Center Rigger

Sold as each

## Tele-Center Rigger

*Retractable high performance.*



- Smooth operation with locking pins
- Retracts to 5'-6" for bridges, trailering and storage
- 1-1/8" O.D. butt end diameter to fit TACO Clamp-on Center Rigger and Sport Slam Center Rigger
- Durable anodized aluminum and marine grade 316 stainless steel button, rings and eyes



Part#	Length	Color	Base Size
OC-0421BKA8	8'	Black/Gold	1-1/8"
OC-0421VEL8	8'	Silver/Gold	1-1/8"

Sold as each

# MOUNTING & BACKING PLATES

## Clamp-on Mounting Plate

*Make your boat Outrigger-Ready without welding.*



- Makes a boat "Outrigger-Ready" in an instant!
- Pre-drilled for Grand Slams or undrilled for mounting lights, radars and antennas
- Engineered to clamp to most T-tops and arches
- Fits 3/4" & 1" I.P.S. pipe (1-1/16" & 1-5/16" diameter)\* or oval pipe (1" x 1-1/2")
- Modular design allows plate to be cut-to-size to fit all tops



*Installed GSE-100-1 Grand Slam plates*

*\* See page 31 for I.P.S. pipe conversion*



GSE-1001-1  
(Universal Mount),  
includes 2 clamps and 1 Plate



Patent #7,007,911

GSE-1002-1  
(Pre-drilled for Grand Slam  
and Sport Slam Mounts),  
includes 4 clamps and 2 plates

Part#	Description	Length	Unit
GSE-1001-1	Undrilled, Clamp-on Universal Mounting Plate	30"	Each
GSE-1002-1	Pre-Drilled, Clamp-on Grand Slam & Sport Slam Mounting Plate	30"	Pair

## Grand Slam Top Mount Backing Plate

*Strengthen installations.*

- Recommended for use when thru-bolting in hard tops
- For use with Grand Slam 370 and Grand Slam 270 outrigger mounts



BP-150BSY-320-1

## Grand Slam Wedge Plate

*Level mounting in curved tops.*

- For use with curved hard tops
- Durable injection molded plastic wedge plate
- Designed for Grand Slam 370 and Grand Slam 270 outrigger mounts



WP-150WHA-1 • WP151WHA-1

Part#	Description
BP-150BSY-320-1	Backing Plate
WP-150WHA-1	7.5° Wedge Plate
WP-151WHA-1	11° Wedge Plate

*Sold in pairs*

# RIGGING KITS & ACCESSORIES

## Premium Rigging Kit

Available in single and double rig configurations.

- Single rigs a pair of outriggers up to 22'
- Packaged in a durable marine mesh bag for storage
- Each kit includes:
  - Premium release clips
  - Shock cord with stainless steel snaps and pulley
  - Barrel swivels, snap swivels, crimps
  - Stainless steel pad eyes and screws
  - Balsa wood floats
  - 100' of UV-protected Dacron® line



RK-0001PB

RK-0002PB

## Standard Rigging Kit

- Rigs a pair of outriggers up to 22'
- Packaged in a durable marine mesh bag for storage
- Each kit includes:
  - Release clips, shock cord with chrome plated snaps, 1-1/4" float cork and glass eye
  - Barrel swivels, snap swivels, crimps
  - Stainless steel pad eyes and screws
  - 100' of UV-protected Dacron® line



RK-0001SB

Part#	Description
RK-0001PB	Single Premium Rigging Kit w/Black Line
RK-0001SB	Single Standard Rigging Kit
RK-0002PB	Double Premium Rigging Kit w/Black Line

## Center Rigging Kit

- Rigs one outrigger up to 25'
- Packaged in a durable marine mesh bag for storage
- Premium kit includes:
  - Release clips, shock cord with stainless steel snap, 1-1/4" float and pulley (for Standard Kit, substitute 1-1/4" float cork and glass eye)
  - Barrel swivel, snap swivels, crimps
  - Stainless steel pad eye and screws
  - 50' of UV-protected Dacron® line




RK-0001PCB

Part#	Description
RK-0001PCB	Premium Center Rigging Kit
RK-0001SCB	Standard Center Rigging Kit

## Rigging Accessories

Fig.	Part#	Description
1	COK-0008B-1	100' Dacron Black Line
2	COK-0022-1	Double Roller Shock Cord
3	COK-0021-1	Shock Cord w/Glass Eye
4	COK-0020-1	Shock Cord w/ S/S Roller
5	COK-0015-1	Balsa Wood Float Marker
6	COK-0001T-1	Premium Release Clip
7	COK-0001B-1	Standard Release Clip
8	COK-0004G-1	Glass Eye
9	COK-0024-1	Marine Mesh Bag
10	COK-0017-1	1-1/4" Floating Cork
10	COK-0018-1	1-3/4" Floating Cork
11	F40-0030BKA-1	Outrigger Line Caddy




# OUTRIGGER MOUNT KITS

## Outrigger Kits

*Everything needed in one box.*

- All inclusive kits include outrigger mounts, tele-outriggers, rigging kit and outrigger line caddy




Grand Slam 270



Striker Bases



Clamp-on  
Center Rigger



GS-100A  
Sport Slam



Tele-Outriggers



Premium  
Rigging Kit



Standard  
Rigging Kit



Standard Center  
Rigging Kit



Outrigger Line Caddy

Part#	Mounts	Outriggers			Accessories
		Color	Length	Diameter	
GS-2741BKA-1	Grand Slam 270	Black/Gold	15'	1-1/2"	Line Caddy, Premium Rigging Kit
GS-2741VEL-1	Grand Slam 270	Silver/Gold	15'	1-1/2"	Line Caddy, Premium Rigging Kit
GS-2742VEL-1	Grand Slam 270	Silver/Silver	15'	1-1/2"	Line Caddy, Premium Rigging Kit
GS-100ABKA15	Sport Slam	Black/Gold	15'	1-1/8"	Line Caddy, Standard Rigging Kit
GS-100AVEL15	Sport Slam	Silver/Gold	15'	1-1/8"	Line Caddy, Standard Rigging Kit
F16-441BKA1SB1	Striker Base	Black/Gold	15'	1-1/8"	Line Caddy, Standard Rigging Kit
F16-0311BKA8SB	Clamp-on Center Rigger	Black/Gold	8'	1-1/8"	Standard Center Rigging Kit
F16-0311VEL8SB	Clamp-on Center Rigger	Black/Gold	8'	1-1/8"	Standard Center Rigging Kit



## Neptune Premium Leaning Post

*Top-of-the-line . . . tons of storage.*

- Generous fiberglass storage under seat
- Integrated latch for secure storage of tackle and gear
- Cool, easy to clean cushion seat
- Folding footrest and removable optional backrest
- Integrated grab rail with 4 anodized aluminum rod holders
- Polished anodized aluminum, built to last
- Footprint dimensions 15" x 35"



L10-1003-1

Patent #7,819,483

L10-1001-1  
Shown with  
optional Backrest  
L10-1002



## Neptune II Leaning Post

*"Load-n-Go" removable storage.*

- Unique removable storage tote removes easily and provides a convenient tote for fishing gear
- Cool, easy to clean cushion seat
- Polished anodized aluminum, built to last
- Adjustable aluminum 4-rod holder rack
- Footprint dimensions 15" x 33-1/2"



Removable under-seat  
soft storage



Part#	Description
L10-1001-1	Neptune Premium Leaning Post (31-1/2"H x 27"L x 39"W)
L10-1003-1	Neptune II Leaning Post (33"H x 22"L x 35"W)

H = Height, L = Length, W = Width

## TACO's Universal Backrest

*Arms fold for easy storage.*

- Universal design to fit TACO's Neptune Premium, Neptune II and most brands of leaning post rocket launchers
- Arms install at desired width to fit leaning post rod holder spacing
- Ergonomically designed arms are bent for seating comfort
- Folding anodized aluminum arms fold for easy storage

Part#	Description
L10-1002-1	Leaning Post Backrest



# NEPTUNE LEANING POSTS Neptune

## Neptune III Leaning Post

*Accessory-Ready™ for rod holders and accessories.*

- Patent-pending Accessory-Ready™ adapters for accessorizing with rod holders and other marine accessories
- Standard Allen wrench for installation and adjustments of accessories
- Easy bolt-down installation
- Anodized brushed aluminum frame and smooth white cushion seat to look great and last
- Small footprint great for smaller boats (15-1/4" x 35")



L10-2000BSA-1  
Neptune III with optional  
aluminum rod holders  
(F31-2750BXY-1)



L10-2000BSA-1  
Neptune III  
with optional Grab Rail  
(L11-3000BSA-1)



Neptune III with optional  
clamp-on Backrest/Grab Rail  
(L11-2600BSA-1)  
and 4 optional aluminum rod holders  
(F31-2750BXY-1)

Part#	Description
L10-2000BSA-1	Neptune III Accessory-Ready Leaning Post

**Accessorize with Accessory-Ready Rod Holders & Accessories,  
see following page 15**

## Accessories

*Neptune III clamp-on upgrades.*

- Clamp-on for easy addition and removal
- Ergonomic backrest with grab rail designed for comfort and functionality



L11-2600BSA-1  
Clamp-on Backrest with Grab Rail



L11-3000BSA-1  
Clamp-on Grab Rail

Part#	Description
L11-2600BSA-1	Clamp-on Grab Rail & Backrest
L11-3000BSA-1	Clamp-on Grab Rail



# ACCESSORY-READY ACCESSORIES

## Rod Holders

*Add, remove and rotate with ease.*

- Fit TACO Accessory-Ready T-top and Neptune III leaning post
- Easy Allen wrench installation, removal and positioning
- Splines offer multi-position rotation
- Ideal 20° angled and flared for easy rod handling
- Available for big game and conventional rods
- Offered in polished anodized aluminum or lightweight and durable glass-reinforced nylon



Accessory-Ready adapter on pipe



Rod holder installation on Neptune T-top



Adjust angle and lock-in place with standard Allen wrench



F31-2760BXY-1



F31-2750BXY-1



F31-2750



Part#	Length	Angle	I.D.	Finish/Color
F31-2750BXY-1	9-3/4"	20°	1-3/4"	Polished Aluminum
F31-2760BXY-1*	9-3/4"	10°	1-3/4"	Polished Aluminum
F31-2850BXY-1	10-1/4"	20°	1-7/8"	Polished Aluminum
F41-2750BKA-1	9-3/4"	20°	1-3/4"	Black Nylon
F41-2750WHA-1	9-3/4"	20°	1-3/4"	White Nylon

\*Not recommended for use with Neptune III Leaning Post

## Poly Marine Accessories

*Easy accessorizing.*

- Fits Neptune III Leaning Post and all Accessory-Ready male adapters



P01-1010W-1



P01-2010W-1



P01-2120HW-1



P01-2310W-1

Part#	Description
P01-1010W-1	Knife & Plier Holder w/Accessory-Ready Female Adapter
P01-2010W-1	Poly "Catch-All" 2-Drink Holder, White w/AR Aluminum Female Adapter
P01-2120HW-1	Horizontal Mount Poly Filet Table w/AR Aluminum Female Adapter, 20" x 12"
P01-2132HW-1	Horizontal Mount Poly Filet Table w/AR Aluminum Female Adapter, 32" x 12"
P01-2310W-1	Poly 1-Drink Holder, White w/Accessory-Ready Aluminum Female Adapter

Neptune III  
with P01-1010W-1



# CLAMP-ON ROD HOLDERS

## Adjustable Clamp-on Rod Holders

*Versatile mounting options.*

### Stainless Steel Clamp-on Rod Holders

- Rotate and lock in fishing angle
- Adjusts to fit multiple pipe or tube sizes
- Stainless steel type 316 polished finish



Part#	Description	Fits*
F16-2600POL-1	Stainless Steel Clamp-on Rod Holder	7/8" & 1" O.D. Tube (Bow Rails)
F16-2623POL-1	Stainless Steel Clamp-on Rod Holder	1-1/16" - 1-5/16" O.D. Pipe & 1-1/4" O.D. Tube (T-top Rings)
F16-2630POL-1	Stainless Steel Clamp-on Rod Holder	1-11/16" & 1-15/16" O.D. Pipe (Top & Poling Legs)

O.D. = Outside Diameter

### Aluminum & Plastic Clamp-on Rod Holders

- Clamp adjusts to fit two pipe/tube sizes
- Versatile mounting – Install clamp horizontally or vertically
- Rod holder can be easily rotated, added and removed with standard Allen wrench
- Offered in anodized aluminum and reinforced plastic



F31-2721 • F31-2731



F41-2700 • F41-2720



Part#	Description	Fits*
F31-2721BXY-1	Aluminum Clamp-on Rod Holder	1-1/16" - 1-5/16" O.D. Pipe (Aluminum T-top Rings)
F31-2731BXY-1	Aluminum Clamp-on Rod Holder	1-11/16" - 1-15/16" O.D. Pipe (Top & Poling Legs)
F41-2700BKA-1	Plastic Clamp-on Rod Holder, Black	7/8" & 1" O.D. Tube (Bow Rails)
F41-2720BKA-1	Plastic Clamp-on Rod Holder, Black	1-1/16" - 1-5/16" O.D. Pipe (Aluminum T-top Rings)
F41-2700WHA-1	Plastic Clamp-on Rod Holder, White	7/8" & 1" O.D. Tube (Bow Rails)
F41-2720WHA-1	Plastic Clamp-on Rod Holder, White	1-1/16" - 1-5/16" O.D. Pipe (Aluminum T-top Rings)

O.D. = Outside Diameter

### Rail Mount Rod Holders

- Fits 7/8" & 1" bow rails
- UV-stabilized polyethylene

Part#	Description
P04-041W	Rail Mounted Rod Holder



\* For help finding the right size, see Rod Holder Selection Guide on page 31



## Surface Mount 90° Rod Holder

*Ideal for transoms.*

- Adjustable rod holder positioning
- Add, remove and adjust with standard Allen wrench
- Small mounting pad ideal for transoms
- Anodized aluminum with polished finish
- Easy bolt-on installation



Part#	Description	Finish
F31-2791BXY-1	90° Aluminum Rod Holder w/Mounting Pad	Polished

## Polyethylene Rod Holders

- Designed for light to medium duty
- Notched for spinner reels
- Bottomless allows rod butt to pass thru
- Flared opening at top for easy rod handling
- Lightweight
- Non-corrosive, UV-Inhibited, HDPE

### Thru Bolt Mount Rod Holders

- Front access hole
- Pre-drilled mounting holes

Part#	Description	Color
P04-011W	Rod Holder w/Mounting Holes	White



P04-011W

### Stand-Off Mount Rod Holders

- Front-access hole and integrated stand-off's for easy mounting

Part#	Description	Color
P04-091W	Stand-Off Rod Holder	White



P04-091W

# Rod Storage

## Kite Fish Rod Cluster

Three rod holders in one.



- Great kite fishing rod
- Three flared 1-3/4" Inside Diameter rod holders
- 15° bent shaft for clearance
- Universal to fit all standard gunnel rod holders
- Anodized aluminum with brushed finish for durability



Part#	Description
F31-0770BSA-1	3-Rod Kite Cluster

## Gunnel Mount Rod Rigger

Turns any boat into a fishing boat.


- Flared 1-3/4" Inside Diameter rod holder with liner ideal for trolling rods
- Universal to fit all standard gunnel mount rod holders
- Nylon safety strap ensures the rod stays on-board
- Anodized aluminum with brushed finish for durability



Part#	Description
F31-0510BSA-1	Rod Rigger

## Stainless Steel Rod Hanger

- Marine grade 316 stainless steel
- Securely locks rods in position
- Includes rod hanger and revolving spring locking rod tip holder
- Hidden installation screws for a clean look



Revolving Rod Tip Holder



Rod Hanger



F16-2700-1

Part#	Description
F16-2700-1	2-Rod Hanger Set

## Stainless Steel Rod Hanger Racks

*Store multiple rods in convenient easy-mount racks.*


- Secure storage for big game and spinning rods
- Revolving spring locking rod tip holder
- Attractive polished stainless steel
- Pre-drilled recessed mounting holes for finished look
- Available for 2-, 3- & 4-rod storage
- Ideal for bridge, rod locker, under gunnel



F16-2751-1



F16-2752-1




Part#	Description	Overall Length
F16-2751-1	2-Rod Hanger Rack	9-1/8"
F16-2753-1	3-Rod Hanger Rack	13-5/8"
F16-2752-1	4-Rod Hanger Rack	18"

## Stainless Steel Reel Hanger

- Adjustable marine grade 316 stainless steel reel hangers
- Securely store trolling reels on ceiling or gunnel
- Fits most popular trolling reels
- Hangers are easily adjusted to accommodate a wide range of reel sizes
- Set includes stainless steel revolving rod tip holder rod holder



Part#	Reel Measurement
F16-2810-1	Adjusts from 1.875" - 3.875"
F16-2820-1	Adjusts from 1.875" - 4.625"



See retail store packaging for which reel hanger fits your specific reel

# Rod STORAGE

## Transom Mount Rod Rack

Adjust mounting angle to match transom.



- Patent-pending spline adjust angle to match contour of transom
- Durable brushed, anodized aluminum




Adjust mounting angle to match transom contour and for rod holder positioning

Part#	Description	Overall Length	Rod Holder Height	I.D.
F31-3503BSA-1	3-Rod Transom Mount Rack	34"	10-1/4"	1-7/8"
F31-3504BSA-1	4-Rod Transom Mount Rack	40-1/2"	10-1/4"	1-7/8"

## Aluminum Rod Rack

Stylish light tackle rod storage.

- Designed for light tackle spinning rod/reel combos
- Slotted to lock-in rods/reels
- Bottomless ideal for long, light tackle rods
- Available for 2-, 3- & 4-rod storage
- Hidden fasteners
- Brushed anodized aluminum



Part#	Description	"A"	I.D.
F31-3002BSA-1	2-Rod Holder & Rack	6-5/8"	1-1/2"
F31-3003BSA-1	3-Rod Holder & Rack	11-1/4"	1-1/2"
F31-3004BSA-1	4-Rod Holder & Rack	16"	1-1/2"



# POLY ROD STORAGE

## Poly Rod & Tackle Racks




- Durable polyethylene to withstand the harsh marine environment
- Flared rod holder for easy rod handling
- Slotted rod holders lock in most conventional and spinning outfits
- Deluxe racks feature convenient integrated slots for knife and pliers
- Light racks feature closer rod holder spacing; ideal when space is limited
- Available in 2-, 3- & 4-rod storage sizes



Light rod holder with  
closer rod holder spacing



Deluxe with knife and plier holder  
available in black and white



Part#	Description	Color	"A"	"B"
P03-062B	2-Rod Deluxe	Black	11-1/2"	6-1/2"
P03-062W	2-Rod Deluxe	White	11-1/2"	6-1/2"
P03-063B	3-Rod Deluxe	Black	18"	6-1/2"
P03-063W	3-Rod Deluxe	White	18"	6-1/2"
P03-064B	4-Rod Deluxe	Black	18"	4-1/2"
P03-064W	4-Rod Deluxe	White	18"	4-1/2"
P03-153W	3-Rod Light	White	12"	3-3/4"

# POLY ROD STORAGE

## Deluxe Pontoon Boat Tackle Rack

*Secure and convenient, on-board rod and tackle storage.*

- Designed for standard square tube found on pontoon boats
- Compact design large enough for spinning and conventional rods
- Stainless steel fasteners resist rust and corrosion
- Easy assembly
- UV-stabilized high density polyethylene




P03-074W

## "Bungee" Rod Holder

*Perfect for under-gunnell rod storage.*

- Bungee cords keep your rods safe and secure
- UV-stabilized high density polyethylene to withstand daily marine use
- Includes mounting backing plates and hardware for easy installation
- Available for 2-, 3- & 4-rod storage

P03-134W • P03-132W



## Rod & Reel Tote 'Em Rack

*Store and transport rods between boat and home.*

- Compact design carries up to 4 conventional rods and reels
- Convenient handle and lightweight design for easy transport
- Versatile horizontal or vertical wall mount
- UV-stabilized, high density polyethylene
- Stainless steel fasteners included




P03-144W

## Roof Rack

*Convenient rod transport.*

- Mounts permanently or temporarily to all car carriers
- Bungee cords with finger pulls stabilize rods while traveling
- Minor assembly required



P03-242B

Part#	Description
P03-073W	3-Rod Deluxe Pontoon Boat Tackle Rack
P03-074W	4-Rod Deluxe Pontoon Boat Tackle Rack
P03-132W	2-Rod "Bungee" Holder
P03-133W	3-Rod "Bungee" Holder
P03-134W	4-Rod "Bungee" Holder
P03-144W	Rod Rack Tote / Wall Mount, White
P03-242B	2-Rod/Reel Roof Rack, Black
P03-244B	4-Rod/Reel Roof Rack, Black



# MARINE HARD-WIRED LED LIGHTING

- Low draw (<1 amp) – won't drain battery
- Long 100,000 hours of operation
- Polycarbonate, impact-resistant lens
- Waterproof (non-submersible)
- Vibration and shock-resistant LEDs

## Spot Light

- Three high-power 3-watt LEDs
- Bright 1,000,000 candlepower, 4,474 lumen output
- 12-28 volt DC for boats of all sizes
- Adjustable-tilt stainless steel mounting bracket
- Available with clamp for easy clamp-on mounting to T-top rings (1-1/16" & 1-5/16" O.D. Pipe)



F38-5500-1

## Spreader Light

- Six high-power 1-watt LEDs
- Bright 675 lumen output (equal to 50W halogen)
- 12-28 volt DC for boats of all sizes
- Wide 150° light spread
- Adjustable-tilt stainless steel mounting bracket
- Available with clamp for easy clamp-on mounting to T-top rings (1-1/16" & 1-5/16" O.D. Pipe)



F38-4500WHA-1  
Adjustable tilt stainless steel  
mounting bracket

## Deck Light

- 30 LEDs
- Bright 150 lumen output
- 120° light spread
- 12-24 Volt DC
- Adjustable-tilt stainless steel mounting bracket
- Available with clamp for easy clamp-on mounting to T-top rings (1-1/16" & 1-5/16" O.D. Pipe)




F38-3500WHA-1  
With mounting bracket

## T-top Light

- 108 LEDs
- Bright 300 lumen white light/150 lumen red light output
- Switch from white to red for chart-reading
- T-top light available with pre-drilled, polished anodized aluminum housing
- T-top light (without housing) fits most existing fluorescent light housings and includes convenient clips for direct mounting
- Generous 18' of wiring to accommodate most tops and bridges

F38-2060-1



F38-2050-1

Part#	Description	Length
F38-5500WHA-1	LED Spot Light w/Stainless Steel Mounting Bracket	5"W x 3-15/32"H x 4-15/64"D
F38-5520WHA-1	Clamp-On LED Spot Light w/Adjustable Clamp	5"W x 3-15/32"H x 6-23/32"D
F38-4500WHA-1	LED Spreader Light w/Stainless Steel Mounting Bracket	5"W x 3-15/32"H x 3"D
F38-4520WHA-1	Clamp-On LED Spreader Light w/Adjustable Clamp	5"W x 3-15/32"H x 3-1/2"D
F38-3500WHA-1	LED Deck Light w/Stainless Steel Mounting Bracket	5"W x 3-15/32"H x 3"D
F38-3521WHA-1	LED Deck Light w/Adjustable Clamp for 3/4" - 1" I.P.S. Pipe	5"W x 3-15/32"H x 3-1/2"D
F38-2050-1	LED T-top Light w/Aluminum Housing	20"L x 2" Diameter
F38-2060-1	LED T-top Light w/Mounting Clips	20"L x 1-5/8" Diameter

# MARINE RECHARGEABLE LED LIGHTING

- Convenient and safe cordless operation
- Rechargeable Ni-Mh battery
- Operates 3+ hours on a single charge
- Impact-resistant and water resistant
- Vibration and shock-resistant LEDs
- Includes AC/DC charger and lighter adapter

## Bright Stick

- 108 LEDs
- High 600 lumen output
- Provides 25"W x 30"D light spread compared to flashlight spread of 5"W x 15"D
- Versatile mounting clips for magnet, suction cup or thru-bolt mounting options
- Ideal for use on Bimini tops, windshields, gunnels, lockers and hatches



F38-2020-1

## Deep Drop/Float Light

- 108 LEDs
- Bright 600 lumen green light
- Provides 25"W x 30"D light spread compared to flashlight spread of 5"W x 15"D
- Waterproof tube for use underwater to 100' deep
- Green light enhances fish activity in salt and fresh water
- Buoyant, floats for surface use
- Add a weighted line for deep drop use



F38-2090-1

## Work Light

- 60 LEDs
- Bright 250 lumen output
- Provides 15"W x 30"D light spread compared to flashlight spread of 15"W x 30"D
- Attractive and rugged blue sure-grip housing
- Swivel stainless steel hook for hands-free operation
- Ideal for use in engine compartments, hatches, T-tops, towers and other outdoor applications



F38-2500-1

Part#	Description	Length
F38-2020-1	LED Bright Stick Light	20"L x 1-1/2" Diameter
F38-2090-1	LED Deep Drop/Float Light w/Waterproof Tube & Caps	22-3/4"L x 2-1/2" Diameter
F38-2500-1	LED Work Stick Light	17"L x 2" Diameter



# ACCESSORY-READY™ ADAPTERS

## Accessory-Ready Adapters

*Make any marine accessory. . . Accessory-Ready.*

### Male Adapters - Mate with female adapters

*Surface mount to bulkheads, transoms, gunnels, tops / clamp to railing, T-top legs and rings, arches, poling platforms.*



Aluminum male adapter  
F34-0600BXY-1



Plastic male adapter  
P01-0600W-1



Plastic male clamp



Aluminum male clamp  
F36-2521BXY-1 • F36-2531BXY-1

Part#	Description
F34-0600BXY-1	Flush Mount Tear Drop Male Adapter, Polished Aluminum
P01-0600W-1	Flush Mount Tear Drop Male Adapter, White Plastic
F36-2521BXY-1	Male Clamp, Fits 3/4" & 1" I.P.S. Pipe, Polished Aluminum
F36-2531BXY-1	Male Clamp, Fits 1-1/4" & 1-1/2" I.P.S. Pipe, Polished Aluminum
F41-2500BKA-1	Male Clamp, Fits 7/8" & 1" O.D. Tube, Black Plastic
F41-2521BKA-1	Male Clamp, Fits 3/4" & 1" I.P.S. Pipe, Black Plastic
F41-2500WHA-1	Male Clamp, Fits 7/8" & 1" O.D. Tube, White Plastic
F41-2521WHA-1	Male Clamp, Fits 3/4" & 1" I.P.S. Pipe, White Plastic

O.D. - Outside Diameter

### Female Adapters - Fit male adapters

*Mount speakers, drink holders, camera-mounts, etc.*

Speaker with F34-0212BXY-1



Aluminum female adapter  
F34-0210BXY-1



Aluminum female adapter with male  
adjustable clamp (available in 2 sizes)  
F34-0212BXY-1 • F34-0213BXY-1



Aluminum female adapter  
with plastic male adapter mount  
P01-0610W-1

Part#	Description
F34-0210BXY-1	Aluminum Female Surface Mount Adapter, Polished
F34-0212BXY-1	Female Adapter w/Male Clamp 3/4" - 1" I.P.S. Pipe, Polished
F34-0213BXY-1	Female Adapter w/Male Clamp 1-1/4" - 1-1/2" I.P.S. Pipe, Polished
P01-0610W-1	Aluminum Female Adapter w/Plastic Tear Drop Male Adapter Mount

# MARINE ACCESSORIES

## Drink Holders

*Hold full-sized insulated drink holders and mugs.*



- UV-stabilized, high density polyethylene
- Includes suction cups
- Includes stainless steel mounting screws



P01-2001W



P01-2003W



P01-2000W



## Fishing Plier & Knife Holders

*Safely hold a pair of pliers and 2 knives.*

- Safe and convenient storage
- Both hold a pair of pliers and 2 knives
- Includes stainless steel mounting screws



P01-1000W



P01-1001W

## Rigging Strips

*Stores pre-rigs, plugs and spoons.*

- 12" rig strip for any flat surface
- Pre-drilled holes
- Offered with marine grade self-adhesive or suction cup mounting



P01-1200W

## Trailer Glyde Slicks

*Launch and load your boat with ease.*

- Eliminates friction between the bottom of the boat and runners
- Easily installed on carpeted or bare bunks
- Evenly distributes the weight of the boat
- For all boats: aluminum, fiberglass and wood
- Include stainless steel screws and instructions
- Dimensions: 2' Length x 1-1/2" Width - 7/16" Thick



P05-06W



P06-06W - Premium

Part#	Description
P01-2000W	Poly "Catch-All" 2-Drink Holder
P01-2001W	2-Drink Poly Holder
P01-2003W	Poly 1-Drink Holder
P01-1000W	Knife & Plier Holder
P01-1001W	Knife, Plier & 15-Rig Holder
P01-1200W	Adhesive Mount Rigging Strip
P01-1201W	Suction Cup Mount Rigging Strip
P05-06W	6pc. - 2' Trailer Glyde Slicks
P06-06W	6pc. - 2' Premium Trailer Glyde Slicks





## Dock Side Filet Table

*Permanently mounts on dock.*



- Holds up to 250lbs.
- Eight 3/8 x 2.5 lag bolts secure each leg
- Water nozzle holder for convenient use and clean-up
- Made of UV-stabilized, high density polyethylene
- Drink holder mounts to the side
- Filet knife and plier holder slots
- Mounting hardware included
- 48" Length x 37" Height x 21" Width



P01-4821W

## Poly Filet Table with Adjustable Mount

*Adjustable tilt for easy clean-up and storage.*

- FDA-approved table
- UV-stabilized, high density polyethylene
- Plier and knife holder
- Stainless fasteners
- Rugged engineered nylon tilt mount
- Folds flat for storage
- Anodized aluminum mount fits into any standard gunnel rod holder
- The mounts locks at any angle



P01-2120W

## Poly Filet Table with Fixed Mount

*Fits in all standard gunnels.*

- FDA-approved table with knife and plier holder
- Fixed angle mount
- Durable, anodized aluminum and UV-stabilized, high density polyethylene
- Stainless fasteners
- Offered in two sizes



P01-2120FW-1

## Removable/Bait Filet Board

*On and off in seconds.*

- Stores flat
- Everything needed for mounting included
- Holds knife and pliers
- Heavy-duty, UV-stabilized polyethylene construction



P01-1613W

Part#	Description
P01-4821W	Dock Side Filet Table, 48" x 21" x 37"
P01-2120W	Poly Filet Table w/Adjustable Aluminum Gunnel Mount, 20" x 12"
P01-2132W	Large Poly Filet Table w/Adjustable Aluminum Gunnel Mount, 32" x 12"
P01-2120FW-1	Gunnel Mount Poly Filet Table w/Fixed Aluminum Mount, 20" x 12"
P01-2132FW-1	Gunnel Mount Poly Filet Table w/Fixed Aluminum Mount, 32" x 12"
P01-1613W	Removable Bait/Filet Board, 16" Length x 13" Width

# CAST NETS



## Cast Nets

- Superior 6-panel design
- Limited lifetime warranty
- Catch more bait
- Easy loading and throwing
- Resists tears
- Wider net spread
- Fast sinking lead weights



Classic Pro

True Spread

Magnum

## Classic Pro Series

*Designed for the pro angler.*

- Heavy-duty, 120lb. test Braille lines

Part#	Description	Square Mesh Size
N2-1H1	8' Sardine Net	1/4"
N2-1J1	10' Sardine Net	1/4"
N2-2H2	8' Bait Net	3/8"
N2-2J2	10' Bait Net	3/8"
N2-2K2	12' Bait Net	3/8"
N2-3J3	10' Ballyhoo Net	1/2"
N2-3K3	12' Ballyhoo Net	1/2"
N2-5J4	10' Shrimp Net	5/8"



## True-Spread

*Designed for the serious angler.*

- Strong 100lb. test Braille lines

Part#	Description	Square Mesh Size
N3-1F1	6' Sardine Net	1/4"
N3-1H1	8' Sardine Net	1/4"
N3-1J1	10' Sardine Net	1/4"
N3-2F2	6' Bait Net	3/8"
N3-2G2	7' Bait Net	3/8"
N3-2H2	8' Bait Net	3/8"
N3-2J2	10' Bait Net	3/8"
N3-2K2	12' Bait Net	3/8"
N3-3H3	8' Ballyhoo Net	1/2"
N3-3J3	10' Ballyhoo Net	1/2"
N3-3K3	12' Ballyhoo Net	1/2"
N3-4H5	8' Menhaden Net	3/4"
N3-4J5	10' Menhaden Net	3/4"
N3-4K5	12' Menhaden Net	3/4"
N3-5H4	8' Shrimp Net	5/8"
N3-5J4	10' Shrimp Net	5/8"
N3-5K4	12' Shrimp Net	5/8"
N3-6J6	10' Silver Mullet Net	1"

## Magnum

*Designed for the novice angler.*

- Offered in 80lb. & 60lb. test Braille line
- Reusable plastic bucket or tackle box

Part#	Description	Square Mesh Size
N4-2G2	7' Bait Net	3/8"
N4-2H2	8' Bait Net	3/8"
N4-2J2	10' Bait Net	3/8"
N4-2D2*	4' Bait Net	3/8"
N4-2E2*	5' Bait Net	3/8"
N4-2F2*	6' Bait Net	3/8"

\*60lb. test Tackle box package

## Bait Pens

*Easy access opening.*

- Crab-resistant polyethylene
- Floating container for bait
- Bottom weighted

Part#	Description	Square Mesh Size
N5-8A2	12" x 12" Drawstring	3/8"
N5-8L2	18" x 18" Drawstring	3/8"
N5-8B2	24" x 24" Drawstring	3/8"
N5-7C3	33" x 36" Flip Top	1/2"
N5-7D3	48" x 48" Flip Top	1/2"



Drawstring



Flip Top

# ROD STORAGE CARTS

## Light Tackle Wood Carts

*Stylish light tackle spinning rod storage.*

- Locking casters offer easy mobility
- Premium Oak veneer MDF
- Easy to assemble
- Personalized engraving available



R10-0124011  
Light Tackle  
24-Rod



R10-0114101  
Big Game  
14-Rod

## Big Game Wood Cart

*Stylish big game rod storage.*

- Locking casters offer easy mobility
- Premium Oak veneer MDF
- Easy to assemble
- Personalized engraving available



R10-0514103  
Big Game  
14-Rod

## Big Game Poly Cart

- Wash rods while in rack
- For indoor or outdoor use
- U.V.-stabilized high density poly
- Locking casters offer easy mobility
- Easy assembly

Part#	Description
R10-0116011	16-Rod Cart, 3/4" Oak MDF, 24.5"L x 11.5"W x 32.5"H
R10-0124011	24-Rod Cart, 3/4" Oak MDF, 24.5"L x 11.5"W x 32.5"H
R10-0126011	26-Rod Cart, 3/4" Oak MDF, 32.5"L x 11.5"W x 32.5"H
R10-0132011	32-Rod Cart, 3/4" Oak MDF, 32.5"L x 11.5"W x 32.5"H
R10-0110101	10-Big Game Rod Cart, 3/4" Oak MDF, 32.5"L x 11.5"W x 32.5"H
R10-0114101	14-Big Game Rod Cart, 3/4" Oak MDF, 32.5"L x 11.5"W x 32.5"H
R10-0516103	16-Rod Big Game Cart, 1/2" & 3/4" White Poly, 24.5" L x 11.5" W x 32.5" H
R10-0514103	14-Rod Big Game Cart, 1/2" & 3/4" White Poly, 32.5" L x 11.5" W x 32.5" H

L = Length, W = Width, H = Height

## Standing Rod Racks

*Ideal for small spaces.*

### Wall Hugger Rack

- Designed for use against a wall
- Holds all types of rods and reels (12)
- Premium Oak veneer
- Easy assembly
- Personalized engraving available



### Octagon/Square Storage Rack

- Holds all types of rods and reels
- Holds 16 or 24 rods
- Premium Oak veneer
- Easy assembly
- Personalized engraving available



R10-0216081  
Octagon 16-Rod



R10-0224031  
Square 24-Rod

Part#	Description
R10-0112121	12-Rod Wall Hugger Rack, 3/4" Oak MDF, 22"L x 8.5"W x 31"H
R10-0216081	16-Rod Octagon Rack, 1/2" Oak MDF, 22"L x 22"W x 31"H
R10-0224031	24-Rod Square Rack, 1/2" Oak MDF, 22"L x 22"W x 28"H

L = Length, W = Width, H = Height

# CUSTOM ENGRAVED OPTIONS

## Laser Engraving

*Customize and personalize your rod collection.*

- Choose a fish, name or both
- Custom engraving available for wood carts only
- Available on wood carts/racks only

Fish only



Name only



Fish & Name



## Saltwater Species



**A - Blue Marlin**



**B - Sailfish**



**C - Dolphin**



**D - Tarpon**



**E - King Mackerel**



**F - Sea Trout**



**G - Grouper**



**H - Bonefish**



**I - Redfish**



**J - Striped Bass**



**K - Snook**



**L - Largemouth Bass**

## Freshwater Species



**L - Largemouth Bass**



**M - Smallmouth Bass**



**N - Crappie**



**O - Northern Pike**



**P - Rainbow Trout**



**Q - Striped Bass/Hybrid**



**R - Brown Trout**



**S - Salmon**



**T - Musky**



**U - Walleye**

## Tele-Outriggers™ COMPATIBILITY CHART


Part#	Length	Color (Poles/Rings)	Base Size
<b>Fits GS-100A Sport Slam • F16-0212-F Striker Bases</b>			
OT-0441BKA15	15'	Black/Gold	1-1/8"
OT-0442VEL15	15'	Silver/Silver	1-1/8"
<b>Fits F16-0150-F Striker Base • GS-270, GS-370 Grand Slam</b>			
OT-0541VEL15-HD	15'	Silver/Gold	1-1/2"
OT-0541BKA15-HD	15'	Black/Gold	1-1/2"
OT-0542VEL15-HD	15'	Silver/Silver	1-1/2"
OT-0551VEL186	18'	Silver/Gold	1-1/2"
OT-0551BKA186	18'	Black/Gold	1-1/2"
OT-0552VEL186	18'	Silver/Silver	1-1/2"

## Clamp-On Rod Holder Selection Guide

Location	I.P.S. Pipe*	Rod Holder	Description
<b>T-tops</b>			
<b>Outer Ring</b>	3/4" & 1"	F16-2623	Adjustable, Stainless Steel Clamp-on Rod Holder
	3/4" & 1"	F31-2721	Adjustable, Aluminum Clamp-on Rod Holder
	3/4" & 1"	F41-2720	Adjustable, Plastic Clamp-on Rod Holder
	1-1/4" O.D. S/S Tube	F16-2623	Adjustable, Stainless Steel Clamp-on Rod Holder
<b>Legs</b>	1-1/4" & 1-1/2"	F16-2630	Adjustable, Stainless Steel Clamp-on Rod Holder
	1-1/4" & 1-1/2"	F31-2731	Adjustable, Aluminum Clamp-on Rod Holder
<b>Leaning Posts</b>			
<b>Grab Rail</b>	3/4" & 1"	F16-2623	Adjustable, Stainless Steel Clamp-on Rod Holder
	3/4" & 1"	F31-2721	Adjustable, Aluminum Clamp-on Rod Holder
	3/4" & 1"	F41-2720	Adjustable, Plastic Clamp-on Rod Holder
<b>Legs</b>	1-1/4" & 1-1/2"	F16-2630	Adjustable, Stainless Steel Clamp-on Rod Holder
	1-1/4" & 1-1/2"	F31-2731	Adjustable, Aluminum Clamp-on Rod Holder
<b>Poling Platforms</b>			
<b>Rungs</b>	3/4" & 1"	F16-2623	Adjustable, Stainless Steel Clamp-on Rod Holder
	3/4" & 1"	F31-2721	Adjustable, Aluminum Clamp-on Rod Holder
	3/4" & 1"	F41-2720	Adjustable, Plastic Clamp-on Rod Holder
<b>Legs</b>	1-1/4" & 1-1/2"	F16-2630	Adjustable, Stainless Steel Clamp-on Rod Holder
	1-1/4" & 1-1/2"	F31-2731	Adjustable, Aluminum Clamp-on Rod Holder
<b>Railing</b>			
<b>Bow Rails</b>	7/8" & 1" O.D. Tube	F16-2600	Adjustable, Stainless Steel Clamp-on Rod Holder
	7/8" & 1" O.D. Tube	F41-2700	Adjustable, Plastic Clamp-on Rod Holder

## \*I.P.S. (International Pipe Standard) Conversion Chart Schedule 40 Pipe

I.P.S.	Outer Diameter (O.D.)		Circumference	
3/4"	1-1/16"	1.050"	3-5/16"	3.299"
1"	1-5/16"	1.315"	4-1/8"	4.131"
1-1/4"	1-11/16"	1.660"	5-7/32"	5.215"
1-1/2"	1-15/16"	1.900"	6-31/32"	6.969"
2"	2-3/8"	2.375"	7-5/32"	7.461"






# How-To GUIDE

## Rigging Outrigger Guide


### Single Rigging



- › Apply small amount of tape in middle of line bundles (to avoid frayed ends).
- › Cut the bundles of line into 2.
- › Run the outrigger line up through each of the eye guides from the bottom up to the very top eye.
- › Pass line through float and then through the barrell sleeve, through the snap swivel assembly and back through the barrell sleeve.
- › Tie a double knot and then attach the release clip to swivel assembly. See Diagram.
- › Using the other end of the line, run line through the pulley.
- › Run the line through the barrel swivel, through the snap swivel assembly and back through the barrel swivel.
- › Tie a figure 8 knot and adjust slack as needed. Attach swivel assembly to the release clip.
- › Secure pulley/bungee assembly to pad eye. Remove slack by sliding the lock swivel down and/or cut off excess line on the outside of locking swivel.

The pad eyes that the bungee hooks to on the gunwale is usually installed about 6" toward the stern between the outrigger holder and the rod holder. On the T-Top the pad eye is usually hooked on the outer t-top ring so it can be easily reached.

### What is trolling? How do I use my outriggers?



When trolling with outriggers you can troll with more lines in the water, thus pulling more bait which simulates a school of fish. Outriggers will eliminate tangled lines. Each outrigger can accommodate one or two lines from your rods and reels. The line is used with a release clip that extends to the end of your outrigger. When a fish strikes your bait, the release clip will allow your fishing line to come free of the outrigger so you can reel in the fish.



## Double Rigging

- › Apply small amount of tape in middle of line bundle (to avoid a frayed end).
- › Cut the two bundles of line into 2.
- › Run the outrigger line (1) up through each of the eye guides from the bottom up to the very top eye.
- › Run top outrigger line (2) up to the 2nd from the end eye guide. Do the following for both lines (1&2):

A) Pass line through float and then through the barrell sleeve, through the snap swivel assembly and back through the barrell sleeve.


B) Tie a double knot and then attach the release clip to swivel assembly. (The adjustment screw on the release clip faces up.) See Diagram.

C) Using the other end of the line (1), run line through the pulley. Line (1) goes through the lower pulley while line (2) goes to the upper pulley.

D) Run each of the lines through the barrel swivel, through the snap swivel assembly and back through the barrel swivel.

E) Tie a figure 8 knot and adjust slack as needed. Attach swivel assembly to the lower release clip.

- › Secure double pulley/bungee assembly to pad eye. Remove slack by sliding the lock swivel down and/or cut off excess line on the outside of locking swivel.



The pad eyes that the bungee hooks to on the gunwale is usually installed about 6" toward the stern between the outrigger holder and the rod holder. On the T-top, the pad eye is usually hooked on the outer T-top ring so it can be easily reached.

# How-To GUIDE

## Basic Cast Net Throwing Guide

### STEP 1

Attach loop to left wrist. Coil rope in long, even coils and place horn in left hand, palms up.



### STEP 2

Divide the net in half and place in left hand by bringing thumbs together. Nets over 8' may require an additional fold.



### STEP 3

Folded net should hang from arms extended to pant's pocket height with lead resting on the ground.



### STEP 4

Pinch netting 1' below left hand and gather 1/4 of the weight of the net.



### STEP 5a

Bring net under left forearm,



## STEP 5b

then over left shoulder.



## STEP 6

Extend left arm out and bring to waist height. Grab the inside lead line with right hand. Crawl your fingers along to divide weight evenly among your hands.



## STEP 7

Stand 90° from your target, with your right foot forward, then pendulum swing lead behind body.



## STEP 8

Swing lead forward toward target and release when hands are directly in front of you. Keep shoulders square and let the net do the rest!



**Visit [TACOMarine.com](http://TACOMarine.com)  
to view the video**

**Visit TACOMarine.com**

Your #1 resource for TACO product  
information, instructional videos,  
downloadable design templates  
and installation guides.



**TACO**  
TACOMarine.com

**Find TACO products at your favorite marine  
retailers and on-line. For assistance  
locating the nearest marine retailer visit  
TACOMarine.com/where to buy**

**TACOMarine.com**  
**info@TACOMarine.com**  
**Tech Hotline: 1.800.653.8567**



Catalog:TSFmini  
2500 03/11