


our most popular parts and accessories • 2011–2012

parts that complete a home



imagination at work



help is here Dim lights on polished stainless steel set the perfect mood for an evening cocktail party. The refrigerator that holds tonight's hors d'oeuvre runs continuously to keep things cool and refreshing. And, the Disposall® food waste disposer ends an extra hand for the pre-party cleanup, while the dishwasher and laundry pair prepare to tackle later messes. Thanks to GE® parts and accessories, you will have the tools you need to pull off a night like this.



table of contents

Refrigeration	4-5	Laundry	12-13
Cooking	6-7	Water products	14-15
Microwave	8	Home products	16-17
Dishwasher	9	Maintenance	18-21
Disposers	10	Training tools	22
Compactors	11	Merchandising materials and displays	23



MWF

GE SmartWater™ replacement water filter

- For use in GE® and GE Profile™ refrigerators
- Automatic shut-off for easy installation
- Improved design for easier gripping of filter during installation and removal
- Smaller design uses less refrigerator interior space
- 6-month life



GSWF

GE SmartWater slim replacement water filter

- For use in GE bottom-mount and top-mount refrigerators featuring the refrigerator water filtration system
- Reduces contaminants such as lead, cryptosporidium and giardia
- Automatic shut-off for easy installation
- 6-month life



MSWF

GE SmartWater replacement water filter

- Reduces contaminants such as mercury, benzene, toxaphene and lead
- Slim design allows easy removal
- Automatic shut-off for easy installation
- 6-month life



GXSTQ AND GXRLQR

GE SmartWater system with smart replacement water filter

- Provides better-tasting water and ice by reducing chlorine and odor, and sediment
- For use on most major-brand refrigerators
- Automatic shut-off for easy installation
- 6-month life



GXRTDR

GE SmartWater in-line refrigerator filter

- Provides better-tasting water and ice by reducing chlorine taste and odor, and sediment
- Exterior filtration system
- For use on most major-brand refrigerators

refrigeration




- WX08X10002** – 2' length
WX08X10006 – 6' length
WX08X10015 – 15' length
WX08X10025 – 25' length
GE SmartConnect tubing
 An innovative plastic connection system
- Connects icemaker/water-model refrigerators to home water supply
 - GE's only approved plastic tubing
 - NSF® approved



- PM14X10056**
Appliance brush set
 Ideal for cleaning those hard-to-reach areas, including:
- Refrigerator coils
 - Dryer filters and venting
 - Air conditioner coils



- WX5X328**
Piercing valve
- Provides easy access to refrigeration sealed systems for diagnostic purposes only



- WR71X2086**
Z-Shelf
 Freezer utility shelf
- For use in 16 and 17 cu. ft. GE top-freezers and select 18 cu. ft. models
 - Designed for easy installation



- WX10X10206**
Cerama Bryte® fridge cleaner
- Cleans grease and food spills from the interior of the refrigerator or microwave
 - Great to use as a multi-surface kitchen cleaner
 - Non-toxic and safe for everyday use

Cerama Bryte is a registered trademark of Golden Ventures, Inc.



- WX10X25**
Smells Begone®
- Eliminates unwanted odors safely and quickly
 - 12-oz. spray bottle

Smells Begone is a registered trademark of the Punati Corporation

Replacement parts and cleaning accessories keep refrigerators running smoothly and looking great.



refrigeration



WX63X101

Digital thermometer/timer

- Digital countdown timer and meat thermometer in one
- Accurate roasting results every time
- Use with oven or outside grill



WB48X10055 – Small – 8-3/4" x 13-1/2"

WB48X10056 – Large – 12-3/4" x 16-1/2"

WB48X10057 – X-Large – 17" x 19-1/4"

Broiler pan/rack set

- Two-piece porcelain-coated broiler pan set
- Use for steaks, seafood, vegetables and more
- Dishwasher safe



WX9X6 – 4' length, 40-amp

WX9X7 – 5' length, 40-amp

WX9X8 – 6' length, 40-amp

WX9X10 – 4' length, 50-amp

WX9X11 – 5' length, 50-amp

WX9X12 – 6' length, 50-amp

3-wire electrical cord

- Molded-on, right-angle plug keeps cord close to wall
- Ring terminals allow for easy hookup
- For use with most standard free-standing electric ranges



WB49T10074

Lodge® cast iron pizza/roasting pan

- Durable cast iron heats food evenly
- Pre-seasoned with baked-on vegetable oil for immediate use
- Easy-to-grip loop handles

Lodge is a registered trademark of Lodge Manufacturing Company.



WX9X35 – 4' length, 40-amp

WX9X38 – 5' length, 40-amp

WX9X39 – 6' length, 40-amp


WX9X37 – 4' length, 50-amp

WX9X36 – 5' length, 50-amp

WX9X40 – 6' length, 50-amp

4-wire electrical cord

- Molded-on, right-angle plug keeps cord close to wall
- Ring terminals allow for easy hookup
- For use with most standard free-standing electric ranges



WB2X9154

Universal igniter

- Includes mounting bracket and instructions for easy installation
- Fits most major-brand ranges that take a round igniter



WX10X300

Cerama Bryte®

- Cleans and provides a protective coating for glass-ceramic cooktops
- Keeps the surface looking new and easy-to-clean
- Excellent for kitchen sinks and countertops
- Contains no phosphates
- 28-oz. bottle



WX10X305

Cerama Bryte touchups

Convenient pre-moistened wipes

- Excellent for light cleaning and quick touchups
- Quickly and easily remove fingerprints, grease, water residue and smudges
- Safe for smoothtop cooktops

**WX10X391****Cerama Bryte touchup spray**

- Excellent for light cleaning and quick touchups
- Quickly and easily remove fingerprints, grease, water residue and smudges
- Safe for smoothtop cooktops

**WX10X302****Cerama Bryte cooktop scraper**

- Single-edge razor blade in a unique two-piece plastic handle
- Removes large, burnt-on areas
- Use before cleaning with pad and Cerama Bryte cooktop cleaner

**WX10X350****Cerama Bryte pads**

Individual-use pads for cleaning glass-ceramic cooktops

- Non-woven fibers will not scratch surfaces
- Includes 4 pads (4" x 2-1/2")


**WX10X306****Cerama Bryte microfiber cleaning cloths**

Package of 2 durable household cleaning cloths

- Can be used with Cerama Bryte cooktop cleaner
- Also usable as a dusting cloth

**WX10X320****Cerama Bryte burnt-on grease remover**

- Eliminates grease and burnt-on food from glass-ceramic cooktops
- 2-oz. bottle

**PM15X103****48" universal gas range installation kit**

- Fits most major brands
- For indoor or outdoor use
- Easy to install

**WX10X117GCS****Cerama Bryte cleaning kit**

- Includes Cerama Bryte scraper, cleaning pads and 10-oz. bottle of cooktop cleaner
- Keeps ceramic cooktops looking new
- Safe on most smoothtops

The accessories you need to keep everything looking and tasting top-notch.



cooking



WX5X407

Microlite

- Provides a visual indicator for testing energy inside the cavity of a microwave oven



WX5X47

Microwave oven survey meter

- Provides an easy and inexpensive means for service techs to check microwave leakage
- Includes CHECK feature, which allows user to determine if the oven and meter are both operating properly



WX5X406

Circuit breaker

- Used to test the fuse system in a microwave oven for short circuits
- 15-amp resettable



WB2X2052

Range hood air/grease filter

Aluminum mesh filter

- For use on JV322 / JV324 / JV332 / JV334 / JV624 / JV634 range hood models



WB2X4267

Over-the-range microwave charcoal filter

Recirculating charcoal filter

- Fits convection models: JVM1190 / JVM1090 / JVM190
- Fits GE Profile™/GE® models: JVM130 / JVM131 / JVM133 / JVM140 / JVM141 / JVM150 / JVM180 / JVM192 / JVM290 / JVM640
- Fits Hotpoint® models: RVM1100 / RVM1200
- Replacement for JX81



WB2X9883

Over-the-range microwave charcoal filter kit

Recirculating charcoal filter

- Fits most GE non-convection models: JVM130 / JVM131 / JVM132 / JVM140 / JVM141 / JVM143 / JVM144 / JVM150 / JVM152 / JVM165 / JVM166 / JVM172
- Also fits models: RVM110 / RVM120 / RVM162 / LVM150



WX10X3030


Micro Bryte® microwave/appliance cleaner

- Easy-to-use spray bottle
- Quickly cleans grease and baked-on spills off all your kitchen appliances
- Non-toxic
- Contains no phosphates

Micro Bryte is a registered trademark of Golden Ventures, Inc.

microwave

Get the most out of your microwave with these quality maintenance accessories.





PM28X323
Universal 6' dishwasher connector
kit with adapter

- Braided polymer for superior bursting strength and chemical resistance
- Includes garden hose connector
- Fits most major brands



WX28X320
10' Drain hose/
10' Universal connector kit

- Easy installation for dishwasher within 10' of drain/water access
- Large port for tall tub models



PM28X319
Universal 6' dishwasher connector kit

- Braided polymer for superior bursting strength and chemical resistance
- Fits most major brands



WX28X321
10' Drain hose/
10' Universal connector kit

- Easy installation for dishwasher within 10' of drain/water access
- Small port for standard tub models



WX10X10205
Glisten™ dishwasher cleaner

- Removes built-up soap scum, food stains and discoloration
- Leaves lemon-fresh scent in dishwasher
- Monthly usage is recommended

Glisten is a trademark of Summit Brands.



WX10X10200
Dishwasher Magic®

- Removes rust and calcium buildup
- Safe for all dishwasher interiors, plumbing and septic systems

Dishwasher Magic is a registered trademark of Golden Ventures, Inc.



WX10X10204
Glisten rinse-aid

- Keeps dishwasher smelling fresh
- Eliminates odors
- Dispenses rinse aid to keep your glasses sparkling



WD35X151
Citric Acid Cleaner

- Removes mineral, scale buildup and hard water stains
- Safe for all dishwasher interiors



WX10X392
Micro Bryte appliance cleaner

- Quickly cleans dried starches (like potatoes and noodles) and greases (like bacon)
- Extra strength—3 to 4 times the strength of regular all-purpose cleaners
- Safe to use around food preparation surfaces



WX10X10019
LemiShine

- Removes tough-hard water film and buildup
- Removes lime, calcium, iron and other mineral deposits and stains
- Cleans and deodorizes your dishwasher

dishwasher

Replacement parts and products that keep your dishwasher running at peak performance for optimal cleaning.



microwave/dishwasher



GFC1020V

GE continuous feed disposer

- Heavy-duty 1 HP motor
- Super capacity
- Stainless steel, dual-swivel, anti-jam grinding blades



GFC720V

GE continuous feed disposer

- Heavy-duty 3/4 HP motor
- 3100-RPM grinding action
- Super capacity
- Stainless steel, dual-swivel, anti-jam grinding blades



GFC530V

GE continuous feed disposer

- Heavy-duty 1/2 HP motor
- 2800-RPM grinding action
- Extra-large capacity
- Stainless steel, dual-swivel, anti-jam grinding blades

GFC535V

Similar to GFC530V with attached line cord.



GFC520V

GE continuous feed disposer

- Heavy-duty 1/2 HP motor
- 2800-RPM grinding action
- Large capacity
- Stainless steel, dual-swivel, anti-jam grinding blades



GFC320V

GE continuous feed disposer

- 1/3 HP motor
- 2500-RPM grinding action
- Large capacity
- Stainless steel, dual-swivel, anti-jam grinding blades



WX10X18

Disposer Care®

Foaming cleaner for garbage disposers

- Foams away odor-causing grunge
- Safe for all disposers and will not harm pipes
- Comes with 6 individual packets

Disposer Care is a registered trademark of Summit Brands.

GFC525V

Similar to GFC520V with attached line cord.

GFC325V

Similar to GFC320V with attached line cord.

Disposer Accessories



PM3X211

Splash guard and stopper

- Fits most GE Disposall® Models
- Dishwasher safe
- Limited 1-year warranty



PM3X214

3-bolt mount adapter kit

- Allows mounting an EZ-mount disposer onto an existing 3-bolt mount system
- Includes splash guard
- Fits most GE Disposall models
- Limited 1-year warranty

*V-models available
Summer 2011

disposers*

Grind and eliminate food waste the first time, so you don't waste time.



**WC60X5015****Heavy-duty compactor bags**

- 12 heavy-duty, square compactor bags
- Fit models GCG950, GCG1000, ZCG3100, ZCG3300 and ZCG3500

WC60X5017**Heavy-duty compactor bags**

- 12 heavy-duty, square compactor bags
- Fit models GCG1200, GCG1230, GCG1520, GCG1530 and GCG1550

WX60X1**Universal compactor bags**

- 15 universal heavy-duty bags

WX60X75**Universal compactor bags**

- 75 universal heavy-duty (3 ml) compactor bags
- Dimensions: 32"H x 27"W

compactors

Bags designed to work with compactors make it easy to compact waste and make fewer trips to the trash bin.



disposers/compactors



WX7X1

Washer floor tray

Plastic pan fits under washer

- Prevents floor damage
- Protects floor from scuffs, spills and overflows
- Inside dimensions: 27" x 30" x 2"



WX14X10007

LintEater™ dryer vent cleaning system

- Cleans vents up to 12'
- Removes lint buildup
- Reduces drying times
- 10-piece kit

LintEater is a trademark of Gardus, Inc.



PM14X10002

Rubber washer hose

2-pack

- Burst-resistant
- Polyester-reinforced EPDM rubber
- Fits most major brands of washing machines



PM14X10005

Stainless steel washer hose

2-pack

- Decreases the chance for leakage at connector fittings because flexible threading ensures maximum range of motion and minimizes stress at the hose-fitting interface
- Fits most major brands of washing machines



WX5X1325

Agitator wrench T-line


- Provides an easier method for removing agitator nut on T-line washer models



WX5X1326

Agitator strap T-line

- Provides an ergonomic tool for removal of agitators from T-line washer models




PM8X73

UL®-approved universal flexible dryer duct

- Flexible design allows for ease of installation
- Made from heavy-duty 4-ply aluminum foil laminate
- 8' x 4" diameter (fully extended)

UL is a registered trademark of Underwriters Laboratories Inc.



PM08X10084

UL-approved 8' semi-rigid dryer duct kit

- Contains UL duct, two swivel elbows and steel screw clamps
- Close elbows swivel to provide ease of installation
- Designed for optimum performance



WX14X55

Dryer duct vent cleaner

Synthetic-fiber brush

- Designed to clean the unwanted lint buildup from your dryer duct

**WX17X10001****Anti-vibration pads**

- Help reduce noise and vibration from washers and/or dryers
- Protect floors
- For use with most major brands

**PM15X104****48" universal gas dryer installation kit**

- Fits most major brands
- For indoor or outdoor use
- Easy to install

**WX9X2** – 4' length, 30-amp**WX9X3** – 5' length, 30-amp**WX9X4** – 6' length, 30-amp**3-wire electrical cord**

- Molded-on, right-angle plug keeps cord close to wall
- Ring terminals allow for easy hookup
- For use with most standard free-standing electric dryers

**WX9X18** – 4' length, 30-amp**WX9X19** – 5' length, 30-amp**WX9X20** – 6' length, 30-amp**4-wire electrical cord**

- Molded-on, right-angle plug keeps cord close to wall
- Ring terminals allow for easy hookup
- For use with most standard free-standing electric dryers

**WX10X10201****Washer Magic®**

- Removes abrasives harmful to laundry
- Keeps machines working their best
- Safe for all models

Washer Magic is a registered trademark of Summit Brands.

**WX10X10011****Tide® washer cleaner**

- Helps remove odor-causing residues that can build up on the surface of a washer
- Can be used for topload or frontload washing machines
- Recommend 1 pouch per month for maintenance cleaning

Tide is a registered trademark of Procter & Gamble.

Laundry parts and products help your washer and dryer keep up with the family that doesn't slow down.



laundry



MWF

GE SmartWater replacement water filter

- For use in GE and GE Profile refrigerators
- Automatic shut-off for easy installation
- Improved design for easier gripping of filter during installation and removal
- Smaller design uses less refrigerator interior space
- 6-month life



MSWF

GE SmartWater replacement water filter

- Reduces contaminants such as mercury, benzene, oxaphene and lead
- Slim design allows easy removal
- Automatic shut-off for easy installation
- 6-month life



GSWF

GE SmartWater slim replacement water filter

- For use in GE bottom-mount and top-mount refrigerators featuring the refrigerator water filtration system
- Reduces contaminants such as lead, cryptosporidium and giardia
- Automatic shut-off for easy installation
- 6-month life



GXSTQ AND GXRLQR

GE SmartWater system with smart replacement water filter

- Provides better-tasting water and ice by reducing chlorine taste and odor, and sediment
- 1/4-turn in-line filter
- For use on most major-brand refrigerators
- Automatic shut-off for easy installation
- 6-month life



GXFM07HBL

GXFM07HBL

GE lead/cyst faucet mount with 1 filter included

Convenient and versatile filtered stream and spray features

- LED lights flash while dispensing water and as a reminder to change the filter and battery
- Eliminates up to 99% of lead in drinking water and removes 99.99% of cysts
- Reduces chlorine taste and odor, sediment, rust, bad tastes and odors
- No tools required for installation
- 100-gallon/3-month-capacity filter included; replacement filters FXMLH are easily installed



- FXMLH**
GE lead/cyst replacement filter—dual-packed filter
 2-pack replacement filters for GXFM07HBL and GXFM07HWW
- Reduces lead and cysts
 - 3-month life



- GXSM01HWW**
Shower filter system
- Reduces effects of chlorine on skin and hair
 - Decreases chlorine odor, rust and sediment
 - Easy-to-install filter does not require the use of tools
 - 6-month life

Replacement filter – FXSCH



- GXRTDR**
GE SmartWater in-line refrigerator filter
- Exterior filtration system
 - Provides better-tasting water and ice by reducing chlorine taste and odor, and sediment
 - For use on most major-brand refrigerators



- ADAPTER**
GE SmartWater refrigerator filter adapter
- For use in GE refrigerator water filtration systems that use Water by Culligan replacement filters FXRT and FXRC
 - No tools required for installation

Water products
 keep your water
 clean, clear
 and free from
 contaminants.



water



WX05X10075
Scratch-B-Gone™
professional contractor kit

- Simple four-step process provides an easy alternative for repairing scratched stainless steel surfaces
- Process consists of masking, sanding, blending and polishing the stainless steel appliance
- Restores 80–100 scratches

2-oz. cleaning solution refills – WX05X10076

Scratch-B-Gone is a registered trademark of Restore It Yourself, Inc.



WX05X10210
Scratch-B-Gone
homeowner kit

- Easy-to-use kit removes scratches from stainless steel
- Works on appliances, grills, sinks and more
- Kit contains 20–25 applications



PM10X311
Cerama Bryte stainless steel
appliance cleaner

- Cleans, polishes and protects stainless steel surfaces
- Removes fingerprints, water spots and food stains
- Contains mineral oil to help protect from future spots and leaves a protective shine
- Applies quickly and easily



WX10X305
Cerama Bryte touchups

Convenient pre-moistened wipes

- Excellent for light cleaning and quick touchups
- Quickly and easily remove fingerprints, grease, water residue and smudges
- Safe for smoothtop cooktops



WX10X307
Cerama Bryte stainless steel polishing
cloths

Package of 2 cloths

- Ideal for maintaining a streak-free, even finish on stainless steel appliances
- Can be used with stainless steel cleaning polish and conditioner



WX10X308
E-cloth®

- An environmentally friendly cleaning alternative
- Cleans with just water
- Contains 1 green microfiber general-purpose cloth and 1 blue glass/polishing cloth

E-cloth is a registered trademark of EnviroProducts, Ltd.



WX14X10002 – Magnet counter
WX14X10001 – Suction counter
WX14X10003 – Band counter
DaysAgo counter

- Digital day counter allows you to track days and hours from when a product is opened
- Simple, one-button operation
- Attaches to a variety of surfaces
- Reusable and versatile



WX05X12009
Slides

- Roll appliances or furniture onto slides to prevent damage to floors
- Easy to carry
- 2-pack

**40A15RVL****Reveal® appliance bulb 2-pack**

- Specially made to filter out yellow rays that hide life's true colors
- Produces clean, whiter light
- Use in ranges and refrigerators
- 40-watts, 15-volts

**60A15RVL****Reveal appliance bulb 2-pack**

- Specially made to filter out yellow rays that hide life's true colors
- Produces clean, whiter light
- Use in ranges and refrigerators
- 60-watts, 15-volts

**40A15****Appliance bulb**

- Can be used for ranges, freezers, refrigerators, range hoods and microwave ovens
- 40-watts

WR02X12207**240-volt international bulb****40A15-2PK****Appliance bulb 2-pack**

- For use in ranges and refrigerators
- 2 bulbs per package
- 40-watts, 15-volts

**WX12X10017****Power failure light**

- Automatically turns on when power fails, providing up to 4 hours of light
- LED night light with built-in photo sensor automatically turns on at dusk and off at dawn (remove light from outlet to use the LED flashlight feature)
- Can be used as a flashlight with up to 6 hours of light
- Rechargeable battery keeps light charged when plugged in
- Perfect for use as emergency lighting in halls, stairways and more
- Plugs into any 120V outlet

These accessories are designed to make life a little simpler around the home.



home products



WX5X1

Lokring® tool

- Provides an alternate non-brazing repair method for sealed system component replacements
- Connectors sold separately (see pages 20–21)



WX5X351

Torx bit set

- Contains all required bits to remove security screws used on GE® products



WJ56X61

Process tube

- Provides a permanent connection for sealed air conditioner systems once they have been accessed



WX5X264

Universal electric adaptor

- Allows performance of a direct test on GE air conditioning compressors



WX5X421

Leak-seeker

- Detects R-134a and blend refrigerants
- 18" flex probe for one-hand operation
- 10 LED visual leak size indicators, calibrated to % concentration
- Built-in selective filter eliminates false alarms



WX05X10205

Temperature probe


- Measures air temperature from –40° to 482°F
- Delivers fast response and can be used with any multi-meter or thermometer with a Type K temperature function and a sub-miniature socket



WX05X12000

Heat gun

- Delivers 250°F to 1100°F of forced heat to aid in the removal of ice from freezer



WX6X30

Westape

Pipe-wrapping tape

- Moisture-resistant and anti-corrosive
- Adheres to metal and plastic



WR88X16

Lokprep (anaerobic liquid)

- Provides a moist surface for tube ends to slide into
- Settles in the unevenness of the tube surface and hardens



WX5X604

ExTech 400A AC clamp meter

- 2000 count LCD display
- High accuracy for current measurements
- 0.9" (23mm) jaw size
- Continuity beeper and diode test
- Data hold, max hold
- Overload protection for all ranges
- Complete with test leads, case and two AAA batteries



WX5X370
Sofchek® water hardness
test strips

- Delivers a reliable measure of water hardness in 15 seconds
- Packaged 50 to a bottle for professionals requiring a quick, reliable method of on-site testing

Sofchek is a registered trademark of Hach Company.



WX5X8926
Thermo-Trap™

Heat-absorbing paste

- Designed to isolate heat encountered in soldering, welding and brazing
- Prevents damage to nearby heat-sensitive controls, fittings or other material



GE® APPLIANCE TOUCH-UP PAINT
.6 oz. bottle

- Brush-end applicator for easy fixes
- WR97X10112 Platinum Gray (WPGT9360EPL)
 WR97X10113 Hotpoint Warm Metallic
 WR97X10114 Granite Gray (DCVH660EHGG)
 WR97X10122 Graphite Metallic (DSHM5PGXBG)
 WR97X10123 Mabe Gray - Case color for plastic liner
 WR97X10124 Metallic Silver (WCVH6800JOMS)
 WR97X10127 Champagne (WPGT9150HMG)
 WR97X10128 Metallic Red (WCVH6800JOMR)
 WR97X10130 Vermillion Red (WPDH8800JOMV)
 WR97X10131 Champagne - Front Load (WPDH8800JOMG)
 WR97X10133 Goldenboy Grey - Case color for Samsung



.5 oz. stick

- 2-in-1 applicator with rollerball tip and brush end

WR97X204 Almond
 WR97X212 Snow White (1980 to present)
 WR97X243 Black
 WR97X10016 Bisque
 WB64X5021 Cavity White
 WB64X5025 White & Almond porcelain kit

12 oz. spray can

WR97X183 White (pre 1980)
 WR97X213 Snow White (1980 to present)
 WR97X233 Black Onyx
 WJ83X58 Warm Gray Beige (RAC case)



GE has the tools
 you need for home
 projects, small repairs,
 and everything
 in between.



maintenance

Connectors

Additional Tools

WX05X10006	WIHA 4 MM Socket
WX05X10050	Cap Tube Cutter
WX05X10102	Belt Install Tool
WX05X10300	Disposal Un-Jam Tool
WX05X14999	Harness
WX5X1000	Sup Glue Gel
WX5X1005	10ML Thread Lok Comp
WX5X140	Canister Wrench
WJ56X61	Charge Valve
WX5X19	Extract Tool
WX5X260	Ret Ring Ins
WX5X3002	Canister Wrench
WX5X348	Tri Wing Bit
WX5X426	Temp Probe
WX5X47	Meter
WX5X550	Gas Trap
WX5X6275	T Bearng Kit
WX5X6280	Tool Hub Nut
WX5X700	Ref Shim/10
WX5X740	Svc Mn Tstkt
WX5X86	Bulb
WX5X8927	Thermo Paste

Fittings/Couplings For WX5X1 Lokring® Tool

WX5X516	5/16" Jaw*
WX5X38	3/8" Jaw*
WX5X50	1/2" Jaw*
WX05X10011	Insert End Cap 11Mm
WX05X10014	Insert End Cap 1/4
WX05X10516	Insert End Cap 5/16
WX05X10085	Insert End Cap 8.5Mm
WX05X10038	Insert End Cap 3/8
WX05X10010	Insert End Cap 10Mm
WX05X14528	Bending Tool
WX5X328	Pierce Valve
WR97X10014	3/8" – 3/8" Brass Connector
WR97X10021	5/16" – 5/16" Brass Connector
WR97X10022	3/8" – 3/8" Alum. Long Connector
WR97X10023	3/8" – 5/16" Alum. Long Reducer
WR97X10024	5/16" – 3/8" Brass Reducer
WR97X10030	3/16" – 3/16" Brass Connector
WR97X10031	1/4" – 1/4" Brass Connector
WR97X10032	1/4" – .079" Brass Reducer
WR97X10033	1/4" – 5/32" Brass Reducer
WR97X10034	1/4" – 3/16" Brass Reducer
WR97X10035	5/16" – .079" Brass Reducer
WR97X10036	5/16" – 1/4" Brass Reducer
WR97X10037	5/32" – .079" Brass Reducer
WR97X10038	3/16" – .079" Brass Reducer
WR97X10039	5/16" – 5/16" Brass Cplg w/Schrader Valve
WR97X10040	1/4" – 1/4" Brass Cplg w/Schrader Valve
WR97X10042	3/16" – 3/16" Alum. Connector

* Quantity 1. Requires 2.



maintenance

WR97X10043	1/4" - 1/4" Alum. Connector
WR97X10044	5/16" - 5/16" Alum. Connector
WR97X10045	3/8" - 3/8" Alum. Connector
WR97X10046	1/8" - 1/8" Brass Connector
WR97X10062	1/4" - 1/4" Brass Elbow
WR97X10048	3/8" - 1/4" Brass Reducer Elbow
WR97X10049	3/8" - 5/16" Brass Reducer Elbow
WR97X10050	3/8" - 1/4" Brass Reducer Cplg
WR97X10051	5/16" - 1/4" Alum. Reducer Cplg
WR97X10052	3/8" - 1/4" Alum. Reducer Cplg
WR97X10053	3/8" - .079" Brass Reducer Cplg
WR97X10054	.079" - .079" Brass Connector
WR97X10056	3/8" - 3/8" Brass Elbow
WR97X10047	5/16" - 5/16" Brass Elbow
WR97X10057	1/4" Ext Compressor Stub
WR97X10058	.275" Ext Compressor Stub
WR97X10059	5/16" Ext Compressor Stub
WR97X10060	.334" Ext Compressor Stub
WR97X10061	3/8" Ext Compressor Stub
WR97X10063	.295" Ext Compressor Stub
WR97X10064	1/4" Stopper
WR97X10065	5/16" Stopper
WR97X10066	.393" Ext Compressor Stub
WR97X10067	.087" - .087" Brass Connector
WR97X10068	5/16" - .087" Brass Reducer
WR97X10069	3/8" - .087" Brass Reducer
WR97X10070	3/16" - 1/8" Brass Reducer
WR97X10072	1/4" - .087" Brass Reducer

WR97X10073	3/16" - .087" Brass Reducer
WR97X10074	5/16" - 3/16" Brass Reducer
WR97X10075	3/16" - 5/32" Brass Reducer
WR97X10076	.335 - 1/4" Brass Reducer
WR97X10077	.276" - 1/4" Brass Reducer
WR97X10078	.335 - 5/16" Brass Reducer
WR97X10079	5/16" - 2.76" Brass Reducer
WR97X10080	.295" - .276" Brass Reducer
WR97X10081	.295" - 1/4" Brass Reducer
WR97X10082	3/16" - .071" Brass Reducer
WR97X10083	5/32" - .071" Brass Reducer
WR97X10084	5/16" - .071" Brass Reducer
WR97X10085	1/4" - .071" Brass Reducer
WR97X10086	3/8" - .071" Brass Reducer
WR97X10087	.354" Ext Compressor Stub
WR97X10088	.355" Brass Stopper
WR97X10089	.256" - 1/4" Brass Reducer
WR97X10090	.256" - 3/16" Brass Reducer
WR97X10091	3/8" - 5.16" SS Brass Reducer
WR97X10092	5/32" - 1/8" Brass Reducer
WR97X10093	1/4" - 1/8" Brass Reducer
WR97X10094	5/16" - .295" Brass Reducer



Training guides



Refrigerators

WX05X30006
Electronic refrigerator
WX05X30009
42" and 48" refrigerators
WX05X30011
GE top-freezer refrigerator
WX05X30013
GE Monogram® side-by-side refrigerator
WX05X30014
GE Monogram bottom-freezer refrigerator

Cooking products

WX05X30012
30" free-standing

range

Clothes care

WX05X30002
Harmony™ dryer
WX05X30003
Harmony washer
WX05X30004
Frontload dryer
WX05X30005
Frontload washer
WX05X30010
Front-service washer and dryer

Dishwasher

WX05X30008
SmartDispense™ dishwasher

Air conditioning

WX05X30007
Zoneline® and vertical RAC

Displays included with product purchase. GE reserves the right to substitute or discontinue materials at their discretion. Please contact your Area Sales Manager for the most up-to-date list of merchandising materials.

Inserts



Parts Distributor Insert – cleaners

Insert featuring cleaners for stainless steel appliances and ceramic cooktops.
Pub. No. 44-F018
\$ NO CHARGE



Parts Distributor Insert – filters

Insert featuring water filters (MWF, MSWF, GSWF) and faucet mount, shower filter and icemaker.
Pub. No. 44-F028
\$ NO CHARGE



Parts Distributor Insert – cooking/laundry

Insert featuring cooking accessories and laundry parts.
Pub. No. 44-F038
\$ NO CHARGE

Displays



MWF filter display

Empty counter display that holds 24 MWF water filters. 34.25" W x 59" D x 59" H.
Part No. MWFCounter



Tide washing machine cleaner

Contains 6 boxes of Tide cleaner with 3 pouches in each box.
Part No. WX10X10010



Broiler pan display

34.25" W x 12" D x 59.5" H. display can hold
5 WB48X10055DS (Small)
15 WB48X10056DS (Large)
10 WB48X10057DS (X-Large)
Part No. BPDdisplay



Hose display

Accommodates 24, 2-packs of 4' heavy-duty stainless steel hoses with non-corrosive coating (PM14X10005) and 24, 2-packs of 4' burst-resistant extra-durable rubber hoses (PM14X10002).
23.5" W x 23.5" D x 52" H
Part No. hose-display

Indoor signage



GE posters

24" x 18" poster
Pub. No. 44-D208
\$2.50 ea.



GE banners

36" x 31" vinyl banner
Dowel rods top and bottom. End caps on top rod.
Pub. No. 44-D238
\$12.00 ea.



GE floor decals

18" x 14" 4-mil. vinyl floor decals
Pub. No. 44-D008
\$10.00 ea.



GE window decals

9" x 9" vinyl decal
Pub. No. 44-D248
\$2.00 ea.



GE Parts counter mat

Parts counter mat with inset window
Pub. No. 44-COUNTMAT
\$7.75 ea.



GE product line store headers

Includes the 7 product line headers plus 1 parts header. (Set of 8). 28" x 8"
Pub. No. 44-D218 \$40 set



GE seasonal display headers

28"W x 8"H display headers.
44-X110A – Water
44-X110B – Cooking
44-X110C – Vacation
44-X110D – Cleaning
\$10.00 ea.

Parts decals

18"W x 12"H adhesive decals.
44-X119 – Water Filters (Eng.)
44-X120 – Genuine Parts (Eng.)
44-X121 – Water Filters (Sp.)
44-X122 – Genuine Parts (Sp.)
\$6.00 ea.

Accessories



GE clock

12" diameter wall clock.
Blue GE logo, white background.
Pub. No. 44-D178
\$12.00 ea.



GE stool

Four-legged chrome bar stool featuring padded seat with GE logo in blue.
Pub. No. 44-D188
\$55.00 ea.

Replacement seat

Pub. No. 44-D198
\$30.00 ea.



GE Parts plastic shopping bag

18" x 18" plastic shopping bag with patch handle.
Pub. No. 44-X046
\$0.12 ea.

Training tools and merchandising materials give technicians the appliance information they need for sales and/or repairs.



training/merchandising

GECustomerNet.com

The ultimate online
GE resource with
24-hour accessibility



Register in 4 easy steps

Step 1.

Go to www.GECustomerNet.com and click the Register Now! link to begin your registration. (You must have a valid GE account number to begin this process. If you do not, please see your Area Sales Manager.)

Step 2.

Complete the information in all required fields marked with a red triangle, then click Submit.

Step 3.

Read through the consent terms pop-up window and click OK.

Step 4.

Complete the information about your company, fill in your five-digit parts account number in the parts field and choose your User Role. The user role defines your level of authority within the application. You can choose from parts owner, parts buyer or parts sales. If you are unsure of your specific role, click on User Role description for a chart of user definitions. Once selected, an e-mail is sent to the owner of the account for approval.

After approval, you are ready to begin using GE CustomerNet!

Customer Support

GE CustomerNet help is available from 8 a.m. to 6 p.m. EST, Monday through Friday. Call the GE help desk at 1.800.242.1333 to reach a dedicated technical support representative.



GE Appliances & Lighting
General Electric Company
Louisville, KY 40225
geapplianceparts.com

877.959.8688
Mon.-Fri. 7 a.m.-6 p.m. CST
Sat. 7 a.m.-4 p.m. CST

GE has a policy of continuous improvement of its products and reserves the right to change materials and specifications without notice.

© 2011 General Electric Company
Pub. No. 44-X105 PC65434