



**BOSCH**

Invented for life

**Bosch Home Appliances**

North America Corporate Office

5551 McFadden Avenue

Huntington Beach, CA 92649

1.800.944.2904

[www.bosch-home.com/us](http://www.bosch-home.com/us)

[www.Lowes.com/boschappliances](http://www.Lowes.com/boschappliances)



©2011 BSH Home Appliances Corporation. ©2011 BSH Home Appliances Ltd. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH. All information presented herein is based on data available at the time of printing and is subject to change without notice.

# Built-in Cooking Guide



**BOSCH**

Invented for life



Let's Build Something Together™

© 2011 by Lowe's® All rights reserved. LOWE'S and gable design are registered trademarks of LF, LLC. LET'S BUILD SOMETHING TOGETHER is a trademark of LF, LLC.

# Induction Cooktops



Our induction cooktops are engineered to funnel heat directly to a pan instead of the cooktop for groundbreaking cooking precision and power. Bosch induction cooktops boil water twice as fast as electric cooktops. Additionally, our 800 Series units offer our unique AutoChef™ technology and luxurious SteelTouch™ controls.

## **Does your customer have children at home?**

*Induction burners are safe to touch even while on.*

## **Is your customer wishing they could have a gas cooktop?**

*Bosch Induction offers instant heat reaction in the pan similar to gas cooking.*

### **Complementary Models:**

**Bosch Wall Oven**  
HBL8450UC/16228



**Bosch Ventilation**  
DKE9465MUC/192612





Model NIT8665UC/314500 shown with DKE9665PUC/197685 hood



# 30" Induction Cooktop Step-up Features

Bosch induction cooktops can be paired with all Bosch vent hoods.



Model shown:  
NIT3065UC/122529



Model shown:  
NIT5065UC/314497

**FREE PAN\***  
INCLUDED



Model shown:  
NIT8065UC/314499

300 Series Black	500 Series Stainless Steel	800 Series Stainless Steel
SpeedBoost™ 3,600 W	SpeedBoost™ 3,600 W	SpeedBoost™ 3,600 W
11" Element	11" Element	11" Element
ChildLock	ChildLock	ChildLock
Shut-off Timer – All Elements	Shut-off Timer – All Elements	Shut-off Timer – All Elements
CountDown Timer	CountDown Timer	CountDown Timer
Residual Heat Indicator	Residual Heat Indicator	Residual Heat Indicator
Touch Control +/-	Touch Control +/-	SteelTouch™
No Frame	Stainless Steel Trim	Stainless Steel Trim
	PreciseSelect™	PreciseSelect™
	CleanLock	CleanLock
		AutoChef™
		AutoChef™ Pan Included*

\*Via mail-in redemption card.

## 36" Induction Cooktop Step-up Features

Bosch induction cooktops can be paired with all Bosch vent hoods.

**FREE PAN\***  
INCLUDED



Model shown:  
NIT5665UC/314498



Model shown:  
NIT8665UC/314500

500 Series Stainless Steel	800 Series Stainless Steel
SpeedBoost™ 4,400 W	SpeedBoost™ 4,400 W
11" Element	11" Element
ChildLock	ChildLock
Shut-off Timer – All Elements	Shut-off Timer – All Elements
CountDown Timer	CountDown Timer
Residual Heat Indicator	Residual Heat Indicator
Touch Control +/-	SteelTouch™
Stainless Steel Trim	Stainless Steel Trim
PreciseSelect™	PreciseSelect™
CleanLock	CleanLock
	AutoChef™
	AutoChef Pan Included*

\*Via mail-in redemption card.



## PreciseSelect™ with SteelTouch™\*

### Benefits

Faster, more intuitive operation of the cooktop.

### Description

The PreciseSelect™ feature lets you choose cooking levels with the touch of a finger. Our 800 series model with SteelTouch™ stainless controls provides a more responsive operation than the traditional touch on glass cooktops.

**800 Series**



\*SteelTouch™ is only available on the 800 Series.

**500 Series**



**300 Series**



## CountDown Element Shut-off Timer

### Benefits

More convenient, hassle free operation of the cooktop while multi-tasking in the kitchen.

### Description

A timer can be set from 1 to 99 minutes for every element—individually or simultaneously. The element will shut off after the time is elapsed. A separate kitchen timer is also available to time other kitchen activity.



**800 Series**



**500 Series**



**300 Series**





\*Free with  
mail-in  
redemption  
card.



## AutoChef™

### Benefits

Takes the guesswork out of knowing the right temperature level while cooking. No adjustment needed. The result: perfect pancakes everytime.

### Description

Nine auto-cook programs for specific types of food and four heating levels bring the pan to the perfect temperature and keep it consistent.

**800 Series**

30" 36"  
☒ ☒

**500 Series**

☐ ☐

**300 Series**

☐



## SpeedBoost™

### Benefits

Faster time to boil. Adds an additional 50% of power on to the element performance.

### Description

The SpeedBoost™ feature brings food to the highest temperature desired for 10 minutes and reverse back to pre-determined settings. This can be used on any cooking zone. It increases the element output to a maximum of up to 4,400 Watts.\*\*

### Nine AutoChef™ Cooking Programs

P1 Ground meat

P2 Hamburger, Pork Chop

P3 Steak rare medium

P4 Steak medium or well done


P5 Fish

P6 Pancakes, French Toast

P7 Frozen oven french fries

P8 Stir-fried vegetables

P9 Omelette, eggs



**800 Series**

30" 36"  
☒ ☒

**500 Series**

☒ ☒


**300 Series**

☒


\*\*4,400 Watts available on the  
500 and 800 Series 36" cooktops.

# Induction Cooktop Dimensions and Installation

## 36" Series Models



## 30" Series Models




\* Minimum distance from the cooktop cutout to the wall

\*\* Installed depth includes 1" of air clearance

\*\*\* Minimum distance between surface of the cooktop and lower edge of the exhaust hood

# Downdraft Installation with Induction Cooktop



Note: All dimensions are for current Bosch products.

For detailed electrical and gas hookups, please refer to cooktop installation instruction.

— Cutout

- - - Full appliance dimension

For installation of wall oven with Bosch induction cooktop, please refer to wall oven section on p. 46.

# Gas Cooktops

Bosch brings the power of gas into a truly versatile cooktop. A High BTU output burner delivers a range of flame settings, while a low-output burner provides gentle simmering. The 800 Series 30" model offers an impressive five burners while saving countertop space. OptiSim® and PowerSim® burners offer the perfect flexibility for both slow cooking sauces and searing meats.

## **Is your customer a big cooktop user who only has a 30" countertop cutout?**

*Bosch's 5 burner, 30" 800 Series cooktop is the perfect solution.*

## **Does your customer make a lot of sauces that require both fast boiling and slow simmering?**

*Look for a Bosch cooktop with PowerSim® or OptiSim®.*

### **Complementary Models:**

---

#### **Bosch Wall Oven** HBL8450UC/16228



---

#### **Bosch Ventilation** DPH36652UC/173634






Model NGM8654UC/300965 shown with DKE9665PUC/197685 glass canopy hood




# 30" Gas Cooktop Step-up Features


Bosch gas cooktops can be paired with all Bosch vent hoods.



Model shown:  
NGM3054UC/125769



Model shown:  
NGM5054UC/300967




Model shown:  
NGM8054UC/300973

300 Series	500 Series	800 Series
Automatic reignition	Automatic reignition	Automatic reignition
Deep Recessed Spill Areas	Deep Recessed Spill Areas	Deep Recessed Spill Areas
14,000 BTU Power Burner	16,000 BTU Power Burner	16,000 BTU Power Burner
	OptiSim®	OptiSim®
		PowerSim®
		30" Five-burner Cooktop
		Stainless Knobs

LP Conversion Kit Accessory NEZ1054/300972 must be purchased by customer to convert cooktop to LP.

## 36" Gas Cooktop Step-up Features

Bosch gas cooktops can be paired with all Bosch vent hoods.



Model shown:  
NGM3654UC/127419



Model shown:  
NGM5654UC/300970



Model shown:  
NGM8654UC/300965

300 Series	500 Series	800 Series
Automatic reignition	Automatic reignition	Automatic reignition
Deep Recessed Spill Areas	Deep Recessed Spill Areas	Deep Recessed Spill Areas
14,000 BTU Power Burner	16,000 BTU Power Burner	18,000 BTU Power Burner
	OptiSim®	OptiSim®
		PowerSim®
		Stainless Knobs

LP Conversion Kit Accessory NEZ1054/300972 must be purchased by customer to convert cooktop to LP.




## 30-inch Five-burner Cooktop

### Benefits

The versatility of a five burner cooktop in a compact 30" design.

### Description

In applications where space is limited, this cooktop provides the performance of a five burner unit in a 30" format.



800 Series

30" 36"



500 Series



300 Series



## OptiSim® Burner

### Benefits

Simmer even the most sensitive sauces or melt chocolate by evenly spreading the flame across the bottom of the pot to prevent scorching.

### Description

Smaller-sized burner designed for delicate applications.



800 Series

30" 36"



500 Series



300 Series





## PowerSim® Burner

### Benefits

This burner provides flexibility by allowing the user to heat quickly and simmer gently.

### Description

Available on our largest burner, PowerSim® uses a diffuser cap to produce a large flame of up to 18,000 BTU for quick heating and can gently simmer like a small burner.

	30" 36"	
800 Series	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
500 Series	<input type="checkbox"/>	<input type="checkbox"/>
300 Series	<input type="checkbox"/>	<input type="checkbox"/>



## Automatic Reignition

### Benefits

Automatically relights the burner should a draft or spill extinguish it.

### Description

The automatic reignition senses when the flame is not present and automatically generates a spark to reignite the burner.




	30" 36"	
800 Series	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
500 Series	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
300 Series	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>


# Gas Cooktop

## Dimensions and Installation

### 36" Series Models




### 30" Series Models



**Note:** Dimensions are for planning only. For details, see installation manual, or visit [www.bosch-home.com/us](http://www.bosch-home.com/us). Specifications subject to change without notice. For immediate installation dimensions by fax, call 1.925.284.3558. Use code #8317 for a directory of Bosch products. Also available online at [dexpro.com](http://dexpro.com).

# Downdraft Installation with Gas Cooktop



For installation of wall oven with Bosch gas cooktop, please refer to wall oven section on p. 47.

# Electric Cooktops

With the simple elegance of the ceramic-glass cooking surface, Bosch electric cooktops offer dual cooking elements to accommodate a wide variety of pan sizes. Exclusive features in the 800 Series, temperature precise cooking with AutoChef and luxurious SteelTouch™ controls take cooking to the next level.

## Does your customer struggle to cook consistently?

*AutoChef® cooking programs assist users in preparing popular pan dishes by setting the cooktop to the exact temperature necessary for perfect results every time.*

## Does your customer boil pasta and sear meats frequently?

*Recommend PowerStart® to get burners to high temperatures quickly.*

## Complementary Models:

### Bosch Combination Wall Oven

HBL5750UC/40503



### Bosch Downdraft

DHD3614UC/300959





Model NET8654UC/314504 shown with 10" AutoChef™ Pan HEZ390230/122548\*  
\*AutoChef™ Pan included via mail-in rebate.



# 30" Electric Cooktop Step-up Features

Bosch electric cooktops can be paired with all Bosch vent hoods.

**FREE PAN\*\***  
INCLUDED



Model shown:  
NEM3064UC/122524



Model shown:  
NET5054UC/314502



Model shown:  
NET8054UC/314503

300 Series	500 Series	800 Series
Dual Element(s)	Dual Element(s) and Bridge Element	Three zone 12" heating element and Dual Element*
Heat Indicator	Two Level Heat Indicator	Two Level Heat Indicator
Black Knobs with Stainless Bezel	Touch Control +/-	SteelTouch™
	PreciseSelect™	PreciseSelect™
	CountDown Timer-All Elements	CountDown Timer-All Elements
	CleanLock	CleanLock
		PowerStart™
		AutoChef™
		AutoChef™ Pan Included**

\* Available on select models.

\*\* Via mail-in redemption card.

# 36" Electric Cooktop Step-up Features

Bosch electric cooktops can be paired with all Bosch vent hoods.

**FREE PAN\*\***  
INCLUDED



Model shown:  
NEM3664UC/314501



Model shown:  
NET5654UC/122531



Model shown:  
NET8654UC/314504

300 Series	500 Series	800 Series
Dual Element(s)	Dual Element(s) and Bridge Element	Three zone 12" heating element and Dual Element*
Heat Indicator	Two Level Heat Indicator	Two Level Heat Indicator
Black Knobs with Stainless Bezel	Touch Control +/-	SteelTouch™
	PreciseSelect™	PreciseSelect™
	CountDown Timer-All Elements	CountDown Timer-All Elements
	CleanLock	CleanLock
		PowerStart™
		AutoChef™
		AutoChef™ Pan Included**

\* Available on select models.

\*\* Via mail-in redemption card.



## PowerStart™

### Benefits

Get a perfect sear on your steak or boil milk without spillovers.

### Description

The PowerStart feature brings food to the highest temperature desired in the shortest period of time and holds it at that point. Boilovers are a thing of past!



**800 Series**

30" 36"  
☒ ☒

**500 Series**

☒ ☐

**300 Series**

☐ ☐



## Multiple Zone

### Benefits

Allows for more convenient, hassle-free operation of the cooktop while multi-tasking in the kitchen.

### Description

Enjoy the flexibility of using any pan size with the dual and triple ring elements. If you have a pan, we have an element to fit it on. Sized from as small as 5" to as big as 12", get the most efficiency from your cooktop.



**800 Series**

30" 36"  
☒ ☒

**500 Series**

☒ ☒

**300 Series**

☒ ☒



\*Free with  
mail-in  
redemption  
card.



## AutoChef™

### Benefits

Takes the guesswork out of knowing the right temperature level while cooking. No adjustment needed. The result: perfect pancakes everytime.

### Description

Nine auto-cook programs for specific types of food and four heating levels bring the pan to the perfect temperature and keep it consistent.

**800 Series**

30" 36"  
☒ ☒

**500 Series**

☐ ☐

**300 Series**

☐ ☐

### Nine AutoChef™ Cooking Programs

P1 Ground meat

P2 Hamburger, Pork Chop

P3 Steak rare medium

P4 Steak medium or well done

P5 Fish

P6 Pancakes, French Toast

P7 Frozen oven french fries

P8 Stir-fried vegetables

P9 Omelette, eggs



## PreciseSelect™ With SteelTouch™\*\*

### Benefits

Faster, more intuitive operation of the cooktop.

### Description

The PreciseSelect™ feature lets you choose cooking levels with the touch of a finger. On 800 series models, SteelTouch™ stainless controls provide a more responsive operation than the traditional touch on glass cooktops.



**800 Series**

30" 36"  
☒ ☒

**500 Series**

☒ ☒

**300 Series**


☐ ☐

\*\*SteelTouch™ is only available on the 800 Series.


# Electric Cooktop

## Dimensions and Installation

### 36" Series Models



### 30" Series Models




\* Minimum distance from the cooktop cutout to the wall

\*\* Maximum cutout depth

\*\*\* Minimum distance between surface of the cooktop and lower edge of the exhaust hood

**Note:** Dimensions are for planning only. For details, see installation manual, or visit [www.bosch-home.com/us](http://www.bosch-home.com/us). Specifications subject to change without notice. For immediate installation dimensions by fax, call 1.925.284.3558. Use code #8317 for a directory of Bosch products. Also available online at [dexexpress.com](http://dexexpress.com).

## Electric Cooktops 25



# Ventilation

Bosch's super-efficient, high-performance ventilation products complete any Bosch kitchen package. Capable of up to 600 CFM, they quickly remove steam, odors, grease and smoke without adding distracting noise. Almost all Bosch ventilation products, including downdraft models, offer the flexibility of recirculation.

## **Does your customer frequently boil or pan fry food?**

*Recommend a higher cfm to more efficiently remove steam, smoke and odors from high-powered cooking.*

### **Complementary Models:**

---


#### **Bosch Wall Oven** HBL3450UC/13137



---

#### **Bosch Ventilation** NIT8665UC/314500







# Ventilation Step-up Features

## Under-Cabinet Wall Hood



Model shown:  
DUH30152UC/199394  
DUH36252UC/201987



Model shown:  
DUH30252UC/200675  
DUH36252UC/201987



Model shown:  
DPH30652UC/173138  
DPH36652UC/173634

300 Series	500 Series	800 Series
Dishwasher-safe Mesh Filters	Dishwasher-safe Mesh Filters	Dishwasher-safe Mesh Filters
Top or Rear Venting Options	Top or Rear Venting Options	Top or Rear Venting Options
Recirculation option available	Recirculation option available	Recirculation option available
Incandescent Light	2 Halogen Lights	1 Incandescent Light
3 Power Levels	4 Power Levels	2 Power Levels
280 CFM Blower Included	400 CFM Blower Included	600 CFM Blower Included
		Professional-style Wall Hood

# Ventilation Step-up Features

## Chimney Wall Hood



Model shown:  
DKE9305AUC/286592  
DKE9365AUC/286593



Model shown:  
DKE9405MUC/192609  
DKE9465MUC/192612



Model shown:  
DKE9605PUC/195305  
DKE9665PUC/197685

300 Series	500 Series	800 Series
Pyramidal Style for traditional kitchens	Modern and Slim box design	Sophisticated Glass Canopy
Dishwasher-safe Mesh Filters	Dishwasher-safe Mesh Filters	Dishwasher-safe Mesh Filters
Incandescent Light	2 Halogen Lights	2 Halogen Lights
3 Power Levels	4 Power Levels	4 power levels
400 CFM Blower Included	600 CFM Blower Included	600 CFM Blower Included
Sound Rating:* 58 dBA	Sound Rating:* 53 dBA	Sound Rating:* 54 dBA
	Recirculation option available	Recirculation option available
		Seven Segment Digital display

\*Sound has been measured at Power Level 1.

# Ventilation Step-up Features

## Special Hood



Model shown:  
DIE165RUC/192590



Model shown:  
DHL755BUC/184983



Model shown:  
DHD3014UC/300958  
DHD3614UC/300959

Island (I)	Custom Insert (C)	Downdraft (D)
Perfect Combination of Glass & Stainless	Wall or Island Custom Installations	Stands over 13" Tall when in operation & lowers out of sight when not in use
Dishwasher-safe Mesh Filters	Dishwasher-safe Mesh Filters	Full Face Dishwasher-safe Mesh
Two Control panels on both sides of the hood	Up to 36" wide installations	Can be ducted Left, Right or Straight Down
4 Halogen Lights	2 Halogen Lights	
4 Power Levels	4 Power Levels	3 Power Levels
600 CFM Blower Included	400 CFM Blower Included	600 CFM Blower sold separately
		Can be recirculated

## **Downdraft Blowers required for Installation\* (choose one)**



### **1. 600 CFM Remote Blower (DHG6023DUC/184868) plus transition (DHZDHR6/68895)**

Depending on your preference and ducting situation, these blowers can be mounted on the roof or exterior wall of your home. An exterior installation may be more appealing to reduce noise in the kitchen.



### **2. 600 CFM Inline Blower (DHG6015DUC/182275) plus transition (DHZDHR6/68895)**

To minimize noise in the kitchen, these blowers are mounted along the duct line anywhere between the kitchen and the exterior wall. If you have easy access to your duct line (in an attic, for example), this may be an appealing option.



### **3. 600 CFM Internal Blower (DHG601DUC/68895)**

This blower is purchased separately and integrated into the downdraft unit at time of installation. This blower can be used with recirculation kit (DHDRM36UC/300960).



### **4. Transition required for Remote & Inline Application (DHZDHR6/68895)**

Transition piece required for installation of 600 CFM inline and remote blowers with 6" duct connections – downdraft applications only.


## Recirculation Module

### Benefits

Non-ducted installation made possible.  
High-quality charcoal filters keep the air  
and house odor free.

### Description

The ability to convert Bosch Hoods  
into recirculation mode makes  
installation possible in all kitchens.  
Charcoal filters absorb odors  
effectively to make meals memorable...  
not their odor.



## Wall Hoods

800	500	300
-----	-----	-----

## Chimney Hoods

800	500	300
-----	-----	-----

## Special Hoods

I	C	D
---	---	---

## Custom Ventilation

### Benefits

An all-in-one box solution that is easy  
to install and fits custom canopies.

### Description

Customers can build their dream kitchen with Bosch Custom  
Ventilation systems. These power packs include a blower,  
hood, filters and halogen lights that fit applications up to  
36" wide.



## Wall Hoods

800	500	300
-----	-----	-----

## Chimney Hoods

800	500	300
-----	-----	-----

## Special Hoods

I	C	D
---	---	---

## Vent and Hide

### Benefits

This vent hides from the view when not in use and offers powerful performance with a 600 CFM blower.



### Description

With an over 13" rise, the Bosch downdraft can clear steam and heat from even the tall pots and front burners. When not in use, hide the downdraft seamlessly in cabinetry and entertain friends in the kitchen without obstructing the view.

## Wall Hoods

800	500	300
-----	-----	-----

## Chimney Hoods

800	500	300
-----	-----	-----

## Special Hoods

I	C	D
---	---	---


## Downdraft Recirculation

### Benefits

Perfect for open kitchens where ducting to outside is not possible. The recirculation kit sits below the cooktop in the cabinet seamlessly.

### Description

Duct free kit enables one to install the downdraft in any kitchen.



See page 35 for a detailed description of this feature.

## Wall Hoods

800	500	300
-----	-----	-----

## Chimney Hoods

800	500	300
-----	-----	-----


## Special Hoods

I	C	D
---	---	---

# Downdraft Recirculation Kit


**DHDRM36UC/300960**

- For use with DHD3614UC/300959 (36") and DHD3014UC/300958 (30")
- Comes complete with 2 charcoal filters, 2 venting grids, and ducting to transition to integrated blower (blower sold separately)
- For toe kick heights of 4" or taller
- Wall or island applications
- Easily mounts to integrated blower (DHG601DUC/68895) under cooktop
- Toekick/socket can be vented in any direction
- Mounts to base of cabinet; recesses into toekick
- To be used only with Bosch Downdraft and Integrated Blower
- Replacement filters are ordered as a service item
- Filters should be replaced twice a year



## How it works:

- The polluted air from the cooking surface passes through the mesh grease filters that filter out the heavy grease particles.
- The recirculation kit provides a second level of filtration with the charcoal filter that absorbs the odors and releases clean air back into the room through exhaust grids.
- The exhaust grids can be installed in the front of the cabinet or on the sides depending on the preference.
- The recirculation kit helps to maintain the room climate, air purity and temperature. It also saves energy by preventing loss of heating during winter.







For immediate installation dimensions by fax, call 1.925.284.3558. Use code #8317 for a directory of Bosch products. Also available online at [dexexpress.com](http://dexexpress.com).

## Under-Cabinet Wall Hoods


### 30" & 36" 800 Series Model





### 30" & 36" 500 and 300 Series Models







### 30" and 36" 800 Series Model side view



### 30" and 36" 500 and 300 Series Models




## Custom Insert Hoods




# Ventilation Dimensions and Installation

## Canopy Wall Hoods


### 30" & 36" 800 Series Models



### 30" & 36" 500 Series Models




### 30" & 36" 300 Series Models



## Island Hoods

### 40" Glass Canopy Island Hood





Model DKE9665PUC/197685

# Wall Ovens

Bosch wall ovens offer the convenience of the largest capacity on the market and the fastest preheat in its class. For added convenience, all ovens come with the fastest self clean cycle on the market—EcoClean® cleans in only two hours. A full-extension telescopic rack also comes standard in 800 Series and can be purchased as an accessory on the 300 or 500 Series.

## Does your customer have a large family?

*Recommend any of Bosch's wall ovens with the largest capacity in their class.*

## Is your customer always on the run?

*Recommend an 800 or 500 Series wall oven with the fastest preheat available.*

## Complementary Models:

### Bosch Microwave & Trim Kit

HMB5050/53167  
HMT5050/68895



### Bosch Warming Drawers

HWD3050UC/51660





Model HBL865UC/44728 double oven shown with  
HWD3050UC/11929 warming drawer

# Wall Oven Step-up Features



Model shown:  
HBL3450UC/13137



Model shown:  
HBL5450UC/13192



Model shown:  
HBL8450UC/16228

300 Series Single		500 Series Double	800 Series Combination
4.7 cu. ft. Cavity (for 30" Wall Oven)		4.7 cu. ft. Cavity (for 30" Wall Oven)	4.7 cu. ft. Cavity (for 30" Wall Oven)
4.2 cu. ft. Cavity (for 27" Wall Oven)		4.2 cu. ft. Cavity (for 27" Wall Oven)	Not Available in 800 Series
EcoClean® Two-hour Self-Clean Cycle		EcoClean® Two-hour Self-Clean Cycle	EcoClean® Two-hour Self-Clean Cycle
Ergonomic Dials Plus Touch Control		Ergonomic Retractable Dials	Full Touch Control
Amber-colored Display		Amber-colored Full Text Display	Amber-colored Full Text Display
4 Heating Modes (300 Series)	10 Heating Modes (300 Plus Series)	14 Heating Modes	14 Heating Modes
One Light		Two Lights	Three Halogen Lights
Thermal (300) or Convection (300+)		Genuine European Convection	Genuine European Convection
		Combination Oven Available	Combination Oven with Convection Microwave Available
		Meat Probe	Meat Probe
		Recipe Mode	Recipe Mode
			Telescopic Rack

### Double oven

Available in  
300, 500 & 800 Series



### Combination oven

Available in  
500 & 800 Series



Model HBL8450UC/16228 shown with NGM8654UC/300965 gas cooktop





## Telescopic Rack

### Benefits

Allows you to baste large cuts of meat and poultry safely with safer access to food.

### Description

The full extension racks glide easily on ball bearings and extend for easy access.

The telescopic rack (27" oven – HEZ1077/68895 and 30" oven – HEZ1070/68895) can be purchased as an accessory to any Bosch wall oven.



	Single oven		Double oven		Combo oven	
	27"	30"	27"	30"	27"	30"
<b>800 Series</b>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<b>500 Series</b>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>300 Series</b>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		



## EcoClean® 2-hour Self-clean cycle

### Benefits

The industry's best self-clean cycle delivers outstanding results in the most efficient way possible.

### Description

Shortest self-clean cycle in the industry. The oven cleans 1.5 hours and cools down for an additional 30 minutes.



	Single oven		Double oven		Combo oven	
	27"	30"	27"	30"	27"	30"
<b>800 Series</b>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<b>500 Series</b>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<b>300 Series</b>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		



## Fastest Preheat

### Benefits

Be ready to cook in the shortest time possible.

The fast preheat feature in combination with the convection mode allows you to substantially reduce cooking time.

### Description

The oven can be preheated in approximately seven minutes – an industry exclusive.\*

\*Based on cavity sizes of 4.3 cu. ft. and larger.

	Single oven		Double oven		Combo oven	
	27"	30"	27"	30"	27"	30"
800 Series		✓		✓	✓	✓
500 Series	✓	✓	✓	✓	✓	✓
300 Series						



## Largest Capacity

### Benefits

Our recessed broil element allows us to offer the largest capacity wall oven available, with more room to cook for the whole family simultaneously.


### Description

Bosch 27" and 30" wall ovens offer in the largest capacity in the market with 4.7 cu. ft. (4.2 on 27")


	Single oven		Double oven		Combo oven	
	27"	30"	27"	30"	27"	30"
800 Series		✓		✓	✓	✓
500 Series	✓	✓	✓	✓	✓	✓
300 Series	✓	✓	✓	✓		

# Wall Oven Dimensions and Installation


## 30" Combination Models



## 30" Double Models




## 30" Single Models



## 30" Single Models, Under Induction Cooktop


Heat shield: Self positioning – 2⅝" length, Minimum required air clearance: 1"



**Note:** Dimensions based on standard countertop height (36¾" with 4" toe kick including base plate).


The built-in oven can be installed below the induction cooktop as long as there is an air clearance of 1" between the bottom of the cooktop and the top of the oven.

### 30" Single Models, Under Electric Cooktop



The built-in oven can be installed below the electric cooktop as long as there is no contact between the bottom of the cooktop and the top of the oven.

### 30" Single Models, Under Gas Cooktop



The built-in oven can be installed below the gas cooktop as long as there is no contact between the bottom of the cooktop and the top of the oven.

**Note:** Dimensions are for planning only. For details, see installation manual, or visit [www.bosch-home.com/us](http://www.bosch-home.com/us). Specifications subject to change without notice. For immediate installation dimensions by fax, call 1.925.284.3558. Use code #8317 for a directory of Bosch products. Also available online at [dexexpress.com](http://dexexpress.com).

# Frequently asked questions

For further information visit: [www.lowes.com/boschappliances](http://www.lowes.com/boschappliances)

## Wall Ovens

### **What's the difference between European convection and Speed convection?**

Speed convection does not require preheating. It uses three heating elements as well as the convection fan to evenly distribute heat throughout the oven cavity. This is ideal for frozen convenience foods.

### **What is the difference between Genuine European convection and standard convection?**

European convection cooks with heat from a third element on the back wall of the oven. The heat is circulated throughout the oven by a convection fan, allowing you to evenly cook multiple dishes at the same time.

### **How Does Sabbath mode work?**

During the Sabbath mode, the lights will not turn on when opening the door. Under normal circumstances the oven shuts off after 12 to 24 hours (depending on set temperature). The Sabbath mode allows an overruling of the auto shut off feature. Any time can be set between 24 and 72 hours.

## Electric and Induction Cooktops

### **What cookware works properly on induction cooktops?**

If a magnet sticks on the bottom of the cookware, it can be used with induction cooktops.

### **Will cast iron cookware scratch the cooking surface?**

Our cooktops are tested to withstand all common cookware types without showing any scratches on the surface.

## Ventilation

### **Is there a set formula for CFMs and what effect do higher BTU gas cook tops have on this formula (i.e. 60,000+)?**

For induction cooktops below 60,000 BTUs, chose a blower with a minimum of 100 CFM per 12" of cooktop width.

For cooktops and ranges with more than 60,000 BTU output, the thumb rule of 1 CFM for every 100 BTUs can be applied.

### **How do you know if you need to purchase an additional recirculation kit?**

A recirculation kit is always sold separately with selected hood models as an option for installations where venting to outside is not possible. Most Bosch hoods have the capability to be converted into recirculation mode. Please refer to individual product details for more information. All Bosch hoods except the Downdraft are sold with blowers. For the downdraft, we offer flexibility to choose between integral, inline and remote installation.

# Bosch Suggested Kitchen Packages

## 300 Series

HBL3350UC/11996	Single Wall Oven
NEM3064UC/122524	30" Electric Cooktop
DUH30152UC/199394	Under Cabinet Hood
B22CS30SNS/314505	300 Series Linea Refrigerator

## 500 Series

HBN5650UC/48572	Double Wall Oven
NIT5065UC/314497	30" Induction Cooktop
DKE9405MUC/192609	30" Sleek Box Hood
B22CS50SNS/314507	500 Series Linea Refrigerator

## 800 Series

HBL8750UC/45083	Double Combination Oven
NGM8054UC/300973	30" Gas Cooktop
DHD3014UC/300958	30" Downdraft
DHDM36UC/300960	Recirculation Kit
DHG601DUC/68895	600 CFM Internal Blower
B26FT70SNS/149384	VitaFresh Bottom Mount Refrigerator



Model HBL8650/44728 double oven shown with NGM8654UC/300965 gas cooktop, DHL755BUC/184983 custom hood insert, B26FT70SNS/149884 French door refrigerator and SHX55R55UC/354831 dishwasher.

Cabinets:  
Courtesy of Diamond® Reflections™