



BARSKA Riflescopes

BARSKA's extensive selection of riflescopes is even more diverse for 2009 than ever before and there's a model suitable for every type of shooting. Check out the newest additions to these riflescope series: New rubber armored Contour scopes, New Huntmaster and Huntmaster Pro models, new Hot Magnum and Varmint models and new additions to the Electro Sight and Euro-30 PRO series. BARSKA riflescopes all have one thing in common--- quality design and features that make them all an incomparable value. From the serious tactical and long-range shooter to the varmint hunter or big game hunter and recreational target shooter, there's a BARSKA riflescope that's a perfect fit for you and your firearms.

RIFLESCOPE TERMINOLOGY

A riflescope is used to view distant targets and surrounding objects to appear closer, and also indicates a bullet's point of impact. A riflescope can provide a safer and more accurate shooting.

MAGNIFICATION (POWER)

Magnification is the number of times the object being viewed is enlarged. Riflescopes are often identified by two numbers, for example: 6x42. The first number indicates the magnification or the power of the riflescope, expressed by the letter "x", for times. This means that the object being viewed appears to be 6 times closer than would be seen with the naked eye.



VARIABLE POWER/ZOOM: Zoom is the ability of the riflescope to change magnification continuously throughout its design range, providing a low power to high power range. For example, a 6-24x50mm riflescope has the ability to magnify the object from 6 to 24 times.

Low Power: Eg. 1.5-6x42, 2-7x32.

These riflescopes are ideal at close range and for shooting moving targets.

Medium Power: Eg. 3-9x50, 2.5-10x50.

These riflescopes are ideal for big-game hunting at medium range.

High Power: Eg. 6-24x50

These riflescopes are best for target shooting, small-game and varmint hunting.

OBJECTIVE LENS DIAMETER: The second number in the reference (i.e. 6x42) indicates the diameter of the objective lens or the front lens. The larger the objective lens, the better the light transmission, thus the brighter the image.

OPTICAL COATINGS: Various coating processes on the lenses and prisms will determine the brightness and the light gathering of a riflescope thus providing higher contrast and brighter images. The different types of coatings are:

Coated = A single layer on at least one lens surface.

Fully Coated = A single layer on all air-to-glass lens surfaces.

Multi-Coated = Multiple layers on at least one lens surface.

Fully Multi-Coated = Multiple layers on all air-to-glass surfaces.

FIELD OF VIEW (F.O.V): The side-to-side linear measurement of the circular field seen through a riflescope. It is defined by the width in feet of the area visible at 100 yards, or in meters at 100m. The higher the magnification, the narrower the field of view.

RESOLUTION: The measurement of the riflescope's ability to distinguish fine detail and sharpness.

EXIT PUPIL: This refers to the size of the small disc of light that exits a riflescope. To determine the size, divide the objective lens diameter by the power. For example a 6x42 riflescope will have an exit pupil of 7mm. (42/6=7).

Riflescope Limited Lifetime Warranty

(Within USA and Canada only)

This warranty does not cover consumer-caused damages, abuse, normal wear-and-tear, unauthorized repairs or modifications. For further detailed information, please refer to the warranty policy enclosed with products.

EYE RELIEF: This is the distance a scope can be held away from the human eye and can still observe the entire field of view. Long Eye Relief (LER) reduces eyestrain and provides an extra margin of comfort and safety.



TUBE DIAMETER: This refers to the diameter of the body of a riflescope; that portion between the belled ends.

WATERPROOF/FOGPROOF: Riflescopes can be O-ring sealed for complete waterproof protection, and fogproof which means that they are nitrogen-purged to prevent fogging inside the optical surfaces. These models are able to keep completely dry inside after immersion in water, thus suitable for all weather conditions.


PARALLAX: A condition that exists when the image being viewed through a riflescope is not focused precisely on the reticle. Parallax can be detected by an out-of-focus image or moving image in relation to the reticle as you move your eye left to right, up and down while looking in the scope. Scopes with an adjustable objective or turret provides the advantage of parallax correction.

PRECISION ADJUSTMENTS: The windage and elevation adjustments affect accuracy and are used to zero-in on the scope. Windage is the horizontal (left-to-right) adjustment, usually the side turret of the scope. Elevation is the vertical (up-and-down) adjustment, usually the top turret of the scope. Adjustments are usually measured in click value. (1/4 MOA = 1/4" at 100 yards) for finer precision.

RETICLES: A reticle is the crosshair or pattern placed within the scope, creating a center point to facilitate aiming at a specific object. Certain reticles can also be used to measure distance.



LONG RANGE SWAT EXTREME SCOPE MIL-DOT F.M.C OPTICS



INCLUDES RINGS & SHADE:

Set of 5/8" high see-through rings. Made from high grade aluminium that is strong but lightweight. 5" shade to create custom length and to protect against glare.

Our SWAT series of extreme tactical scopes offers outstanding performance, impressive features and rugged construction making them an unbeatable value. BARSKA SWAT scopes include an illuminated glass etched Mil-Dot reticle with variable brightness settings. Precision adjustments and focusing are achieved with a fast focus eyepiece, fast access zoom magnification ring, external easy-grip target-style windage and elevation turrets and a side turret-mounted parallax adjustment. With its hair-splitting accuracy and impressive fully

multi-coated optics, SWAT is ideal for varmint and long-range shooting. Built to operate under the most demanding conditions, SWAT performs brilliantly in extremely low or high temperature conditions. SWAT scopes include a set of 5/8" high see-through rings as well as a 5" sunshade to protect against glare and flip-up lens covers to protect the lenses from dirt or dust. SWAT scopes are backed by BARSKA's Limited Lifetime Warranty.



INCLUDES FLIP-UP COVERS:

Specially included to help protect the scope's lenses from dirt and dust in the field. Attached to the lens for convenient access and provides rapid action by just flipping up the covers.

SWAT Riflescopes



6-24x60 IR
AC10700



10-40x50 IR
AC10550



8-32x44 IR
AC10548



6-24x44 IR
AC10366



3.5-10x40 IR
AC10814



FEATURES

- 100% Waterproof and fogproof
- Extra rigid shockproof construction
- Fully Multi-Coated optics
- Illuminated Mil-Dot glass-etched reticle
- 30mm monotube construction for maximum light gathering
- Easy-grip target-style windage and elevation adjustments
- 1/8 or 1/4 MOA click adjustments
- Side adjustable parallax
- Precise and easy-to-use for tactical environments
- Fast focus eyepiece
- Limited Lifetime Warranty




SIDE PARALLAX ADJUSTMENTS

Allows fine adjustment of parallax correction for specific ranges using the turret-mounted focus knob, without taking your eyes off the target.



WINDAGE AND ELEVATION ADJUSTMENTS

Easy-grip target-style windage and elevation adjustments designed with audible, tactile "clicks" for precision. Each dial is marked for bullet drop compensation.



ILLUMINATED MIL-DOT GLASS-ETCHED RETICLES

This Mil-Dot reticle, which is glass-etched, is designed specifically for military use to ensure accuracy and precision. Coupled with an illuminated technology and designed with a rheostat with different settings, it provides enhanced performance in low light conditions.



Model #	Magnification	Objective Lens (mm)	Reticle	Field of View (ft@100yds/m@100m)	Exit Pupil (mm)	Eye Relief (inch)	Click Value	Tube Diameter	Finish	Weight (oz.)	Length (inch)
AC10700	6-24x	60	Mil Dot IR	15/5@6x - 4.2/1.4@24x	10-2.5	3.5	1/8	30mm	Black Matte	28.9	16
AC10550	10-40x	50	Mil Dot IR	9.4/3.1@10x - 2.6/0.9@40x	5.0-1.3	3.6	1/8	30mm	Black Matte	31.4	15.7
AC10548	8-32x	44	Mil Dot IR	11.5/3.8@8x - 3.7/1.2@32x	5.5-1.4	3.6	1/8	30mm	Black Matte	30.4	15.7
AC10366	6-24x	44	Mil Dot IR	15/5@6x - 4.2/1.4@24x	7.3-1.83	3.5	1/8	30mm	Black Matte	24	16
AC10814	3.5-10x	40	Mil Dot IR	29.3/9.8@3.5x - 9.4/3.1@10x	11.43-4	3.3	1/4	30mm	Black Matte	24.16	14.5

★ ★ 1ST FOCAL PLANE ★ ★
BENCHMARK
 COMPETITION SCOPE
MIL-DOT
F.M.C OPTICS

BENCHMARK
 Riflescopes



40x50
 AC11196

8-26x50
 AC11198

• First Focal Plane
 Mil-Dot Reticle

5-20x50
 AC11200

• First Focal Plane
 Mil-Dot Reticle

4-16x50
 AC11202

• First Focal Plane
 Mil-Dot Reticle

All Benchmark Scope
 Includes 5" Protective
 Sunshade

Accuracy, durability and exceptional optical quality are hallmarks of the new Benchmark rifle scope series. The Benchmark's Mil-Dot Reticle is on the first focal plane which means that it tracks proportionally throughout the power ranges no matter what power you have the scope on. You can mil, hold over, hold off or do anything that requires an accurate measurement without worrying about the scope's power setting. Available in zoom or fixed power each Benchmark model is waterproof, fogproof and shockproof and features fully multi-coated optics for sharp distortion-free views. Benchmark scopes include a set of mounting rings and are backed by BARSKA's Limited Lifetime Warranty.

Benchmark Features

- Mil-Dot Reticle / First Focal Plane
- Accu Lock
- Side Focus Adjustable Objective
- Fully Multi-Coated optics
- 1/8 MOA
- Parallax-free @ 50 yd.
- 30mm tube diameter
- Limited Lifetime Warranty

"ACCU-LOCK"

BARSKA's Accu-Lock system utilizes a coil spring positioned within the scope to securely lock the inner tube. This coil positioning system allows the scope to stay locked dead-on to the target shot after shot.



Model #	Magnification	Objective Lens (mm)	Reticle	Field of View (ft@100yds/m@100m)	Exit Pupil (mm)	Eye Relief (inch)	Click Value	Tube Diameter	Finish	Weight (oz.)	Length (inch)
AC11196	40x	50	Mil-Dot	1.4/1.42	1.3	3.7	1/8"	30"	Black Matte	26.45	17.83
AC11198	8-26x	50	Mil-Dot	15.2/4.63@8x, 3.67/1.11@26x	2-8	2.7	1/8"	30"	Black Matte	27.86	17.63
AC11200	5-20x	50	Mil-Dot	20.97/6.39@5x, 5.23/1.59@50x	2.5-10	2.8	1/8"	30"	Black Matte	26.8	16.02
AC11202	4-16x	50	Mil-Dot	22.56/6.87@4x, 5.76/1.75@16x	3.5-12.5	4.8	1/8"	30"	Black Matte	25.74	16.14

TACTICAL Riflescopes

MAXIMUM CONTROL ★ ACCURACY

Maximum control and accuracy shot after shot. BARSKA Tactical scopes are designed to give you as much control as possible for extreme type shooting. They have been designed with features like side adjustable parallax and a first focal plane Mil-Dot reticle that allows you to estimate range at all power settings. Tactical scopes also include our Accu-Lock system. BARSKA's Accu-Lock system utilizes a coil spring positioned within the scope to securely lock the inner tube. This coil positioning system allows the scope to stay locked dead-on to the target shot after shot. Rugged and waterproof, you're always on target with BARSKA's Tactical scopes.


"ACCU-LOCK"

BARSKA's Accu-Lock system utilizes a coil spring positioned within the scope to securely lock the inner tube. This coil positioning system allows the scope to stay locked dead-on to the target shot after shot.



FIRST FOCAL PLANE MIL-DOT RETICLES

Allows you to estimate range at all different magnification settings. With the reticle at first focal plane, the reticle expands as the magnification increases. This creates dead-on precision and accuracy.



Includes a set of 5/8" high see-through rings.

SIDE PARALLAX ADJUSTMENTS

Allows fine adjustment on parallax correction for specific ranges using the turret-mounted focus knob without taking your eyes off the target.



Features

- Long Range / Tactical Scope
- "Accu-Lock" Technology
- Side Adjustable Parallax setting
- Rigid high grade alloy construction monotube
- Illuminated Mil-Dot Glass Etched Reticle
- First Focal Plane Reticles to estimate range at any magnification.
- 100% waterproof and fogproof
- Extra-rigid shockproof construction
- Fast focus eyepiece
- Easy grip target-style windage and elevation adjustments
- Fully Multi-Coated optics
- Scope caps included
- Limited Lifetime Warranty



6-20x50 IR
AC10776



4-16x50 IR
AC10774



6.5-20x40 IR
AC10778



3-12x40
AC10772



1.5-4.5x20
AC10770

Model #	Magnification	Objective Lens (mm)	Reticle	Field of View (ft@100yds/m@100m)	Exit Pupil (mm)	Eye Relief (inch)	Click Value	Tube Diameter	Finish	Weight (oz.)	Length (inch)
AC10776	6-20x	50	Mil Dot IR	16/5.3@6x - 5/1.7@20x	8.3-2.5	3.1	1/4	1"	Black Matte	26.87	16.3
AC10774	4-16x	50	Mil Dot IR	23/7.7@4x - 5/7/1.9@16x	12.5-3.1	4.4	1/4	1"	Black Matte	22.93	14.9
AC10778	6.5-20x	40	Mil Dot IR	15.5/5.2@6.5x - 5/1.7@20x	6.2-2	3.2	1/4	1"	Black Matte	21.87	16.0
AC10772	3-12x	40	Mil Dot	27.8/9.3@3x - 6.8/2.3@12x	13-3.2	3.7	1/4	1"	Black Matte	21.52	13.5
AC10770	1.5-4.5x	20	Mil Dot	75.7/25.2@1.5x - 24.5/8.2@4.5x	11.9-4.4	3.3	1/2	1"	Black Matte	12.55	10.3

EXCAVATOR

Riflescopes

LONG RANGE VARMINT ★ BIG GAME HUNTING ILLUMINATED RIFLESCOPES

Everything that you've heard about this scope is accurate! Excavator scopes feature an adjustable objective lens for parallax correction for specific ranges as well as an illuminated reticle. The reticle is designed with a rheostat that offers 11 brightness settings for a full range of light intensities and is specifically designed for big-game

hunting and long-range target and varmint hunting. With its extensive list of features including multi-coated optics, large objective lens for maximum light transmission, adjustable objective lens for parallax correction and illuminated reticle, Excavator is the ideal choice for hunters who want consistent accuracy in all types of lighting conditions.



8-32x50 IR
AC10558

Includes a set of 5/8" high rings and 3" sunshade.



6-24x50 IR
AC10556

Includes a set of 5/8" high rings and 3" sunshade.



4-16x50 IR
AC10554

Includes a set of 5/8" high rings and 3" sunshade.



8-32x50 IR
AC10810



IR RANGEFINDING GRAPH RETICLE

This reticle with simple rangefinding math can estimate your approximate distance to the target. (Reticle works only at 8x Power.)

Excavator Features

- Includes 5/8" High Rings, Sunshade & Flip-Up Covers
- Waterproof, fogproof and shockproof
- Multi-coated optics
- 1" tube construction
- Fast focus eyepiece
- 1/8 MOA external adjustments
- Adjustable objective lens
- Illuminated Reticle
- Limited Lifetime Warranty

PACKAGE INCLUDES

RINGS, SUN SHADE & FLIP-UP COVER:

Set of 5/8" high see-through rings.
3" Sunshade to protect against glare.



ADJUSTABLE OBJECTIVE LENS

The objective lens is built with an adjustable mechanism that allows for parallax correction for specific ranges starting from 20 or 25 yards to infinity.

Model #	Magnification	Objective Lens (mm)	Reticle	Field of View (ft@100yds/m@100m)	Exit Pupil (mm)	Eye Relief (inch)	Click Value	Tube Diameter	Finish	Weight (oz.)	Length (inch)
AC10810	8-32x	50	IR Rangefinding Graph	11.5/3.8@8x - 3.7/1.2@32x	6.3-1.6	3.6	1/8	1"	Black Matte	21.5	16.5
AC10558	8-32x	50	IR Target Dot	11.5/3.8@8x - 3.7/1.2@32x	6.3-1.6	3.6	1/8	1"	Black Matte	21.5	16.5
AC10556	6-24x	50	IR Target Dot	15.0/5@6x - 4.2/1.4@24x	8.3-2.1	3.6	1/8	1"	Black Matte	21.1	13
AC10554	4-16x	50	IR Target Dot	19.9/6.6@4x - 5.8/1.9@16x	12.5-3.1	3.5	1/8	1"	Black Matte	20.8	14.6

HORNET Riflescopes




 **5-15x40 AO**
AC11212




 **4-12x40 AO**
AC11214



 **3-9x40**
AC11208
AC11210 Glossy



 **1.5-4.5x32**
AC11206

PREMIUM HUNTING ★ TARGETING 30/30 RIFLESCOPES

If you're looking for a premium rifle scope, look no farther than our new Hornet Series. No matter what type of shooting you enjoy, each Hornet rifle scope model has been designed and manufactured with accuracy, reliability and durability as its performance benchmarks. Each Hornet model is equipped with a 30/30 reticle and is waterproof, fogproof and shockproof. Fully multi-coated optics provide bright, sharp and distortion-free views. Hornet scopes include a set of mounting rings and are backed by BARSKA's Limited Lifetime Warranty.



Hornet Features

- 1" tube diameter
- Fully multi-coated optics
- 30/30 Reticle
- Fast Focus Eyeball
- 100% Waterproof, fogproof and shockproof
- Parallax adjustment (select models)
- Matte black finish (select models)
- Mounting rings included
- Limited Lifetime Warranty

Model #	Magnification	Objective Lens (mm)	Reticle	Field of View (ft@100yds/m@100m)	Exit Pupil (mm)	Eye Relief (inch)	Click Value	Tube Diameter	Finish	Weight (oz.)	Length (in.)
AC11206	1.5x-4.5x	32	30/30	69.4/22.25 @1.5x - 23.13/7.1@4.5x	7.1-21.3	3.3	1/4"	1"	Black Matte	15.87	12.36
AC11208	3x-9x	40	30/30	36.68/13.08@3x - 12.22/4.36@9x	4.44-13.33	3.15	1/4"	1"	Black Matte	16.93	12.91
AC11210	3x-9x	40	30/30	36.68/13.08@3x - 12.22/4.36@9x	4.44-13.33	3.15	1/4"	1"	Black Gloss	16.93	12.91
AC11212	5x-15x	40	30/30	18.85/6.8@5x - 6.28/2.26@15x	2.6-8	3.33	1/8"	1"	Black Matte	20.81	14.96
AC11214	4x-12x	40	30/30	29.33/9.68@4x-9.77/3.23@12x	3.33-10	3.43	1/4"	1"	Black Matte	20.28	13.77

HOT MAGNUM Riflescopes



 **6-18x40 AO**
AC10850

New models featuring Both
.17 and .22 cal. bullet-drop
compensation.

BULLET DROP COMPENSATION .17 ★ .22 MAGNUM RIFLESCOPES


BARSKA's Hot Magnum riflescope series is even hotter for 2009! We're upgrading our three models --- 6-18x40, 3-12x40, 2-7x32 --- with a special bonus. Engineered with revolutionary Bullet Drop Technology, these scopes now offer optional bullet drop compensation for .22 as well. Using an interchangeable .22 BDC turret, you can easily convert from .17 to .22. The scopes .17 and .22

elevation knobs are precisely calibrated to compensate for the elliptical drop of the .17 Magnum rimfire with a 17 grain bullet and .22 caliber bullets. Added features like high density optical glass for crisp edge-to-edge clarity, multi-coated optics for brighter viewing and adjustable objective (AO) for parallax correction you'll discover that these scopes are unbeatable. Backed by BARSKA's Limited Lifetime Warranty.



 **3-12x40 AO**
AC10848



 **2-7x32 AO**
AC10846

Hot Magnum Features

- 100% Waterproof and Fogproof
- 30/30 Reticle
- Finger Adjustable Windage and Elevation
- Interchangeable .17 and .22 Bullet Drop Turrets
- Specifically engineered for .17 and .22 caliber rifles
- Pre-calculated trajectory compensation from 100 to 300 yards
- High Density Optical Glass
- Multi-Coated Optics
- Objective adjustable parallax
- 1" Tube Diameter
- Includes Lens Covers
- Black Matte Finish
- Limited Lifetime Warranty

Model #	Magnification	Objective Lens (mm)	Reticle	Field of View (ft@100yds/m@100m)	Exit Pupil (mm)	Eye Relief (inch)	Click Value	Tube Diameter	Finish	Weight (oz.)	Length (inch)
AC10850	6-18x	40	30/30	14.5/4.8@6x - 4.5/1.5@18x	6.67-2.2	3.1	1/4	1"	Black Matte	20.48	15.65
AC10848	3-12x	40	30/30	26.7/8.9@3x - 7.4/2.5@12x	10.8-3.3	3.1	1/4	1"	Black Matte	18.88	13.75
AC10846	2-7x	32	30/30	45.7/15.2@2x - 14/4.7@7x	10.8-4.6	3.1	1/4	1"	Black Matte	16.64	12.0

RIDGELINE Riflescopes

EDGE-TO-EDGE CONTROL ★ ACCURACY DESIGNED FOR HUNTERS BY HUNTERS

Field tested to meet the strictest quality standards the Ridgeline series of scopes, which includes a Mossy Oak® Break-Up® Camo version, are built to measure up to the toughest performance standards. The Ridgeline series is designed with the latest optical technology and includes special features such as illuminated dual-color reticles, multi-coated optics and true one-piece tube construction. Ridgelines also feature BARSKA's "Accu-Lock" system which utilizes a coil spring positioned within the scope to securely lock the inner tube. This system allows the scope to stay locked dead-on to the target shot after shot. Serious hunters can truly count on the Ridgeline scopes to provide the brightest and sharpest image from edge-to-edge, in addition to shot-to-shot consistency and unbeatable resistance to even the harshest weather conditions.

Ridgeline Features

- "Accu-Lock" system to maintain zero and pinpoint accuracy at multiple distances
- Illuminated Dual Color Reticle for different light conditions (on select models)
- Multi-coated optics
- One-piece tube construction
- 100% waterproof O-ring sealed and nitrogen-purged, fogproof protection
- Fast focus eyeball
- Finger-adjustable click adjustments
- Scope caps included
- Limited Lifetime Warranty

ILLUMINATED DUAL-COLOR RETICLE


(Select models only)

Designed with a rheostat of different brightness settings this illuminated reticle provides visibility in all different light conditions.



Red 30/30 = For instant target acquisition during low-light conditions.

Green 30/30 = For fast and accurate shooting in bright daylight.



"ACCU-LOCK"

BARSKA's Accu-Lock system utilizes a coil spring positioned within the scope to securely lock the inner tube. This coil positioning system allows the scope to stay locked dead-on to the target shot after shot.



4-12x42 IR
AC10744



3-9x42 IR
AC10742



3-9x42
AC10820
Mossy Oak® Break-Up® camouflage



2-7x32
AC10816

Model #	Magnification	Objective Lens (mm)	Reticle	Field of View (ft@100yds/m@100m)	Exit Pupil (mm)	Eye Relief (inch)	Click Value	Tube Diameter	Finish	Weight (oz.)	Length (inch)
AC10744	4-12x	42	30/30 DC IR	25/8.3@4x - 8.8/2.9@12x	10.5-3.5	3.1	1/4	1"	Black Matte	21.0	13.5
AC10742	3-9x	42	30/30 DC IR	32/10.7@3x - 11/3.7@9x	13-4.7	3.5	1/4	1"	Black Matte	19.84	12.75
AC10820	3-9x	42	Easy Shot	32/10.7@3x - 11/3.7@9x	13-4.7	3.5	1/4	1"	Black Matte	19.93	12.75
AC10816	2-7x	32	30/30	44/14.7@2x - 12.5/4.2@7x	12.3-4.4	3.3	1/4	1"	Black Matte	16.0	12.0

HUNTMASTER PRO Riflescopes

HUNTMASTER PRO ★★★★★ ENLIGHTENING PERFORMANCE

There's a reason why we call these Huntmaster scopes "Pro". One of the most advanced and feature rich riflescope series that we offer, the Huntmaster Pro Series now has even more appeal with the addition of two new models -- 3-9x40 IR (Illuminated Reticle) and a big 3-12x56 IR! Both scopes feature a center-lit illuminated 30/30 reticle and illumination is easily adjusted using the convenient rear mounted click stop rheostat with eleven brightness settings. Focusing is quick and precise thanks to a fast focus eyepiece and convenient zoom adjustment and both scopes are parallax-free at 100 yards. With large objectives for maximum light gathering, waterproof and fogproof protection and multi-coated optics your view through the scope stays sharp and clear even in low light and poor weather conditions. Like the other Huntmaster Pro models, these two new scopes feature 1" monotube construction and are engineered to handle the rigors and demands of high power shooting. Both scopes include lens covers. Backed by BARSKA's Limited Lifetime Warranty.

Huntmaster Pro Features

- Waterproof, fogproof and shockproof
- Large objective lens for increased light transmission
- Multi-Coated optics
- Sleek, sturdy construction
- Parallax-free at 100 yards
- Fast focus eyepiece
- For low-light and dark backgrounds hunting conditions
- Illuminated center-lit reticles
- Scope caps included
- Limited Lifetime Warranty

NEW



3-12x56 IR
AC11312
Reticle: 30/30 IR Cross



3-12x50 IR
AC10056
Reticle: 30/30 IR Cross



1.5-6x42 IR
AC10054
Reticle: 30/30 IR Cross



NEW



3-9x40 IR
AC11310
Reticle: 30/30 IR Cross



Model #	Magnification	Objective Lens (mm)	Reticle	Field of View (ft@100yds/m@100m)	Exit Pupil (mm)	Eye Relief (inch)	Click Value	Tube Diameter	Finish	Weight (oz.)	Length (inch)
AC11312	3-12x	56	30/30 IR Cross	35/11.67@3x - 10.3/3.43@12x	4.7-18.67	2.75-3.34	1/4	1"	Black Matte	14.1	12.75
AC10056	3-12x	50	30/30 IR Cross	35/11.6@3x - 10/3.3@12x	16.7-4.2	2.7	1/4	1"	Black Matte	21.34	13
AC10054	1.5-6x	42	30/30 IR Cross	44/14.6@1.5x - 16/5.3@6x	28-7	2.7	1/4	1"	Black Matte	18.1	13
AC11310	3-9x	40	30/30 IR Cross	41/13.67@3x - 15/5@9x	4.4-13.3	3	1/4	1"	Black Matte	7.05	12.75

HUNTMASTER Riflescopes

HUNTMASTER ★ ★ ★ ★ ★ ★ ★ ★ QUALITY DEPENDABILITY




 **3-9x50**
AC10034
AC10035 Clam



 **3-9x40**
AC10032




 **3-9x40**
AC10030
AC11204 Silver w/ Rings
4x40
AC11290



 **4x32**
AC10026



 **3-9x32**
AC10028

Now you can have more for less. Accuracy, precision and dependability at a popular price --- Huntmaster has it all. This series is the perfect choice for serious shooters or hunters who want a wealth of features and performance but don't want to spend a fortune. The Huntmaster combines high quality optics

and rugged construction with accuracy and ease of use. Huntmaster scopes feature fully-coated optics for bright clear views, rugged 1" monotube construction and are waterproof, fogproof and shockproof. With a variety of reticles available, Huntmasters are suitable for all types of general purpose hunting.

Huntmaster Features

- Waterproof, fogproof and shockproof
- Fully coated optics
- 1" monotube construction
- Parallax-free at 100 yards
- 1/4 MOA fingertip adjustments
- Sleek, sturdy construction
- Scope caps included
- Limited Lifetime Warranty

Model #	Magnification	Objective Lens (mm)	Reticle	Field of View (ft@100yds/m@100m)	Exit Pupil (mm)	Eye Relief (inch)	Click Value	Tube Diameter	Finish	Weight (oz.)	Length (inch)
AC10034	3-9x	50	30/30	32/10.6@3x - 12/4@9x	16.7-5.6	3.3	1/4	1"	Black Matte	20.1	12.2
AC10032	3-9x	40	Easy Shot	36/12@3x - 14/4.6@9x	13.3-4.4	3.3	1/4	1"	Black Matte	12.9	12.2
AC10030	3-9x	40	30/30	36/12@3x - 14/4.6@9x	13.3-4.4	3.3	1/4	1"	Black Matte	12.9	12.2
AC11290	4x	40	30/30	30.4/5.8@4x	10	3.1	1/4	1"	Black Matte	11.68	12.2
AC10028	3-9x	32	30/30	36/12@3x - 14/4.6@9x	10.7-3.6	3.5	1/4	1"	Black Matte	12.2	11.9
AC10026	4x	32	30/30	29/9.6@4x	8	3	1/4	1"	Black Matte	13.5	11.9

VARMINT

Riflescopes



LONG RANGE DEADLY ★ ACCURATE VARMINT PRECISION RIFLESCOPES

The Varmint riflescope series is one of our most versatile and is available in a wide selection of sizes and reticles for many types of shooting including varmint hunting, target shooting, long range and precision shooting. Our newest Varmint scopes are a 2.5-10x42 with a Mil-Dot reticle, 10-40x50 with a Target Dot reticle and an 8-32x50 with Rangefinder reticle. All Varmints feature an Adjustable Objective (AO) for parallax correction and unsurpassed accuracy as well as easy-grip extra high windage and elevation turrets. The Varmint's large objective lens size coupled with multi-coated and fully multi-coated optics increases light transmission and provides superior clarity. In addition, Varmints are available with a variety of reticle types including 30/30, Mil-Dot, Target and Rangefinder. Waterproof, shockproof and fogproof, BARSKA's Varmint Series is like having many scopes in one. Scopes include lens covers. Backed by BARSKA's Limited Lifetime Warranty.




10-40x50 AO
AC11318

VARMINT Riflescopes

Varmint Features

- Waterproof, fogproof and shockproof
- Multi-coated optics for clear images
- 1" tube construction
- Adjustable objective lens to adjust for parallax
- 1/8 MOA fingertip adjustments (select Models).
- Large objective lens for increased light transmission
- Quick access magnification zoom ring
- Designed for long-range and shooting
- A variety of reticle types for different shooting requirements
- Scope Caps Included
- Limited Lifetime Warranty



 **10-40x50 AO**
AC11084

 **8-32x50 AO**
AC10828



NEW


8-32x50 AO
AC11320

 **6-24x50 AO**
AC10050



Range Finding Reticle




 **6.5-20x50 AO**
AC10048


 **4-16x50 AO**
AC10042


 **8-32x42 AO**
AC10830



NEW

 **6-24x42 AO**
AC10046

 **2.5-10x42 AO**
AC11316

 **4-16x40 AO**
AC10832

Model #	Magnification	Objective Lens (mm)	Reticle	Field of View (ft@100yds/m@100m)	Exit Pupil (mm)	Eye Relief (inch)	Click Value	Tube Diameter	Finish	Weight (oz.)	Length (inch)
AC11318	10-40x	50	Target Dot	11/3.67@10x - 2.5/0.83@40x	5-3	3.5	1/8	1"	Black Matte	7.05	15.5
AC11084	10-40x	50	Mil Dot	9.42/2.62@10x - 3.14/0.87@40x	5	3.6	1/8	1"	Black Matte	20.53	16.53
AC11320	8-32x	50	Range Finding Graph	11.3/3.76@8x - 3.5/1.17@32x	1.55-6.25	3	1/8	1"	Black Matte	14.1	16.25
AC10828	8-32x	50	Mil Dot	11.5/3.8@8x - 3.7/1.2@32x	6.25-1.56	3.6	1/8	1"	Black Matte	20.46	16.54
AC10050	6-24x	50	Mil Dot	15/5@6x - 4.2/1.4@24x	8.3-2.0	3.5	1/8	1"	Black Matte	21.98	16.42
AC10048	6.5-20x	50	Target Dot	16/5.3@6.5x - 5.7/1.9@20x	7.7-2.5	3.6	1/8	1"	Black Matte	22.3	15.95
AC10042	4-16x	50	30/30	19.9/6.6@4x - 5.8/1.9@16x	12.5-3.1	3.5	1/8	1"	Black Matte	21	14.57
AC10830	8-32x	42	Target Dot	11.5/3.8@8x - 3.7/1.2@32x	5.25-1.31	3.6	1/8	1"	Black Matte	20.1	16.54
AC10046	6-24x	42	Mil Dot	15/5@6x - 4.2/1.4@24x	7-1.75	3.5	1/8	1"	Black Matte	20.46	15.7
AC11316	2.5-10x	42	Mil Dot	35/11.67@2.5x-9/3@10x	4.2-16.8	3	1/4	1"	Black Matte	7.05	14
AC10832	4-16x	40	30/30	19.9/6.6@4x - 5.8/1.9@16x	10-2.5	3.3	1/8	1"	Black Matte	19.05	14.57

CONTOUR

Riflescopes



NEW



3-9x40 IR
AC11326

- Compact Rubber Armor Scope
- Attached Flip-UP Scope Caps
- Blue Illuminated Reticle
- Includes a set of Weaver-style rings



NEW



3-9x40
AC11330


- Rubber Armor Scope
- Includes a set of Weaver-style rings



NEW

3x32 IR
AC11328

- Compact Crossbow Scope
- Illuminated Reticle



NEW

3x32 IR
AC11332

- Compact Crossbow Scope
- Illuminated Reticle



NEW! Crossbow Scopes

BARSKA'S new Contour Crossbow 3x32 compact sights give the crossbow hunter or sport shooter the quick target acquisition and precision accuracy that are so crucial. Model AC11332 IR features a red illuminated rangefinding reticle and the side mounted click stop rheostat knob adjusts reticle brightness for either color to five different levels. Models AC11238 IR also has a rangefinding reticle with three center lit dots. The five brightness levels of these dots are also adjusted by a side mounted rheostat knob. Windage and Elevation are finger click adjustable and the rear focus ring makes focusing quick, smooth and precise. Like the other Contour models, these new scopes feature long eye relief, fully coated optics and are 100% waterproof and fogproof. Select models include a set of Weaver-style rings and lens covers. Backed by BARSKA'S Limited Lifetime Warranty.

Model #	Magnification	Objective Lens (mm)	Reticle	Field of View (ft@100yds/m@100m)	Exit Pupil (mm)	Eye Relief (inch)	Click Value	Tube Diameter	Finish	Weight (oz.)	Length (inch)
AC11326	3-9x	40	4A, Mil-plex IR	12.5-37.7	4.4-13.3	3	1/2	30mm	Black Matte	14.81	8
AC11330	3-9x	40	4A, Mil-plex	13.6-36.6	4.4-13.3	2.95	1/4	28mm	Black Matte	14.81	12.5
AC11328	3x	32	Crossbow 3 dot light	31/10.5	10.37	3.5	1/4	1	Black Matte	14.81	8.5
AC11332	3x	32	Crossbow Duplex IR	31/10.5	10.37	3.5	1/4	1	Black Matte	14.81	8.5

COMPACT Contour scopes

Performance that doesn't stop short. BARSKA's Contour series meets the hunter's demands by combining performance and innovation in a compact riflescope without sacrificing ruggedness, dependability and craftsmanship. Contour scopes offer low magnification combined with long eye relief making them ideal for close range action - from cross-bow hunting to pistol shooting even down to simple rimfire action. Contours are engineered with extra rigid shockproof construction to handle the demands of pistols, shotguns and other types of high recoil firearms. This series is a clear winner for various types of shooters and hunters in the field.


CONTOUR Riflescopes



4x32 w/ SKS Base and Rings
AC10882
Includes SKS Mount and 7/8" Rings



2x20
AC10840
Long Eye Relief



2.5x20
AC10842
Long Eye Relief



Red 30/30

3-9x42 IR
AC10552

- 2-color illumination reticle, switchable from green 30/30 to red 30/30.
- 5-position brightness intensity for each color.
- Includes a set of 7/8" Picatinny Base Rings



Green 30/30




3-9x42 IR
AC10634

- Range and trajectory adjustment
- Range drum rotates for desired range
- Includes a set of 7/8" Picatinny Base Rings



Contour Features

- A variety of compact scopes for various types of shooting
- Ideal for crossbows, pistols, shotguns and more
- Extremely long eye relief (select models)
- 100% waterproof and fogproof protection
- Fully Coated optics
- Compact in size
- Extra rigid shockproof construction
- A variety of reticles
- Scope caps included
- Limited Lifetime Warranty



**Crossbow
Reticle**



4x32 Camo
AC10844
AC10886 Black Matte Finish

- Engineered specifically for crossbow
- Multiple aiming point crossbow reticle
- Unique scope with an extreme long eye relief of 5.8"
- Dipped with Mossy-Oak® Break-Up® pattern to give you a true camouflage hunting experience

Model #	Magnification	Objective Lens (mm)	Reticle	Field of View (ft@100yds/m@100m)	Exit Pupil (mm)	Eye Relief (inch)	Click Value	Tube Diameter	Finish	Weight (oz.)	Length (inch)
AC10552	3-9x	42	30/30 IR	36.7/12.3@3x - 12.5/4.2@9x	14.0-4.6	3.9	1/4	1"	Black Matte	16	9.13
AC10634	3-9x	42	4A, Mil-Plex IR	36.7/12.3@3x - 12.5/4.2@9x	14.0-4.6	3.9	1/4	1"	Black Matte	16	9.8
AC10844	4x	32	Crossbow	16.7/5.6@4x	8	5.8	1/4	1"	Camo	11.99	9.09
AC10842	2.5x	20	30/30	26.4/8.8@2.5x	8	5.9	1/4	1"	Black Matte	10.04	7.56
AC10840	2x	20	30/30	10.5/3.5@2x	10	11.8	1/2	1"	Black Matte	9.35	8.66
AC10882	4x	32	30/30	23.5/7.86	8	3.35	1/4	1"	Black Matte	8.29	7.48

EURO-30 PRO



★ ★ ★ ★ ★ ★ ★ ★

INNOVATIVE PERFORMANCE

Euro-30 Pro Features

- Waterproof, fogproof and shockproof
- Fully coated optics
- 30mm monotube construction for enhanced light gathering
- Wider field of view
- Parallax-free at 100 yards
- 1/4 MOA click adjustments
- Fast focus eyepiece
- For big game and general hunting
- Illuminated 4A European reticle
- Scope caps included
- Limited Lifetime Warranty

NEW



The Euro-30 Pro Series combines European design features with world-class engineering to produce a scope that is ideal for big game hunting anywhere on the globe or local general hunting. We've added a new 4-16x60 model with a European 4A IR (Illuminated Reticle) like the other Euro-30 Pro models that has eleven brightness adjustments. All Euro-30 Pro models also feature a fast focus eyepiece, convenient zoom adjustment ring with thumb lever and finger adjustable windage and elevation. All scopes have 30mm tube construction. The large objective lens sizes and fully coated optics deliver bright clear images even in low light conditions and the scopes are fully waterproof, fogproof and shockproof. Scopes include a set of 5/8" high see-through rings and lens covers. Backed by BARSKA's Limited Lifetime Warranty.

EURO-30 Riflescopes

This scope deserves a good look. BARSKA's stylish Euro-30 is a European design wrapped around premium quality performance optics. Euro-30 features a 4A European reticle and solid 30mm monotube construction which provides high recoil capability. With fully coated optics, fast focus eyebell, wide field of view the Euro-30 rivals traditional 1" scopes. As a bonus, 5/8" rings are included with Euro-30 scopes.



2.5-10x56
AC10012
Includes 5/8" High Rings



3-9x42
AC10014
Includes 5/8" High Rings



3-12x52
AC10020
Includes 5/8" High Rings



6x42
AC10010
Includes 5/8" High Rings



1.5-6x42
AC10016
Includes 5/8" High Rings



1.25-4.5x26
AC10018
Includes 5/8" High Rings

Euro-30 Features

- Includes a set of 5/8" High Rings
- Waterproof, fogproof and shockproof
- Fully coated optics
- 30mm monotube construction for enhanced light gathering
- Wider field of view for quick targeting
- Parallax-free at 100 yards
- 1/4 MOA click adjustments
- Fast focus eyebell
- For big game and general hunting
- Scope caps included
- Limited Lifetime Warranty

Model #	Magnification	Objective Lens (mm)	Reticle	Field of View (ft@100yds/m@100m)	Exit Pupil (mm)	Eye Relief (inch)	Click Value	Tube Diameter	Finish	Weight (oz.)	Length (inch)
AC11314	4-16x	60	4A, IR Cross	23.6/7.87@4x - 6.28/2.09@16x	15-3.75	3.34-3.62	1/4	30mm	Black Matte	28.2	14.5
AC10024	3-12x	56	4A, IR Cross	35/11.6@3x - 10/3.3@12x	18.7-4.7	3.5	1/4	30mm	Black Matte	24.8	13
AC10022	3-12x	50	4A, IR Dot	35.2/11.7@3x - 10.3/3.4@12x	16.8-4.2	3.3	1/4	30mm	Black Matte	21.5	13.2
AC10012	2.5-10x	56	4A	38/12.6@3x - 10/3.3@12x	22.4-5.6	3.8	1/4	30mm	Black Matte	16.3	13
AC10020	3-12x	52	4A	32/10.6@3x - 10/3.3@12x	17.3-4.3	3.3	1/4	30mm	Black Matte	20.5	13.5
AC10014	3-9x	42	4A	38/12.6@3x - 13/4.3@9x	14-4.7	3.3	1/4	30mm	Black Matte	16.9	12.6
AC10016	1.5-6x	42	4A	46/15.3@1.5x - 17/5.6@6x	28-7	3.2	1/4	30mm	Black Matte	19.8	13
AC10010	6x	42	4A	21/7@6x	7	3.9	1/4	30mm	Black Matte	16.8	12.7
AC10018	1.25-4.5x	26	4A	82/27.3@1.25x - 30/10@4.5x	20.8-5.8	3	1/4	30mm	Black Matte	15.2	10.8


ELECTRO SIGHT

Riflescopes

BARSKA's Electro Sight series is growing! We've added two new models to make this family of tactical sights even more complete. The new 2x30 Red Dot is perfect for everything from targets to turkeys. It features a 7-position reticle illumination adjustment, 1/2" click adjustable windage and elevation adjustments and a removable magnification objective lens. This scopes multi-coated ruby lenses produce sharp images with minimum glare and the scope is parallax-free at 100 yards. Includes standard Weaver-style mount and black matte finish. The new 4x28 IR (Illuminated Reticle) model features a dual color red/green) Mil-Dot reticle. A 5-position rheostat allows individual reticle brightness adjustments. 1/2" click adjustable windage and elevation adjustments and long eye relief increase shooting accuracy. Includes standard Weaver-style mount and black matte finish. For quick target acquisition an electrifying experience, you can count of Electro Sights! All BARSKA Electro Sights are covered by BARSKA's 1-Year Limited Warranty.



Multi-Reticle
AC10632



A multi-reticle panoramic sight, built with a standard 5/8" mount that is ideal for handgun, shotgun, crossbow, M-16 and more. Features 4 different reticle patterns, a 7-position rheostat illumination and powered by a lithium battery. With a screen size of 22mmx33mm, this sight provides unlimited eye relief and unlimited field-of-view. Perfect for quick target shooting.

4x21 AO, SKS
AC10808

Dead on accurate! Crank up the accuracy on your SKS by adding this fine scope. Features an adjustable objective lens and a Special SKS reticle. Also ideal for Mosin-Nagant rifles.



SKS Reticle



4x20
M16
AC10838



Specifically designed for M-16 & AR-15. Features a built-in bullet drop compensation system that is calibrated to 500 yards in 100 yards increments. It has an integrated base that easily mounts on to the carry handle of the rifle.

ELECTRO SIGHT Riflescopes

Removable 2x
Magnification Lens



Weaver Style Picatinny Rail

NEW



2x30 Red Dot
AC11324



Weaver Style Picatinny Rail

NEW

4x28 Dual Color Mil Dot
AC11322



**Green
Mil Dot**



**Red
Mil Dot**

Model #	Magnification	Objective Lens (mm)	Reticle	Field of View (ft@100yds/m@100m)	Exit Pupil (mm)	Eye Relief (Inch)	Finish	Weight (oz.)	Length (inch)
AC10808	4x	21	SKS	24.1/8@4x	5.3	2.4	Black Matte	10.88	7.0
AC10838	4x	20	30/30	22/7.3@4x	5	2.7	Black Matte	13.4	6.9
AC11322	4x	28	Dual Color IR Mil Dot	19.9/6.65	12	4.52	Black Matte	14.81	8
AC11324	2x	30	Red Dot	19.9/6.65	12	Unlimited	Black Matte	7	5.75

AIR GUN

Riflescopes

The Air Gun series is designed to withstand the extraordinary punishing recoil energy generated by air guns. BARSKA's Air Gun series features multi-range parallax setting adjustments and a Mil-Dot reticle. Fully coated optics and an adjustable objective that corrects for parallax allows these scopes to deliver the accuracy and precision you need shot after shot. Waterproof, fogproof and shockproof, the Air Gun scopes are ideal for competition and recreational shooting.



Featuring Reverse Recoil Technology
 Designed To Withstand
 The Extraordinary Punishing Recoil
 Energy Generated Air Guns



 **3-12x40 AO**
AC10008



 **2-7x32 AO**
AC10006



 **4x32 AO**
AC10004

Air Gun Features

- Waterproof, fogproof and shockproof
- Fully coated optics
- 1" tube construction
- Adjustable objective lens to adjust for parallax
- 1/4 MOA fingertip adjustments
- Designed to withstand the punishing recoil energy of air guns
- Mil-Dot reticle
- Scope caps included
- Limited Lifetime Warranty

Model #	Magnification	Objective Lens (mm)	Reticle	Field of View (ft@100yds/m@100m)	Exit Pupil (mm)	Eye Relief (inch)	Click Value	Tube Diameter	Finish	Weight (oz.)	Length (inch)
AC10008	3-12x	40	Mil Dot	35/11.6@3x - 9/3@12x	13.3-3.3	4.2	1/4	1"	Black Matte	18.1	13.66
AC10006	2-7x	32	Mil Dot	57/19@2x - 17/5.6@7x	16-4.6	3.5	1/4	1"	Black Matte	15.52	11.66
AC10004	4x	32	Mil Dot	29/9.3@4x	8.0	3.3	1/4	1"	Black Matte	13.54	11.93

PLINKER-22 Riflescopes



 **4x32**
AC10041 Clam

STRAIGHT SHOOTER

Small wonder it's so popular. The Plinker-22 series is engineered specifically for your .22 rifles and rimfires. Made for plinking and general hunting, these scopes offer bright clear optics and the durability of scopes costing significantly more. We even provide the 3/8" rings as a bonus. Built to withstand the rough outdoors, the Plinker-22 is waterproof, fogproof and shockproof. With fully coated optics, a 30/30 reticle, included 3/8" dovetail rings and scope caps, Plinker-22 is simply the best value you can get anywhere.

Plinker-22 Features

- Waterproof, fogproof and shockproof
- Fully coated optics
- 1" monotube construction (select models)
- Parallax-free at 50 yards
- 1/4 MOA fingertip adjustments
- For general hunting and plinking
- 3/8" dovetail rings
- 30/30 reticle
- Scope caps included
- Limited Lifetime Warranty




 **4x32 IR**
AC10037 Clam



 **4x32**
AC10039 Clam



 **3-9x32**
AC10380


Model #	Magnification	Objective Lens (mm)	Reticle	Field of View (ft@100yds/m@100m)	Exit Pupil (mm)	Eye Relief (inch)	Click Value	Tube Diameter	Finish	Weight (oz)	Length (inch)
AC10380	3-9x	32	30/30	36/13@3x - 13/4.3@9x	10.7-3.6	3.5	1/4	1"	Black Matte	11.46	12
AC10037	4x	32	30/30 Red IR	25/8.3@4x	8	3.35	1/4	1"	Black Matte	16.08	11.93
AC10039	4x	32	30/30	29/9.6@4x	8	3	1/4	1"	Black Matte	16.08	11.93
AC10041	4x	32	30/30	29/9.6@4x	8	3	1/4	1"	Silver	16.08	11.93

RED DOT SCOPES

Ultra-fast target acquisition, pinpoint accuracy and wide field of view make the Red Dot series ideal for handguns, rimfire rifles, shotguns, pistols, blackpowders and crossbows. Each Red Dot has a finger adjustable rheostat for variable reticle brightness control, anti-reflective coating, and integrated mount for optimum performance. Selected models feature a state-of-the-art dual-color Green & Red Dot reticle for all-day shooting versatility. All Red Dots feature wide field of view, unlimited eye relief and multi-coated optics.



50mm
AC10332,
42mm
AC10330
30mm
AC10328,



25mm (30mm tube)
AC10326, AC10327 Clam
Includes Extension Tube & Rings

40mm DC
AC10650



- Dual-Color Reticle, Green and Red Dot Reticle
- Dual-size mount from 5/8" to 3/8" base



25mm DC
AC10648
(30mm Tube)



- Dual-Color Reticle - Green / Red Dot Reticle
- Rings included

30mm w/ 3 Dot Reticle
AC11088

- Can be used on crossbow or compound bow
- 3-dot reticle



**3 Dot Red
Reticle**



30mm
AC11086






2X

RED DOT Scopes



Quick targeting Red Dot scope with the advantage of 2x magnification which is ideal for tactical shooting.

2x30 Red Dot Scope Features

- 2x magnification
- 5 MOA red reticle
- Adjustable reticle brightness
- 1/4" MOA click
- Includes base
- Includes lens covers
- Matte black finish



Model #	Magnification	Objective Lens (mm)	Reticle	Field of View (ft@100yds/m@100m)	Exit Pupil (mm)	Eye Relief (inch)	Click Value	Tube Diameter	Finish	Weight (oz.)	Length (inch)
AC10650	1x	40	5 MOA, DC	72/24@1x	40	Unlimited	1/2	47mm	Black Matte	8.7	4.5
AC10648	1x	25	5 MOA, DC	42/14@1x	25	Unlimited	1/2	30mm	Black Matte	4.7	5.2
AC10332	1x	50	5 MOA	80/27@1x	50	Unlimited	1/2	52mm	Black Matte	7	4.0
AC10330	1x	42	5 MOA	62/21@1x	42	Unlimited	1/2	47mm	Black Matte	5.3	3.75
AC10328	1x	30	5 MOA	57/19@1x	30	Unlimited	1/2	38mm	Black Matte	4.8	3.75
AC10326	1x	25	5 MOA	57/19@1x	25	Unlimited	1/2	30mm	Black Matte	4.8	4.6
AC11086	1x	28	5 M.O.A.	68/20.72	28	Unlimited	1/4	30	Silver	7.2	3.75
AC11088	1x	28	3.5 M.O.A.	68/20.72	30	Unlimited	1/4	30	Black Matte	4.8	3.75
AC11090	2x	28	5 M.O.A.	68/20.72	15	Unlimited	1/4	30	Black Matte	8.8	5.25



RIMFIRE Riflescopes

This scope will keep you on target. BARSKA's Rimfire series is designed specifically for small bore rifles. They are calibrated parallax-free at 50 yards for shorter rimfire ranges. Featuring coated optics and a 30/30 reticle, Rimfire scopes are ideal for competitive and recreational target shooting, small game or varmint-type hunting. Standard 3/8" rings are included.

Features

- Designed specially for small bore rifles
- Coated optics
- Parallax-free at 50 yards
- 1/4" MOA coin adjustments
- Ideal for competitive and recreational target shooting
- Standard 3/8" rings included
- 30/30 reticle
- Limited Lifetime Warranty

Model #	Magnification	Objective Lens (mm)	Reticle	Field of View (ft@100yds/m@100m)	Exit Pupil (mm)	Eye Relief (inch)	Click Value	Tube Diameter	Finish	Weight (oz.)	Length (inch)
AC10002	3-7x	20	30/30	21/7@3x - 10/3.3@7x	6.7-2.9	2.55	1/4	3/4"	Black Matte	4.87	10.5
AC10730	4x	20	30/30	18.3/5.5@4x	5.0	2.5	1/4	3/4"	Black Matte	4.8	10.55
AC10000	4x	15	30/30	21/7@4x	3.75	2.75	1/4	3/4"	Black Matte	3.63	10.63

LASER SIGHTS & BORESIGHTER KITS

Laser Sights

Our laser Sighting Systems produce a bright dot for extreme sighting accuracy. Some models are equipped with inserts that are shaped to fit virtually all trigger guards and all models are equipped with an On-Off button. All laser sights are made of tough lightweight Aluminum and come with a 1-Year Limited Warranty.

5MW Green Laser Sight
AU10982



Red Laser Pistol Sight Universal
AU11067

· Includes tools



Red Laser Pistol/Rifle Sight
AU11069

· Tactical weaver style mount
· Includes tools



Red Laser Rifle Sight Universal
AU11071

· Includes tools



Tactical Red Laser Sight with Flashlight and Mount
AU11005



Item #	Description	Tube Diameter (mm)	Output Power	Wavelength	Max Reach Capacity	Adjustment Type	Battery Type	# Battery Included
AU10982	5MW Green Laser Sight	31	<5mW	522-542nm	1000 YDS.	Windage/Elevation	CR-123A	1
AU11067	Red Laser Pistol Sight Universal	31	<5mW	635-655nm	500 YDS.	Allen Wrench	LR-44 Lithium	3
AU11069	Red Laser Pistol/Rifle Sight	31	<5mW	635-655nm	500 YDS.	Allen Wrench	LR-44 Lithium	3
AU11071	Red Laser Rifle Sight Universal	31	<5mW	635-655nm	500 YDS.	Allen Wrench	LR-44 Lithium	3
AU11005	Tactical Red Laser Sight with Flashlight and Mount	19	<5mW	635-655nm	500 YDS.	Allen Wrench	CR-123A LR-44 Lithium	4

Boresighter Kits

BARSKA's new Boresighter Kits will ensure that your rifle is accurately zeroed when you're testing out a new rifle and scope combination. Available in three different models that include iron, laser and airgun-compatible. These boresighters fit snugly in the rifle barrel to eliminate any "play" that can result in an inaccurate boresighting adjustment and poor shooting accuracy. All boresighter kits come with a 1-Year Limited Warranty.

Laser Boresighter Kit w/Barrel Sight
AW11074

· 5-piece arbor set from 0.55 to .15
· Includes tools



Airgun Laser Boresighter Kit
AW11073

· Fits Airgun's from 0.22 to .27
· Includes tools



Iron Boresighter Kit
AW11076

· 15-piece arbor set from .177 to .50
· Includes carrying case



Rotate the boresighter and adjust windage and elevation turrets until the cross hairs line up with the center of the boresighter's grid.

Item #	Description	Type	Output Power	Wavelength	Max Reach Capacity	Arbor Studs Caliber (Min.-Max)	Battery Type	# Battery Included
AW11073	Airgun Laser Boresighter Kit	Laser	<5mW	635-655nm	500 YDS.	.22-.27	LR-44 Lithium	3
AW11074	Laser Boresighter Kit	Laser	<5mW	635-655nm	500 YDS.	.15-.55	LR-44 Lithium	3
AW11076	Iron Boresighter Kit	Iron	NA	NA	NA	.177-.50	NA	NA

MOUNTING RINGS

Rings

It's time to turn "tactical into practical". 30mm scope rings are an excellent choice for price-conscious shooters. Manufactured using T6 Aluminum and Aluminum alloy. These rings will provide you with extraordinary performance without sacrificing quality, accuracy or your bank account!

These 30mm Tactical scope rings are designed to give you as much control as possible over extreme types of shooting at a practical price. BARSKA 30mm Tactical scope rings are the best choice when mounting your tactical scope. Precision machining the rings from T6 Aluminum provides the strength

a tactical shooter expects without excess weight. These rings are equipped with inserts that prevent ring marks on the finish of the scope tube as well as versatility for use on both 30mm and 1" scopes. The bottom line: These rings are designed for the tactical shooter who expects nothing but the best performance at a practical price.

These 1" scope rings will provide you with extraordinary performance quality and accuracy. Rings are available in various profiles from Low to Extra-High. There are also models that are customized to fit Ruger firearms. Peep-sight

features are also available on selected models.

Our .22 rings are an excellent choice for .22 Rimfire and Airgun rifles. Like our riflescopes, these rings will provide you with extraordinary performance without sacrificing quality or accuracy. Rings are available in High and See-Through profiles. All rings are black matte finish and come with a 1-Year Limited Warranty.

30MM Low Weaver Style
AI10338



30MM High Weaver Style
AI10340



30MM Extra-High Weaver Style See-Through
AI10826



30MM High Ruger Style with 1" Insert
AI11059



30MM Extra-High Ruger Style with 1" Insert
AI11061



30MM Extra-High HD Weaver Style with 1" Inserts
AI11063



30MM Low HD Weaver Style with 1" Inserts
AI11065



1" Low Weaver Style
AI10334



1" High Weaver Style with Peepsight
AI10336



1" Extra-High Weaver Style See-Through
AI10468



1" High Dovetail / Airgun .22 Style
AI10342



1" High Dovetail / Airgun .22 Style See-Through
AI10344



Model #	Description	H-Height	D-Diameter	O-Overall	Material	#Rings/Pkg	#Set Screw	#Lock Nuts
AI10338	30mm Low Weaver Style	.81"	30mm	1.69"	Aluminum	2	1	2
AI10340	30mm High Weaver Style	.98"	30mm	1.87"	Aluminum	2	1	2
AI10826	30mm Extra-High Weaver Style	1.25"	30mm	2.02"	Aluminum	2	1	2
AI11059	30mm High Ruger Style With 1" Insert	1.19"	30mm	1.88"	Aluminum Alloy	1	1	4
AI11061	30mm Extra-High Ruger Style With 1" Insert	1.31"	30mm	1.94"	Aluminum Alloy	1	1	4
AI11063	30mm Extra-High HD Weaver Style With 1" Inserts	1.45"	30mm	2.38"	Aluminum Alloy	2	1	4
AI11065	30mm Low HD Weaver Style With 1" Inserts	.88"	30mm	1.75"	Aluminum Alloy	2	1	4
AI10334	1" Low Weaver Style	.69"	1"	1.44"	Aluminum	2	1	2
AI10336	1" High Weaver Style With Peepsight	1.25"	1"	2.02"	Aluminum	2	1	2
AI10468	1" Extra-High Weaver Style See-Through	1.25"	1"	1.99"	Aluminum	2	1	2
AI10342	1" High Dovetail / Airgun .22 Style	.94"	1"	1.99"	Aluminum	2	1	2
AI10344	1" High Dovetail / Airgun .22 Style See-Through	1.38"	1"	1.99"	Aluminum	2	1	2

MOUNTS & BIPODS

Mounts

These BARSKA bases are designed to provide you with solid performance in the field. T6 Aluminum construction results in durability and lighter weight while the rugged cross slot bolts secure the bracket to provide extreme rigidity. These bases permit the mounting of a variety of firearms. All riflescope mounts come with a 1-Year Limited Warranty.

SKS
AF10930



AK Tactical
AW11131



Mini-14
AW11133



10-22 Ruger Base
AW11135



M-4 Handguard Rail Short
AW11137



AR-15, M16 Z Type Handle
AW11139



Standard AR -15 & M-16
AW11141



AR Rise
AW11143



M-44 Mosin Nagant 91 Scope
AW11145



M-14
AW11147



M-1 Carbine
AW11149



Item #	Description	Rail Type	Rail Length	Material	Color/Finish	Applicable Firearm
AF10930	SKS Mount	Weaver	3.4"	Steel	Black/Matte	SKS Rifles
AW11131	AK Tactical Mount	Weaver/Picatinny	5.3"	T6 Aluminum	Black/Matte	AK-47, AK-74
AW11133	Mini-14 Mount	Weaver/Picatinny	5.44"	T6 Aluminum	Black/Matte	Ruger Mini-14
AW11135	10-22 Ruger Base Mount	Weaver/Picatinny/Dovetail	4.14"	T6 Aluminum	Black/Matte	Ruger 10-22
AW11137	M-4 Handguard Rail Mount-Short	Weaver/Picatinny	5.9"	T6 Aluminum	Black/Matte	M-4, AR-15, M-16
AW11139	AR-15, M16 Z Type Handle Mount	Weaver/Picatinny	5.9"	T6 Aluminum	Black/Matte	AR-15, M-16
AW11141	U.S. Armed Forces Standard AR -15 and M-16 Mount	Weaver/Picatinny	6.0"	T6 Aluminum	Black/Matte	AR-15, M-16
AW11143	AR Rise Mount	Weaver/Picatinny	5.2"	T6 Aluminum	Black/Matte	AR-15
AW11145	M-44 Mosin Nagant 91 Scope Mount	Picatinny	6.5"	T6 Aluminum	Black/Matte	M-44 Mosin Nagant
AW11147	M-14 Mount	Picatinny	6.2"	T6 Aluminum	Black/Matte	M-14
AW11149	M-1 Carbine Mount	Picatinny	3.28"	T6 Aluminum	Black/Matte	M-1 Carbine

Bipods

To make consistently accurate shots critical last-second adjustments to the rifle's position is usually always required along with a stable rest. With this in mind, we created our newest line of bipod models with features that allow you to easily set up and make these necessary adjustments. These bipods fit AR-15 and SKS rifles and also include a universal model that will fit an almost unlimited choice of rifle types. All bipods come with a 1-Year Limited Warranty.

AR-15 Handguard Rail Bipod
AW11078



SKS Bayonet Bipod
AW11080



Universal Barrel Mount Bipod
AW11082
· Includes tools



Item #	Description	Type	Adjustable Height (in)	Material	Color / Finish	Applicable Firearms
AW11078	AR-15 Handguard Rail Bipod	SKS AR Rail	8.3"-11.4"	Steel	Black/Matte	AR-15
AW11080	SKS Bayonet Bipod	SKS Bayonet	9.5"-15.50"	Steel	Black/Matte	SKS Rifles with Bayonet Lug
AW11082	Universal Barrel Mount Bipod	Universal	8.5"-13.5"	Steel	Black/Matte	Universal

MUZZLE BRAKES, PARTS & TOOLS

Muzzle Brakes

Our new selection of muzzle brakes redirect propellant gases with the effect of countering both recoil of the gun and unwanted rising of the barrel during rapid fire resulting in increased accuracy. All muzzle brakes come with a 60-Day Limited Warranty.

SKS Short
AW11151



SKS Long
AW11153



SKS Bolt-On
AW11155



AK Brake
AW11157



Ruger 10-22 Short
AW11159



Ruger 10-22 Long
AW11161



Item#	Description	Length (in)	Thread Type	Material	Color/Finish	Applicable Firearms
AW11151	SKS Muzzle Brake-Short	2.125"	Twist-on	Steel	Black/Matte	Chinese and Russian SKS rifles
AW11153	SKS Muzzle Brake-Long	3.125"	Twist-on	Steel	Black/Matte	Chinese and Russian SKS rifles
AW11155	SKS Muzzle Brake-Bolt-On	3.812"	Twist-on	Steel	Black/Matte	Chinese and Russian SKS rifles
AW11157	AK Muzzle Brake	2.812"	Threaded	Steel	Black/Matte	AK Type 7.62x39 rifles
AW11159	Ruger 10-22 Muzzle Brake-Short	2.500"	Twist-on	Steel	Black/Matte	Ruger 10-22
AW11161	Ruger 10-22 Muzzle Brake-Long	3.375"	Twist-on	Steel	Black/Matte	Ruger 10-22



AR-15 Stock Wrench Tool
AW11165

- Removes old extension tube and installs a new style without damaging the rifle's finish



AR-15 Combo Wrench Tool
AW11167

- Installs and disassembles free float tube, barrel nut
- 1/2" drive for socket wrench, extension tube carbine stock
- Screw drive tip for butt stock and compensator



AR-15 Combo Wrench Tool-Short
AW11169

6 TOOLS IN ONE

- Aligns barrel nut to the gas tube
- Installs or removes free floating tubes
- 1/2" drive for socket/torque tension wrench
- Compensator wrench
- Buttstock tube wrench
- Installs and removes barrel extension tube



AK/SKS Front Sight Adjustment Tool
AW11171

Parts & Tools

Our selection of high quality tactical parts and tools includes some of the most popular and essential types at extremely affordable prices. These parts products are made of high-strength Carbon Steel and are designed for years of use. All parts and tools come with a 60-Day Limited Warranty.



Tactical Vertical Handle Grip
AW11173

Item#	Description	Length (in)	Width (in)	Material	Color/Finish	Applicable Firearms
AW11165	AR-15 Stock Wrench Tool	5.5"	1.187"	Carbon Steel	Black/Matte	AR-15
AW11167	AR-15 Combo Wrench Tool	12.625"	2.00"	Carbon Steel	Pewter/Gloss	AR-15
AW11169	AR-15 Combo Wrench Tool Short	12.375"	1.875"	Carbon Steel	Pewter/Gloss	AR-15
AW11171	AK/SKS Front Sight Adjustment Tool	2.625"	1.50"	Carbon Steel	Black/Matte	AK/SKS
AW11173	Tactical Vertical Handle Grip	4.562"	1.875"	High Impact Polymeric Vertical Forend Grip/ Steel Shaft	Black/Matte	AR-15

BARSKA® Shooting Accessories

SHOOTING ACCESSORIES


Our newest lineup of shooting accessories includes a wide selection of shooting and precision aid accessories including boresighters kit, muzzle brakes, bipods and a variety of parts and tools that are just as reliable as the BARSKA products they're intended to pair.

LASER SIGHTS

Our newest Laser Sighting Systems are powered by three LR-44 Lithium batteries (included) and produce a bright dot for extreme sighting accuracy. Some models are equipped with inserts that are shaped to fit virtually all trigger guards. All models are equipped with an On-Off button and laser sights are made of tough lightweight Aluminum.

Green Laser vs. Red Laser

Green is closer to the center of the visible spectrum, at 532 nanometers, so it's easier for our eyes to perceive the color vs. a red laser at 635 nanometers. A green laser can appear as much as 50 times brighter than the red equivalent. 532nm is the ideal wavelength to maximize visibility during day or night, which makes green lasers much more visible than red lasers.




BORESIGHTER KITS

BARSKA's new Boresighter Kits will ensure that your rifle is accurately zeroed when you're testing out a new rifle and scope combination. Available in three different models that include iron, laser and airgun-compatible. These boresighters fit snugly in the rifle barrel to eliminate any "play" that can result in an inaccurate boresighting adjustment and poor shooting accuracy.

How a boresighter works

Model AW11076

Insert stud into boresighter and insert other end into barrel. Align internal grid. Scope is now pre-zeroed.



Caliber

Caliber (Cal.) is a system of measurement for the internal bore diameter of a rifled-barreled firearm (rifle or pistol) based on the decimal part of an inch (.22 Cal) or in millimeters (9mm). American caliber designations refer to the distance from land to land, not groove to groove.

MUZZLE BRAKES

Our new selection of muzzle brakes redirect propellant gases with the effect of countering both recoil of the gun and unwanted rising of the barrel during rapid fire resulting in increased accuracy.

UNIVERSAL PARTS & TOOLS

Our selection of high quality tactical parts and tools includes some of the most popular and essential types at extremely affordable prices. These products are made of high-strength Carbon Steel and are designed for years of use.

RINGS

BARSKA scope rings are precision engineered and manufactured using T6 Aluminum and Aluminum alloy for durability and weight savings. Selecting rings with the correct height to use with your scope depends on several factors including barrel taper, action length, ring position on the scope and the outside objective diameter of the scope. To help you determine which BARSKA ring model to select, refer to the chart in this section.

H-Height


Describes how high the rings lift the riflescope off the rifle body.

D-Diameter

Refers to the inner diameter of the of the ring.

O-Overall

The height of the entire ring, from top to bottom.



MOUNTS

BARSKA bases are designed to provide you with solid performance in the field. T6 Aluminum construction results in durability and lighter weight while the rugged cross slot bolts secure the bracket to provide extreme rigidity. These bases permit the mounting of a variety of firearms.

Types Of Mounts

Picatinny

A term for a mounting rail system where grooves are .206" wide and have a consistent center-to-center width of .394".

Weaver

A term for a mounting rail system where grooves are .180" wide and most have a consistent center-to-center width of .180. Most Weaver-style accessories will fit the Picatinny system however Picatinny accessories will not fit the Weaver-style system.

Dovetail

Airgun dovetail is a parallel set of grooves running along the top of a receiver to which bases may be clamped. The width of the airgun dovetail is 11mm, but can range from 9.5mm to 14mm.

BIPODS


To make consistently accurate shots critical last-second adjustments to the rifle's position is usually always required along with a stable rest. With this in mind, we created our newest line of bipod models with features that allow you to easily set up and make these necessary adjustments. These bipods fit AR-15 and SKS rifles and also include a universal model that will fit an almost unlimited choice of rifle types.

Minimum Height

Refers to the length of the legs when they are it's shortest.

Maximum Height

Refers to the length of legs when fully extended.



WARRANTY

Shooting accessories come with a 60-Day or 1-Year Limited Warranty USA and Canada Only, This warranty does not cover consumer caused damages, abuse, normal wear-and-tear, unauthorized repairs or modifications. For more information, please refer to warranty policy enclosed with products.