The Redfield Riflescope Full Lifetime Warranty

Redfield is owned by Leupold & Stevens, Inc., an American, family owned company that has been in business for over 100 years.

Redfield's success has been built on our commitment to your absolute satisfaction, and our commitment to building the best optics for hunting and shooting sports. It's for these reasons that we offer the Redfield Riflescope Full Lifetime Warranty.

If any Redfield Revenge or Revolution riflescope is found to have defects in materials or workmanship, we will, at our option, repair or replace it. FREE. Even if your customer is not the original owner. No warranty card is required. No time limit applies.

The Redfield Limited Lifetime Warranty

Redfield sporting optics are engineered and manufactured to standards set and monitored by Redfield, with the goal of reliable performance at an accessible price.

Redfield <u>non-electronic</u> products are warranted for as long as the original owner owns them. We warrant them to be free of defects in materials and workmanship, and to function satisfactorily under normal use conditions. If at any time a Redfield non-electronic product is found to have a defect in materials or workmanship, Redfield will, at our discretion, repair or replace it free of charge, when requested by the original owner.

Redfield <u>digital laser rangefinders</u> are warranted by the Redfield Electronics Warranty, and are protected from defects in materials and workmanship for ONE YEAR from the date of purchase.

All warranties are void if damage results from unauthorized repair, alteration, or misuse. Both warranties are given solely to the original owner and are not transferable.



A Brand of Leupold & Stevens, Inc.
P.O. Box 688, Beaverton, OR 97075-0688 U.S.A.
14400 NW Greenbrier Parkway, Beaverton, OR 97006-5790 U.S.A.
877-798-9686 + www.redfield.com

Printed in the U.S.A. This publication may not be reprinted or otherwise reproduced without the expressed written consent of Leupold & Stevens, Inc. Copyright © 2012 Leupold & Stevens, Inc. All rights reserved.







REDFIELD

the SOUL of the AMERICAN HUNTER"

Opening day. Last shooting light. End of season. If there's one thing the American hunter is passionate about it's the time he or she can spend in the stand, the blind, or on the hunt—where each passing minute is more precious than the one before it.

We understand.

For more than 100 years, Redfield has been right there with you, building riflescopes and optics that match that spirit and put success within reach of virtually any hunter. No-nonsense design. Intelligent features. Time-honored quality. All at a price that is both affordable and packed with value.

So whether you choose an American-made Revolution™ riflescope,
a Rampage™ spotter, Rebel™ or Renegade™ binocs, Raider™ rangefinder,
or our all-new Revenge™ riflescope with Accu-Ranger Ballistics System™,
you'll know you're carrying optics that are cut from the same cloth as you.

Pick up a Redfield and feel the passion.

CONTENTS








NEW pg. 11



BINOCULARS
NEW pg. 12



RANGEFINDE



EXACT YOUR TREVENCE

RANGE-FINDING RIFLESCOPE


Misjudged distances lead to missed shots. Don't get mad. Get even. Our new Revenge" riflescope features an exclusive "in-scope" ballistic ranging system that puts you dead on the money. Bright, clear optics. Rugged reliability. And, accurate range-finding all in one package.



To use the Accu-Ranger reticle, **simply bracket the torso of the animal** between the horizontal line and top post of the reticle. The corresponding number is the yardage to the target.



Once you determine range, **zoom to the highest power** and use the corresponding ballistic holdover points as your aimpoint.



REVENGE -

THE DISTANCE BETWEEN YOU AND THAT TROPHY JUST GOT SHORTER.

REVENGE™

- + Accu-Ranger Ballistics System delivers one-of-a-kind riflescope performance that is always dead on the money.
- + Our new Revenge riflescope is an optical marvel, combining a bright, crystal-clear sight picture with an exclusive "in-scope" ballistic ranging system. No other scope in the world packs so much performance, function, and value into one neat and tidy package.

ACCU-RANGER BALLISTICS SYSTEM"

+ Misjudged distances lead to poor shots and unfilled tags. Don't get mad. Get even with our exclusive Accu-Ranger Ballistic System (available on selected models). The only optical/mechanical ranging system of its kind, Accu-Ranger will give you accurate ballistic ranging within your scope. No going back and forth between scope and rangefinder. No excess movement. Just set up, determine the range, adjust your holdover, and put your bullet downrange with incredible accuracy.

FAST-FOCUS EYEPIECE

+ Lets you quickly and easily adapt to changing conditions.



100% WATERPROOF / FOG PROOF / SHOCK PROOF

+ Revenge riflescopes are built to take on the elements, no matter how bad they get. Nitrogen-processed maintubes are totally waterproof and fog proof, and are guaranteed to stay that way for the life of your scope. Redfield rugged reliability means the optics can withstand the heaviest recoiling rifles without missing a beat.

FULLY MULTICOATED LENS SYSTEM

+ Revenge riflescopes feature our Fully Multicoated Lens System to reduce glare and diffusion. Maximum light transmission is delivered to your eye so you see a bright, clear image in all lighting conditions.

1/4-MOA POP-UP RESETTABLE FINGER CLICK ADJUSTMENTS

+ Quickly adjust for windage and elevation (Revenge 6-18x44mm has 1/8-MOA adjustments).

FULL LIFETIME WARRANTY

13 DIFFERENT MODELS

+ Revenge is available with and without the

of reticle options. See chart on page 14.

Accu-Ranger Ballistics System (ABS), in a variety

+ We don't just say "for a lifetime of hunts." We mean it. Our Revenge riflescopes are covered season after season, hunt after hunt. If you have an issue, let us know, and we'll make it right. For more information on our warranty, see the back cover.





ACCU-RANGER BALLISTICS SYSTEM REVENCE

MISJUDGED DISTANCES LEAD TO MISSED SHOTS. DON'T GET MAD. GET EVEN.

Redfield Revenge riflescopes offer an unprecedented combination of ranging capability and long-range aiming precision. For those scopes equipped with ABS, simply adjust magnification and aim with the appropriate holdover point. the magnification until your target fits the bracket and read


the distance indicated on the top post of the reticle. Once the distance has been determined, adjust the scope to high Each reticle offers ranging brackets for 16" and 25" targets,

while the Varmint reticle has an additional 8" bracket. The 8" bracket can be used for prairie dogs, the 16" bracket can be used for deer, and the 25" bracket can be used for elk and/or covotes as shown in the following diagrams.

ABS HUNTER RETICLE Range: 300 yds 400 Yards 500 Yards 600 Yards


Caliber	Bullet Wt.	Velocity
.223 Remington	40	3800 fps
.22-250 Remington	55	3650 fps
.243 Winchester	100	2900 fps
.25-06 Remington	100	3200 fps
.25-06 Remington	120	3000 fps
.270 Winchester	130	3050 fps
.270 WSM	150	3120 fps
.280 Remington	140	3000 fps
7mm Remington Mag	150	3050 fps
.30-06 Springfield	150	3000 fps
.300 Weatherby Mag	180	3100 fps
.300 Winchester Mag	180	2950 fps
.300 WSM	180	2950 fps
.338 Winchester Mag	200	2950 fps
.338 RUM	250	2900 fps

(35-45 inches of drop at 500 yards)



ABS VARMINT RETICLE 25" Bracket 8" Bracket Range: 300 yds Range Indicator 200 Yards

ABS VARMINT (200 YAI	RD ZERO)	
Caliber	Bullet Wt.	Velocity
.17 Remington	25	4000 fps
.223 Remington	40	3800 fps
.222 Remington	40	3600 fps
.22-250 Remington	50	3800 fps
.22-250 Remington	55	3680 fps
.220 Swift	50	3850 fps
.220 Swift	50	3750 fps
.220 Swift	55	3680 fps
.223 WSSM	55	3850 fps
.243 Winchester	58	3750 fps
.25-06 Remington	100	3200 fps
.25-06 Remington	120	3000 fps
.270 Winchester	130	3050 fps
.270 WSM	130	3200 fps
.270 Weatherby	130	3200 fps
7mm Remington Mag	150	3100 fps
.300 Winchester Mag	180	3100 fps
(30-40 inches of di		





4-PLEX REVENGE RETICLE

+ Heavy posts stand out against cover and in twilight conditions pointing boldly to the intersection. Centering is a snap. The thin crosshairs obscure little.




FINE PLEX RETICLE

+ Thinner posts and crosshairs allow for less target coverage, making precision shots on small targets easy.



REVENGE 2-7x34mm Finish: Matte Reticles: 4-Plex or ABS Crossbow





REVENGE 3-9x42mm Finishes: Matte or Silver

+ The 3-9x42mm offers great flexibility with a magnification range that combines low-power field of view and high-power precision. The ranging abilities of the Reticles: 4-Plex, ABS Hunter, ABS Sabot ML ABS Sabot ML model give blackpowder hunters a distince advantage in the field.



+ Squeeze a little extra light out of the day. The 3-9x52mm adds maximum

brightness for easy targeting of deer and other game at dawn, dusk, or for when the weather turns nasty.



REVENGE 3-9x52mm

Reticles: 4-Plex or ABS Hunter

Finish: Matte

Finish: Matte

+ When long range shots are the norm, choose the Revenge 4-12x42mm. Crank it all the way up to 12x magnification and you're ready for everything from pronghorns and muleys to whitetails and woodchucks.





REVENGE 6-18x44mm Finish: Matte Reticles: Fine Plex or ABS Varmint

Reticles: 4-Plex, ABS Hunter, ABS Varmint

+ For tiny targets and smaller groups, the 6-18x44mm provides high magnification, 1/8-MOA adjustments, and an adjustable objective. Whether you're targeting coyotes, prairie dogs, or paper, give your Revenge a power boost.



- REVOLUTION -

A NO-NONSENSE SCOPE FOR NO-NONSENSE HUNTERS: REVOLUTION™ HAS EVERYTHING YOU NEED, AND NOTHING YOU DON'T.

AMERICAN CRAFTSMANSHIP

+ With a name like Revolution, it's only fitting that this scope be made right here in our Beaverton, Oregon, facility. Buy with confidence knowing your Revolution was crafted with pride in America.

ILLUMINATOR LENS SYSTEM

+ Quality lenses can make or break a hunt. Our Illuminator Lens System[™] gives you the clearest image for the cleanest shot. So take a deep breath and squeeze the trigger with complete confidence. If you're on the mark, get out your knife. Premium lenses and vapor deposition, dielectric coatings deliver exceptional light transmission in the low-light, blue wavelengths that dominate at dawn and dusk, when game is most active.



ACCU-TRAC® ADJUSTMENTS

+ Precision, stainless steel, 1/4-MOA finger click windage and elevation adjustments let you quickly and easily zero your rifle on the range, and confidently correct for windage or elevation in the field. When combined with Redfield's exclusive Accu-Range™, you can quickly zero and place shots right on the money, even at long range.



100% WATERPROOF / FOG PROOF

+ These scopes are built to take anything Mother Nature can dish out: driving rain, sleet, ice, and snow are no match for the rugged, watertight Revolution. Nitrogenprocessed maintubes are totally waterproof, and are guaranteed to stay that way, so the elements will never dampen your hunt.



REDFIELD'S RIFLESCOPE FULL LIFETIME WARRANTY

+ We don't just say "for a lifetime of hunts." We mean it. Our Revolution riflescopes are covered season after season, hunt after hunt. If you have an issue, let us know, and we'll make it right. For information on our riflescope lifetime warranty, see the back cover.

RUGGED RELIABILITY

RAPID TARGET ACQUISITION

+ See your buck, target your buck. It's easy with Revolution's generous eye

relief and Rapid Target Acquisition™

+ Every scope we design gets put through its paces. Our tests dish it out to make sure every scope is tough as nails, fully waterproof, and ready to hunt.

eyepiece. No searching for the visual sweet spot when time is critical.




LOCK IT DOWN WITH LEUPOLD®

+ Built right alongside your Revolution riflescope, Leupold® rings and bases are the right choice for any rifle. Designed to withstand the same rigors and punishment as your scope, Leupold mounts will keep your scope squarely in place atop your favorite firearm. Learn more on page 14.



INSPIRED BY A CLASSIC. BUILT TO BE A LEGEND.







ACCU-RANGE RETICLE

+ As one of the first with bullet drop compensation, Redfield's original Accu-Range pioneered the reticles we take for granted today. The new Accu-Range blends precise holdover points hunters need with a bold center that naturally leads the eye for fast shot placement at close quarters.

The reticle comes with precise aiming points that work with most popular hunting loads. For many standard cartridges (Group 1 at right), sight in at 200 yards with the center crosshair, and the remaining hold points are dialed in up to 500 yards. The bottom of the circle intersects the vertical crosshair at the 300-yard aim point, the dot is your hold for 400 yards, and the bottom post provides a 500-yard aiming point. For faster, magnum-caliber rifles shooting light bullets, you can sight in at 300 yards, and have hold points

4CCU⊕RANGE for 400, 500 and 600 yards.

CARTRIDGE GROUPS FOR USE WITH THE ACCU-RANGE™ RETICLE

Caliber	Bullet Wt.	Velocity
.243 Winchester	100	2900 fps
.25-06 Remington	100	3200 fps
.25-06 Remington	120	3000 fps
.270 Winchester	130	3050 fps
.270 WSM	150	3120 fps
.280 Remington	140	3000 fps
7mm Remington Mag	150	3050 fps
.30-06 Springfield	150	3000 fps
.300 Weatherby Mag	180	3100 fps
.300 Winchester Mag	180	2950 fps
.300 WSM	180	2950 fps
.338 Winchester Mag	200	2950 fps
.338 RUM	250	2900 fps

(35-45 inches of drop at 500 yards)

GROUP	2	(300)	YARD	ZERO

Caliber	Bullet Wt.	Velocit
.270 WSM	130	3275 fp
.300 WSM	150	3300 fp
.300 Winchester	150	3300 fp
7mm WSM	140	3225 fp
7mm STW	140	3325 fp
7mm RUM	140	3450 fp
7mm RUM	160	3250 fp
.30-378 Weatherby Mag	180	3400 fp
.300 RUM	180	3400 fp
.270 Weatherby Mag	130	3200 fp
7mm Remington Mag	150	3100 fp
.300 Weatherby Mag	150	3375 fp


(Less than 35 inches of drop at 500 yards)



4-PLEX RETICLE

+ Heavy posts jump from the background, while guiding the eye to the image center quickly. Thin crosshairs allow precision placement of your shot.

- REVOLUTION -





REVOLUTION 2-7x33mm Finish: Matte Reticles: Accu-Range or 4-Plex + If you hunt woodlots, thickets, or dark timber, this Revolution is for you. Mount it on a lever gun or short action to save weight and get the job done. Plus, the 7x magnification makes this scope at home hunting over meadows, clear-cuts, and broken country.



REVOLUTION 3-9x40mm Finish: Matte Reticles: Accu-Range or 4-Plex + This go-to scope gives hunters great flexibility with a magnification range that combines low-power field of view and high-power precision. This Revolution will be right at home in any terrain you fill your tag.



REVOLUTION 3-9x50mm Finish: Matte Reticles: Accu-Range or 4-Plex + Need to squeeze a little extra light out of the day? The 3-9x50mm adds maximum brightness for easy targeting of deer and other game at dawn, dusk, or when the weather turns.



REVOLUTION 4-12x40mm

+For those wide-open spaces, cutovers, clear-cuts, and bean fields where long-range shots make a difference. Dial it all the way up to 12x magnification, and you have a scope for **Reticles:** Accu-Range or 4-Plex everything from pronghorn and whitetail to woodchucks.

GREAT OPITIES. GREAT PRICE.

THAT'S

VISION

OUR

The imported full-size Rampage spotting scope delivers big-time performance at a hunter-friendly price. If you need more magnification on your hunts, this 20-60x60mm spotter fits the bill. The Rampage comes equipped with a standard tripod adapter, so you can mount it on most

And for 2012 we've expanded our Rampage line to give you the option of an angled eyepiece with an 80mm objective. The 45° angle provides greater comfort and ease of use at the range or in the field.

RAMPAGE

BAK4 PRISM SYSTEM + These top-quality prisms deliver unmatched image clarity and resolution, so you get a crisp, clear image every time. No dull or muddied reproduction, just accurate color fidelity and sharp edge clarity to help you pull game from their surroundings. standard tripods or window mounts.

FIELD OF VIEW

+ The generous field of view-114 feet at 20x; 51 feet at 60x-means you get the whole picture.

Don't miss a single detail as you scan the ridgeline for your trophy bull.

POLYCARBONATE BODY

+ Made of the same stuff as bulletproof glass, the body is exceptionally light, yet remarkably tough. It will be there with you, standing up to even



RETRACTABLE LENS SHADE

+ Reduce glare and increase visibility when spotting in wide-open country.



LIMITED LIFETIME WARRANTY

Redfield's Limited Lifetime Warranty means your spotting scope will be with you, season after season.

the most daunting terrain.

+ Quality craftsmanship backed by



RAMPAGE 20-60x80mm ANGLED EYEPIECE KIT Finish: Black


+ This all-in-one kit comes complete with a 20-60x80mm Angled Eyepiece Rampage, tripod, view-thru case with strap, soft storage case, and covers for both the eyepiece and objective.



RAMPAGE 20-60x60mm KIT Finish: Black

+ Includes a 20-60x80mm Rampage, tripod, view-thru case with strap, soft storage case, and eyepiece and objective covers. This complete spotter kit is at home at the range or on the hunt.





get more choice and more flexibility to tailor your binoculars to your specific needs. The slim Rebel is a perfect all-purpose optic for the American hunter. Available in 8x and 10x models, this rugged bino will get the job done from dawn to dusk. A short minimum focus distance and impressive field of view make the versatile Rebel a good fit for almost any hunting situation.



+ Integrated twist-up eyecups provide a great fit, with or without glasses.





FULLY MULTI-COATED LENSES

+ Fully multi-coated lenses guarantee a bright, sharp image to spot your buck. These lenses maximize transmission of fading light for strong performance in twilight conditions. Eliminate muddy images and missed deer thanks to crystal-clear resolution and accurate color reproduction.

ARMORED CONSTRUCTION

+ Aluminum body construction stays fog-free to keep you glassing in all conditions. Built tough, these binoculars can hack field, thicket, and creek bed without worry. Includes a soft case, comfortable neoprene neckstrap, and durable lens covers.

TWIST-UP EYECUPS

+ Flexible and accommodating, these binoculars are equipped with easy twist-up eyecups for use with or without eyeglasses.

LIMITED LIFETIME WARRANTY

+ Imported by Redfield and backed by our Limited Lifetime Warranty means these will be with you hunt, after hunt, after hunt.



that doesn't flatten the image, giving you 3-D reproduction with genuine depth of field.



+ No fumbling around, even with gloves, thanks to heavy-duty focus knob knurling.



BUILT WITH PRIDE. HUNTED WITH CONFIDENCE.



RAIDER 550

When a big buck sneaks through the clearing you've scouted for months, don't rely on a guesstimate. Shoot with confidence; knowing the Raider 550 will put you right on the money. Imported by Redfield, the lightweight, compact Raider 550 uses a precision laser for fast, accurate ranging of your trophy.

COMPACT SIZE

+ At less than 4 inches long and under 5 ounces, the Raider is a powerful tool in a tiny package. Easy to carry and handle, it's a little rangefinder that makes a big difference.

MAGNIFICATION

+ The 6x magnification lets you get up close and personal while ranging. Make sure you're dialed in on that deer, or use

your Raider as an instant game is close.



PEAK PERFORMANCE

+ High-speed, digital processor and powerful laser combine to deliver quick, accurate ranging in the field.

BATTERY POWER

+ The Raider's efficient energy use means longer battery life, so it will be ready whenever you are. And when the battery

simply replace it with a common CR-2 battery.



EASY TO USE


With simple one button operation, the Raider is ideally suited for fast action in the field. One press of the button ranges your target instantly, while a press and hold will let you scan the landscape, returning ranges for various landmarks or big game.



SPECIFICATIONS



<u>+</u>		—в-					<i>,</i>			mens					Actual				View			imum I	Eye Re	lief	Obje Cle		Wei	aht	Elevation Adjustment	Windage Adjustment
			11				(II	ncnes	unies	s otn	ierwi	se stat	ea)	мас	Initicati	on ft a	t 100	yd r	m at 10	00 m	ine	:h	mı	m	Aper	ture			Ŕange*	Ŕange*
(Imported)							A¹	В	C D	E'	F	G F				jh Lo	w H	igh	Low	High	Low	High	Low	High	inch	mm	ounce	gram	MOA	MOA
REVENGE	ABS Hunter	ABS Varmint	ABS SAbot ML	ABS Crossbow	4-Plex	Fine Plex																								
2-7x34mm	-	-	-	115206	115204	-	11.3	5.6	2.1 2.2	3.4	2.3	1.6 1.	7 1.0	2.	1 7.0) 43	1 13	3.2	14.4	4.4	3.5	3.5	89	89	1.3	34	13.6	385	80	80
3-9x42mm	115210	-	115211	-	115208	-	12.4	5.6	2.1 2.2	3.4	3.4	1.9 1.	7 1.0	3.0	8.	6 32	9 11	1.4	11.0	3.8	3.5	3.5	89	89	1.7	42	14.8	420	70	70
3-9x42mm (Silver)	-	-	-	-	115209	-	12.4	5.6	2.1 2.2	3.4	3.4	1.9 1.	7 1.0	3.0	8.	6 32	9 11	1.4	11.0	3.8	3.5	3.5	89	89	1.7	42	14.8	420	70	70
3-9x52mm	115214	-	-	-	115212	-	12.4	5.5	2.0 2.2	3.4	3.7	2.3 1.	7 1.0	3.0	8.	6 32	7 11	1.5	10.9	3.8	3.5	3.5	89	89	2.0	52	17.1	485	70	70
4-12x42mm	115216	115217	-	-	115215	-	14.1	5.5	2.1 2.2	3.4	5.2	1.9 1.	7 1.0	3.8	3 11.	7 24	6 7	7.9	8.2	2.6	3.5	3.5	89	89	1.7	42	15.3	435	50	50
6-18x44mm	-	115219	-	-	-	115218	14.5	5.7	2.2 2.7	3.4	5.4	2.1 1.	7 1.0	5.	3 17.	4 19.	2 6	5.0	6.4	2.0	3.5	3.5	89	89	1.7	44	29.8	590	36	36



3-9x40mm

3-9x50mm

		The second second																								
	<u> </u>	, · · · · · · · · · · · · · · · · · · ·					sions					tual		Field o	of View		Ор	timum	Eye Rel	ief	Obje Cle		Wei	ght	Elevation Adjustment	Windage Adjustment
	В	·	(II	nche	s uni	ess of	herw	ise si	tated	1)	Magnii	fication	ft at 1	00 yd	m at	100 m	in	ch	m	m	Aper			·	Range*	Range*
- 1		15 🕒 - 51	A¹	В	С	D E	¹ F	G	Н	K	Low	High	Low	High	Low	High	Low	High	Low	High	inch	mm	ounce	gram	MOA	MOA
N	Accu-Range	4-Plex																								
	67085	67080	11.0	5.2	1.9 2	2.1 3.	2 2.6	1.6	1.6	1.0	2.5	6.5	43.2	17.3	14.4	5.8	4.2	3.7	107	94	1.3	33	11.1	315	65	65
	67095	67090	12.3	5.6	2.3	2.1 3.	2 3.5	1.8	1.6	1.0	3.3	8.5	32.9	13.1	11.0	4.4	4.2	3.7	107	94	1.6	40	12.6	357	56	56
	67105	67100	12.4	4.8	1.6	2.1 3.	2 4.1	2.3	1.6	1.0	3.3	8.4	33.0	13.1	11.0	4.4	4.2	3.7	107	94	2.0	50	14.5	411	56	56
	67115	67110	12.3	5.6	2.3	2.1 3.	2 3.5	1.8	1.6	1.0	4.5	11.4	19.9	9.4	6.6	3.1	4.9	3.7	124	94	1.6	40	13.1	371	50	50

Dimensions "A" and "E" may vary according to the focusing position of the eyepiece. * Elevation and windage adjustment ranges are the distance from one extreme of the adjustment to the other.

	1000															
	The same of the sa	Actual Magnification		ld of View	Angular Field of View	Wei	ght	Len	gth	Objective Aperture	Twilight Factor	Exit Pupil	Eye Relief	Interpupillary Distance	Close f Dista	
(Imported)	- Circle		ft/1000 yd	m/1000 m	degrees	ounce	gram	inches	mm	mm		mm	mm	mm	ft	m
RAMPAGE KIT																
20-60x60mm	67600	20-60x	114~51	125~25	2.2~1.0	37.2	1055	14.4	365	60	34.6~60.0	3.0~1.0	17.0~14.0	NA	19.8	6.0
20-60x80mm Angled	114651	20-80x	105~52	32~16	2.0~1.0	43.0	1219	15.0	381	80	40.0~69.3	4.0~1.3	19.3~16.6	NA	14.3	4.8



26. 26	MINE TO 1															
100		Actual Magnification	Linear Fiel	d of View	Angular Field of View	Wei	ght	Len	ıgth	Objective Aperture	Twilight Factor	Exit Pupil	Eye Relief	Interpupillary Distance	Close Dista	
(Imported)			ft/1000 yd	m/1000 m	degrees	ounce	gram	inches	mm	mm		mm	mm	mm	ft	m
REBEL ROOF PRISM																
8x32mm	67610	8x	394	131.7	7.5	17.1	485	5.0	128	32	16.0	4.0	15.8	58-73	3.8	1.2
8x42mm	114650	8x	394	131.7	7.5	24.2	686	5.8	147	42	18.3	5.3	17.0	56-74	5.3	1.6
10x42mm	67605	10x	341	113.9	6.5	26.4	748	5.9	149	42	20.5	4.0	16.3	58-73	4.3	1.3
10x50mm	114503	10x	284	86.4	5.4	30.0	851	6.7	170	50	22.4	5.0	16.0	58-74	9.8	3.0
RENEGADE PORRO PRIS																
7x50mm	67615	7x	341	113.9	6.5	30.8	873	6.5	165	50	18.7	7.1	20.0	60-73	19.0	5.8
10x50mm	67620	10x	347	115.7	6.6	31.3	887	6.5	165	50	22.4	5.0	18.0	60-73	17.3	5.2

			Actual Magnification	Linear Fiel	d of View	Angular Field of View	Wei (with b	ght attery)	Len	ıgth	Objective Aperture	Twilight Factor	Exit Pupil	Eye Relief		Focus ance		imum nge		mum nge
(Imported)		100000		ft/1000 yd	m/1000 m	degrees	ounce	gram	inches	mm	mm	l	mm	mm	ft	m	yards	meters	yards	meters
RAIDER 550	Black	Mossy Oak Break-Up Infinity																		
Raider 550	67440	67445	6x	325	100	6.0	5	139.7	3.7	95	23	11	3.3	12	19.8	6.0	550	503	6	5.5
Raider 550 Metric	111148	-	6x	325	100	6.0	5	139.7	3.7	95	23	11	3.3	12	19.8	6.0	550	503	6	5.5



WHEN YOU **MOUNT YOUR** REDFIELD RIFLESCOPE, **USE LEUPOLD** RINGS AND BASES.

