

HAPPY'S HANDI-MATE EXTENSION HANDLES

Fits virtually all twist grip outboard motors. Extends handle from 30" to 47" maximum. Anodized Aluminum, Stainless steel hardware and a polycarbonate head making the Happy's Handi-Mate lightweight. Available with a swivel lock.

HAP1440	STANDARD HANDI-MATE	\$ 47.95
HAP1441	SWIVEL LOCK HANDI-MATE	\$ 60.45

IRONWOOD PACIFIC HELMSMATE EXTENSION HANDLE

The Helmsmate is available in two different models including both a swivelable and a straight handle. Both are adjustable from 36" to 53", have access to the kill button, have quick disconnect clamps and twist action throttle grip. The IWP001 contains an all metal UJoint and a lock out sleeve.

IWP001	HELMSMATE W/U-JOINT	\$ 53.95
IWP001.1	HELMSMATE STRAIGHT	\$ 37.45
IWP001.2	HELMSMATE EXT HANDLE 30" FIXED	\$ 22.95
IWP001.21	HELMSMATE EXT HANDLE 18" FIXED	\$ 17.39
IWP001.22	HELMSMATE EXT 18" - 24" EXTENDED	\$ 23.95

FULTON ADJUSTABLE O/B MOTOR BRACKETS

All Fulton adjustable outboard motor brackets contain polypropylene motor mounts, four running positions adjustable to water surface conditions, one size bracket fits all motors to 20 H.P. (long shaft or short shaft), all aluminum components of anodized high tensile alloy and has 14-1/2" of vertical travel.

FULTON MB1050 MOTOR BRACKET

No torsion springs. Stainless steel fasteners for salt water use. Rated at a 10 H.P. maximum.

FUL-MB1050	MOTOR BRACKET	\$ 212.00
------------	---------------------	-----------

FULTON MB1410 MOTOR BRACKET

Zinc plated fasteners, stainless steel springs, rated for maximum 20 H.P. and made of noncorrosive materials for fresh water use.

FUL-MB1410	MOTOR BRACKET	\$ 196.95
------------	---------------------	-----------

FULTON MB1710 MOTOR BRACKET



Stainless steel fasteners, made of noncorrosive materials for salt water use, maximum 20 H.P. and stainless steel springs.

FUL-MB1710	MOTOR BRACKET	\$ 225.00
------------	---------------------	-----------


FULTON MB1810 HEAVY DUTY ADJUSTABLE MOTOR BRACKET

Stainless steel torsion spring, rated to 30 H.P., extra strength stainless steel torsion springs to counter balance motor, heavy duty U channel construction for more stability, made entirely of non-corrosion material for salt water use, two inch polypropylene motor mount, and stainless steel fasteners.


FUL-MB1810	HEAVY DUTY MOTOR BRACKET	\$ 413.00
FUL-MB8100	REP. BOARD FOR 1800 SERIES	\$ 65.95




FULTON
Performance Products



FULTON
Performance Products




FULTON
Performance Products



FULTON
Performance Products

TROLLING MOTOR & ACCESSORIES

FULTON MB1820 MOTOR BRACKET

Designed for use with 9.9 H.P., provides additional clearance required with four stroke engines, heavy duty U channel construction for more stability, made entirely of non-corrosion material for salt water use, two inch polypropylene motor mounts, and stainless steel fasteners.


FUL-MB1820	MOTOR BRACKET	\$ 413.00
FUL-MB8100	REP. BOARD FOR 1800 SERIES	\$ 65.95




FULTON POLY BOARD

Replaces poly board on trolling motor brackets up to 20 H.P.


FUL-MB7100	POLY BOARD	\$ 59.95
------------	------------------	----------

FULTON TRANSOM ADAPTER TA600

For use with MB 1050, MB 1410, MB 1710 series, stainless steel mounting bolts supplied, easy installation, rated to 20 H.P., remove your auxiliary motor and mounting bracket, designed for power and sailboats, reduces wear and corrosion of outboard motor bracket.

FUL-TA600	TRANSOM ADAPTER	\$ 88.95
-----------	-----------------------	----------

FULTON FIXED MOTOR BRACKET

Marine aluminum alloy, anodized, 1-1/2" polypropylene mounting board, ideal for permanent or auxiliary installation, rated for motors up to 10 H.P. and or 75 lbs.


FUL-MB2000	(A) FIXED VERTICAL MOUNT	\$ 103.95
FUL-MB2100	(B) HORIZONTAL MOUNT	\$ 123.95




GARELICK REPLACEMENT MTG PADS

Fits all models except 71044, 71090, 71091, 71092, 71095, and 71096. Black poly construction. 11.5" W x 10.75" H x 2" thick.


GAR99057	REPLACEMENT BRACKET PAD	\$ 65.95
----------	-------------------------------	----------

GARELICK AUXILIARY ALUMINUM MOTOR BRACKET

Retractable bracket for trolling auxiliary motors on power and sailboats with ease. transom mount locks and holds motor up or swings down for propulsion. Tough alloy anodized aluminum, stainless steel springs and bolts. Fits all style motors - extra wide 11-1/2" black poly mounting board. 4-position locking height adjustment. 115LB max.


GAR71057	OUTBOARD MOTOR BRACKET	\$ 232.00
----------	------------------------------	-----------

GARELICK FIXED MOTOR BRACKET

Fixed height for auxiliary or trolling motor. 304 stainless brackets and hardware. For motors up to 15 H.P.

GAR71074	FIXED MOTOR BRACKET VERTICAL MOUNT	\$ 103.95
----------	---	-----------

GARELICK 71033 MOTOR BRACKET

Easier to lift and lower - stainless springs help counterbalance motor weight, locks and holds motor up or swings down for propulsion, fits all style motors - extra wide 11-1/2" polyboard for newer and wider style motor locking clamps. Four position locking height adjustment, wide track body for added stability, made from 304 stainless steel. Rated for up to 25 H.P.

GAR71033	S/S MOTOR BRACKET	\$ 358.00
----------	-------------------------	-----------

GARELICK 71091 MOTOR BRACKET

For 4-Stroke motors. Raise and lower trolling and auxiliary motors on power and sailboats with ease. Built especially for new 4 stroke, heavier, high torque motors. (Rated up to 25 H.P., 175 lbs). Mounting plate dimensions: 10.25" w x 9.75" h. Motor safety cable included for added protection. Motor weight not to exceed 175 lbs.

GAR71091 O/B MOTOR BRACKET.....\$ 617.00

GARELICK STATIONARY MOTOR BRACKET

Fixed height for auxiliary or trolling motor, made of 304 stainless steel, 1-1/2" poly board, 8" wide. For motors up to 15 H.P.

GAR71078 HORIZONTAL PLATFORM MOUNT.....\$ 123.95

GARELICK SS AUXILIARY MOTOR BRACKET

Stainless steel springs help counterbalance motor weight. Built in transom angle adjustment allows optimum motor performance. Fits all style motors - extra wide 11-1/2" black poly mounting board for newer, wider style motor locking clamps. 4-position locking height adjustment. 304 Stainless Steel construction.

GAR71056 7.5 HP TO 20 HP, 115 LB RATED\$ 280.00

GARELICK AUXILIARY 4-STROKE MOTOR BRACKET

Built especially for new 4 stroke, heavier, high torque motors (Rated up to 30HP, 169lbs). Extra wide 11-1/2" black poly mounting board for newer, wider style motor locking clamps. Accommodates long or short shaft motors. Motor safety cable included for added protection.

GAR71090 BLACK SATIN ANODIZED BRACKET.....\$ 417.00

SEA-DOG HEAVY DUTY ADJUSTABLE MOTOR BRACKET

The Sea-Dog Line Heavy Duty Adjustable Motor Bracket is designed to attach directly to the transom and is made to accept 4-cycle engines with a weight limit of 130 lbs. Four adjustable positions allow up to 14-1/4" of vertical travel. Full height adjustment allows for proper positioning of the motor for maximum propulsion when down and holds the motor safely out of the water in the full up position when not in use. Made of strong, lightweight marine grade aluminum, white powder coated for maximum corrosion resistance. Reinforced polypropylene mounting board is 2" thick with all stainless steel fasteners. Does not include mounting fasteners. Heavy Duty Adjustable Motor Bracket has stainless steel assist springs and injection molded nylon anti-friction spacers. The use of a safety chain or cable is recommended on all motor brackets.

SEA371525 10 HP, 130 LBS RATED BRACKET.....\$ 170.00
SEA371599-1 OUTBOARD MOTOR SAFETY CABLE.....\$ 8.00
SEA371596 REPLACEMENT BACK BOARD 20 HP\$ 45.00


SEA-DOG ADJUSTABLE MOTOR BRACKET

Designed to attach directly to the transom. Four adjustable positions allow up to 14-1/4" of vertical travel. Made of strong, lightweight marine grade aluminum, grey anodized for maximum corrosion resistance. Reinforced polypropylene mounting board is 2" thick with all stainless steel fasteners. Does not include mounting fasteners. Model 371510 comes without SS assist springs. Model 37120 has SS assist springs and injection molded nylon anti-friction spacers. The use of a safety chain or cable is recommended on all motor brackets.


SEA371510 10 HP, 75 LB RATED ADJ. BRACKET.....\$ 154.35
SEA371520 20 HP, 110 LB RATED ADJ. BRACKET.....\$ 195.95
SEA371599-1 OUTBOARD MOTOR SAFETY CABLE.....\$ 8.00
SEA371596 REPLACEMENT BACK BOARD 20 HP\$ 45.00




GARELICK
8573-3




GARELICK
8573-3




GARELICK
8573-3



GARELICK
8573-3




SEA-DOG LINE



SEA-DOG LINE

TROLLING MOTOR & ACCESSORIES




WALT'S ADJUSTABLE TROLLING BRACKET


13-1/2" lift, for larger motors and boats with high transoms. 15 H.P.

WLB-BW	WHITE POWDER COAT	\$ 79.99	H
WLB-BB	BLACK POWDER COAT	\$ 79.99	H

SEA-DOG TRANSOM MOUNT FIXED MOTOR BRACKET




SEA-DOG




Designed to attach directly to a vertical transom. Made of strong, lightweight marine grade aluminum, powder coated in white for corrosion resistance. Reinforced polypropylene mounting board is 1-1/2" thick with all stainless steel fasteners. Does not include mounting fasteners. The use of a safety chain or cable is recommended on all motor brackets.

SEA371500	10 HP, 75 LB RATED BRACKET	\$ 89.95
SEA371599-1	OUTBOARD MOTOR SAFETY CABLE	\$ 8.00

SEA-DOG HORIZONTAL MOUNT FIXED MOTOR BRACKET



SEA-DOG



Manufactured in the U.S., the bracket is made of strong, lightweight, marine grade aluminum, powder coated in white for maximum corrosion resistance, and is available with an attractive oiled teak or a polypropylene board. The bracket will hold up to a 20 hp (2 cycle) outboard motor and features safety chain holes. Does not include mounting fasteners. The use of a safety chain or cable is recommended on all motor brackets. Engine Weight Limit: 110 lbs.

SEA371591	POLYPROPYLENE BOARD MOTOR BRACKET	\$ 140.00
SEA371590	OILED TEAK BOARD MOTOR BRACKET	\$ 195.00
SEA371599-1	OUTBOARD MOTOR SAFETY CABLE	\$ 8.00

PANTHER OUTBOARD MOTOR SUPPORT S/S

The Adjustable outboard motor bracket is designed for motors up to 20HP or 120 lbs max weight. Stainless steel construction is non-corrosive for saltwater use. Designed for use with power of sail boats. Manual operation means no power required to raise and lower your auxiliary outboard motor.

PAN55-0020	MOTOR SUPPORT 20HP MAX OR 120 LBS.	\$ 263.95
------------	---	-----------

PANTHER OUTBOARD MOTOR SUPPORT ALUMINUM

Heavy duty, light weight aluminum is designed for fresh water use on both power boats and sail boats. Manual operation means no power is required to raise and lower your auxiliary outboard motor.

PAN55-0021	MOTOR SUPPORT 20HP MAX OR 120 LBS.	\$ 208.95
PAN55-0022	MOTOR SUPPORT 10HP MAX OR 80 LBS.	\$ 201.95

PANTHER TRANSOM ADAPTER PLATE

For use with the 55-0021 and 55-0022, this adapter plate allows you to easily install and remove your outboard motor bracket within seconds. Solid construction makes sure your motor is as secure to your boat as if it were bolted directly.

*Features hole for padlock.

PAN55-0023	TRANSOM ADAPTER PLATE	\$ 65.95
------------	-----------------------------	----------



PANTHER

IMMI KICKER MOTOR TIE DOWN SYSTEM

The ultimate tie-down system for your kicker motor. Choose from either TRANSOM or TRAILER mounting versions. Features the BoatBuckle® Retractable Tie-Down, brackets and mounting hardware needed for installation.

IMS-F15451	TRANSOM KICKER MOTOR TIE DOWN.....	\$ 67.95
IMS-F15452	TRAILER KICKER MOTOR TIE DOWN.....	\$ 67.95

GARELICK CANOE MOTOR BRACKET

Mounts to port or starboard canoe, for motor up to 3 H.P. Aluminum mount and clamp rest on lip, and 1" plated tube with adjustable width.

GAR71060	CANOE MOTOR BRACKET.....	\$ 117.95
----------	--------------------------	-----------

HAPPY TROLLER

Idea Development's Happy Trollers are made of aluminum with a clear anodized aluminum finish and contain stainless steel hardware so they can be used in both fresh and salt water. When the trolling plate is down it slows the boat down to trolling speeds. When the plate is up it acts as a stabilizer which reduces porpoising and cavitation, stabilizes bow-light boats, as well as smoothing out the ride in rough water. Available in two sizes, the HAP460 large troller fits I/O's plus all outboards 50 H.P. and larger and the HAP461 small troller which fits outboard motors through 50 H.P.

HAP460	LARGE HAPPY TROLLER.....	\$ 147.95
HAP-R460A	REPLACEMENT PLATE "LARGE".....	\$ 36.00
HAP461	SMALL HAPPY TROLLER.....	\$ 147.95
HAP-R468	REPAIR KIT FOR HAPPY TROLLERS.....	\$ 10.50

HAPPY LIL' FELLA

The Lil Fella is the little brother to the Happy Troller for outboard motors up to 25 H.P. Made of highest quality polycarbonates with stainless steel hardware.

HAP462	LIL FELLA TROLLER.....	\$ 80.45
HAP-R462C	REPAIR KIT FOR LIL' FELLA.....	\$ 11.00

PLATH TROLLING PLATES

Plath trolling plates are made from aluminum casting and contain plated springs. Dihedral blade steers true, let's you troll at a standstill. Reduces top speed approximately 1 MPH. Available in four sizes. The 9086 for motors to 18 H.P., the 9087 for motors 25 H.P. to 100 H.P., the 9088 for late model outboards with adjustable trim tabs, and the 9089 for all makes of I/O's through 225 H.P. Replacement springs available.







RCP9086	7" TROLLING PLATE.....	\$ 67.95	* G
RCP9087	10-1/4" TROLLING PLATE.....	\$ 115.95	* G
RCP9088	10-1/4" TROLLING PLATE.....	\$ 129.95	* G
RCP9086S	9086 SPRING ONLY *	\$ 4.59	* G
RCP9087S	9087 SPRING ONLY *	\$ 5.19	* G
RCP9088S	9088 SPRING ONLY *	\$ 5.19	* G
RCP9089S	9089 SPRING ONLY *	\$ 7.49	* G

*SPRINGS ARE PRICED BY EACH.


TROLL'N PLANE

The original patented combination hydrofoil and trolling plate. Fits 40-150 HP motors, locks in the up position until released.

TNP002	TROLL'N PLANE.....	\$ 99.95	*
--------	--------------------	----------	---



TROLLING MOTOR & ACCESSORIES



016.1

016.2

IRONWOOD PACIFIC EASY TROLLER PLATE

The EasyTroller's patented spring hinge design eliminates damage to the trolling plate under premature acceleration. Hinged trolling plate design flexes upward to prevent damage or shear pin breakage. Slows down big motors to the ideal trolling speed. Fits outboard and I/O motors from 50 HP and up. Manufactured from marine-grade anodized aluminum and stainless steel. The EasyTroller trolling plate mounts directly to the anti-cavitation plate, snaps down into position for trolling, and is released with a pull cord when ready to run at speed. If the boat prematurely accelerates before raising the trolling plate, the lower half of the plate will simply flex upward before bending or breaking the shear pins.

IWP016.1	EASY TROLLER PLATE NO FINS	\$ 137.95
IWP016.15	TROLL PLATE SHORT FOR "016.1"	\$ 137.95
IWP016.2	EASY TROLLER PLATE WITH FINS	\$ 185.95

PIC "SPRING BREAK"


When fishing in an area with stumps, rocks, shallows, or any other area that poses a hazard to your trolling motor shaft, The Spring Break provides shock absorbers for your trolling motor.



PIC-PROSPBK	FOR TROLLING MOTORS OVER 70LBS.	\$ 27.95
PIC-SPBK	SPRING BREAK	\$ 21.10 *
PIC-SPRINGS	SPRINGS	\$ 3.39 *
PIC-CAPS	BLACK CAPS	\$ 1.20

SIERRA TROLLING MOTOR PLUGS BOAT SIDE

12-24 Volt Male / Female boat side with butt connectors



SIE-WH10470	12 VOLT 10 GAUGE FEMALE 2 WIRE	\$ 11.49
SIE-WH10490	24 VOLT 10 GAUGE FEMALE 3 WIRE	\$ 13.19
SIE-WH10520	12 VOLT 8 GAUGE MALE 2 WIRE	\$ 11.89
SIE-WH10540	24 VOLT 8 GAUGE MALE 3 WIRE	\$ 13.79

SIERRA TROLLING MOTOR PLUGS MOTOR SIDE

12-24 Volt Male / Female motor side with butt connectors




SIE-WH10480	12 VOLT 10 GAUGE MALE 2 WIRE	\$ 9.69
SIE-WH10500	24 VOLT 10 GAUGE MALE 3 WIRE	\$ 11.29
SIE-WH10530	12 VOLT 8 GAUGE FEMALE 2 WIRES	\$ 9.89
SIE-WH10550	24 VOLT 8 GAUGE FEMALE 3 WIRE	\$ 11.89

ATTWOOD TROLLING MOTOR CONNECTORS

Quick, safe connections between an electric trolling motor and the power source. Female side has over 6" leads.

attwood



ATT7648-5	FEMALE - BOAT SIDE	\$ 12.95
ATT7647-5	MALE - MOTOR SIDE	\$ 12.45

SEA-DOG TROLLING 3 PIN RECEPTACLES

12VDC 10 Gauge wire.

SEA-DOG



SEA426183-1	FEMALE RECEPTACLE ONLY 3 PIN	\$ 10.45
SEA426184-1	MALE PLUG ONLY 3 PIN	\$ 10.05

MINN KOTA MKR-18 12V PLUG & RECEPTACLE

Universal design for 2 or 3 wire configurations on 12 to 36 volt systems. Watertight sealing cap and corrosion-resistant, plated brass electrical components. Locks into receptacle for a watertight seal. Requires a standard 1-1/8" diameter mounting hole.

MIN1865102 12V PLUG & RECEPTACLE.....\$ 34.45 F



MINN KOTA UNIVERSAL SONAR ADAPTERS

Allows you to quickly and conveniently connect and disconnect motor from fish-finder. Interfacial seal maintains a weather and watertight connection, while accident proof In capsulation prevents pullout or breakage of wires.

MIN1852050	US-1 GARMIN ADAPTER.....	\$ 21.45	* F
MIN1852053	US-4 HUMMINBIRD/ZERCOM ADAPTER.....	\$ 21.45	* F
MIN1852054	US-5 LOWRANCE GREY ADAPTER.....	\$ 31.45	F
MIN1852055	US-6 LOWRANCE/EAGLE BLACK ADAPTER.....	\$ 31.45	* F
MIN1852057	US-8 HUMMINBIRD 7-PIN ADAPTER.....	\$ 31.45	* F
MIN1852058	US-9 LOWRANCE BLACK CABLE-D.....	\$ 31.45	* F
MIN1852064	US2-4 HUMMINBIRD/ZERCOM ADAPTER.....	\$ 21.45	* F
MIN1852066	US2-6 LOWRANCE/EAGLE BLACK ADAPTER....	\$ 21.45	* F
MIN1852068	US2-8 HUMMINBIRD 6-PIN ADAPTER.....	\$ 31.45	F
MIN1852069	US2-9 LOWRANCE 6-PIN ADAPTER.....	\$ 31.45	F
MIN1852080	US2-11 UNIVERSAL EXTENSION 14-1/2'....	\$ 41.95	F
MIN1852060	US2-10 LOWRANCE/EAGLE BLUE ADAPTER....	\$ 31.45	F
MIN1852061	US2-21 GARMIN ADAPTER CABLE.....	\$ 31.45	F



MINN KOTA TEMP SENSOR

Stay up to date on changing weather and water conditions with this easy-to-read monitor. Alternates between time and temperature every three seconds. A probe with 20-ft. cable lets you know the air and water temperature at a glance. Probe mounts easily on the transom of any boat. Reads both fahrenheit and centigrade. 1.5-volt battery included. One-year warranty.


MIN1608000 MC 286 TEMP SENSOR.....\$ 17.50 * F



ANCHOR MATE MULTI-MOUNT

Protect your valuable fishing electronics with the rock solid multi-mount. With Multi-Mount, your fish finder/depth sounder can be mounted anywhere in the boat and quickly positioned for easy reading. They give you a 360 degree full hemisphere of possible positions. Multi-Mounts feature a universal ball locking device with a "select position" locking knob. Multi-Mounts are made out of rust-resistant stainless steel for fresh and saltwater fishing. An "Allen Wrench" easily removes your fish finder/depth sounder for security or storage.

ANP-MT10 OVERALL LENGTH 10" MULTI-MOUNT.....\$ 101.95 G



ANCHOR MATE TROLLING MOTOR MOUNT

You can easily secure your bow-mount trolling motor to prevent damage in transport or when boating at high speeds. Trolling Motor Mount can be mounted anywhere in the boat and quickly positioned for securing the trolling motor. They give you a 360 degree full hemisphere of possible positions. Mount features a universal ball locking device with a "select position" locking knob. Trolling Motor Mounts are made out of rust-resistant stainless steel for fresh and saltwater fishing. An "Allen Wrench" easily removes your Trolling Motor Mount for security, transport, or storage.

ANP-MM10 TROLLING MOTOR MOUNT.....\$ 102.95 G



TROLLING MOTOR & ACCESSORIES



MINN KOTA QUICK RELEASE BRACKET MOUNT

Allows for easy removal of any PowerDrive® or PowerDrive with AutoPilot trolling motor. Low-profile puck design leaves deck clear when motor is removed. Locking handle can be secured with padlock (not included).

MIN1854021 QUICK RELEASE POWERDRIVE BRACKET\$ 85.95 F



MINN KOTA SCISSORS MOUNT QUICK RELEASE BRACKET MOUNT

Allows for easy removal of any Maxxum Pro, Maxxum®, Edge or All Terrain® bow-mount trolling motor. Composite construction is super strong and impervious to corrosion. Low-profile puck design leaves deck clear when motor is removed. Locking handle can be secured with padlock (not included). Available adapter plate (MKA-24, not shown) allows hole patterns from previously mounted motors or aluminum quick release brackets (MKA-42, MKA-52/62) to be used with MKA-23 composite bracket.

MIN1854023 SCISSORS MOUNT QUICK RELEASE\$ 107.95 F



MINN KOTA MOUNTING ADAPTER

This Minn Kota® mounting adapter MKA-22 adapter plate allows the hole pattern from previously mounted motors or aluminum quick-release brackets such as the MKA-16-02 to be used with the 3654021 (MKA-21) composite bracket.

MIN1854022 MKA-22 MOUNTING ADAPTER\$ 43.95 F



MINN KOTA COPILOT™

Wireless control for PowerDrive, PowerDrive with AutoPilot and Riptide with AutoPilot. Plug-n-Play design allows for easy hook-up. Receiver mounts to the right side plate. Patented design allows trolling motor to be controlled from the rod, wrist or belt. Functions include steering (right and left), on/off and speed control. Quick-release rod mounts allow for easy transfer of transmitter from rod-to-rod. Includes: receiver, remote, 3 quick-release rod mounts and velcro wrist/belt strap. Additional rod mounts and transmitters sold separately.

MIN1866100 COPILOT SYSTEM (WIRELESS)\$ 183.95 F
MIN1866050 COPILOT SYSTEM (CORDED)\$ 122.95 * F

FREIGHT IS NOT DEDUCTIBLE ***

MINN KOTA COPILOT FOR POWERDRIVE V2 & TERROVA

Wireless control featuring plug-n-play design for easy hookup. Key-FOB style remote controls left/right steering, speed up/down, and motor on/off from your fishing rod, wrist or belt. Receiver attaches to the right side plate of trolling motor mount, and includes plug to allow corded foot pedal to be used in conjunction with the CoPilot™. System is programmable to allow multiple CoPilot remotes and/or wireless foot pedals to be "learned" (up to 10 total, sold separately). System includes: receiver, key-FOB remote, 3 quick-release rod mounts and wrist/belt strap.

MIN1866150 WIRELESS COPILOT POWERDRIVE V2\$ 183.95 F
MIN1866160 WIRELESS COPILOT TERROVA\$ 245.00 F



MINN KOTA DECKHAND

20- to 40-pound anchor capacity (anchor not included). Pre-spooled with 100 feet of 800-lb test rope. Auto-drift feature automatically stops the motor when the anchor touches bottom (or hits an obstacle); when slack in the rope becomes tight, rope is automatically released; lock the winch with the touch of a button. Universal davit can be mounted at base of Deck-Hand™ or in remote position on boat deck; stows anchor horizontally to eliminate anchor swing. Anchor shackle allows for easy changeover from anchor to anchor. Stow and deploy switch integrated into the base of the unit. Corded remote stow and deploy switch (sold separately) allows operation of DH-40 from anywhere on the boat. Compatible with MKA-16-02 quick release bracket ideal for easy removal for boat cover clearance or clearing the deck during non-use (requires holes to be drilled in top plate of quick release bracket). 12-volt battery operation.

MIN1810140 DECKHAND 40.....\$ 302.00 F

MINN KOTA RIPTIDE RT SP COPILOT/AUTOPILOT SALTWATER BOW MOUNT MOTOR

You steer your watercraft using a compact hand-operated control unit from anywhere in the boat – none of the limitations of having to be tied to a foot pedal's location. Then, once you've established a heading, use the AutoPilot to maintain your course. Your boat will track along the set heading, even in wind. You fish without the constant battle of trying to keep the boat moving in the right direction. These Riptide™ saltwater motors feature seven-layer, saltwater-corrosion protection, super-strong composite shafts and Weedless Wedge™ 2 props that help you slip through fish-hiding cover. They also feature encapsulated electronics and a built-in Digital Maximizer™ for up to five times longer running time per charge along with infinitely variable speed control.

MIN1363580 70LB 24VDC 54" SHAFT.....\$1061.00 D

MINN KOTA ENDURA TRANSOM-MOUNT MOTORS

Proven Tough. That's why Endura continues to be one of the most popular trolling motors ever to grace the stern of a boat. Since it's introduction, Endura has lived up to it's name with stellar function, performance and reliability that is second to none. "Indestructible Composite Shaft -Guaranteed for life". Minn Kota's lever lock is stronger than conventional brackets. Special composite materials resist flexing, wrapping and UV damage. 2 YEAR WARRANTY

MIN1352304	30LB THRUST 30" SHAFT 12V.....	\$ 122.00	D
MIN1352404	40LB THRUST 36" SHAFT 12V.....	\$ 194.00	D
MIN1352457	46LB THRUST 36" SHAFT 12V.....	\$ 223.00 *	D
MIN1352512	50LB THRUST 36" SHAFT 12V.....	\$ 250.00	D
MIN1352517	55LB THRUST 36" SHAFT 12V.....	\$ 270.00	D

FREIGHT IS NOT DEDUCTIBLE***

MINN KOTA VECTOR TRANSOM MOUNT

Vector™ breaks every conventional rule of transom-mount technology. From the moment you take hold of the tiller, you'll know this is one trolling motor that gives you complete control. Put yourself in the strike zone. And, get the precision you need to win each fight. Vector — taking the concept of boat control in a whole new direction. 3X™ Steering. Tilt Steering Control. Maximizer™. Battery Gauge. Indestructible Composite Shaft. Cool, Quiet Power. Weedless Wedge™ 2.

MIN1368476 80LB T 42" SHAFT 24V 3X STEERING.....\$ 647.00 * D

FREIGHT IS NOT DEDUCTIBLE***



TROLLING MOTOR & ACCESSORIES

MINN KOTA "V2" POWER DRIVE

A redesigned foot pedal, new deploy-assist lever and digital electronics enhance one of the most trusted motors in the industry. Discover the next generation of performance. The best gets better. The evolution of power leaps forward with our newly reengineered PowerDrive™ V2. The most tried and trusted electric steer motor in the world is now enhanced with intuitive, ergonomically designed features that deliver more performance than ever. See why so many have put their trust in PowerDrive for years. Then see how we've made it even better.

MIN1358700	40LB 48" SHAFT 12V	\$ 470.00*	D
MIN1358710	55LB 48" SHAFT 12V	\$ 559.00	D
MIN1358711	55LB 54" SHAFT 12V	\$ 573.00	D
MIN1358751	55LB 54" SHAFT 12V AP/US2	\$ 663.00	D
MIN1366201	55LB 54" SHAFT 12V AP	\$ 776.00	D
MIN1366250	55LB 48" SHAFT 12V AP/US2	\$ 865.00	D
MIN1366251	55LB 54" SHAFT 12V AP/US2	\$ 879.00	D
MIN1358722	68LB 48" SHAFT 24V	\$ 688.00	D
MIN1366210	70LB 54" SHAFT 24V AP	\$ 927.00	D
MIN1366211	70LB 60" SHAFT 12V AP	\$ 941.00	D
MIN1358721	70LB 60" SHAFT 24V	\$ 752.00	D
MIN1366260	70LB 54" SHAFT 24V AP/US2	\$1030.00	D

FREIGHT IS NOT DEDUCTIBLE****

MINN KOTA "V2" POWER DRIVE PONTOON

PowerDrive™ V2 Pontoon is perfect for pontoon boats, available in 68- or 54-lb thrust levels. Includes a quick release bracket ideal for fishing or for quickly removing the motor for maximum versatility. It's a perfect power option for your day on the lake. Offers precise speed adjustment, right/left steering, and both momentary and constant On/Off. Features the industry's highest IP68 waterproof rating and 18' cord. Optional wireless foot pedal available. PowerDrive V2 Pontoon trolling motor. Sidescrew design provides quiet and secure locking system. Easy to install. Included with motor.

MIN1358712	54LB THRUST 12VDC 48" SHAFT	\$ 568.00	D
------------	-----------------------------	-----------	---

FREIGHT IS NOT DEDUCTIBLE****

MINN KOTA POWER DRIVE WITH AUTOPILOT

Power Drive gives you unparalleled navigational control and the freedom to catch more fish. Point the motor head in the direction you wish to travel, activate the AutoPilot button and you're ready to go. The exclusive compass in AutoPilot keeps your boat traveling on line, even through heavy wind or chop. Spend less time fighting your trolling motor and more time fighting fish. 3 YEAR WARRANTY

MIN1366261	70LB T 60" SHAFT 24V AP/US2	\$1044.00	D
------------	-----------------------------	-----------	---

FREIGHT IS NOT DEDUCTIBLE****

MINN KOTA TERROVA

Built with more power and uncompromising strength to stand up to anything you encounter. New stow/deploy mechanism lets you effortlessly move your motor in and out of the water. The name for performance. If you aren't moving forward, you're falling behind. That's why we spent more than three years in the lab and on the water to create the new standard in bow-mount motors: Terrova™. It meets any obstacle and puts it in its place. Even against the toughest terrain and the longest odds. Terrova simply won't back down. Auto Pilot.

MIN1366101	55LB 54" SHAFT 12V	\$1003.00	D
MIN1366151	55LB 54" SHAFT 12V AP/US2	\$1106.00	D
MIN1366160	80LB THRUST 24VDC 54" SHAFT	\$1374.00	D

FREIGHT IS NOT DEDUCTIBLE****

MINN KOTA FORTREX

Innovative Mono-Arm Bracket, Cable Steer Foot Pedal, Lift-Assist eases stow and deploy, Removable Bowgaurd 360 Mount, Universal Sonar. This unit has all the features that are included in all the new Fortrex motors. Individually it uses a 36 volt system to provide 101lbs of thrust. All this power is at the end of a 45" shaft. This unit is completed with a Universal Sonar 2. The transducer and wiring are completely concealed, giving it a clean streamlined look and protection from the elements. No unsightly wires or clamps. No exposed connections. No rigging required. Out of sight and out of mind so you can count on it to be there when you need it most.

MIN1368660	80LB	45"	SHAFT	24V	\$1110.00	D
MIN1368661	80LB	52"	SHAFT	24V	\$1152.00	D
MIN1368670	80LB	45"	SHAFT	24V US2	\$1210.00	D
MIN1368671	80LB	52"	SHAFT	24V US2	\$1251.00	D
MIN1368680	101LB	45"	SHAFT	36V	\$1200.00	D
MIN1368681	101LB	52"	SHAFT	36V	\$1241.00	D
MIN1368690	101LB	45"	SHAFT	36V US2	\$1299.00	D

MINN KOTA TRAXXIS

Simple one-hand stow design. 5 speeds. Tilt/Extend Tiller handle - both tilts (up to 45°) and extends (up to 6"). Quick-lock cam depth adjuster. Adjustable steering tension control allows true vertical stowing.

MIN1368710	55LBS THRUST	12VDC	36" SHAFT	\$ 301.90	D
------------	--------------	-------	-----------	-------	-----------	---

MIN KOTA RIPTIDE SALT WATER TROLLING MOTOR

Loaded with features. Riptide is flat-out the toughest, most corrosion-resistant trolling motor on the water today. Our industry-exclusive 3-year warranty is the proof. Riptide transom-mount motors are packed with a host of saltwater-fighting components and features that are designed to keep you on the water longer.

MIN1363821	55LB TH	12VDC	42" SHAFT	TRAN MNT	\$ 551.00	D
MIN1363830	80LB TH	24VDC	42" SHAFT	TRAN MOUNT	\$ 693.00	D
MIN1363840	101LB TH	36VDC	52" SHAFT	TRN MOUNT	\$ 757.00	D

FREIGHT IS NOT DEDUCTIBLE****

MINN KOTA MAXXUM BOW MOUNT

These are unmistakably the most powerful, feature packed trolling motors you can put on the bow of your boat. These tough and powerful workhorses will take on heavy weed beds, treacherous stump fields and choked off back waters with ease. For trolling motor performance that is unmatched, push it to the max. 3 YEAR WARRANTY

MIN1368550	55LB TH	42"	SHAFT	12V SC BOWGAURD	\$ 673.00	D
MIN1368553	55LB TH	42"	SHAFT	12V BOWGAURD	\$ 753.00	D
MIN1368560	70LB TH	42"	SHAFT	24V BOWGAURD	\$ 703.00	D
MIN1368580	80LB TH	42"	SHAFT	24V BOWGAURD	\$ 974.00	D
MIN1368601	101LB THR	52"	SHAFT	36V BOWGAURD	\$1106.00	D

FREIGHT IS NOT DEDUCTIBLE****

MINN KOTA MAXXUM PRO BOW MOUNT

Maximizer™ - Controls draw of power at infinitely variable speeds to conserve battery and extend run time up to 5 times. **Indestructible Composite Shaft** - Pound for pound, stronger than steel. Flexes on impact. Will not break, kink or corrode. Guaranteed for life. The Maxxum Pro, with Minn Kota-exclusive **Lift-Assist** stow and deploy, makes the job of lifting you motor in and out of the water easier than ever before.

MIN1368581	80LB T	52"	SHAFT	24V BOWGRD	\$1016.00	D
------------	--------	-----	-------	------------	-------	-----------	---

FREIGHT IS NOT DEDUCTIBLE****



TROLLING MOTOR & ACCESSORIES



MINN KOTA MAXXUM TRANSOM MOUNT

Maximizer. Cool Power. Quiet Power. Tilt Twist Tiller. Battery Indicator. Advanced electronics. Weedless Wedge prop. Unbreakable composite shaft. Metal 10-position: Allows a variety of stowing positions. Lever Lock Bracket: Resists flexing, warpage & UV damage.

MIN1368716 55LB THRUST 42" SHAFT 12V.....\$ 419.00 D

FREIGHT IS NOT DEDUCTIBLE***



MINN KOTA ELECTRIC OUTBOARD

With increasing environmental awareness and restrictions on gasoline outboards, This unique E-Drive Electric Outboard is just the ticket. E-Drive offers the perfect balance of speed, power, run time and environmentally-friendly operation. Cool, quiet power, no gasoline fumes or harmful emissions, and the staying power you need - up to 2 hours on full speed. 2 YEAR WARRANTY

MIN1371010 E-DRIVE ELECTRIC OUTBOARD.....\$2735.00 D

MIN1865016 E-DRIVE SPARE PROP.....\$ 130.95 * F

FREIGHT IS NOT DEDUCTIBLE***



MINN KOTA QUICK RELEASE BRACKET MOUNT

For easy, quick removal of any PowerDrive or Riptide with Autopilot trolling motor. Side-screw design provides quiet and secure locking system.

Unique locking, quick-release design for all MAXXUM bow mount motors. Choose model to match shaft length.

USE #MIN1854013 for PowerDrive and Riptide

USE #MIN1862014 or #MIN1862016 for MAXXUM

MIN1854013 POWERDRIVE/RIPTIDE WITH AUTOPILOT.....\$ 51.95 F

MIN1862014 MAXXUM BOW MOUNT 42" SHAFT.....\$ 113.95 F

MIN1862016 MAXXUM BOW MOUNT 52-62" SHAFT.....\$ 136.95 F



MINN KOTA BOW-MOUNT STABILIZER KIT (SIDE MOUNT)

Reduces bounce from heavy chop or wake when motor is in stowed position. Fits Maxxum Pro, Maxxum, Riptide Pro and Riptide bow-mount trolling motor. Attaches between upper and lower arm of mounting bracket. Pivots into vertical position when motor is stowed and rotates into horizontal position alongside upper arm when motor is deployed. Tested in saltwater to be fully resistant to corrosion.

MIN1862012 STABILIZER KIT.....\$ 35.45 * F

MINN KOTA SPARE PROP NUTS

MIN1865010 MKP9 SPARE PROP NUT KIT (A).....\$ 7.45 F

MIN1865011 MKP10 SPARE PROP NUT KIT (B).....\$ 7.45 F

MIN1865012 MKP11 SPARE PROP NUT KIT (C).....\$ 7.45 F

MIN1865014 MKP23 SPARE PROP NUT KIT (D).....\$ 7.45 F

MIN1865019 MKP34 SPARE PROP NUT KIT (E).....\$ 7.45 F

MINN KOTA WEEDLESS WEDGE PROPS

MKP-1

Prop #2031151

MOTOR DIA. 2-1/2"

PROP NUT KIT: "C"

APPLICABLE MOTOR MODELS:

10W, 25W, 35W, AJ-3, SONAR 35, 10M, 25M, 35M, MAG SERIES 12, 12M, 12TM.

MIN1865001 MKP1 2031151.....\$ 12.95 * F

MKP-2

Prop No.: #2061121

Motor Dia.: 3 1/4"

PROP NUT KIT: "A"

APPLICABLE MOTOR MODELS:

35A, 35TA, 40TA, 50T, 65N, 65MXN, 35T, 50MXT, 65T, 765T, 765MXNA, 765MXT, 865,

865T, 865MXT, 365T, 665T, 665MXNA, 665MXT, 555T, 565N, 565T, PowerMax 36

Mag Series: 24, 30, 36, 40

Ltd. series: 24, 36, 536

MIN1865002 MKP2 2061121.....\$ 15.95 F

MKP-3

Prop No.: #2061151

MOTOR DIA.: 3 1/4"

PROP NUT KIT: "A"

APPLICABLE MOTOR MODELS:

55M, 65M, 65MX, 2 HP, 55W, 65W, 365W, 365M, 565M, 565MX, 555W, 565W, 665M,

665MX, 765MX, 30EX Mag Series: 18MTM, 18MXTM, 18WRM, 24WRM, 18MTM, 15M,

18M, 18MX, 18W, 24W, 618MX, 718MX

MIN1865004 MKP3 2061151.....\$ 13.45 * F

MKP-6

Prop No.: #2061125

Motor Dia.: 3-1/4"

Prop Nut Kit: "A"

35A, 35Ta, 40Ta, 65Ta, 35T, 50T, 50MXT, 65T, 555T, 555Ta, 565T, 565Ta, 30AT, 33AT,

36AT, 36AT/H, 365T, 365Ta, 365TMB, 765T, 765MXT, 765MXTa, 865T, 865MXTa, 665T,

665MXT, 30EX, 36EX, RT27/S, RT36/S, RT40/S, 36PD/C, 36PD/AP/C, 40PD, 40AP, EN-

DURA 30, ENDURA 34, ENDURA 36, Endura 38, ENDURA 40, Endura Pro 32, Endura Pro

38, 40AT, 40AT/H, 40PD, MAX 30T, MAX 36T, MAX 40, PowerMax 30, PowerMax 36

MIN1865003 MKP6 2061125\$ 19.45 F

MKP-7

Prop No.: #2091150

Motor Dia.: 3-5/8"

Prop Nut Kit: "A"

90T, 112, 112S/S, 312, 324, 512, 524, 412, 42AT, 48AT, 712, 712S/S, 724, 724S/S, 812,

824, 42EX, RT42/AP/C, RT48/AP/C, 42PD/C, 50PD, 55PD, 65PD, 55AP, 65AP, 42AT/H,

48AT/H, 42PD/AP/C, 48PD/AP/C, 65PD, 65PD/AP, GENESIS 55, GENESIS 55/AP, GEN-

ESIS 55/AP-US, MAX 44, MAX 44BT, MAX 44/H, MAX 44T, MAX 50T, MAX 50BT, MAX 50/

SC, MAX 54, MAX 54/H, MAX 55, MAX 55BT*, MAX 55/H, MAX 55/SC, MAX 55T*, MAX

65, MAX 65T, MAX 65-US, MAX 65BT, MAX 65/H, MAX 65/SC, ENDURA 42, ENDURA 44,

ENDURA 46, ENDURA 50, ENDURA 55, Endura Pro 46, 50AT, 50PD, 55PD/AP, 55PD-US,

55AP-US, 55AT, 55AT/H, 65PD-US, 65AP-US, 65AT, Spider 48, RT42/S, RT50/S, RT50/

SC, RT55/S*, RT55/B/H*, RT55/SC/H, RT55/AP, RT65/S, RT65/B, RT65/AP, RT48/AP,

CAMO 44, VANTAGE 50, VANTAGE 55, PowerMax 52, 54PD Pontoon, 64PD Pontoon,

PowerMax 47

Neptune Primary Propulsion Motors: EP42, EP48, EP65, EP96, EP130

*Refer to original prop on motor.

MIN1865006 MKP7 2091150\$ 28.45 F



TROLLING MOTOR & ACCESSORIES

**MINN KOTA WEEDLESS WEDGE PROPS****MKP-8**

Prop No.: #2331120

MOTOR DIA.: 4"

PROP NUT KIT: "B"

APPLICABLE MOTOR MODELS:

595W, 595M, 599W, 599M, 795M, 795MX, 799M, 799MX, 3HPS/SBM, RT 3.1/B, RT 4.3/B, 3.1HP/B, 4.3HP/B, 95W, 95M, 99W, 99M, 3HP, 3HPS/STM, 395W, 395M, 399W, 399M, RT55/S, RT70/S, RT74/S, 55EX, 70EX, RT55/B, RT70/B, RT74/B, 55AT/H, 70AT/H, 70T/H, 4HP, RT 3.1/S, RT 4.3/S, 3.1HP/S, 4.3HP/S, 64AP, MAXXUM 74, MAXXUM 74/H, MAXXUM 55T, MAXXUM 55BT, MAXXUM 74T, MAXXUM 74BT, 64PD, 62PD/AP, VANTAGE 74, GENESIS 74, GENESIS 74/AP

Mag Series: 36W, 36M, 40W, 40M, 736MX, 740MX, 36MTM, 36WRM, 36MRM, 40WRM, 40MRM, 40MRW

MIN1865007**MKP8 2331120\$ 37.45 F****MKP-24**

PROP #2331130

MOTOR DIA. 4"

PROP NUT KIT: "D"

MAX101, MAX101/H, MAX101/H/3X, VANTAGE101, RT101, RT101/S/3X, RT101/B, TR101B/H, RT101/B/BG/3X, VECTOR 101/3X.

MIN1865013**MKP24 2331130\$ 43.45 F****MINN KOTA WEEDLESS WEDGE 2 PROPS**

The next generation of the industry's only 100% fully weedless prop. Swept-back, flared blades "wedge" weeds away, allowing you to pass through heavy vegetation at any speed, without draining valuable battery power.

MKP-32

Prop No.: #2091160

Motor Dia.: 3 5/8"

PROP NUT KIT: "A"

APPLICABLE MOTOR MODELS:

55AT, 55AT/H, 70AT, MAX55/SC, MAX55, MAX55/SC/H/3X, MAX70, MAX70/H/3X, MAX70/SC, MAX70US, MAX55T, MAX 70T, 50PD, 55PD/AP, 55PD/AP/US, 65PD, 54PD PONTON, 68PD PONTON, 70PD, 70PD/AP, 70PD/US, 70PD/AP/US, VECTOR 46, VECTOR 55, VECTOR 55/3X, VECTOR 70, VECTOR 70/3X, ENDURA 46, ENDURA 50, ENDURA 55, ENDURA PRO 46, ENDURA PRO 55, CAMO 55XL, RT55/B/SC/L&D, RT55/B/L&D/3X, RT55/B/3X/ RT65/B/SC, RT65/B/SC/L&D/3X, RT55/AP, RT70/AP, RT50/S, RT55/S.

MIN1865017**MKP32 2091160\$ 30.95 F****MKP-33**

Prop No.: #2331160

Motor Dia.: 4"

PROP KIT: "E"

APPLICABLE MOTOR MODELS:

MAX80, MAX80/US, MAX80/H/3X, MAX101, MAX101/US, MAX101/H/3X, MAX PRO 80, MAX PRO 80/US, MAX PRO 101, MAXPRO 101/US, MAX80T, 80PD, 80PD/AP, 80PD/AP/US, VECTOR80/3X, VECTOR 101/3X, VANTAGE 80, VANTAGE 101, RT80/B, RT80/B/L&D, RT80/B/3X, RT80/B/L&D/3X, RT80/S/3X, RT101/B, RT101/B/3X, RT101/S/3X, RT80/AP

MIN1865018**MKP33 2331160\$ 45.95 F**