

Accessories Guide 2010

New NMEA 2000 Transducer

47-99	EP-DDS (15ft)	Transom-mount 50/200kHz transducer. For Lowrance NMEA 2000 compatible units with 5-pin red network connector. Displays digital depth and temp only across the NMEA network. Includes NMEA T to connect to network.	
-------	---------------	--	--

Blue-connector Airmar Transducers

136-00	B258 w/FK	Bronze thru-hull depth/temp with 15/21 degree 3/5degree array beamwidths and high speed fairing block. For use with All Lowrance units with blue connector including X, LCX, HDS & Broadband units	
136-02	P319	Plastic low profile thru-hull 50/200 kHz depth only with 45/12 degree beamwidths. For use with All Lowrance units with blue connector including X, LCX, HDS & Broadband units	
136-03	P79	Plastic in-hull only depth only with 45/12 degree beamwidth. For use All Lowrance units with blue connector including X, LCX, HDS & Broadband units	
136-04	B60 12 degree	Bronze thru-hull depth/temp with 12 degree tilt For use with All Lowrance units with blue connector including X, LCX, HDS & Broadband units	OBS
136-05	B744V w/FB	Bronze thru hull depth/speed/temp with fairing block For use with All Lowrance units with blue connector including X, LCX, HDS & Broadband units	
136-06	B164 12 degree	Bronze low profile bronze thru hull 1Kw 50/200 kHz depth/temp with 20/20 degree 6/6 degree array beamwidths 12 degree tilt For use with All Lowrance units with blue connector including X, LCX, HDS & Broadband units	
106-82	B260	Bronze thru hull 50/200 kHz depth/temp with 19/6 degree beamwidths and high speed fairing block For use with All Lowrance units with blue connector including X, LCX, HDS & Broadband units	
106-91	IH-DF260BL	In-hull, dual frequency, high-power transducer (50 kHz 19 degree & 200 kHz 6 degree). Same as 106-81. All Lowrance units with blue connector including X, LCX, HDS & Broadband units	
106-92	IH-DF256BL	In-hull, dual frequency, high-power transducer (50 kHz 14 degree and 200 kHz 3 degree) For use with All Lowrance units with blue connector including X, LCX, HDS & Broadband units	OBS
113-45	TIK-1	Transducer installation kit. For use with IH-DF256BL and IH-DF260BL	OBS
000-00021-01	B60	Bronze thru hull 50/20 kHz depth/temp with 45/12degree beamwidths and 20degree tilt All Lowrance units with blue connector including X, LCX, HDS & Broadband units	

Blue connector transducers

106-71	HS-WSBL (20ft)	Transom-mount, 20 degree skimmer (200 kHz). For use with All Lowrance units with blue connector including X, LCX, HDS & Broadband units	
106-72	HST-WSBL (20ft)	Transom-mount, 20 degree skimmer w/built in temp. 200 kHz. For use with All Lowrance units with blue connector including X, LCX, HDS & Broadband units	
106-73	PD-WBL (20 ft)	Trolling motor-mount or shoot-thru-hull, 20 degree pod type (200 kHz) For use with All Lowrance units with blue connector including X, LCX, HDS & Broadband units. Includes epoxy.	
000-10024-001	PD-WSQ	83/200 kHz Pod style transducer	
106-74	PDT-WBL (12ft)	Trolling motor-mount, 20 degree pod type with built-in temp. (200 kHz) For use with All Lowrance units with blue connector including X, LCX, HDS & Broadband units. Includes epoxy	
000-10023-001	PDT-WSQ	83/200 kHz Pod style transducer with temp	
106-75	PT-WSBL (12ft)	Portable-mount. 20 degree skimmer (200 kHz). For use with All Lowrance units with blue connector including X, LCX, HDS & Broadband units	OBS
106-76	PTT-WSBL(16ft)	Portable-mount, 20 degree skimmer with built-in temp. 200 kHz. For use with All Lowrance units with blue connector including X, LCX, HDS & Broadband units	OBS

106-89	PDRT-WBL (20ft)	Trolling-motor mount, 20 degree pod type with remote temperature sensor. (200 kHz). For use with All Lowrance units with blue connector including X, LCX, HDS & Broadband units. Includes epoxy.	
000-10025-001	PDRT-WSQ	83/200 kHz pod style transducer with temp	
106-94	PTI-WBL (7ft)	Ice transducer. For use with All Lowrance units with blue connector including X, LCX, HDS & Broadband units	
106-77	HST-DFSBL (25ft)	Transom-mount, dual frequency Skimmer with built-in temp. (50 kHz 35 degree & 200 kHz 12 degree. For use with All Lowrance units with blue connector including X, LCX, HDS & Broadband units	
106-78	TH-DFBL	Thru-hull-mount, dual frequency bronze housing (50 kHz 35 degree & 200 kHz 12 degree For use with All Lowrance units with blue connector including X, LCX, HDS & Broadband units.	OBS
106-79	THST-DFBL Packed with fairing block	Thru-hull-mount, dual frequency bronze housing with built-in speed and temp (50 kHz 35 degree & 200 kHz 12 degree). For use with All Lowrance units with blue connector including X, LCX, HDS & Broadband units	
106-80	TH-FLWBL use 106-44	Thru-hull flange-mount, 20 degree plastic housing (200 kHz). For use with All Lowrance units with blue connector including X, LCX, HDS & Broadband units.	OBS
106-81	HP-DFBL256 Packed with fairing block	Thru-hull-mount, dual frequency bronze housing, high-power multiple element (50 kHz 14 degree & 200 kHz 3 degree For use with All Lowrance units with blue connector including X, LCX, HDS & Broadband units.	OBS
New 2002 X Series Transducers (200 kHz / Gray Connectors)			
106-34	HS-WSX (20ft)	Transom-mount, 20 degree skimmer (200kHz) For use with X51, X71, X87, X88, X91, X97, X98, LMS240, LMS320, LCX15, LCX-16, LCX-18, LCX-19, LCX-104, FishEasy 2 (gray), FishMark 160 and FishMark 240 . (Uses 99-06 transducer bracket.)	OBS
106-35	HST-WSX (20 ft.)	Transom-mount, 20 degree skimmer (200kHz) with built-in temp. For use with X51, X71, X87, X88, X91, X97, X98, LMS240, LMS320, LCX15, LCX-16, LCX-18, LCX-19, LCX-104, FishEasy 2 (gray), FishMark 160 and FishMark 240 . (Uses 99-06 transducer brkt.)	OBS
106-39	HST-DWSX (25 ft.)	Transom- mount, 12 degree skimmer (200kHz) with built-in temp. Fits same as HST-WSX. (Uses 003-3300-00 transducer brkt.)	OBS
106-36	PT-WSX (12 ft.)	Portable-mount 20 degree Skimmer (200kHz). Same as HS-WSX.	OBS
106-37	BV-WSX 20 ft	Transom-mount, 3-beam Skimmer (200 kHz) Replacement for TriFinder2. (Uses 101-03 transducer brkt.)	OBS
106-26	PD-WDXT (11ft)	Trolling motor-mount, 20 degree (200 kHz) pod with built-in temp. Fits X51, X71, X87, X88, X91, X97, X98, LMS240, LMS320, LCX15, LCX-16, LCX-18, LCX-19, LCX-104, FishEasy 2 (gray), FishMark 160 and FishMark 240.	OBS
106-27	PD-WDX (21 ft)	Trolling motor-mount, 20 degree (200 kHz) pod. Fits same as PD-WDXT.	OBS
Transducers (200 kHz / Gray Connectors) High end units.			
106-22	HST-WSX -25 (25ft.)	Transom-mount 20o Skimmer. With built-in temp sensor (200 kHz).Fits X51, X71, X87, X88, X91, X97, X98, LMS240, LMS320, LCX15 LCX-16, LCX-18, LCX-19, LCX-104, FishEasy 2 (gray), FishMark 160 and FishMark 240, SeaCharter 320. (Uses 99-06 xder brkt.)	OBS
106-44	TH-FLWX (40ft)	Thru-hull flange mount. 20 degree plastic housing (200 kHz). Fits X51, X71, X87, X88, X91, X97, X98, LMS240, LMS320, LCX15, LCX-16, LCX-18, LCX-19, LCX-104, FishEasy 2 (gray), FishMark 160 and FishMark 240, SeaCharter 320.	OBS
106-23	HS-50/200-DX (25ft.)	Transom-mount skimmer. With built-in temp sensor (50 kHz 35o & 200 kHz 12o). Fits X-58DF, X87DF, X88DF, X98DF, LMS320, LCX15, LCX16, LCX18, LCX19, LCX104, SeaCharter 320. (Uses 003-3300-00 transducer brkt.)	OBS
106-24	THST- 50/200DX (40ft.) Packed with fairing block	Thru-hull mount, dual frequency bronze housing with built-in speed & temp sensor (50 kHz 35o & 200 kHz 12o). Same as 106-22.	OBS

106-33	TH-50/200-DX (40 ft.)(1" stem)	Thru-hull mount bronze. (50 kHz 35o & 200 kHz 12o). Same as 106-22. 5 ft attached cable. Comes with extension cable.	OBS
106-63	IHA-DFX (25 ft)	In-hull, adjustable, dual frequency transducer (50 kHz 45 degree & 200 kHz 11 degree). For use with X58, X88, X98, LMS-320, LCX-15, LCX-16, LCX-18, LCX-19, LCX-104, SeaCharter 320, SeaCharter 480.	OBS
106-67	FB-256	Fairing block. For use with HP-DFX256.	
106-66	FB-260	Fairing block. For use with HP-DFX260.	
106-65	HP-DFX256	Thru-hull mount, dual frequency bronze housing, high-power multiple elements (50 kHz 14 degree & 200 kHz 3 degree). For use with LCX-15, LCX-16, LCX-18, LCX-19, LCX-104.	OBS
106-64	HP-DFX260	Thru-hull mount, dual frequency bronze housing, high-power multiple elements (50 kHz 19 degree & 200 kHz 6 degree). For use with LCX-15, LCX-16, LCX-18, LCX-19, LCX-104.	
New 2003 Uni-plug series 200 kHz			
106-51	HS-WSU (20ft)	Transom mount 20 degree skimmer (200 kHz) with power. Cuda 128, Cuda 168, Cuda 168EX, Cuda240, Cuda242, Cuda250FishEasy 2 (uni-plug), FishEasy 240, FishEasy 245, FishEasy 250, FishEasy 320C, FishElite 320, FishElite 480, FishElite 500C, FishElite 502, FishElite 640, FishElite 642, FishMark 320, FishMark 480, FishMark 500C, FishMark 640, FishStrike 1000C, FishStrike 2000C, SeaFinder 245DS, SeaFinder 250DS, LCF1440, LST3800, M52, M56, M65, M68, X47, X47EX, X50DS, X-67, X86DS, X96. (Uses 99-06 xder brkt.)	
106-48	HST-WSU (20 ft)	Transom mount 20 degree skimmer (200 kHz) with power with built-in temperature.	
000-10026-001	HST-WSUQ	83/200 kHz skimmer transducer with temp	
106-52	PD-WSU (20 ft)	Trolling Motor mount or shoot-thru-hull 20 degree pod type (200 kHz) Fits same as HS-WSU.	
106-50	PDT-WSU (10 ft)	Trolling Motor mount or shoot-thru-hull 20 degree pod type (200 kHz with built-in temperature.	
106-54	PT-WSU (15 ft)	Portable-mount 20 degree Skimmer (200kHz) with suction cup bracket. Fits same as above.	OBS
106-55	PTT-WSU (12 ft)	Portable-mount 20 degree Skimmer (200kHz) with suction cup bracket with built-in temperature.	
106-49	HST-50/200-WSU (25ft)	Transom mount, dual frequency skimmer with built in temp. (50 kHz 35 degree & 200 kHz 12 degree) Uniplug transducer. Fits SeaChamp 1000C DF, SeaChamp 2000C DF, SeaCharter 500C DF, SeaFinder 240DF, SeaFinder320DF, SeaFinder 480DF, SeaFinder 500C DF. Also the M68C Saltwater version only (Uses 003-3300-00 brkt.)	
106-68	PTI-WSU (7 ft)	Portable mount, 20 degree ice fishing type. Includes power cable. For use with X-67 and M-68, Ice Machines, X96.	
000-10021-001	PTI-WSUQ	83/200 kHz ice transducer with uni-plug	
106-69	PDRT-WSU (20 ft)	Trolling motor mount 200 kHz, 20 degree w/remote temperature. Includes power cable. For use with LCF-1440, X96.	
No transducer extension cable or switch box available for uni-plug.			
Transducers (192 kHz / "BK" Black Connectors)			
90-73	HS-WSBK (20ft)	Fits 1240A-BK, X22A, X25A/B, X28, X29, X38, X45, X48, X49, X55A, X65/75/85 SAM-ST, LMS160, LCG2400, Accura 240, Magna III, Optima, Strata 128, Ultra III, Ultra Classic, UltraMap, FishEasy, Silver Striker, Status. (Uses 99-06 transducer brkt.)	
90-87	HS-NSBK (25 ft.)	Transom-mount 8o skimmer. Fits same units as HS-WSBK. (Uses 003-3300-00 transducer brkt.)	OBS
90-76	PD-WBK (20ft.)	Shoot-thru-hull/trolling motor mount. 20 degree pod. Fits same units as HS-WSBK.	OBS
90-83	PD-NBK (20ft.)	Shoot-thru-hull only 8o pod-style transducer. Fits same units as HS-WSBK.	OBS
90-93	PT-WSBK (16ft.)	Low-profile 20 degree skimmer transducer with portable mounting bracket and suction cup. Fits same units as HS-WSBK.	OBS

90-74	TH-FLWBK (25ft.)	Thru-hull 20o flange mount. Fits same units as HS-WSBK	OBS
90-75	TH-FWBK (20ft.)	Thru-hull 20o flush mount. Not retro-fittable to existing hulls. Fits same units as HS-WSBK.	OBS
106-03	TH-FLW-P5BK (20')	Thru-hull 20 degree, plastic housing, 1/8" flange mount with 1-3/4" diameter hole size. Fits same units as HS-WSBK.	OBS
106-12	TH-FLW-P19BK (20ft.)	Replacement thru-hull 20 degree, plastic housing, OEM installed transducer, 1/8" flange mount with 2" diameter hole size. Fits same units as HS-WSBK.	OBS
106-08	THST-NBBK (40ft.)	Thru-hull 8 degree bronze transducer with speed and temperature. Fits X-49, X-65, X-75, X-85, LMS-160, SAM-ST, Optima, Strata 128 Plus, Ultra Classic/Plus, UltraMap, FishEasyST, Accura 240, Status, LCG-2400.	OBS
106-09	THST-WBBK (40ft.)	Thru-hull 20 degree bronze transducer with speed and temperature. Fits same as above 106-08	OBS
106-04	HS-WS50DBK (40ft.)	Special Application...Transom mount 36 degree balanced-line skimmer transducer. Fits SAM-HP50D only.	OBS
106-05	TH-W-50DBK (40ft.)	Special Application...Thru-hull mount 36 degree balanced-line skimmer transducer, plastic housing. Fits SAM-HP50D only.	OBS
106-06	TH-MB-50DBK (40')	Special Application...Thru-hull mount 36 degree balanced-line skimmer transducer, bronze housing. Fits SAM-HP50D only.	OBS
106-07	FLOAT-DUCER (50')	Floating 20 degree transducer, plastic housing, Fits portable and permanent-mount sonar units that are compatible with HS-WSBK.	OBS
90-81	BROADVIEW (20ft.)	Replacement 60o transducer for MagnaView/Plus and StrataView/Plus. Also compatible with X-25A, X-45, X-48, X-55A, Ultra III/Plus, TriFinder	OBS
90-86	HS-3D4 kit (20ft.)	Transom mount four-beam 3D skimmer transducer. Fits Ultra III 3D and X-70A 3D.	OBS

*Use TA-401BK (08-97) to adapt any of the above 192 kHz transducers except Broadview, THST-WBBK and THST-NBBK to any unit with a gray connector

Transducers (192 kHz / Gray Connectors)

90-36	HS-WS kit (20ft.)	Transom mount 20 degree skimmer transducer. Fits 1240A, X20, X20A, X22, X25, X55, X60, LMS200, LMS300, X70/70A, LMS350/350A, 3200, 3500, Z9000, Z9500, Fish ID/ID II, Fish ID Plus, Supra ID, Magna/Plus, Magna II/Plus, Ultra/Plus, Ultra II/Plus, UltraNav/II.	OBS
90-31	HS-NS (25ft.)	Transom mount 8 degree skimmer transducer. Same as 90-36	OBS
40-99	HS-WAT (20ft.)	Transom-mount 20 degree 192 kHz flush or below hull. Fits same units as HS-WS.	OBS
90-41	PD-W (20ft.)	Shoot-thru-hull/trolling motor mount. 20 degree 192 kHz pod. Fits same units as HS-WS	OBS
90-42	PD-N (20ft.)	Shoot-thru-hull only 8 degree pod-style 192 kHz transducer. Fits same units as HS-WS.	OBS
90-34	PT-WS (16ft)	Low-profile 20 degree 192 kHz skimmer transducer with portable mounting bracket and suction cup. Fits same units as HS-WS.	OBS
90-06	TH-FW (20ft)	Replacement thru-hull flush-mount 20 degree, plastic housing, OEM installed transducer. Fits same units as HS-WS.	OBS
90-12	LTH-FLWT (20ft.)	Thru-hull 20 degree 192 kHz flange mount OEM transducer. Fits same units as HS-WS.	OBS
90-56	TH-FN (40ft)	Replacement thru-hull flush-mount 8 degree 192 kHz, plastic housing, OEM installed transducer. Fits same units as HS-WS.	OBS
90-62	TH-FLN (40ft.)	Thru-hull flange mount 8 degree 192 kHz plastic housing OEM transducer. Fits same units as HS-WS.	OBS
106-02	TH-FLW-P5 (20ft.)	OEM Thru-hull 20 degree, plastic housing, 1/8" flange mount with 1-3/4" diameter hole size. Fits same units as HS-WS.	OBS
106-11	TH-FLW-P19 (40ft.)	Replacement thru-hull 20 degree, plastic, OEM installed transducer, 1/8" flange mount with 2" diameter hole size. Fits units as HS-WS.	OBS
90-37	TH-W (40ft.)	Thru-hull-mount plastic housing 20 degree 192 kHz transducer. Fits same units as HS-WS.	OBS
90-54	TH-WB (40ft.)	Thru-hull-mount bronze housing 20 degree 192 kHz transducer. Fits same units as HS-WS.	OBS
90-38	TH-N (40ft.)	Thru-hull-mount plastic housing 8 degree 192 kHz transducer. Fits same units as HS-WS.	OBS

90-39	TH-NB (40ft.)	Thru-hull-mount bronze housing 8 degree 192 kHz transducer. Fits same units as HS-WS.	OBS
90-55	THST-WB (40ft)	Thru-hull mount 20 degree 192 kHz bronze skimmer transducer with speed and temp. Fits same as 90-40.	OBS
90-40	THST-NB (40ft.)	Thru-hull mount 8 degree transducer with speed and temp. Fits same as HS-WS.	OBS
90-43	TH-W-50 (40ft)	Thru-hull-mount plastic housing 36 degree 50 kHz transducer. Fits same units as LMS-150/LMS-150 GPS, LMS-300/LMS-300 GPS, LMS 350/LMS-350A.	OBS
90-47	TH-MB-50 (40ft)	Thru-hull-mount bronze housing 30 degree 50 kHz transducer. Fits same units as LMS-150/LMS-150 GPS, LMS-300/LMS-300 GPS, LMS 350/LMS-350A	OBS
90-95	THST-WB 50/192 (35ft.)	Combination transom-mount, 20 degree, 192 kHz and 36 degree, 50 kHz thru-hull mount bronze transducer with speed and temp. Fits LMS-150/LMS-150 GPS, LMS-300/LMS-300 GPS, LMS-350/350A.	OBS
90-32	HS-WS-50 (40ft)	Transom-mount, 36 degree, 50 kHz skimmer transducer. Fits LMS-150/LMS-150 GPS, LMS-300/LMS-300 GPS, LMS-350/LMS-350A.	OBS
90-33	HS-WS-50/192 (40ft)	Combination transom-mount, 20 degree, 192 kHz and 36 degree, 50 kHz skimmer transducer. Fits LMS-150/150 GPS, LMS-300/LMS 300 GPS, LMS-350/LMS-350A.	OBS
90-44	BL-N (25ft.)	Transom mount or shoot-thru-hull plastic housing 8 degree 192 kHz transducer. Fits same units as HS-WS.	OBS
90-45	BL-W 50 (40ft.)	Transom-mount, 36 degree, 50 kHz skimmer transducer. Fits LMS-150/LMS-150 GPS, LMS-300/LMS-300 GPS, LMS-350/LMS-350A.	OBS
40-78	LHS-3DW (25ft.)	Transom-mount 60 degree 192 kHz skimmer transducer. (Broadbeam) Fits LMS-200 and LMS-300 only. (limited)	OBS
90-48	SCANPAC (10')	Special Application...Side scanning package. Fits x-25 and x-55	OBS
*Use TA-303BK (08-94) to adapt any of the above Gray 192 kHz transducers except THST-WB and THST-NB to any unit with a "BK" black connector. Will not adapt 50 kHz.			
Transducers (uni-connector, power and transducer combined old 192 kHz)			
90-67	HS-WSPC (20ft)	Combined transducer and power cable. Fits X-22A-1, X-23, Supra Pro ID, Fish ID 128	OBS
90-70	HS-NSPC (20ft)	Combined transducer and power cable. Fits X-22A-1, X-23, Supra Pro ID, Fish ID 128	OBS
Transducers (pre-1989 black connectors)			
40-18	THS-1192-20 (25ft.)	Transom-mount 20 degree 192 kHz. Fits units manufactured before 1989.	OBS
40-27	TTH-2050-45 (25ft.)	Thru-hull or transom mount 45 degree 50 kHz bronze transducer. Fits X-155, Z-155, X-1550, and X-16 with LCX-16. Deep water use.	OBS
40-28	TBL-1050-45 (40ft.)	Transom mount 45 degree 50 kHz transducer. Fits X-155, X-1550, and X-16 with LCX-16. Deep water use.	OBS
40-30	TTH-1192-20 (40ft)	Thru-hull mount, 20 degree 192 kHz transducer, plastic housing. Fits units manufactured before 1989.	OBS
40-42	TTH-2050-30 (40ft.)	Thru-hull mount 30 degree 50 kHz transducer. Fits X-155, Z-155, X-1550, and X-16 with LCX-16. Deep water use.	OBS
40-91	XD-2 (20ft.)	Transom-mount 20 degree 192 kHz. Fits units manufactured before 1989.	OBS
Replacement transducer brackets			
99-06	HS-WS-SS	Replacement stainless steel transom mount bracket for 20 degree skimmer transducer.	
51-51	HS-WS kit	Plastic 2 piece replacement transducer bracket.	OBS
101-03	HS-3D4 kit	Fits HS3D4 and Broadview (Limited)	OBS
51-52	Suction Cup BRKT	Fits skimmer type portable transducers.	
074-0005-01		Replacement suction cup only.	
003-2568-00		3D-100, XD-10, BroadBeam	OBS
003-0827-00		THS-1192-20, XD-2, HS-W	OBS
047-0059-00		HS-WAT	OBS

003-1083-00		HS-3DWN	OBS
047-0043-00		PT-W pod style portable	OBS
003-3300-00		HSWS-50, HSWS 50/192, HSNS transom mount	
51-45	TMB-S	Mounting adapter bracket for skimmer style to attach to trolling motor.	
106-98	Epoxy	6 pack epoxy	
Speed & Temperature Sensors			
48-81	LSS-5	Transom mount speed sensor. Fits x-5 and x-50.	OBS
07-17	TS-100 (25ft)	Temperature sensor. Fits X-25, X-25A, X-55, X55A, X-60, LMS-200, LMS-300, X70/70A, LMS-350/350A, Z-9000, Z-9500, Fish ID Plus, Magna Plus, Magna II Plus, Magna III Plus, Ultra Plus, Ultra II Plus, UltraNav/II.	OBS
90-35	ST-T (20ft)	Transom mount speed and temperature sensor. Fits X-25, X-25A, X-55, X-55A, X-60, LMS-200, LMS-300, X70/70A, LMS-350/350A, Z-9000, Z-9500, Fish ID Plus, Magna Plus, Magna II Plus, Magna III Plus, Ultra Plus, Ultra II Plus, UltraNav/II.	OBS
40-92	ST-H (40ft.)	Thru-hull mount speed and temperature sensor. Fits X-25, X-25A, X-55, X-60, LMS-200, LMS-300, X70/70A, LMS-350/350A, Z-9000, Z-9500, Fish ID Plus, Magna Plus, Magna II Plus, Magna III Plus, Ultra Plus, Ultra II Plus, UltraNav/II.	OBS
90-98	ST-TBK (25ft)	Transom mount speed and temperature. Fits X-38, X-48, X-49, X-65, X-75, X-85, LMS-160, SAM-ST, Optima, FishEasyST, Accura 240, LCG-2400, Strata 128 Plus, Ultra Classic/Plus, UltraMap, TriFinder, Silver Striker, Status.	OBS
90-99	ST-HBK (25ft.)	Thru-hull mount speed and temperature. Fits the same units as the ST-TBK.	OBS
07-24	TS-1BK (25ft)	Temperature probe for Temp1. Fits X-38, X-48, X-49, X-75, X-85, SAM-ST, LMS-160, Optima, UltraClassic/Plus, UltraMap, FishEasyST, Accura 240, LCG2400, TriFinder, & Status.	OBS
07-20	TS-12BK (25ft.)	Dual temperature probe for Temp1 and Temp 2. Fits X-38, X-48, X-49, X-75, X-85, SAM-ST, LMS-160, Optima, UltraMap, FishEasyST, Accura 240, LCG2400, TriFinder & Status.	OBS
07-21	TS-2BK (25ft)	Temperature probe for Temp2 and black connector for dual temperature plus speed setup; Use ST-TBK or ST-HBK. For dual temp only use TS-12BK. Fits X-38, X-48, X-49, X-75, X-85, SAM-ST, LMS-160, Optima, UltraMap, FishEasyST, Accura 240, LCG2400, TriFinder & Status.	OBS
07-23	TS-3BK (25ft)	Temperature probe for Temp 3 and black connector for tri-temp set up only. Fits X38, X48, X49, X75, X85, SAM-ST, LMS160, Optima, UltraMap, FishEasyST, Accura 240, LCG2400, TriFinder & Status.	OBS
99-54	ST-TX (25 ft) with MY4X adaptor	Speed/temp probe. Fits X51, X58, X71, X87, X88, X91, X97, X98, LMS240, LMS320, LCX15, LCX16, LCX18, LCX19, LCX104, FishEasy 2 (gray conn), FishMark 320, SeaCharter 320. TriFinder 2.	
99-70	SP-X (25ft)	Speed probe. Same as ST-TX. Includes MY-4X adapter. Limited.	OBS
99-50	TS-1X (25ft)	Temp probe for TEMP 1 with X series connector. Includes MY-4X adapter. Works with X71, X91, LMS-240, LCX-15, LCX-16, FishMark160, FishMark 240, FishEasy II (gray), TriFinder 2, SeaCharter 480DF.	
99-51	TS-2X (25ft)	Temp probe for TEMP 2. Works with same as TS-1X. Does not Include MY-4X adapter.	OBS
99-52	TS-3X (25ft)	Temp probe for TEMP 3 with X series connector. Works with same as TS-1X. Does not include MY-4X adapter.	OBS
99-76	SP-U (25ft)	Speed probe. FishEasy2 (black conn), FishEasy 240, FishEasy 320C, FishMark 320, FishMark 500C, FishStrike 1000C, FishStrike 2000C, SeaChamp 1000C DF, SeaChamp 2000C DF, SeaCharter 500C DF, SeaFinder 320DF, SeaFinder 480DF, SeaFinder 500C DF.	
99-86	SP-U30	Speed probe with 30 feet of cable.	OBS
99-75	ST-TU (25ft)	Speed/temp probe. FishEasy2 (black conn), FishEasy 240, FishEasy 320C, FishElite 480, FishElite 500C, FishMark 320, FishMark 480, FishMark 500C, FishStrike 1000C/2000C, SeaChamp 1000C DF/2000C, SeaCharter 500C DF, SeaFinder 320DF, SeaFinder 480DF, SeaFinder 500C DF.	
000-10022-001	ST-TUQ	Transom paddle wheel with temp	

99-77	TS-2U (25ft)	Temperature probe for TEMP 2. X47, FishEasy2 (black conn), FishEasy 240, FishEasy 320C, FishElite 480, FishElite 500C, FishMark 320, FishMark 480, FishMark 500C, FishStrike 1000C/2000C, SeaChamp 1000C DF/2000C DF, SeaCharter 500C DF, SeaFinder 320DF, SeaFinder 480DF, SeaFinder 500C DF.	
99-95	TS-1BL (25ft)	Temperature probe for Temp 1. For use with X-52, X100C, X102C, X105C, X107C, X125, X126, X135, X136, LCX-17M, LCX20C, LCX25C, LCX26HD, LCX110C, LCX111C HD, LMS330C, LMS332C, LMS335, LMS337C, LMS480.	
99-96	SP-BL (25ft)	Speed probe. For use with X-52, X100C, X102C, X105C, X107C, X125, X126, X135, X136, LCX-17M, LCX20C, LCX25C, LCX26HD, LCX110C, LCX111C HD, LMS330C, LMS332C, LMS335, LMS337C, LMS480.	
99-97	ST-TBL (25ft)	Speed/temp probe. For use X-52, X100C, X102C, X105C, X107C, X125, X126, X135, X136, LCX-17M, LCX20C, LCX25C, LCX26HD, LCX110C, LCX111C HD, LMS330C, LMS332C, LMS335, LMS337C, LMS480.	
Speed & Temperature Replacement Kits and Inserts			
51-49		Paddle Wheel Assembly Kit. Used on ST-T, ST-TBK, ST-TX. Includes paddle wheel, shaft and keeper.	
51-50		Paddle Wheel Assembly Kit. Used with LST-T or EST-T. One piece and has metal plate on top.	OBS
021-0012-00		Replacement paddle wheel kit for LSS-5, SW-7 and VG products.	OBS
021-0038-00	6 paddles	Replacement paddle wheel kit for ST-H, ST-HBK thru hull speed/temp.	OBS
047-0057-00	4 paddles	Replacement paddle wheel kit for THST-WB and NB.	
101-47	ST-WBBK (30ft)	Thru-hull adapter plug to adapt old pre-existing transducers (THST-WB) to new temperature probe in the X-65, X-75, X-85, and SAM-ST.	OBS
101-48	ST-NBBK (30ft)	Thru-hull adapter plug to adapt old pre-existing transducers (THST-NB) to new temperature probe in the X-65, X-75, X-85, and SAM-ST.	OBS
101-67	ST-WBBK2 (30ft.)	Thru-hull adapter plug to adapt transducers with change in bronze housing. (See table, below).	OBS
101-68	ST-NBBK2 (30ft)	Thru-hull adapter plug to adapt transducers with change in bronze housing. (See table, below).	OBS
To determine which replacement Speed/Temperature plug to use, you must determine which triducer housing is installed (see table below). Label number found on silver tab four to five feet above transducer			
	Upgrade Model	Transducer Model/Transducer Label #	
101-48	ST-NBBK (40ft)	THST-NB/021-0028-00	OBS
101-47	ST-WBBK (40ft)	THST-WB/021-0029-00	OBS
101-68	ST-NBBK2 (40ft)	THST-NB/021-0049-00	OBS
101-67	ST-WBBK2 (40ft)	THST-WB/021-0050-00	OBS
Transducer Extension Cables			
08-08	LXT-110A (10ft.)	Transducer extension cable. Fits units manufactured before 1989	OBS
08-09	LXT-125A (25ft.)	Transducer extension cable. Fits units manufactured before 1989	OBS
08-17	TEC-3D (10ft.)	Transducer extension cable. Fits 3D-100 only.	OBS
08-68	XT-12 (2 pin) (12ft.)	Transducer extension cable. Fits 192 kHz transducers with gray connectors.	OBS
08-83	XT-20 (20ft.)	Transducer extension cable. Fits 192 kHz transducers with gray connectors.	OBS
08-59	UXT-10 (10ft)	Universal transducer extension cable. Fits X-20, X-20A, X-25, X-55, X-60, LMS-200, LMS-300, X70/70A, LMS-350/350A, 3200, 3500, Z-9000,Z-9500, Fish ID/ID II, Fish ID Plus, Supra ID, Magna/Plus, Magna II/Plus, Ultra/Plus, Ultra II/Plus, UltraNav/II.	OBS
08-63	UXT-25 (25ft.)	Universal transducer extension cable. Fits 192 kHz, 50 kHz, and BROADBEAM transducers with gray connector.	OBS

08-99	XT-12BK (12ft)	Transducer extension cable. Fits X-22A, X-25A, X-25B, X-28, X-38, X-45, X-48, X-49, X-55A, X-65, X-75, X-85, SAM-1, SAM-ST, LMS-160, LCG-2400, Magna III/Plus, Optima, Strata 128/Plus, Ultra III/Plus, Ultra Classic/Plus, UltraMap, FishEasy, Accura 240, Silver Striker, Status..	OBS
08-98	XT-20BK (20ft.)	Transducer extension cable. Fits same as XT-12BK	OBS
99-01	XT-12BK3D (12ft.)	Transducer extension cable. Fits 384 kHz transducers only; X-70A 3D, Ultra III 3D.	OBS
99-13	XT-12DBK (12ft)	Balanced-line transducer extension cable for 50 kHz balanced line transducers. Fits SAM-HP50D.	OBS
99-14	XT-20DBK (20ft)	Balanced-line transducer extension cable for 50 kHz balanced line transducers. Fits SAM-HP50D.	OBS
99-57	XT-12X (12ft.)	Transducer extension cable. Fits 200 kHz transducers. Also works with the BV-WSX	
99-58	XT-20X (20ft.)	Transducer extension cable. Fits 200 kHz transducers. Also works with the BV-WSX	
99-91	XT-15U	Extension cable for 2003 uni-plugs. Will work with dual freq. also.	
000-10020-001	XT-15UQ	15ft sonar extension cable	
99-93	XT-12BL	12 ft. transducer extension cable (50 kHz or 200 kHz). For use with BL transducers. Also for BL connector speed and temp sensors.	
99-94	XT-20BL	Same as above (99-93) except 20 feet long.	
Speed and GPS extensions			
119-37	N2KY-12BL	Same as 119-06. 12 foot cable.	OBS
119-06	N2KY-25BL	Replacement cable and Y adapter with terminating resistor for the LGC-2000. Includes the 60 ohm terminator. 25 foot cable.	OBS
119-07	NTXP-25BL	Network expansion cable.	OBS
119-08	NTBA-1BLF	NMEA 2000 buss adapter cable with 5-pin blue female connector and micro-c connector.	OBS
119-09	NTBA-1BLM	NMEA 2000 buss adapter cable with 5-pin blue male connector and micro-c connector.	OBS
08-78	SX-12 (12ft.)	Extension cable. Fits ST-T, ST-H, TS-100, ELC-1/LC-1 Loran modules, LGC-1/EGC-1 GPS modules.	OBS
08-64	SX-25 (25ft)	Extension cable. Fits ST-T, ST-H, TS-100, ELC-1/LC-1 Loran modules, LGC-1/EGC-1 GPS modules. Use GPSX-25G below.	OBS
99-15	SX-12BK (12ft.)	Speed and temp extension cable. For use with ST-TBK, ST-HBK, TS-12BK, TS-1BK, TS-2BK, or TS-3BK.	OBS
99-16	SX-25BK (25ft.)	Speed and temp extension cable. For use with ST-TBK, ST-HBK, TS-12BK, TS-1BK, TS-2BK, or TS-3BK.	OBS
08-64	GPS-25 (25ft.) 4 pin	Replacement cable for use with GPS coupler. Not an extension. Fits LGC-1 and EGC-1.	OBS
99-45	GPSX-12G (12ft)	Extension for LGC-12, LGC-12S, LGC-12W and ST-T, ST-H, TS-100, ST-TX, SP-X, TS-1X . No longer available use 25 foot cable below.	OBS
99-46	GPSX-25G (25ft)	Extension for LGC-12, LGC-12S, LGC-12W and ST-T, ST-H, TS-100, ST-TX, SP-X, TS-1X . Replacement cable for the GPS modules.	
119-01	N2KEXT-25BL (25ft)	Extension cable only for the LGC-2000. Not a replacement cable. Used with the N2KY-12BL formally a 25 foot cable.	OBS
08-84	MLXT-12 (12ft.)	Extension cable for use with GlobalMap 1000, GlobalMap 2000, and Maplink.	OBS
08-85	MLCT-1 (8inch)	Connecting Cable for linking multiple Map links in sequence (up to eight Map links can be used on a single system).	OBS
Transducer Adapter Cables			
08-67	TA-100 (2ft)	Adapter cable for sonar units with ¼" phono-jack connectors. Fits 192 kHz transducers with gray connectors. Does not adapt speed/temp.	OBS
08-60	TA-300 (2ft)	Adapts any 192 kHz gray connector transducer to pre-1989 unit with black connector. Does not adapt speed/temperature.	OBS
08-81	TA-301 (2ft) (bare wires)	Transducer adapter cable. Adapts any 192 kHz transducer with gray connector to the X-22A-1, Supra Pro ID, and Fish ID 128. Have power cable attached. Does not adapt speed/temperature.	OBS

08-99	TA-302 (2ft)	Transducer and power cable adapter. Adapts gray connector 192 kHz transducer and to the X-22A-1, Supra Pro ID, and Fish ID 128. Needs the PC-15BK for power.	OBS
08-61	TA-400 (2ft)	Adapts pre-1989 transducer with black connector to any 192 kHz gray connector unit. Does not adapt speed/temperature.	OBS
08-94	TA-303BK (2ft)	Adapts gray connector 192 kHz transducer to X-22A, X-25A, X-25B, X-28, X-38, X-45, X-48, X-55A, X-65, X-75, X-85, SAM-ST, LMS-160, LCG-2400, Magna III/Plus, Optima, Strata 128/Plus, Ultra III/Plus, Ultra Classic/Plus, UltraMap.	OBS
08-97	TA-401BK (2ft)	Adapts "BK" black connector 192 kHz transducer to X-20, X-20A, X-25, X-55, X-60, LMS-200, LMS-300, X70/70A, LMS-350/350A, 3200, 3500, Z-9000,Z-9500, Fish ID/ID II, Fish ID Plus, Supra ID, Magna/Plus, Magna II/Plus, Ultra/Plus, Ultra II/Plus, UltraNav/II.	OBS
99-78	TA-X2U (4ft)	Adapts gray connector 200 kHz transducers to units with newer black 200 kHz uni-plug. Built in temperature will not work.	
119-00	TA-BL2U	Adapts blue connector 50/200 kHz or 200 kHz transducers to units with newer black 50/200 or 200 kHz transducer power conn.	
08-65	MY-2	"Y" connector permits use of two different frequency transducers with gray connectors. Fits LMS150/150 GPS, LMS300/300 GPS, 350/A.	OBS
99-02	MY-3BK	"Y" connector. Allows use of BROADVIEW and another 192kHz transducer with "BK" connector. Fits X-25A, X-55A, MagnaView/Plus, Ultra III/ Ultra III Plus.	OBS
Does not adapt speed/temperature			
99-53	MY-4X (2ft @ cable)	"Y" adapter cable. Allows for the addition of speed sensor, temp sensor, or speed/temp probe to X - series connector units.	OBS
99-04	PCA-100BK	Adapts gray connector power cable to a sonar unit with black power cable connector. Does not adapt speed/temperature.	OBS
99-05	PCA-200BK	Adapts "BK" black power cable to a unit with gray connector. Does not adapt speed/temperature.	OBS
Replacement Connectors			
08-70		Replacement connector kit for Speed/Temp sensors (except LSS-5), Loran, and GPS cables. (LGC-12W, LGC-12S) Requires splicing.	OBS
08-10	LTC-60	Transducer repair connector kit for use with transducer cables manufactured before 1989 with black connector. Requires soldering.	OBS
08-62	TC-3	Repair kit for transducers with gray connectors. Requires soldering.	OBS
101-86	TC-4X	Transducer repair kit for transducers for 200 gray. Requires soldering. Also works for the BV-WSX	OBS
113-35	TC-5BL	Transducer connector repair kit. New BL transducers	OBS
Switch Boxes			
46-18	SB-3	Rotary switch. Two 192 kHz transducers with one unit. Fits all units that require HS-WS gray connector transducers.	OBS
46-19	SB-4	Rotary switch. Two sonar's with one 192 kHz transducer with gray connector. Fits units that use HS-WS.	OBS
46-20	SB-5BK	Rotary switch. Two 192 kHz transducers with one sonar unit having "BK" black connectors. Fits units that use HS-WSBK.	OBS
46-21	SB-6BK	Rotary switch. Two sonar's with one 192 k Hz transducer with "BK" black connector. Fits units that use HS-WSBK.	OBS
46-22	SB-7X	Rotary switch. Two 200 kHz transducers with one sonar with new gray connectors.	
46-23	SB-8X	Rotary switch. Two sonar's with one 200 kHz transducer with new gray connector.	
46-26	SB-9BL	Switches 2 transducers to 1 sonar unit. For use with BL connector transducers.	
46-27	SB-10BL	Switches 2 sonar units to 1 transducer. For use with BL connector transducers.	
Portable Power Packs			
16-18 192KHz	PPP-6 gray GB-1 bracket	Requires two 6V lantern batteries. Fits X-20/X-20A, X-22, X-22A, X-25, X-35, X-55, Ultra, Ultra II, Fish ID/Fish ID II, Magna/Magna II, Supra ID. Fits GB-1 bracket. Includes PT-WS	OBS
16-21 192KHz	PPP-7 BK connector GB- 8 bracket	Portable D-cell/gel-cell battery capable power pack. Fits X-25B, X-28, X-29, X-38, X-45, X-48, X-49, FishID 128, FishEasy, Supra Pro ID, Magna III, Magnaview, Strata 128, StrataView, TriFinder.	OBS
16-22 192KHz	PPP-8 BK connector GB- 1 Bracket	Portable D-cell/gel-cell battery capable power pack. Fits Ultra III, X-55A. Use PCA-200BK and TA-401BK to adapt unit with gray connectors. Includes PT-WSBK. Fits GB-1 bracket.	OBS

16-28 192kHz	PPP-9 BkK connector GB- 10 bracket	Portable D-cell/gel-cell battery capable power pack. Fits X-65, X-75, X-85, LCG-2400, UltraClassic, Silver Striker, Optima, Accura 240. Fits GB-10 bracket. Includes PT-WSBK.	OBS
16-40 200KHz	PPP-10 Gray GB-13 bracket	Portable D-cell/gel-cell battery capable power pack. Fits X51, X-52, X58, X59DF, FishEasy2, FishEasy 2T (gray), TriFinder2, (BVWSX), SeaFinder 240. Fits GB-13 bracket and GK-11 longer knob.	
16-41 200KHz	PPP-11 Gray (no bracket attached to case)	Portable D-cell/gel cell battery capable power pack for X71, X87, X88, X91, X97, X98, X102, X125, X135, X510, LMS240, LMS320, FishMark160, FishMark240, SeaCharter320. Fits GB-14 bracket.	
16-42 200KHz	PPP-12 Uni- plug	Portable AA-cell /gel cell battery for M56, X47, X50DF, X67C, M68C, Cuda128/168/240/242/250, uni-plug, FishEasy240/245/320, SeaFinder245DS. New style case, smaller and thinner. Unit sets directly on porta pack. Unit normally takes the GB-17 bracket.	
16-43 200KHz	PPP-13 2003 Uni-plug	Portable D-cell/gel cell battery. FishEasy 2, FishEasy 2T, SeaFinder 240. Comes with PT-WSU. No cable/just connector on case.2003 un-plug units and GB-13 Bracket	
16-44 200KHz	PPP-14 Uni- plug GB-9 knobs	Portable D-cell/gel cell pack. For Cuda168EX, X47EX, X86, X96, FishEasy250, FishMark320/480/500/640, FishElite320, and SeaFinder320. No bracket attached to case and has connector only. Comes packed with GB-14 bracket and PTWS-U.	OBS
16-45 200KHz	PPP-15I Uni- plug	Ice fishing accessory pack. Includes ice fishing transducer PTI-WSU, custom soft-side carry bag, battery and recharger. For use with X67c and M68c	
16-46 200KHz	PPP-16I BL Connector	Ice fishing accessory pack. Includes ice fishing transducer PTI-WSBL, custom soft-side carry bag, battery and recharger. For use with X100, X102, X510, LMS-330, LMS-332, LMS520, LMS522.	
000- 10030-001	PPP-17	Elite/Mark portable power pack for 5" models	
000- 10031-001	PPP-17K	Elite/Mark Kayak kit for 5" models	
113-57	PPP-AM	Portable power pack for the AirMap 2000	
16-50	VBP-1	1300 mAh battery pack including wall charger for the EHR-10.	OBS
16-51	VBP-2	1600 mAh battery pack including cradle and adapter for LHR-20/22.	
16-52	VBP-3	1800 mAh battery pack including cradle and adapter for LHR-82.	OBS
16-53	VBP-4	1400 mAh Li-ion polymer battery pack for LHR-80	
16-47	VHT-1	Alkaline battery tray for EHR-10. (batteries not included).	OBS
16-48	VHT-2	Alkaline battery tray for LHR-20. (batteries not included).	
16-49	VHT-3	Alkaline battery tray for LHR-22. (batteries not included).	OBS
51-32	Ice-Dapter	Ice Fishing transducer accessory used with PPP-6, PPP-7, PPP-8, PPP-9, PPP-10.	
Combination GPS and sonar units cannot be used with portable power packs			
Power Cables			
08-54	PC-1 (2-pin)	X20, X20A, X22, X35, 2530, 2560, SST-WP, SSI-WP, FishID, FishID II, Supra, Ultra, Ultra II, Ultra3D, Mach 1, Mach 2, Magna I/II, DDS-3, Tracker Pro 1000	
08-53	PC-2 (6-pin)	X-25, X-55, X-60, X-70, X-70A, X-70A 3D, Magna Plus, Magna II Plus, Ultra Plus, Ultra II Plus, Fish ID Plus, Tracker Pro 2000.	OBS
08-38	PC-3 (7-pin)	LMS-200, LMS-300, LMS-300 GPS, Z-9000, Z-9500, Z-9500 GPS,	OBS
08-56	PC-4 (3-pin)	3200, R-3200, 3400, R-3400 (Red Connector).	OBS
08-51	PC-5 (3-pin)	LMS-10, LMS-15, GlobalNav, 3200, 3400, NavGuide, DDS-2, DDS-4, Navplot, AccuNav. (Gray Connector)	OBS
08-58	PC-6 (11-pin)	LMS-150, LMS-150 GPS, UltraNav, UltraNav GPS	OBS
08-42	PC-7 (2-pin)	X-15A, X-155A, X-15B, X-155B, Mach 1, Mach 2, Z-15, Z-155 (Black Connector, Pre-1989).	OBS
08-37	PC-8 (4 pin)	X-16 (Black Connector, Pre-1989)	OBS
08-52	PC-9 (4 pin)	X-16, GlobalNav II, GlobalNav IIA, AccuNav II, Accutrail.	OBS
08-50	PC-10	X-5, X-50, Z-7000, Z-7500.	OBS
08-34	PC-11 (2 pin)	X-4, X30, X40, Z-6100, Z-7200, ID-6300, 3D-100, Z-5000.	OBS

08-66	PC-12	All 2000 Series Lowrance Flashers, 3100, LRG-1500A, LRG-1510C, X-15, X-1550, X-3, Eagle Flashers, Z-6000, DDS-1, DDS-3 (Red Connector). No longer available please use PC-4.	OBS
08-72	PC-13 (12 pin)	LMS-350, LMS-350A, Accura, UltraNav II.	OBS
08-91	PC-14 (12 pin)	Global Map 1000, Global Map 2000.	OBS
08-92	PC-15BK (2 pin)	X-22A, X-24, X-25B, X-28, X-29, Magna III, MagnaView, Strata 128, Ultra III, Ultra III 3D, Ultra Classic, FishEasy.	OBS
08-93	PC-16BK (6 pin)	X-25A, X-45, X-55A, Magna III Plus, MagnaView Plus, Ultra III Plus, Ultra III 3D.	OBS
99-12	PC-17BK (6 pin)	X-38, X-48, X-49, X-65, X-75, X-85, LCG-2400, Accura 240, Ultra Classic, Ultra Classic Plus, Optima, FishEasyST & TriFinder, StrataView 128, LMS160, Silver Striker.	OBS
99-21	PC-18	GlobalNav 310, GlobalNav 200, EagleView. Order by using NDC-2 part #101-36.	OBS
99-39	PC-19BK (4 pin)	Power/Transducer Cable for LMS-160 Map, UltraMap & Status.	OBS
99-43	PC-20BK (4 pin)	Power Cable for GlobalMap 1600, AccuMap GPS, & Journey.	OBS
99-56	PC-21X (10 pin)	Power Cable for LMS240, LMS320, LCX-15, LCX-16, LCX18, LCX19, GlobalMap 2400, GlobalMap 3000, GM3200, GM4000, GM5000, GM6000, SeaCharter 480DF.	
99-68	PC-22X (10 pin)	Fits TriFinder2.	OBS
99-69	PC-23X (2 pin)	Fits X51, X58DF, X71, X87, X88, X91, X97, X98, FishEasy2 (gray), FishMark 160, FishMark 240.	OBS
99-83	PC-24U	Power cable for the IntelliMap 320/480/500/502/640/642C.	
99-73	PC-25X	Power cable with remote speaker output . For use with LCX-15 (if equipped), LCX-16, LCX-18, LCX-19, LCX-104C, GlobalMap 4000, GlobalMap 5000, GlobalMap 6000, GlobalMap 7000.	OBS
99-98	PC-26BL	Works with: LCX17, LCX20, LCX25, LCX26H, LCX110, LCX111, X52, X59DF, X100, X102, X105, X107, X125, X126DF, X135, X136DF, LMS330, LMS332, LMS335, LMS334, LMS337, LMS339, LMS480, LMS520, LMS522, LMS525, LMS527, GM3300, GM3500, GM4800, GM4900, GM5500, GM6500, GM6600, GM7500, GM7600, GM Baja.	
127-08	PC-27BL	For GM5200, GM5300, GM7200, GM7300, GM8200, GM8300, GM9200, GM9300, GM Baja 540, LCX27, LCX28, LCX37, LCX38, LCX112, LCX113, LMS520, X510, X515, LMS522, LMS525, LMS527.	
127-40	PC-29	LHR-20 LHR-22	
127-49	PC-30-RS422	HDS series	
127-54	PC-31BLN	LBS-1, BSM-1	
119-29	PC-27-HPA	Used to hardwired iWay 500C to car stereo	
127-40	PC-29	Power cable for LHR-20/22.	
119-60	12V Converter	W/ 10 pin connector	
Gimbal Brackets			
51-38	GB-1	X-20, X-20A, X-25, X-22, X-25A, X-35, X-55, X-55A, LMS-10, LMS-15, Fish ID/Plus, Fish ID II, Supra, Magna/Plus, Magna II/Plus, Ultra/Plus, Ultra II/Plus, Ultra III/Plus/3D, Ultra 3D, UltraNav, UltraNav GPS, NavGuide, NavPlot, Accura, AccuNav/II, AccuTrail, SV1000, SV2000	OBS
51-42	GB-2	X-4, X-5, X-30, X-40, X-50, X-60, LMS-150, LMS-150 GPS, LMS-200, GlobalNav, ID-6300, 3D-100, Z-5000, Z-6100, Z-7000, Z-7200, Z-7500, Z-9000, Z-9500, and Z-9500 GPS	OBS
51-41	GB-3	Fits all Eagle and Lowrance paper graphs with plastic case.	OBS
51-43	GB-4	2530, 2560, and all Eagle flashers except in-dash units.	OBS
51-56	GB-5	LMS-300, LMS-300 GPS	OBS
51-58	GB-6 (metal)	X-70, X70A, X-70A 3D, LMS 350, LMS-350A, GlobalNav II, GlobalNav IIA, GlobalMap 1000, GlobalMap 2000,	OBS
51-77	GB-7	Overhead mount for units listed under GB-1. (overhead mount)	OBS

51-82	GB-8	X-22A/A-1, X-23, X-25A, X-25B, X-28, X-29, X-38, X-45, X-48, X-49, Supra Pro ID, Magna III/Plus, MagnaView/Plus, Fish ID 128, Strata 128, StrataView 128, FishEasy, &TriFinder, SeaNav 120, SeaView 600, SeaView 800..	OBS
101-04	GB-9	Overhead mount for units listed under GB-8	OBS
101-38	GB-10	X65/75/85, LCG2400, LMS160, GlobalMap 1600, Ultra Classic, Optima, UltraMap, AccuMap GPS, Accura 240, Journey, Silver Striker, Status.	OBS
101-59	GB-11	Overhead mount for units listed under GB-10	OBS
101-78	GB-12	Fits LCX15, LCX16, LCX18, LCX19, LCX104C, GM3000, GM4000, GM5000, GM6000, GM7000.	OBS
101-98	GB-13	Fits X51, X52, X58DF, X59DF, FishEasy2 and TriFinder2, SF240DF.	
101-99	GB-14	Fits Cuda168EX, X47EX, X71, X86, X87, X88, X91, X96, X97, X98, X100, X102, X105C, X107, X125, X126DF, X135, X136DF, X510, X515, LMS-240, LMS320, LMS330, LMS332, LMS335, LMS337, LMS480, LMS520, LMS522, LMS525, LMS527, GM2400, GM3200, GM3300, GM3500, GM4800, GM5200, GM5300, GlobalMap Baha 540, FishEasy250, FishMark160/240/320/480/500/640, FishElite320/480/500/502/640/642, SeaFinder250DF, SeaFinder 320DF, SeaFinder 480DF, SeaFinder 500DF, SeaFinder 640DF, SeaCharter 320/480/500/502/640/642, IntelliMap320/480/500/502/640/642.	
113-16	GB-17 (no ram)	Fits X-37, X47, X50DF, X67C, M68C, Cuda128/168/240/242/250, FishEasy240/245/320, SeaFinder245DS.	
113-75	GB-18	Fits LCX17, LCX20, LCX25, LCX26, LCX27, LCX28, LCX27, LCX38, LCX110/111/112/113, FishStrike 1000/2000, SeaChamp 1000/2000, GM4900M, GM5500, GM6500, GM6600, GM7200, GM7300, GM7500, GM7600, GM8200. GM8300, GM9200, GM9300.	OBS
124-57	GB-19	HDS 5	
124-58	GB-20	HDS 7	
124-59	GB-21	HDS 8	
124-60	GB-22	HDS 10	
000-10027-001	QRB-5	Bracket for Mark-5 and Elite-5 Models	
003-2045-00		X-3, Z-6000 Bracket	OBS
51-83	GBSA-1	Gimbal Bracket swivel adapter for units using GB-8, 10, 13, 14.	
113-26	GBSA-3	Gimbal bracket swivel adapter for units using GB-17.	
Ram Mounting Brackets			
51-88	MB-1	Tilt and swivel bracket. AccuMap 12, AccuMap Sport, AccuNav Sport, AirMap, AirMap 300, GlobalMap 12, GlobalMap Sport, GlobalNav Sport.	OBS
101-35	MB-2 (4 inch arm)	Ram-mount. AirMap 100, Expedition/II, Explorer, MapGuide/Pro, GlobalMap 100, GlobalNav 12/200/212.	OBS
105-58	MB-4	Bicycle and Motorcycle mounting bracket. Same as MB-2	OBS
101-60	MB-5	ATV and snowmobile 1" ball mounting bracket and arm with rugged holder.	OBS
101-61	MB-6	RAM mount. AccuMap 12, AccuMap Sport, AccuNav Sport, AirMap, AirMap 300, GlobalMap 12, GlobalMap Sport, Global Nav	OBS
101-62	MB-7 (3.5 inch arm) GB13 uses center hole only	R-A-M 1" ball mounting bracket with arm and mounting plate for all current sonar units. GB-13 and GB-14. Round plate.	
101-63	MB-8 (8 inch arm)	R-A-M 1-1/2" ball mount bracket with long arm and rectangular mounting plate. Better for the larger units.	
101-79	MB-9	R-A-M 1" ball-mounting bracket and arm with rugged holder for iFinder and iFinder Pro.	
113-21	MB-10	Bicycle mount for lfinder, iFinder Pro.	
113-46	MB-11	RAM 1" ball mounting bracket with arm with rugged cradle for iFinder H20/C, iFinder Hunt, iFinder Map & Music/C, iFinder PHD/C, iFinder Explorer, ExpeditionC.	OBS
113-50	MB-12	R-A-M ATV and snowmobile 1" ball mounting brkt with arm and cradle. For use with lfinder and lfinder Pro, Hunt, H20/C, Map & Music/C, PHD/C, Explorer, ExpeditionC.	OBS

113-59	MB-13	R-A-M 1" ball-mounting brkt with arm and cradle. For use with iFinder GO, iFinder GO2.	OBS
113-60	MB-14	R-A-M ATV and snowmobile 1" ball mounting brkt with arm and cradle. For use with iFinder GO, iFinder GO2.	
113-63	MB-15	R-A-M automobile mounting bracket with suction cup, short arm and cradle. IWay 100M, IFinder H20.	
113-64	MB-16	R-A-M mount for Iway 500/600. Suction cup with short arm.	OBS
113-76	MB-17	R-A-M motorcycle 1" ball mounting bracket with arm. Chrome Gold wing. IWay 500/600.	
113-77	MB-18	R-A-M motorcycle 1" ball mounting bracket with arm. Black version.	
113-78	MB-19	R-A-M motorcycle 1" ball mounting bracket with arm. Chrome version.	
113-80	MB-20	R-A-M rubberized flexible 1" ball-mounting base.	
113-86	MB-21	R-A-M black gold wing.	
113-87	MB-22	R-A-M quick release.	
113-89	MB-23	Mount for the iWay 350C	
113-99	MB-24	Special bracket and hardware for Boat mounting the iWay 500C	
124-10	MB-25	Flexible base mount. Includes suction-cup mount with circular base and cradle. For use with iWAY 250C.	
124-16	MB-27	Mounting bracket. Allows for mounting on a boat or in an automobile. Includes power cable with headphone adapter.	
124-29	MB-29	Mounting bracket. Includes bean bag and cradle. For use with IWAY 250c, IWAY 350c	OBS
124-44	MB-31	RAM quick release mounting bracket For use for Iway 600c	OBS
124-52	MB-32	Motorcycle mounting bracket for XOG.	
124-53	MB-33	Flexible base mount. Includes suction-cup mount with circular base and cradle for XOG.	
124-74	MB-35	RAM swing arm mounting bracket. HDS 5, 7, 8, 10	
124-75	MB-36	RAM heavy duty 2.25" ball mounting bracket with short arm for HDS 10	
124-76	MB-37	RAM 1-1/2" ball-mounting bracket with short arm for 10" units	
124-77	MB-38	RAM 1.5" ball mounting bracket with a standard arm For use with HDS 10	
101-70	CR-1	Replacement cradle. Used with MB-1, MB-5	
113-30	CR-2	Replacement cradle for AirMap 500	
113-74	CR-3	Replacement cradle for H20	OBS
124-04	CR-4	Cradle for iFinder GO and iFinder GO2.	OBS
Indash Mounting Kits			
51-85	IDA-3	In-dash mounting kit for dashes up to ½" thick. X-22A/A-1, X-23, X-25A, X-25B, X-28, X-29, X-38, X-45, X-48, X-49, Supra Pro ID, Magna III/Plus, MagnaView/Plus, Fish ID 128, Strata 128, StrataView 128, FishEasy, &TriFinder, SeaView600, SeaView 800.	OBS
51-99	IDA-4	In-dash mounting kit for dashes over ½" thick. Fits units listed under GB-8. Same as IDA-3.	OBS
101-39	IDA-5	In-dash mounting kit for dashes up to ½" thick. X65, X75, X85, LCG2400, LMS160, GlobalMap 1600, Ultra Classic, Optima, UltraMap, AccuMap GPS, Accura 240, Journey, Status. Fits units listed under GB-10	OBS
101-40	IDA-6	In-dash mounting kit for dashes over ½" thick. Fits units listed under GB-10. Same as IDA-5.	OBS
51-67	FM-2	LMS350A, GlobalMap 1000, GlobalMap 2000.	OBS
101-94	FM-3	FishStrike 1000/2000, GM4900, GM5500, GM6500, GM6600, GM7200, GM7300, LCX17, LCX20, LCX25, LCX26, LCX27, LCX28, SeaChamp 1000DF, SeaChamp 2000DF.	OBS
113-03	FM-4	Flush mount kit for X51, X52, X58DF, X59DF, FishEasy 2, SeaFinder240DF, TriFinder2.	

113-04	FM-5	Cuda 168EX, X47EX, X71, X86, X87, X88, X91, X96, X97, X98, X100, X102, X105, X107, X125, X126DF, X135, X136DF, X510, X515, LMS240, LMS320, LMS330, LMS332, LMS335, LMS337, LMS480, LMS520, LMS522, LMS525, LMS527, GM2400, GM3300, GM3500, GM4800, GM5200, GM5300, Baja480, FishMark160/240/320/480/500/640, FishElite320/480/500/502/640/642, SeaCharter480/500/502/640/642, SeaFinder 250DF, SeaFinder 320DF, SeaFinder 480DF, SeaFinder500DF, SeaFinder 640DF, IntelliMap320/480/500/502/640/642.	
000-10028-001	FM-ME5	Elite/Mark flush mount kit for 5' models	
113-20	FM-6	X47, X67, X50DF, Cuda128/168/242/250, FishEasy240/245, FishEasy320, SeaFinder245DS..	
113-24	FM-7		OBS
113-48	FM-9	Flush mount kit for the X47, X67, Cuda 128 and Cuda 168. Special cases.	OBS
113-70	FM-10	Flush mount kit for the LVR-850	
124-32	FM-11	LCX37, LCX38, GM8200, GM8300.	OBS
124-65	FM-12	For use with HDS-series	
Gimbal Knobs			
51-15	GK-1	X-20, X-20A, X-22, X-25A, X-35, X-55, X-55A, LMS-10, LMS-15, Fish ID/Plus, Fish ID II, Supra, Magna/Plus, Magna II/Plus, Ultra/Plus, Ultra II/Plus, Ultra III/Plus/3D, Ultra 3D, UltraNav, UltraNav GPS, NavGuide, NavPlot, Accura, AccuNav/II, AccuTrail, SV1000, SV2000.	OBS
51-25	GK-2	X-4, X-5, X-30, X-40, X-50, X-60, LMS-150, LMS-150 GPS, LMS-200, GlobalNav, ID-6300, 3D-100, Z-5000, Z-6100, Z-7000, Z-7200, Z-7500, Z-9000, Z-9500, and Z-9500 GPS	OBS
51-24	GK-3	All Eagle flashers.	OBS
51-36	GK-4	All Eagle paper graphs.	OBS
51-17	GK-5	All Lowrance 2000 series flashers and all Lowrance paper graphs with metal case.	OBS
51-20	GK-6	All Lowrance paper graphs with plastic case.	OBS
51-68	GK-7	X-70, X-70A 3D, LMS 350, LMS-350A, GlobalNav II, GlobalNav IIA, GlobalMap 1000, GlobalMap 2000,	OBS
51-81	GK-8	X-22A/A-1, X-23, X-25A, X-25B, X-28, X-29, X-38, X-45, X-48, X-49, X-65, X-75, X-85, LCG-2400, LMS-160 Map, GlobalMap 1600, GlobalNav 310, Supra Pro ID, Magna III, MagnaView, Fish ID 128, Strata 128, StrataView 128. Ultra Classic, Optima, EagleView, FishEasy, Journey, Status & Accura 240.	
101-80	GK-9	Fits: Cuda168EX, FishEasy250, FishElite480/500/502/640/642, FishMark320/480/500/640, FishStrike1000/2000, GM3000/3300/3500, GM4000/4800/4900, GM5000/5200/5300/5500, GM6000/6500/6600, GM7000/7200//7300/7500/7600, GM8200/8300, GM9200/9300, GMBaja, GMBaja480/540, IntelliMap320/480/500/502/640/642, LCX15/16/17/18/19/20/25/26/27/28/37/38, LCX104/110/111/112/113, LMS330, LMS332, LMS335, LMS337, LMS480, LMS520, LMS522, LMS525, LMS527, SeaChamp1000/2000, SeaCharter 480/500/502/640/642, SeaFinder 250/320/480/500/640, X47EX, X71, X86, X87, X88, X91, X96, X97, X98, X100, X102, X105, X107, X125, X126, X135, X136DF, X510, X515.	
113-02	GK-10	Fits X51, X52, X58DF, X59DF, FishEasy2, SeaFinder 240, TriFinder2.	
113-09	GK-11	For use with PPP-10, PPP-13 only. Fits X51, X58DF, FishEasy2, TriFinder2.	
124-56	GK-12	For use with HDS-5, HDS-7, HDS-8, HDS-10	
MapCreate Software			
95-15	MapCreate CD-ROM Series 4	Mapping detail including Nav aids, rural roads, city streets. For AccuMap 12, AccuMap GPS, AccuMap Sport, AirMap 100, AirMap 300, Eagle MapGuide Pro, GlobalMap 100, GlobalMap 12, GlobalMap Sport, UltraMap, Journey, Status, LMS-160, GlobalMap 1600.	OBS
95-22	MapCreate Accessory Pak 4	Mapping detail including Nav aids, rural roads, city streets. For GlobalMap 100. Includes PC interface cable.	OBS

94-93	MapCreate Accessory Pak 4	MapCreate series 4 CD (95-15), PC-D13PBK download cable (99-42), and AC-CAF (99-44). Packaged for Journey .	OBS
94-94	MapCreate Accessory PAK 4	MapCreate series 4 CD (95-15), PC-D13BK download cable (99-41), CA-3 adapter (99-36), AC-CAF (99-44). Packaged for Status .	OBS
95-012	MapCreate series 4	Second CD (049-0014-22). Population of 50,000 or more no detail on city streets. Rural roads were added.	OBS
95-12	MapCreate Series 4 kit	CD same as 95-012. Packed with PC-D11BK transfer cable (99-25), and FMC-1 flash cartridge. AccuMap 12, AccuMap Sport, AirMap 300, GlobalMap 12, GlobalMap Sport.	OBS
95-21	MapCreate CD-ROM Series 5	For LCX-15, LCX-16 and GlobalMap 3000.	OBS
94-91	Mapcreate GPS Series 5 Acc Pack	LGC-12S, 16MB MMC card, reader/programmer, series 5 CD	OBS
95-25	MapCreate CD-ROM Series 6	For AirMap 500/1000/2000, LMS240, LMS320, LMS330C, LMS332C, LMS335, LMS337C DF, LMS480, GM2400, GM3000, GM3200, GM3300C, GM3500C, GM4000, GM4800M, GM4900M, GM5000C, GM5500C, GM6000C, GM6500C, GM7000C, GM7500C, FishElite 320, FishElite 480, FishElite 500C, FishStrike 1000C, FishStrike 2000C, SeaCharter 320, SeaCharter 240DF, SeaCharter 480, SeaCharter 500C, SeaChamp 1000, SeaChamp 2000, iFinder, ifinder Pro, iFinder H20, iFinder Hunt, iFinder Map & Music, ifinder PHD, LCX15, LCX16, LCX17M, LCX18C, LCX19C, LCX20C, LCX25C, LCX104C, LCX110C, IntelliMap 320, IntelliMap 480, IntelliMap 500C, M58, M68. Windows 98 or higher.	OBS
95-24	MapCreate CD-ROM Acc Pak Series 6	Includes MMC card, MMC card reader/programmer and MapCreate series 6 CD-ROM. Same as above.	OBS
112-07	MapCreate GPS Acc Pak Series 6	Includes LGC-12W , 16MB MMC card, reader/programmer, set of 2 MapCreate series 6 CD's. Same as above except iFinder.	OBS
95-38	MapCreate CD Canada	Comprehensive mapping detail including Canadian marine navigational aides, rural roads, city streets, highways, interstates, shorelines, etc. Also includes searchable point-of-interest feature to easily find bodies of water, cities, lodging, restaurants and more. Windows 98 or higher.	OBS
95-39	MapCreate Topo CD-ROM	Comprehensive mapping detail including Canadian marine navigational aides, rural roads, city streets, highways, interstates and enhanced shorelines plus elevation contour lines and hunting-specific databases (including public lands, wildlife management areas and game management units). Also includes searchable points-of-interest feature to easily find bodies of water, cities, lodging, restaurants and more. For Windows 98 or higher operating system. Requires use of MMCI-USB reader/programmer (#113-071). Works with: FishElite 480, FishElite 500C, FishStrike 1000C, FishStrike 2000C, GlobalMap 3300C, GlobalMap 3500C, GlobalMap 4000M, GlobalMap 4800, GlobalMap 4900M, GlobalMap 5000C, GlobalMap 5500C, GlobalMap 6000C, GlobalMap 6500C, GlobalMap 7000C, GlobalMap 7500C, iFINDER, iFINDER H2O, iFINDER Hunt, iFINDER Map&Music, iFINDER Map&Music C, iFINDER PHD, iFINDER PHD C, iFINDER Pro, IntelliMap 480, IntelliMap 500C, LCX-104C, LCX-110C, LCX-15MT, LCX-17M, LCX-18C, LCX-19C, LCX-20C, LCX-25C, LMS-332C, LMS-337C DF, LMS-480, SeaChamp 1000C DF, SeaChamp 2000C DF, SeaCharter 480DF, SeaCharter 500C DF.	OBS
113-40	MapCreate Topo Canada Acc PK	Includes MMC card, MMC card reader/programmer and MapCreate Canada Topo CD-ROM. For Windows 98 or higher operating system. Works with: FishElite 480, FishElite 500C, FishStrike 1000C, FishStrike 2000C, GlobalMap 3300C, GlobalMap 3500C, GlobalMap 4000M, GlobalMap 4800, GlobalMap 4900M, GlobalMap 5000C, GlobalMap 5500C, GlobalMap 6000C, GlobalMap 6500C, GlobalMap 7000C, GlobalMap 7500C, iFINDER, iFINDER H2O, iFINDER Hunt, iFINDER Map&Music, iFINDER Map&Music C, iFINDER PHD, iFINDER PHD C, iFINDER Pro, IntelliMap 480, IntelliMap 500C, LCX-104C, LCX-110C, LCX-15MT, LCX-17M, LCX-18C, LCX-19C, LCX-20C, LCX-25C, LMS-330C, LMS-332C, LMS-335C DF, LMS-337C DF, LMS-480, SeaChamp 1000C DF, SeaChamp 2000C DF, SeaCharter 480DF, SeaCharter 500C DF	OBS

95-48	MapCreate Topo CD-ROM	Comprehensive mapping detail including US marine navigational aides, rural roads, city streets, highways, interstates and enhanced shorelines plus elevation contour lines and hunting-specific databases (including public lands, wildlife management areas and game management units). Also includes searchable points-of-interest feature to easily find bodies of water, cities, lodging, restaurants and more. For Windows 98 or higher operating system. Requires use of MMCI-USB reader/programmer (#113-071). Works with: FishElite 480, FishElite 500C, FishStrike 1000C, FishStrike 2000C, GlobalMap 3300C, GlobalMap 3500C, GlobalMap 4000M, GlobalMap 4800, GlobalMap 4900M, GlobalMap 5000C, GlobalMap 5500C, GlobalMap 6000C, GlobalMap 6500C, GlobalMap 7000C, GlobalMap 7500C, GlobalMap Baja, GlobalMap Baja C, iFINDER, iFINDER H2O, iFINDER Hunt, iFINDER Map&Music, iFINDER Map&Music C, iFINDER PHD, iFINDER PHD C, iFINDER Pro, IntelliMap 480, IntelliMap 500C, LCX-104C, LCX-110C, LCX-15MT, LCX-17M, LCX-18C, LCX-19C, LCX-20C, LCX-25C, LMS-330C, LMS-332C, LMS-335C DF, LMS-337C DF, LMS-480, SeaChamp 1000C DF, SeaChamp 2000C DF, SeaCharter 480DF, SeaCharter 500C DF.	OBS
95-49	MapCreate Topo Accessory PK	Includes MMC card, MMC card reader/programmer and MapCreate Topo CD-ROM. For Windows 98 or higher operating system. Works with: FishElite 480, FishElite 500C, FishStrike 1000C, FishStrike 2000C, GlobalMap 3300C, GlobalMap 3500C, GlobalMap 4800, GlobalMap 4900M, GlobalMap 5000C, GlobalMap 5500C, GlobalMap 6000C, GlobalMap 6500C, GlobalMap 7000C, GlobalMap 7500C, GlobalMap Baja, GlobalMap Baja C, iFINDER, iFINDER H2O, iFINDER Hunt, iFINDER Map&Music, iFINDER Map&Music C, iFINDER PHD, iFINDER PHD C, iFINDER Pro, IntelliMap 480, IntelliMap 500C, LCX-104C, LCX-110C, LCX-15MT, LCX-17M, LCX-18C, LCX-19C, LCX-20C, LCX-25C, LMS-330C, LMS-332C, LMS-335C DF, LMS-337C DF, LMS-480, SeaChamp 1000C DF, SeaChamp 2000C DF, SeaCharter 480DF, SeaCharter 500C DF	OBS
95-60	MapCreate 7 DVD	USA	OBS
95-61	MapCreate 7 Acc PK	USA. Improved data. All enhanced lake maps included. Comes with card reader and SD card.	OBS
100-03	FMC-1	1 meg blank FLASH mini-cartridge - GlobalMap 12, AccuMap12, AirMap 300.	OBS
100-04	FMC-2	2 meg blank FLASH mini-cartridge - GlobalMap 12, AccuMap12, AirMap 300.	OBS
100-05	FMC-4	4 meg blank FLASH mini-cartridge - GlobalMap 12, AccuMap12, AirMap 300.	OBS
101-20	WS-2	Waypoint and route planning management kit. GlobalMap Sport, GlobalMap 12, Airmap, AirMap 300, AccuMap Sport, AccuMap 12	OBS
101-42	WS-3	Waypoint and route planning management kit. AirMap 100, Expedition/II, Explorer, MapGuide/Pro, EagleView, GlobalMap 100, GlobalNav 12, GlobalNav 200, GlobalNav 212, GlobalNav 310	OBS
GPS Transfer Cables and Power Adapters			
99-25	PC-DI1BK	Personal Computer data cable for GlobalNav Sport, Global Map Sport, GlobalMap 12, Airmap, Airmap 300, AccuNav Sport, AccuMap Sport, and Accumap 12 (no power).	OBS
99-26	PC-DI2BK	Personal Computer data cable with serial connector and power wires for GlobalNav 12, GlobalNav 200, GlobalNav 212, GlobalMap 100, Explorer, Explorer Camo, Expedition, Expedition II, Eagle Map Guide, Eagle Map Guide Pro, AirMap 100, AirMap 1000, AirMap 2000.	OBS
99-29	PC-DI2PBK	PC data cable with serial connector and cigarette plug adapter for GlobalNav 12, GlobalNav 200, GlobalNav 212, GlobalMap 100, Explorer, Explorer Camo, Expedition, Expedition II, Eagle Map Guide, Eagle Map Guide Pro, AirMap 100, AirMap 1000, AirMap 2000.	OBS
99-41	PC-DI3BK	PC serial data cable for LMS-160 Map, UltraMap & Status (no power).	OBS
99-42	PC-DI3PBK	PC serial data cable with cigarette plug adapter for GlobalMap 1600, Accumap GPS & Journey.	OBS
99-61	PC-DI4	NMEA cable for iFinder with bare wires.	
99-74	PC-DI5	PC data cable.	OBS
99-90	PC-DI6	PC data cable with cigarette plug power adapter. iFinder, iFinder Pro, AirMap 500	
119-04	PC-D17	PC Data cable for Ifinder H20/C, iFinder Hunt, iFinder Map & Music/C, iFinder PHD/C, iFinder Explorer, AirMap 600.	OBS
119-05	PC-D18	PC Data cable with cigarette power plug adapter for Ifinder H20/C, iFinder Hunt, iFinder Map & Music/C, iFinder PHD/C, iFinder Explorer, AirMap 600.	OBS

08-86	CA-1 (8ft)	Cigarette plug cable for operation from vehicle. Fits GlobalNav Sport, Global Map Sport, GlobalMap 12, Airmap, Airmap 300, AccuNav Sport, AccuMap Sport, and Accumap 12	OBS
99-11	CA-2 (8ft)	Cigarette plug cable for operation from vehicle. Fits GlobalNav 12, GlobalNav 200, GlobalNav 212, GlobalMap 100, AirMap 100, AirMap 1000/ 2000, Explorer, Expedition, Expedition II, Eagle Map Guide, Eagle Map Guide Pro, Cuda 128/168/168EX, FishEasy 2 (uni-plug) FishMark 320, FishElite320/480/642, SeaFinder 240DF, SeaFinder 320DF, IntelliMap320/480/500/502/640/642, X47, X47EX, M56, M68C, X67C. IWay 500C. (sonar use for simulator only)	
99-36	CA-3	Cigarette plug cable for LMS-160 Map, UltraMap & Status.	OBS
99-59	CA-4	Cigarette plug cable for LCX15, LCX16, LCX18, LCX19, LCX104, GM3000, GM3200, GM4000, GM5000, GM6000, GM7000, LMS240, LMS320, SeaCharter.	OBS
99-60	CA-5	Cigarette plug cable for iFinder, iFinder GO, iFinder GO2, iFinder Pro, AirMap 500.	
119-03	CA-7	Finder H20/C, Hunt/C, Map & Music/C, PHD/C, Explorer, ExpeditionC, AirMap 600.	
119-10	CA-8	GM3300, GM3500, GM4800, GM4900, GM5200, GM5300, GM5500, GM6500, GM6600, GM7200, GM7300, GM7500, GM7600, GM8200, GM8300, GM9200, GM9300, LCX38, LCX110, LCX111, LMS330, LMS332, LMS334, LMS335, LMS337, LMS339, LMS480, LMS520. HDS	
119-19	CA-9S	Cigarette plug pwr cable with speaker. Iway 100C, Iway 200C	
119-20	CA-10S	Cigarette plug pwr cable with speaker. Iway 500/600C.	OBS
119-30	CA-12HPA	Cigarette plug adapter/charger with head phone adapter.	
119-56	CA-13	iWay 350C and IWay 250.	OBS
127-38	CA-14	Cigarette plug power cable for EHR-10, LHR-20/22.	
127-39	CA-15	Cigarette plug power cable for LHR-82./80U	
127-42	CA-16	Cigarette plug power cable for XOG.	
99-44	AC-CAF	AC adapter with female cigarette plug adapter. Fits power cables that ship with LMS-160 Map, GlobalMap 1600, Journey, UltraMap, AccuMap GPS & Status.	
127-19	AC-CAF-2	AC power adapter to female cigarette lighter socket. Lets you power the unit from a wall socket with cigarette lighter adapters.	OBS
51-92	NDC-1	NMEA/DGPS adapter cable and/or power cable for GlobalNav Sport, Global Map Sport, GlobalMap 12, Airmap, Airmap 300, AccuNav Sport, AccuMap Sport, and Accumap 12.	OBS
101-36	NDC-2 (PC-18)	NMEA/DGPS adapter cable and/or power cable for GlobalNav 12, GlobalNav 200, GlobalNav 212, GlobalMap 100, GlobalNav 310, AirMap 100, Explorer, Explorer Camo, Expedition, Expedition II, Eagle Map Guide, Eagle Map Guide Pro, EagleView, also the AirMap 1000/2000.	OBS
99-40	NDC-3	NMEA data cable with speed and temperature "BK" connector. Fits LMS-160, UltraMap & Status.	OBS
119-31	NDC-4	Uni-plug units.	
79-61	PAC-3	110-volt AC adapter. GlobalNav Sport, GlobalMap Sport, GlobalMap12, AirMap, AirMap 300, AccuNav Sport, AccuMap Sport, AccuMap 12.	OBS
79-63	PAC-5	110-volt AC adapter. AirMap 100 Expedition/II, Explorer, MapGuide/Pro, EagleView, GlobalMap 100, GlobalNav 12, GlobalNav 200/212/310.	OBS
119-57	PAC-7	AC adapter for Iway 350C.	
119-66	PAC-8	AC power adapter includes a plug adapter for US, UK, EU, and AUS. For use with and iWAY 250/350C.	OBS
127-41	PAC-9	AC power adapter. For use with XOG and Endura	
GPS Antennas and Mapping Accessories			
94-78	LGC-12S	12 Parallel channel GPS module. LMS350A (4.7/4.8 software), GM 2000	OBS
112-06	LGC-12W	Lowrance 12 Parallel channel GPS module. WASS capable. LMS-240, LMS320, GM2400, GM3000, GM3200, GM4000, GM5000, GM6000, GM7000, LCX15, LCX16, LCX18, LCX19, LCX104.	
112-12	EGC-12W	Eagle 12 Parallel channel GPS module. WASS capable. SeaChamp 1000C/2000C, SeaCharter480/500/640, IntelliMap320/480/500/640, FishElite 480/500/640, FishStrike1000/2000C.	

112-232	LGC-2000	12 parallel channel GPS module. LCX17M, LCX20C, LCX25C, LCX26HD, LCX110C, LCX111C HD, LMS480, LMS330C, LMS332C, LMS337C, GM3300C, GM3500C, GM4800, GM4900M, GM5500C, GM6500C, GM6600C HD, GM7500C, GM7600C HD.	OBS
125-09	LGC-3000	LCX27, LCX28, LCX37, LCX38, LCX112, LCX113, LMS480, LMS520, LMS525, GM4800, GM5200, GM7200, GM7300, GM8200, GM8300, GM9200, GM9300.	OBS
112-592	LGC-Baja	12 parallel-channel GPS module. WAAS capable. GM Baja/C	OBS
125-11	LGC-Baja Rd	12 parallel-channel GPS module. GM Baja 540.	OBS
125-22	EGC-16W	16 parallel channel GPS module	
125-28	LGC-4000	16 parallel channel GPS module. High sensitivity NMEA 2000 GPS WAAS antenna with a 5 Hz update rate. For use with HDS 5, 7, 8, 10	
125-31	LGC-4000 baja	16 parallel channel GPS module. High sensitivity NMEA 2000 GPS WAAS antenna with a 5 Hz update rate., NMEA 2000 starter kit. For use with HDS 5 baja	
101-69	EA-3 (8ft)	External Antenna. GlobalNav 200/212, GlobalMap 100, AirMap 100	OBS
94-96	FA-8 (8 ft)	Remote Antenna (passive) for the iFinder Explorer, ExpeditionC, iFINDER, H2O/C, Hunt/C, Map&Music, PHD/C, iFINDER Pro (immediate)	OBS
112-17	RAA-3	Remote antenna (active) for AirMap 500, iway 100. Must select menu option. Also AirMap 600 and IFinder Expedition C.	OBS
112-20	RAA-4 (6 ft)	Remote amplified antenna AirMap 1000/2000 and IWay 600.	OBS
125-02	RAA-5	Remote amplified antenna for the IWay 250/350	OBS
94-44	LANT-1	Antenna for GlobalMap 1600, GlobalNav 310	OBS
94-45	EANT-1	Antenna for AccuMap GPS, Eagle View	OBS
113-88	Antenna Spat	Pole mount for LGC-3000/BAJA/2000/12W (not LGC-4000) and EGC-12W	
113-92	QM-1	Quick mount for LGC-3000/BAJA/2000/12W (not LGC-4000) and EGC-12W	
119-22	USB-INT1	Ethernet interface cable. Iway 500C.600c 250c 350c and XOG	OBS
101-85	MMCI	Replacement MMC Interface Box for LCX-15 & LCX-16.	OBS
113-071	SD/MMCI-USB	MMC interface cable for use with a computer USB port Compatible with Mapcreate Jeppeson GDM 6	OBS
101-84	MMCD-1	Replacement MMC drawer for LCX-15 & LCX-16.	OBS
113-06	MMCD-2	Replacement MMC drawer for LMS-240, LMS-320, GM 2400, GM3200.	OBS
FREEDOM MAPS (USES 128 MB MMC CARD)			
All U.S. Freedom Maps have been discontinued. See Topo maps.			
FREEDOM MAP EUROPE			
108-028 F16	Freedom Map Europe	Pre-programmed MMC card featuring map detail for Germany.	OBS
108-029 F17	Freedom Map Europe	Pre-programmed MMC card featuring map detail for France and Monaco.	
108-030 F18	Freedom Map Europe	Pre-programmed MMC card featuring map detail for Great Britain.	OBS
108-031 F19	Freedom Map Europe	Pre-programmed MMC card featuring map detail for Sweden, Denmark, Norway and Finland.	
108-032 F20	Freedom Map Europe	Pre-programmed MMC card featuring map detail for Italy.	
108-033 F21	Freedom Map Europe	Pre-programmed MMC card featuring map detail for Netherlands, Belgium and Luxembourg.	
108-034 F22	Freedom Map Europe	Pre-programmed MMC card featuring map detail for Spain and Portugal.	OBS
108-035 F23	Freedom Map Europe	Pre-programmed MMC card featuring map detail for Czech Republic, Switzerland and Austria.	
108-036 F24	World Reference Map	Pre-loaded data card featuring a medium-detail reference map of the world.	OBS

CANADIAN TOPO USES 256 MB MMC CARD			
108-074 F36	Canadian Topo	Pre-programmed MMC card. North British Columbia	OBS
108-075 F37	Canadian Topo	Pre-programmed MMC card. South British Columbia	OBS
108-076 F38	Canadian Topo	Pre-programmed MMC card. East British Columbia	OBS
108-077 F33	Canadian Topo	Pre-programmed MMC card. Saskatchewan	OBS
108-078 F40	Canadian Topo	Pre-programmed MMC card. North Ontario	OBS
108-079 F41	Canadian Topo	Pre-programmed MMC card. South Ontario	OBS
108-080 F42	Canadian Topo	Pre-programmed MMC card. North Quebec	OBS
108-081 F43	Canadian Topo	Pre-programmed MMC card. South Quebec	OBS
108-082 F44	Canadian Topo	Pre-programmed MMC card. Atlantic Province	OBS
108-083 F45	Canadian Topo	Pre-programmed MMC card. NW Territories	OBS
108-084 F46	Canadian Topo	Pre-programmed MMC card. Nunavut	OBS
108-085 F47	Canadian Topo	Pre-programmed MMC card. Yukon Territories	OBS
Fishing HotSpot Elite Maps			
108-182	FHSE-N	IA, MI, MN, ND, SD, WI. Total Lakes: 896	OBS
108-183	FHSE-E	CT, IN, IL, KY, MA, NC, NH, NJ, NY, OH, PA, SC, TN, VA, WV. Total Lakes: 544	OBS
108-184	FHSE-S	AL, AR, FL, GA, KS, LA, MS, MD, MO, NE, NM, OK, TX. Total Lakes: 417	OBS
108-185	FHSE-W	AZ, CA, CO, ID, MT, NV, OR, UT, WA, WY. Total Lakes: 342	OBS
Fishing HotSpot Pro Maps			
108-205	FHSP-N	Pre-loaded data card featuring expanded coverage of electronic charts for lakes in the northern United States. (ND, SD, MN, IA, WI, MI, IL, IN, MT, NE, WY).	
108-206	FHSP-E	Pre-loaded data card featuring expanded coverage of electronic charts for lakes in the eastern United States. (AL, FL, GA, OH, KY, TN, SC, NC, VA, WV, PA, NY, NJ, MD, DE, CT, RI, MA, NH, VT, ME).	
108-207	FHSP-S	Pre-loaded data card featuring expanded coverage of electronic charts for lakes in the southern United States. (KS, OK, NM, TX, MO, AR, LA, MS, AZ, CO).	
108-208	FHSP-W	Pre-loaded data card featuring expanded coverage of electronic charts for lakes in the western United States. (WA, OR, CA, ID, NV, UT).	
LakeMaster® Pro Maps			
108-180	LKPM-MN	The LakeMaster® Pro Maps Minnesota card contains shorelines for 25,000 lakes and ponds. 10,000 of these are named. 268 are Lowrance enhanced lake maps with detailed shoreline and depth contours, and many of these offer other features such as weed symbols, nav aids, hazards, and more. 59 of the 268 enhanced lakes contain LakeMaster® Pro high-detail surveyed depth contours.	OBS
108-181	LKPM-WI	The LakeMaster® Pro Maps Wisconsin card contains shorelines for 11,000 lakes and ponds. 6,000 of these are named. 246 are Lowrance enhanced lake maps with detailed shoreline and depth contours, and many of these offer other features such as weed symbols, nav aids, hazards, and more. 58 of the 246 enhanced lakes contain LakeMaster® Pro high-detail surveyed depth contours.	OBS
108-202	LKPM-MI	Pre-loaded data card featuring high-definition contour lines and underwater structure for lakes in Michigan.	OBS
108-203	LKPM-MN	Pre-loaded data card featuring high-definition contour lines and underwater structure for lakes in Minnesota.	OBS

108-204	LKPM-WI	Pre-loaded data card featuring high-definition contour lines and underwater structure for lakes in Wisconsin.	OBS
Full range of LakeMaster mapping cards available directly from Waypoint Technologies			
NauticPath™			
108-129	NP1-USA	Pre-loaded data card featuring electronic marine mapping charts. USA.	OBS
108-190	NP-INT'L	NP-Canada West	OBS
108-191	NP-INT'L	NP-Canada East	OBS
108-192	NP-Caribbean	Pre loaded data card featuring electronic marine mapping charts for the Caribbean	
108-193	NP-Central America/West	Pre loaded data card featuring electronic marine mapping charts for Western Central America	
108-194	NP-South America	Pre loaded data card featuring electronic marine mapping charts for South American	
108-195	NP-Europe West	Pre loaded data card featuring electronic marine mapping charts for Western Europe	
108-196	NP-Europe North	Pre loaded data card featuring electronic marine mapping charts for Northern Europe	
108-197	NP-Mediterranean	Pre loaded data card featuring electronic marine mapping charts for the Mediterranean	
108-198	NP-Africa/Middle East/India	Pre loaded data card featuring electronic marine mapping charts for Africa, the Middle East, and India	
108-199	NP-SE Asia/Pacific Islands	Pre loaded data card featuring electronic marine mapping charts for Southeast Asia and the Pacific Islands	
108-200	NP-Australia/New Zealand	Pre loaded data card featuring electronic marine mapping charts for Australia and New Zealand	
108-201	NP-Japan/East Asia	Pre loaded data card featuring electronic marine mapping charts for Japan and East Asia	
Freedom Maps Topo-Pre-loaded data card featuring high detail mapping with topographic for the U.S.			
108-138	F48T NW USA	Pre-loaded data card featuring map detail and topography information for OR and southern WA	OBS
108-139	F49T NW USA	Pre-loaded data card featuring map detail and topography information for northern OR WA.	OBS
108-140	F50T NW USA	Pre-loaded data card featuring map detail and topography information for WY, UT	OBS
108-141	F51T W USA	Pre-loaded data card featuring map detail and topography information for northern CA and northern NV	OBS
108-142	F52T W USA	Pre-loaded data card featuring map detail and topography information for southern CA and southern NV	OBS
108-143	F53T SW USA	Pre-loaded data card featuring map detail and topography information for AZ and western NM	OBS
108-144	F54T SW USA	Pre-loaded data card featuring map detail and topography information for TX and eastern NM	OBS
108-145	F55T NW USA	Pre-loaded data card featuring map detail and topography information for ID	OBS
108-146	F56T NW USA	Pre-loaded data card featuring map detail and topography information for MT	OBS
108-147	F57T N USA	Pre-loaded data card featuring map detail and topography information for ND, SD, NE, western MN and western IA.	OBS
108-148	F58T N USA	Pre-loaded data card featuring map detail and topography information for MN, IA, WI	OBS
108-149	F59T W USA	Pre-loaded data card featuring map detail and topography information for CO, KS southern NE	OBS
108-150	F60T SW USA	Pre-loaded data card featuring map detail and topography information for OK, AR, northern TX and southern MO.	OBS
108-151	F61T SC USA	Pre-loaded data card featuring map detail and topography information for IL, MO and northern AR.	OBS

108-152	F62T N USA	Pre-loaded data card featuring map detail and topography information for IN MI (including the Great Lakes.)	OBS
108-153	F63T NE USA	Pre-loaded data card featuring map detail and topography information for ME, NY, NH, VT, CT, MA, RI, NJ, DE and eastern PA.	OBS
108-154	F64T N USA	Pre-loaded data card featuring map detail and topography information for OH, PA WV	OBS
108-155	F65T SE USA	Pre-loaded data card featuring map detail and topography information for NC, VA, MD and DE.	OBS
108-156	F66T SE USA	Pre-loaded data card featuring map detail and topography information for KY TN.	OBS
108-157	F67T SE USA	Pre-loaded data card featuring map detail and topography information for LA, MS, AL and western FL.	OBS
108-158	F68T SE USA	Pre-loaded data card featuring map detail and topography information for FL GA SC	OBS
108-209	F101EX-N	Pre-loaded data card featuring greater map detail and topography information for the northern United States. (MT, WY, ND, SD, NE, MN, IA, IL, WI, MI, IN)	OBS
108-210	F102EX-E	Pre-loaded data card featuring greater map detail and topography information for the eastern United States. (ME, VT, NH, NY, MA, CT, NJ, PA, DE, RI, MD, WV, OH, VA, KY, TN, NC, SC, GA, AL, FL)	OBS
108-211	F103EX-S	Pre-loaded data card featuring greater map detail and topography information for the southern United States. (AZ, NM, CO, KS, OK, TX, MO, AR, LA, MS)	OBS
108-212	F104EX-W	Pre-loaded data card featuring greater map detail and topography information for the western United States. (CA, NV, UT, ID, OR, WA)	OBS
108-213	F105EX-A&H	Pre-loaded data card featuring greater map detail and topography information for Alaska and Hawaii. (AK, HI.)	OBS
108-214	F110EX-NC	Pre-loaded data card featuring greater map detail and topography information for northern Canada.	
108-215	F111EX-WC	Pre-loaded data card featuring greater map detail and topography information for western Canada.	
108-216	F112EX-EC	Pre-loaded data card featuring greater map detail and topography information for eastern Canada.	
GPS Holsters			
51-87	HE-1	Black Cordura Holster - AccuNav Sport, AccuMap Sport, AccuMap 12	OBS
51-98	HE-2	Realtree Camo Holster - AccuNav Sport, AccuMap Sport, AccuMap 12	OBS
93-06	HE-3	Black Cordura Holster - Explorer, Expedition, Expedition II, Map Guide, Map Guide Pro	OBS
93-07	HE-4	Realtree Camo Holster - Explorer, Expedition, Expedition II, Map Guide, Map Guide Pro	OBS
51-94	HL-1	Black Cordura Holster - GlobalNav Sport, GlobalMap Sport, Global Map 12, AirMap, AirMap 300	OBS
101-15	HL-2	Realtree Camo Holster - GlobalNav Sport, GlobalMap Sport, Global Map 12, AirMap, AirMap 300	OBS
93-03	HL-3	Mossy Oak Camo Holster - GlobalNav Sport, GlobalMap Sport, Global Map 12, AirMap, AirMap 300	OBS
93-04	HL-4	Black Cordura Holster - GlobalNav 12, GlobalNav 200, GlobalNav 212, GlobalMap 100, AirMap 100	OBS
93-13	HL-5	Black Lowrance Holster - iFinder.	
93-14	HL-6W	Water resistant boot - iFinder.	
93-16	HL-7	Black Lowrance holster. iFinder H20/C, Hunt/C, Map & Music/C, PHD/C, Explorer, ExpeditionC. AirMap 600. Clip on back.	
93-17	HL-8	Black Lowrance holster. iFinder GO and iFinder GO2.	OBS
93-19	HL-9	Blue holster. For use with iFinder Expedition, Explorer, H20, Hunt.	OBS
93-20	HL-10	Black Lowrance holster. For use with iFinder GO	OBS
iFinder Faceoffs			
101-89	FPL-1RD	Red Face Off faceplate for iFinder.	OBS
101-90	FPL-1BL	Blue Face Off faceplate for iFinder.	OBS
101-91	FPL-1YL	Yellow Face Off faceplate for iFinder.	OBS
101-92	FPL-1CA	Camouflage Face Off faceplate for iFinder.	OBS
101-93	FPL-1BK	Black Face Off faceplate for iFinder.	OBS

113-13	FPL-1GY	Gray Face Off faceplate for iFinder	OBS
113-15	FPL-1 ST	Stars and Stripes Faceplate for iFinder	OBS
113-14	FPL-1WT	White Face Off faceplate for iFinder	OBS
113-17	FPL-1WD	Wood grain Face Off faceplate for iFinder	OBS
113-28	FPL-1AM	Airmap 500	OBS
Misc. GPS Products			
101-70	CR-1	Replacement cradle. Limited	OBS
113-30	CR-2	Replacement cradle for YM-2 for AirMap 500.	
113-74	CR-3	Replacement cradle for H20	OBS
124-04	CR-4	Replacement cradle for iFinder GO and iFinder GO2.	OBS
51-91	PA-1	Remote antenna kit for thumb screw antenna	OBS
101-53	PA-2	Remote antenna kit for quick release antenna	OBS
51-55	PM-1	Pole Mounting kit for EGC-1 and LGC-1	OBS
08-71	GPS-25	Replacement cable for the EGC-1 and LGC-1	OBS
003-4740-00		Patch antenna cable.	OBS
003-3639-00		Replacement Map Link cable. (4 feet/ 5 pin)	OBS
Misc. Sonar Products			
43-16	GP-2	Graph paper (2 / 50 ft rolls) for Lowrance and Eagle paper graphs. Includes stylus. (Except 600 series).	OBS
43-16	Case of GP-2	24 double packs of GP-2 paper. (19.75 each)	
43-01	LPG-601	Single roll of curve linear graph paper for LRG-600 series.	OBS
51-14	SK-1	Stylus belt and one stylus for Lowrance and Eagle paper graphs. (Except 600 series and LRG1520).	OBS
124-70	CAP-1	Connector caps. For use with Ethernet, NMEA2K, Transducer and Power connections	
127-50	Fuse-1	3 amp fuses (set of 3)	
124-79	BZ-DR-1	SD card door replacement for HDS-5 HDS-5M HDS-5x	
124-80	BZ-DR-2	SD card door replacement for HDS-7 HDS-7M	
124-81	BZ-DR-3	SD card door replacement for HDS-8 HDS-8M	
124-82	DZ-DR-4	SD card door replacement for HDS-10 HDS-10M	
08-73	Fuse and holder	3 amp fuse & holder.	
106-98	Epoxy	Epoxy for shoot thru the hull transducers. 6 pk (50c per epoxy)	
074-0005-01		Suction cup only.	OBS
51-48	Adapter ring	Adapter ring for the LDT-3001 and 3500	OBS
93-21	CC-8	Carry case and protective holster for XOG.	OBS
101-82	CVR-1	Protective cover for GM3000, GM4000, GM4900, GM5000. GM5500, GM6000. GM6500, GM7200, GM7300, LCX15, LCX16, LCX17, LCX18, LCX19, LCX20, LCX25, LCX26, LCX27, LCX28.	
113-05	CVR-2	Protective cover, X71, X87, X88, X91, X96, X97, X98, X100, X102, X105, X107, X125, X126DF, X135, X136DF, X510, X515, LMS240, LMS320, LMS330, LMS332, LMS335, LMS337, LMS480, LMS520, LMS522, LMS525, LMS527, GM2400, GM3200, GM3300, GM3500, GM3600, GM4800, GM5200, GM5300, FishMark240, SeaFinder480, SeaCharter480.	
113-39	CVR-3	Protective cover for LCX104, LXC110, LCX111, LCX112, LCX113, GM7000, GM7600, GM9200, GM9300.	
113-43	CVR-4	Protective cover for the AirMap 1000	
113-65	CVR-6	IWay 500/600 face cover.	
124-13	CVR-9	Protective cover. For use with iWAY 250/350C.	OBS
124-33	CVR-10	LCX37, LCX38, GM8200, GM8300.	
124-51	CVR-11	Protective cover for EVR-100.	OBS

124-61	CVR-12	Protective cover for HDS 5	
124-62	CVR-13	Protective cover for HDS 7	
124-63	CVR-14	Protective cover for HDS 8	
124-64	CVR-15	Protective cover for HDS 10	
101-83	SS-1	Sunshade for LCX-15 , LCX-16, LCX-19	OBS
51-84	PA-100	Spacer kit for mounting SupraPro ID on the PPP-6 or GB-1	OBS
101-01	PA-102	Same as PA-100 and also includes TA-302	OBS
101-00	PA-101BK	Adapter kit to use PPP-6 with Magna III or Ultra III	OBS
113-58	HP-1	Stereo headphones. For iFinder Hunt/C, Map & Music/C, PHD/C. Requires the HPA-1 #119-18 adapter to plug into the GPS.	
119-18	HPA-1	Headphone adapter cable. For iFinder HuntC, Map & Music/C, PHD/C.	OBS
Avionics			
99-11	CA-2	Cigarette Lighter adapter with 8' cable. AirMap 1000/2000	
99-60	CA-5	Cigarette lighter adapter with 8' cable for AirMap 500.	OBS
119-03	CA-7	AirMap 600	OBS
99-74	PC-DI5	PC data cable AirMap 500.	OBS
99-90	PC-DI6	PC data cable with cigarette plug power adapter AirMap 500.	
119-04	PC-DI7	PC data cable for AirMap 600.	OBS
119-05	PC-DI8	PC data cable with cigarette plug power adapter for AirMap 600.	OBS
99-44	AC-CAF	AC adapter with female cigarette plug power adapter.	
127-19	AC-CAF-2	AC power adapter to female cigarette lighter socket. Lets you power the unit from a wall socket with cigarette lighter adapters.	OBS
112-17	RAA-3	Remote antenna (active) for AirMap 500/600.	OBS
112-20	RAA-4	Remote antenna with 6" cable. AirMap 1000/2000	OBS
113-30	CR-2	Cradle for YM-2	
101-05	YM-1	Yoke mount for AirMap 300 and AirMap 100 (requires CR-1 cradle)	OBS
113-29	YM-2	Yoke mount for AirMap 500 (requires CR-2) Limited.	
113-34	YM-3	Replacement yoke mount for AirMap 1000/2000.	OBS
124-08	YM-4	Yoke mount for AirMap 600	
124-06	DPM-1	Air Gizmo Panel Mount. AirMap 1000/2000	
113-57	PPP-AM	Portable power pack for AirMap 1000/2000	
95-51	Vflite	Instructional CD for the AirMap 500/1000.	
95-52	Vflite	Instructional CD for the AirMap 2000	
95-02	Jeppesen update	AirMap 100	OBS
95-04	Free Jepp update	AirMap 100	OBS
95-27	Jeppesen update	One time update for AirMap 500/1000/2000. MMC must be returned.	
95-28	Jepp Subscription	13 America's updates. One time charge for shipping.	
95-29	Free update	Free one time update. Outdated one must be returned.	Free
95-32	Jeppesen Int'l	International update with no exchange.	
95-33	Jeppesen Int'l	One time International update. Exchange.	
95-34	Jepp Int'l Subscrip	International Subscription. 13 Updates. One time shipping charge.	OBS
95-35	Free Int'l update	Free one time International update. Exchange.	Free

108-186	Terrain Awareness	North America AirMap 600 and 2000	
108-187	Terrain Awareness	International	
108-188	Terrain Awareness	America 1 GB	
108-189	Terrain Awareness	International 1 GB	
Automotive			
119-19	CA-9S	Cigarette plug power cable with speaker. iWay 100M.	
119-20	CA-10S	Cigarette plug power cable with speaker iWay 500/600.	OBS
119-56	CA-13	Cigarette plug for iWay 350 and iWay 250.	OBS
127-42	CA-16	Cigarette plug power cable for XOG.	
119-22	USB-INT1	USB interface cable iWay 350, iWay 500/600.	OBS
119-29	PC-27HPA	Auxiliary cable. iWay 500	
119-57	PAC-7	AC wall adaptor cable for the iWay 350C	
119-66	PAC-8	AC power adapter includes a plug adapter for US, UK, EU, and AUS. For use with and iWAY 250/350.	OBS
127-41	PAC-9	AC power adapter for XOG.	OBS
113-63	MB-15	R-A-M automobile mount with suction cup, short arm and cradle. IWay 100, IFinder H20.	
113-64	MB-16	Suction cup with short arm. IWay 600.	OBS
113-76	MB-17	R-A-M motorcycle 1" ball mounting bracket with arm. IWay 500/600. Gold wing version	OBS
113-77	MB-18	R-A-M motorcycle 1" ball mounting bracket with arm. Iway 500/600. Black version	
113-78	MB-19	R-A-M motorcycle 1" ball mounting bracket with arm. Iway 500/600. Chrome version.	
113-80	MB-20	R-A-M rubberized flexible 1" ball-mounting base. Iway 500/600.	OBS
113-86	MB-21	R-A-M black gold wing. IWay 500/600.	OBS
113-87	MB-22	R-A-M quick release. iWay 500/600.	OBS
113-89	MB-23	Quick release bracket with suction cup. For iWay 350C.	
113-99	MB-24	Marine mount for iWay 500/600.	
124-10	MB-25	Flexible base mount. Includes suction-cup mount with circular base and cradle. For use with iWAY 250C	OBS
112-16	MB-27	Mounting bracket. Allows for mounting on a boat or in an automobile. Includes power cable with headphone adapter. IWAY 600.	OBS
124-44	MB-31	R-A-M quick release mounting bracket. IWAY 600.	OBS
124-52	MB-32	Motorcycle mounting bracket for XOG.	OBS
124-53	MB-33	Flexible base mount. Includes suction-cup mount with circular base and cradle for XOG.	OBS
124-14	STY-1	Stylus. For use with iWAY 250C	
112-17	RAA-3	Remote amplified antenna. IWay 100M.	OBS
112-20	RAA-4	Remote amplified antenna. iWay 500/600. (6ft cable)	OBS
125-02	RAA-5	Remote amplified antenna for the IWay 250/350.	OBS
124-54	CC-8	Carry case and protective cover for XOG.	OBS
113-65	CVR-6	Protective cover for iWay 500/600.	
124-13	CVR-9	Protective cover for iWay 250/350.	
124-33	CVR-10	Protective cover for Globalmap 8200c, 8300cHD, LCX-37c, LCX-38cHD	
124-15	TWL-1	Towel	OBS
95-62	Navteq Update	IWay 350/500 0 to 6 months	OBS
95-63	Navteq Update	IWay 350/500	
95-64	Navteq Update	IWay 350/500 Free Update	

NMEA 2K PARTS			
119-511	N2KEXT-2BL	2' extension cable for use with NMEA network. May also be used as an extension cable with the LGC-2000.	
119-531	N2KEXT-12BL	12' extension cable for use with NMEA network. May also be used as an extension cable with the LGC-2000.	OBS
119-37	N2KY-12BL	12' backbone/extension cable: Y-adapter assembly	OBS
119-011	N2KEXT-25BL	25' extension cable only (must also use N2KY-25BL). For use with LGC-2000. May also be used as an extension cable with the NMEA network.	OBS
119-06	N2KY-25BL	25' backbone/extension cable: Y-adapter assembly	OBS
119-071	NTXP-25BL	25' Network Expansion Cable assembly	OBS
119-481	N2K-T	T connector. For use with NMEA network.	OBS
119-491	N2K-TRPWR/M	NMEA 2000 pwr/120 ohm terminator cable. 3 ft with 5-pin male conn. Fits all 2005 and newer NMEA 2000 Lowrance NET systems.	
119-501	N2K-EXT-KIT	NMEA expansion kit. Includes 2 terminating resistors (TR-120M, TR-120F), one T connector (N2K-T) and one 2' extension cable (N2KEXT-2BL). For use with NMEA network.	
119-321	N2K-PWR	Power Cable. For use with NMEA network.	
119-341	N2KEXT-15BL PK ASSY	15' extension cable for use with NMEA network. May also be used as an extension cable with the LGC-2000.	OBS
119-551	N2K-TRPWR/F	Terminating resistor with power cable. Female connector. For use with blue NMEA network	
124-29	N2K-2T-RD	Double T-connector. For use with red NMEA network.	OBS
124-31	N2K-EXP-RD	NMEA expansion kit. Includes 2 terminating resistors (TR-120M-RD, TR-120F RD), one T connector (N2K-T-RD) and one 2' extension cable (N2KEXT-2RD). For use with red NMEA network.	
124-55	N2K-EXP-KIT-RD	Network starter kit. Includes 2 terminating resistors (TR-120M-RD, TR-120F-RD), two T-connectors (N2K-T-RD) one 2 ft extension cable (N2KEXT-2RD), and one 15 ft extension cable (N2KEXT-15RD). For use with red NMEA network.	
124-69	NMEA Starter Kit	Backbone required to install one or more NMEA 2000 sensors with any HDS install; includes power cable, 2-ft cable, 15-ft cable, 2x T connector, network terminators	
119-88	N2KEXT-2RD	0.61m (2ft) NMEA 2000 cable for network extension or connection to additional network device. RED	
119-53	N2KEXT-6RD	1.82m (6ft) NMEA 2000 cable for network extension or connection to additional network device. RED	
119-86	N2KEXT-15RD	4.55m (15ft) NMEA 2000 cable for network extension or connection to additional network device. RED	
119-83	N2KEXT-25RD	7.58m (25ft) NMEA 2000 cable for network extension or connection to additional network device. RED	
119-75	N2K-PWR-RD	NMEA 2000 power node (Cable + T connector); to upgrade LMS/LCX/GlobalMap to HDS system	
119-79	N2K-T-RD	T-connector for connection of addition network device RED	
119-78	N2K-TRPWR/F-RD	Terminating resistor with power cable. Female connector. For use with red NMEA network.	
119-80	N2K-TRPWR/M-RD	Terminating resistor with power cable. Male connector. For use with red NMEA network.	
127-04	NAC-MRD2MBL	Adapter cable to enable connection of a blue NMEA 2000 device to a red or black network	
127-05	NAC-FRD2FBL	Adapter cable to enable connection of a red or black NMEA 2000 device to a blue network	
127-06	NAC-MRD2FBL	NMEA network adapter cable. Adapts female red connector to male blue connector.	OBS
127-07	NAC-FRD2MBL	NMEA network adapter cable. Adapts male red connector to female blue connector.	OBS

127-45	SimNet to NMEA2000 Adapter Kit	SimNet to NMEA2000 Adapter Kit –connect Simrad heading sensors (FC40,RC42) to a NMEA 2000 network; includes Simnet-to-N2k make adaptor, Simnet-2 Joiner, and a T connector	
22005729		SimNet Cable to Micro C male	
44172260		SimNet Joiner Yellow without Terminator	
113-361	TR-60F	Term 60 ohm Female	
113-931	TR-60M	Terminating resistor. 60-ohm, male connector. For use with NMEA network	OBS
113-371	TR-120F	Term 120ohm Female	OBS
113-381	TR-120M	Term 120 ohm Male	OBS
119-97	TR-120F-RD	Terminating resister. 120ohm female connector. For use with red NMEA network.	
119-99	TR-120M-RD	Terminating resister. 120ohm male connector. For use with red NMEA network.	
127-48	In-line terminator cable	LGC-3000 in-line terminator cable	
127-52	TR-120-KIT	Set of 1 male and 1 female NMEA 2000 terminators	
120-00	EP-10	Fuel flow electronic probe. Includes N2K-T (119-48) and 10 ft. cable.	OBS
120-011	EP-15	Fuel level electronic probe. Includes N2K-T (119-48) and 10 ft. cable.	OBS
120-022	EP-25	Speed sensor electronic probe. Includes N2K-T (119-48) and 10 ft. cable.	OBS
120-032	EP-35	Temperature sensor electronic probe. Includes N2K-T (119-48) and 10 ft. cable.	OBS
120-241	EP-35 TH	Thru-hull temperature sensor electronic probe. Includes N2K-T (119-48) and 10 ft. cable.	OBS
120-39	EP-60R Fuel Flow	Fuel flow electronic probe. Includes N2K-T-RD (119-79) and 10 ft. cable.	
120-41	EP-65R Fluid Level	Fuel flow electronic probe. Includes N2K-T-RD (119-79) and 10 ft. cable.	
120-49	EP-70R Speed	Speed sensor electronic probe. Includes N2K-T-RD (119-79) and 10 ft. cable.	
120-51	EP-80R Temp	Temperature sensor electronic probe. Includes N2K-T-RD (119-79) and 10 ft. cable.	
120-53	EP-80R TH Temp	Thru-hull temperature sensor electronic probe. Includes N2K-T-RD (119-79) and 10 ft. cable.	
120-73	EP-85R	Storage device electronic probe. Includes N2K-T-RD (119-79) and 10ft cable	
120-29	EP-90R Water Pres	Water pressure electronic probe. Includes N2K-T-RD (119-79) and 10ft cable.	
120-301	INTERFACE CABLE	Interface between and EVINRUDE engine and NMEA network to display engine data. For use with blue NMEA network.	
120-061	INTERFACE CABLE	Interface between and SUZUKI engine and NMEA network to display engine data. For use with blue NMEA network.	
120-311	INTERFACE CABLE	Interface between and YAMAHA engine and NMEA network to display engine data. For use with blue NMEA network.	
120-62	INTERFACE CABLE	Interface between and EVINRUDE engine and NMEA network to display engine data. For use with red NMEA network.	
120-55	INTERFACE CABLE	Interface between and SUZUKI engine and NMEA network to display engine data. For use with red NMEA network.	
120-37	INTERFACE CABLE	Interface between and YAMAHA engine and NMEA network to display engine data. For use with red NMEA network.	
22090195	RC42	Rate Gyro Fluxgate Compass. Requires 127-45	
22090187	FC40	Fluxgate Compass. Requires 127-45	
Ethernet			
127-28	ETHEXT-2YL	0.61m (2ft) Ethernet cable.	
127-51	ETHEXT-6YL	1.82m (6ft) Ethernet cable	
127-29	ETHEXT-15YL	4.55m (15ft) Ethernet cable.	

127-30	ETHEXT-25YL	7.58m (25ft) Ethernet cable.	
127-37	ETHEXT-50YL	15.15m (50ft) Ethernet cable.	
127-56	ETHEXTRJ45-2MTY	2-meter Ethernet extension cable with RJ45 connector	
127-55	ETHEXTRJ45-6INY	1.82m (6ft) Ethernet extension cancel with RJ45 connector	
22-46	LWX-1	Sirius Satellite Weather/Audio Module For use with HDS series	
127-57	LWX-1 IM Kit	Interface module and cable kit	
124-78	LWX-1 SP Kit	Spare Parts Kit- pole mount plate 1in -14 threaded adapter, SS hardware and cover plugs	
132-00	LBS-1	Lowrance Broadband Sounder. For use with any Ethernet capable unit.	OBS
132-03	NEP-1	Navico Expansion Port. For use with any Ethernet capable unit.	
132-05	BSM-1	Broadband sounder module (compatible with HDS)	
RADAR			
22090195	RC42	Rate Gyro Fluxgate Compass. Requires 127-45	
22090187	FC40	Fluxgate Compass. Requires 127-45	
22090187	FC40	Fluxgate Compass. Requires 127-45	
AA010012		2Kw Radar Processor Box	
NS003109		2Kw 15m cable	
SC12		Mast mount kit for 2 kW 18" radome / BR24	
LMB-A1		Self-leveling radar backstay (aft) mount for BR24	
LMB-A2		Self-leveling radar backstay (aft) mount for 2kW for 18" radome	
PT2001		Power Tower for BR24 – 350mm (14") white composite	
PT2002		Power Tower for 2 kW 18" radome – 350mm (14") white composite	
PT2003		Power Tower for BR24 – 150mm (6") white composite	
PT2005		Power Tower for 2kW 18" / 4kW 24" radome (requires 19042) – 350 mm (14") white composite	
PT310		4" wedge for composite and aluminum Power Tower for BR24	
19042		Adapter plate for 4kW 24' radome	
SC21		Mast mount kit for 4 kW 24" radome (requires 19042)	
AA010013		4Kw Radar Processor Box	
NS003102		4Kw 15m cable	
AA010211		10m (32.8ft) BR24 external scanner cable	
AA010212		20m (65.6ft) BR24 external scanner cable	
AA010213		30m (98.4ft) BR24 external scanner cable	
121-10	RIM-300	Radar interface module.	
121-07	RIM-200	Radar interface module	
121-06	Open Array Motor	Motor Base for own array radar. For use with LRA-4000 (121-30) and LRA-5000 (121-04)	OBS
VHR Radio			
22-25	VA-1	3' stainless steel external VHF antenna. For use with EVR-100/150 and LVR-25.	
22-26	VA-2	3' stainless steel external VHF antenna. For use with EVR-100/150 and LVR-25.	
22-27	VA-3	Sailboat VHF radio antenna.	
124-48	VA-1LB	Mounting bracket for EVR-100/150 and LVR-250.	
124-49	VA-MTG-N	Nylon quick-fit mount for antenna for EVR-150, LVR-250/880.	
124-50	VA-MTG-SS	Stainless steel quick-fit mount for antenna for EVR-150, LVR-250/850.	
AA000352	VA -2	2.4m (8ft) fiberglass VHF antenna	
AA000223	VA-MTG-	Nylon quick fit antenna mount for VA2/VA2A (for use with LVR-250/880)	

AA000224		Stainless steel quick fit antenna mount for VA2/VA2A (for use with LVR-250/880)	
AA000355		2.4 m (8ft) fiberglass quick fit VHF antenna (for use with LVR-250/880)	
AA000358		1 m (3.3ft) fiberglass quick fit VHF antenna (for use with LVR-250/880)	
127-38	CA-14	Cigarette plug power cable for EHR-10, LHR-20/22.	OBS
127-39	CA-15	Cigarette plug power cable for LHR-82.	
127-40	PC-29	Power cable for LHR-20/22.	
127-58	CC-20	Cradle Charges, LHR-80	
16-53	VBP-4	1400mAh Li-ion polymer battery pack for LHR-80	
000-10006-001	VKIT-1	LHR80 Charging Cradle and US Power Adapter	
000-10010-001	VKIT-5	LHR80 Charging Cradle and 12v Cigarette Lighter Cable	
000-10016-001	HHA-3	Antenna LHR-20 / 80	
000-10017-001	MBC-1	Belt Clip LHR20 / 80	
127-44		NMEA 2000 connection for the LVR-880	
Structure Scan			
132-06	LSS-1	Structurescan Sonar with LSS-1 Transducer	
000-00099-002		Structurescan Sonar module only	
000-00099-003	THSST-DF	StructureScan Sonar Thru-hull transducer	
000-00099-004	SS-TMB	Trolling motor adapter for LSS-1 transducer	
000-00099-005	SS-BRK-SS	LSS-1 transducer bracket	
000-00099-006	10EX-BLK	10 ft 9 pin Structurescan transducer extension cable	
000-00099-007	SST-DFSBLK	LSS-1 Transducer	
Endura			
000-00002-033		Endura mini USB and NMEA cable IPx4	
000-00002-034		Endura cradle and bike mount	
000-00002-035		Endura carry case	
000-00002-036		Endura cigarette lighter power cable IPx4	
127-11	PAC-9	AC adapter for Endura	
000-00002-014		Lowrance outdoor US – North East	
000-00002-015		Lowrance outdoor US – South East	
000-00002-016		Lowrance outdoor US – South	
000-00002-017		Lowrance outdoor US – Great Lakes	
000-00002-018		Lowrance outdoor US – Mid West	
000-00002-019		Lowrance outdoor US – West	
000-00002-020		Lowrance outdoor US – Rockies	
000-00002-030		Lowrance outdoor TBT – USA and Canada	

