



Kenmore 14.8 cu. ft. Top Freezer Refrigerator, Factory-Ice

- White 46-72622
- Stainless 46-72623
- Bisque 46-72624
- Black 46-72629


- 2 standard crispers
- 2 full-width glass, slide out shelves and 1 plastic shelf
- 2 full-width and 1 half-width door shelves
- Covered dairy bin
- 1 full-width wire freezer shelf
- 2 full-width freezer door shelves
- Reach through handles
- Textured steel cabinet and reversible doors
- 28" W x 60 9/16" H x 32 3/8" D

Kenmore 14.8 cu. ft. Top Freezer Refrigerator, Non-Ice

- White 46-62622
- Stainless 46-62623
- Bisque 46-62624
- Black 46-62629

- Similar to 46-72622; accepts optional icemaker (kit #46-8087)

SELECTION	KENMORE
RIGHT HINGE SELECTION, FACTORY-ICE	
White	46-72622
Stainless	46-72623
Bisque	46-72624
Black	46-72629
RIGHT HINGE SELECTION, NON-ICE	
White	46-62622
Stainless	46-62623
Bisque	46-62624
Black	46-62629
INTERIOR CAPACITIES	
Total Volume (cu. ft.)	14.8
Refrigerator Volume (cu. ft.)	11.01
Freezer Volume (cu. ft.)	3.74
REFRIGERATION FEATURES	
Total Interior Shelves	3 (2 Glass, 1 Plastic)
Adjustable Shelves	2
Slide-Out Shelves	2
Fruit / Vegetable Crisper	2
Total Door Shelves / Bins	2 Full-Width, 1 Half-Width
Gallon Door Storage	2
Covered Dairy Bin	•
Refrigerator Light(s)	•
FREEZER FEATURES	
Factory-Installed Icemaker (Ice)	•
Optional Icemaker Kit (Non-Ice)	46-8087
Type of Ice	Crescent
Interior Shelves	1 Full-Width Wire
Door Shelves / Baskets / Bins	2
Frost-Free	•
GENERAL FEATURES	
Temperature Controls	Mechanical
Drawer / Bin Color and Accents	Clear / White
Door Handles	Reach-Thru
Door Handle Material	Plastic
Reversible Doors	•
Door Style / Finish	Textured
Color-Matched Cabinet / Hinge	• (Stainless: Black)
Condenser Type	Dynamic
ADA Compliant	•
Est. Energy Consumption (kWh / yr.)	443
Est. Yearly Operating Cost	\$47*
Volts / Amps	120 / 4.5
Item Weight (Approx. Lbs.)	175
Shipping Weight (Approx. Lbs.)	180
WARRANTY	
1 Year Limited Warranty – Entire Appliance	Parts & Labor



If used for other than private family purposes, warranty applies for only 90 days.
 *All energy \$ / Yr. figures are calculated at the national average cost of \$0.1065 / kWh. Energy rebates are offered and paid by the energy supplier in states where such programs exist. Criterion is based on percentage of energy efficiency attained beyond the 2007 standard. Dollar amounts may differ.



MEASURE TWICE...ORDER ONCE

Step-by-Step Instructions to Assure You Order the Proper Size Refrigerator

It's Just Good Measure To Double Check Before You Order!

1. Measure the opening for the refrigerator. Don't forget baseboards, molding, tile, countertop overhang, etc. If there is an island in your kitchen, be sure there is enough room to open the door.
2. Refer to the chart for the exact dimensions of the refrigerator.
3. **IMPORTANT!** Calculate the minimum opening required. When installing next to cabinets, you must allow for Door Edge Clearance. (Multiply Door Edge Clearance by 2 for counter-depth models.) When installing next to a wall, you must allow for the Handle Clearance.
 Adjacent Cabinet: ____ "F" + ____ Door Edge = ____ Min. Opening
 Adjacent Wall: ____ "F" + ____ Handle = ____ Min. Opening
4. Calculate how much the refrigerator will protrude from cabinetry. If the result is undesired, consider a counter-depth model.
 ____ "C" - 24" Cabinet Depth + approx. 2" Electric and Water Connection Clearances = ____ which will Protrude Past Cabinets
5. Measure each door and entry way in the home leading to the kitchen to ensure the refrigerator can be moved through.

