

ANTENNA WORKS

Because you're an installer, you know there's much more to an antenna than the mast. Metra's Antenna Works aftermarket antennas are designed and engineered as a complete system that functions seamlessly in every application and every weather condition.

44-PW22
Power Antenna



ANTENNA WORKS

EZ ORDER

ANTENNA WORKS


44-UA42

Amplified Roof Mount Antenna



44-UA44

Amplified Roof Mount Antenna



EZ ORDER



SIRIUS/XM/GPS ANTENNAS

For specific applications please refer to the application guide on pages 181-269

SATELLITE RADIO ANTENNAS

The Metra Roof-Mount Satellite Radio Antenna specifically for Sirius and XM Satellite Radio reception. They have dual-mode functionality, receiving simultaneous signals from satellites and terrestrial repeaters to ensure continuous reception. The result is antennas that offer all the benefits of satellite radio and compliment the appearance of any vehicle. They are easy to install on most vehicles. The package includes all the necessary mounting hardware, as well as color-coded cable connectors to ensure complete compatibility with Sirius and XM receivers.

FEATURES:

1. Low-profile mounted design.
2. Mounts to roof of vehicle via special acrylic foam adhesive pads that provide years of worry-free enjoyment, yet are removable if necessary. Attached micro cable is designed to wrap around the rear window for an invisible wiring solution.
3. Tested and proven to Automotive Environmental Standards shock- and vibration-proof design.
4. Safe for low-clearance conditions, including car washes.



44-SIXM XM/Sirius Magnet/Adhesive Mount Antenna

- Low profile mounted design
- Includes 21' foot cable



44-UN10 AM/FM/GPS/XM/Sirius Shark Fin Antenna

- Black housing
- Screw mounted



44-GPS GPS Magnet/Adhesive Mount Antenna



POWER ANTENNAS

For specific applications please refer to the application guide on pages 181-269



FEATURES:

- When fully retracted, mast is flush with top of base.
- All parts and installation instructions are included for most installations.
- Can mount on front or rear fender location.
- One year limited warranty provides protection from manufacturing defects.
- Motor assembly can be mounted in a remote location allowing installation in vehicles with limited space available. (44-PW6)



Mounts in most domestic and import cars. Less than 1 1/2"/29cm is required below the fender. (More compact than most factory automatic antennas.) Two antenna bottom mounting points are provided for easy support strap attachment. Drain tube included for trunk installation.



Combination male/female spade terminal for "no solder" fuse block connection. Easy 2-wire hookup connects directly to car audio switched antenna wire and unswitched power wire with bullet terminals.



All wires and cables connect at the antenna for easy replacement of factory antenna.



Silent running eight pole high-torque motor for all-weather operation. Individually hand balanced for smooth, quiet operation and checked to verify maximum torque force.



Limit switch and special clutch design protects motor from overheating due to obstructions, freezing or external interference.



Special design allows mast to be operated by hand. Mast can be raised or lowered without motor running. (44-PW6 not applicable.) Mast is replaceable from the top without removing antenna from the car.



POWER ANTENNAS

For specific applications please refer to the application guide on pages 181-269



44-PW20 Fully-Automatic 6/BX

- Fully-Automatic with (5) 1"/25mm custom mounting bases
- 31"/79cm 4-section replaceable mast
- 55"/140cm detachable cable
- Needs 11 1/2"/29cm under fender
- Custom mounting bases
- see Application Chart

44-PWR20

- Stainless Steel Replacement Mast

44-PWR20B

- Black Stainless Steel Replacement Mast and Nut

44-PWEC157

- Power Antenna 157"/399cm extension cable and wiring
- Will fit all applications calling for Harada® MX22 or equivalent



44-PW22/44-PW22B 6/BX

- Fully-Automatic 6/BX
- Fully-Automatic with (6) 1"/25mm custom mounting bases
- 31"/79cm 5-section replaceable mast
- 55"/140cm detachable cable
- Needs 11 1/2"/29cm under fender
- Custom mounting bases
- see Application Chart
- 44-PW22B includes black mast

44-PWR22

- Stainless Steel Replacement Mast

44-PWR22B

- Black Stainless Steel Replacement Mast and Nut

44-PWEC157

- Power Antenna 157"/399cm extension cable and wiring



POWER ANTENNAS

For specific applications please refer to the application guide on pages 181-269



44-PW32 Fully-Automatic 6/BX•12/CTN

- Fully Automatic with (6) 1"/25mm custom mounting bases
- 18"/46cm 5-section replaceable mast
- 55"/140cm detachable cable
- Needs 8 1/2"/22cm under fender
- Custom mounting bases - see Application Chart

REPLACEMENT MASTS

44-PWR32

- Stainless Steel Replacement Mast

44-PWEC157

- Power Antenna 157"/399cm extension cable and wiring



44-PW530 Fully-Automatic 6/BX

- Fully Automatic with (5) 1"/25mm custom mounting bases and (1) 3/4"/19mm Adjustable 0-25° mounting base
- 39"/99cm 4-section replaceable mast
- 55"/140cm detachable cable
- Needs 13"/33cm under fender
- Custom mounting bases - see Application Chart

REPLACEMENT MASTS

44-PWR64

- Stainless Steel Replacement Mast

44-PWEC157

- Power Antenna 157"/399cm extension cable and wiring



44-PWHD94 Honda Accord 1994-up 6/BX

- Custom OEM type look and fit
- Fully Automatic with custom mounting base
- 31"/79cm 5-section replaceable mast
- Includes template for installations in 1996 vehicles
- Power and trigger wire harness included

REPLACEMENT MASTS

44-PWRHD94

- Stainless Steel Replacement Mast



REPLACEMENT MASTS

For specific applications please refer to the application guide on pages 181-269



MASTS FOR: 44-PW20

44-PWR20

- Stainless Steel Replacement Mast



44-PWR20B

- Black Anodized Stainless Steel Replacement Mast
- Upgraded option includes black mast and nut



MASTS FOR:

44-PW12, 44-PW12B, 44-PW22
& 44-PW22B

44-PWR22

- Stainless Steel Replacement Mast



44-PWR22B

- Black Anodized Stainless Steel Replacement Mast
- Upgraded option includes black mast and nut



MAST FOR: 44-PW64 & 44-PW530

44-PWR64

- Stainless Steel Replacement Mast



MAST FOR: 44-PWHD94

44-PWRHD94

- Stainless Steel Replacement Mast



ADAPTORS

For specific applications please refer to the application guide on pages 181-269



44-FMMOD03 FM Modulator -

- 2 frequency channels (88.9MHz or 88.5MHz)
- Channel switch for alternate FM frequencies
- Metal case for durability in mounting behind or below dash
- Female stereo RCA adaptors
- Remote On/Off switch



40-CR10 Chrysler•Dodge•Ford•GM Jeep Vehicle Antenna Adaptor Cable 2002-Up

- Chrysler factory antenna with snap-lock to aftermarket radio



40-CR20 Chrysler•Dodge•Ford•GM Jeep Vehicle Antenna Adaptor Cable 2002-Up

- Chrysler factory radio with snap-lock to universal antenna



40-CR30 Chrysler•Dodge•Ford•GM Jeep Vehicle Antenna Adaptor Cable Kit 2002-Up

- Chrysler antenna Adaptors with snap-lock for adding CD with FM modulator
- Also to be used with our 60-Series harness



40-FD10 Ford•Lincoln•Mercury Antenna Adaptor 1995-2005

- Ford factory antenna to aftermarket radio
- OEM style



ADAPTORS

For specific applications please refer to the application guide on pages 181-269



40-FD17 Ford•Lincoln•Mercury Antenna Adaptor 1995-2005

- Aftermarket antenna to Ford antenna cable



40-FD20 Ford•Lincoln•Mercury Antenna Adaptor 1995-2005

- Ford factory radio to aftermarket antenna
- OEM style



40-FD30 Ford•Lincoln•Mercury Antenna Adaptor 1995-2005

- Ford antenna antenna adaptors, required when adding aftermarket products with a FM modulator
- 24/BX•240/CTN
- Also to be used with our 60-Series harness



40-GM10 General Motors Antenna Adaptor 1988-2006

- GM factory antenna with mini "barbed" or "barb less" plug to aftermarket radio



40-GM20 General Motors Antenna Adaptor 1988-2006

- GM factory radio with mini "barbed" connector to aftermarket antenna



40-GM30 General Motors Antenna Adaptor 1988-2006

- GM "barbed" antenna adaptors, required when adding aftermarket products with a FM modulator
- Also to be used with our 60-Series harness



ADAPTORS

For specific applications please refer to the application guide on pages 181-269



40-GM12 General Motors Antenna Adaptor 1988-2006

- GM factory antenna with mini "barbed" or "barb less" plug to aftermarket radio



40-GM17 General Motors Antenna Adaptor 1988-2005

- Aftermarket antenna to GM factory cable



40-GM18 General Motors Antenna Adaptor 1988-2005

- Aftermarket antenna to GM factory cable



40-GM21 General Motors Antenna Adaptor 1988-2006

- GM factory radio with mini "barb-less" connector to aftermarket antenna



40-GM31 General Motors Antenna Adaptor 1988-2006

- GM "barb less" antenna adaptors, required when adding aftermarket products with a FM modulator
- To be used with our 60-Series harness



40-HD10 Honda•Acura Antenna Adaptor

- Honda factory antenna cable to aftermarket radio




ADAPTORS

For specific applications please refer to the application guide on pages 181-269



40-HD20 Honda • Acura Antenna Adaptor

- Honda factory radio cable to aftermarket antenna



40-HD30 Honda • Acura Antenna Adaptor

- Honda antenna adaptors for use with FM modulators
- Also to be used with our 60-Series harness



40-HD11 Honda • Acura Antenna Adaptor 2009-Up

- Honda factory antenna cable to aftermarket radio



40-HD21 Honda • Acura Antenna Adaptor 2009-Up

- Honda factory radio cable to aftermarket antenna



40-HD31 Honda • Acura Antenna Adaptor 2009-Up

- For use with FM modulators



40-K110 KIA Antenna Adaptor • KIA Amanti 2007-Up

- KIA Factory antenna to aftermarket radio




ADAPTORS

For specific applications please refer to the application guide on pages 181-269



40-KI20 KIA Antenna Adaptor • KIA Amanti 2007-Up

- KIA Factory radio cable to aftermarket antenna



40-KI30 KIA Antenna Adaptor • KIA Amanti 2007-Up

- KIA antenna adaptors for use with FM modulators
- Also to be used with our 60-Series harness



40-KI11 KIA Antenna Adaptor • KIA Amanti 2007-Up

- KIA Factory antenna to aftermarket radio



40-KI21 KIA Antenna Adaptor • KIA Amanti 2007-Up

- KIA Factory radio cable to aftermarket antenna



40-KI31 KIA Antenna Adaptor • KIA Amanti 2007-Up

- KIA antenna adaptors for use with FM modulators



40-LX10 Lexus Antenna Adaptor

- Lexus factory antenna cable to aftermarket radio



ADAPTORS

For specific applications please refer to the application guide on pages 181-269



40-LX20 Lexus Antenna Adaptor

- Lexus factory radio to aftermarket antenna



40-LX30 Lexus Antenna Adaptor

- Lexus antenna adaptors for use with FM modulators
- Also to be used with our 60-Series harness



40-LX11 Lexus Antenna Adaptor 2009-up

- Lexus factory antenna cable to aftermarket radio



40-LX21 Lexus Radio Antenna Adaptor 2009-up

- Lexus factory radio to aftermarket antenna



40-LX31 Lexus Antenna Adaptor

- For use with FM Modulators



40-NI10 Infiniti•Nissan Antenna Adaptor 1987-2006

- Nissan diversity factory antenna with 2 pin plug to aftermarket radio
- (Retains diversity functions)



ADAPTORS

For specific applications please refer to the application guide on pages 181-269



40-NI20 Infiniti•Nissan Antenna Adaptor 1987-2006

- Nissan diversity factory radio with 2 pin connector to aftermarket antenna
- (Retains diversity functions)



40-NI30 Infiniti•Nissan Antenna Adaptor 1987-2006

- Nissan diversity factory antenna with 2 pin plug to aftermarket radio
- (Disables diversity functions)
- Nissan antenna adaptors for use with FM modulators
- Also to be used with our 60-Series



40-NI11 Infiniti•Nissan Antenna Adaptor 1987-2006

- Nissan diversity factory antenna with 2 pin plug to aftermarket radio
- (Disables diversity functions)



40-NI21 Infiniti•Nissan Antenna Adaptor 1987-2006

- Nissan diversity factory radio with 2 pin connector to aftermarket antenna
- (Disables diversity functions)



40-NI31 Infiniti•Nissan Antenna Adaptor 1987-2006

- Nissan diversity antenna adaptors for adding an aftermarket product with FM modulator
- (Disables diversity functions)



40-NI12 Infiniti•Nissan Antenna Adaptor 2007-up

- Nissan Factory antenna cable to aftermarket radio



ADAPTORS

For specific applications please refer to the application guide on pages 181-269



40-NI22 Infiniti•Nissan Antenna Adaptor 2007-up

- Infiniti/Nissan radio to aftermarket antenna



40-NI32 Infiniti•Nissan Antenna Adaptor 2007-up

- Nissan adaptors for use with FM Modulators



40-SB10 Subaru Antenna Adaptor

- Subaru factory antenna cable to aftermarket radio



40-SB20 Subaru Antenna Adaptor

- Subaru factory radio to aftermarket antenna



40-SB30 Subaru Antenna Adaptor

- Subaru antenna adaptors, required when adding aftermarket products with a wired FM modulator
- Also to be used with our 60-Series harness



40-EU10 VW•BMW•European Vehicle Antenna Adaptor Cable 2002-Up

- European factory antenna w/mini-style plug to aftermarket radio



ADAPTORS

For specific applications please refer to the application guide on pages 181-269



40-EU20 VW•BMW•European Vehicle Antenna Adaptor Cable 2002-Up

- European factory radio w/mini-style plug to universal antenna



40-EU30 VW•BMW•European Vehicle Antenna Adaptor Cable Kit 2002-Up

- VW•BMW•European antenna adaptors for use with FM modulators
- Also to be used with our 60-Series harness



40-EU55 VW•BMW•European Vehicle Antenna Adaptor Cable 2002-Up

- Powered antenna and newer "fakra" style connector to aftermarket radio



40-VL10 Volvo Vehicle Antenna Adaptor Cable 1999-Up

- For factory antenna to aftermarket radio



40-VL20 Volvo Vehicle Antenna Adaptor Cable 1999-Up

- For factory radio to universal antenna



40-VL30 Volvo Vehicle Antenna Adaptor Cable Kit 1999-Up

- Volvo antenna adaptors for use with FM modulators
- Also to be used with our 60-Series harness



ADAPTORS

For specific applications please refer to the application guide on pages 181-269



40-VW10 Audi•BMW•Mercedes•VW Antenna Adaptor 1988-2005

- Factory antenna with flat plug to aftermarket radio
- Some newer European radios also have capacitors which don't allow this adaptor to work properly - use 40-VW12



40-VW20 Audi•BMW•Mercedes•VW Antenna Adaptor 1988-2005

- VW•Audi•European factory radio with flat connector to aftermarket antenna



40-VW30 Audi•BMW•Mercedes•VW Antenna Adaptor 1988-2005

- VW•Audi•European antenna adaptors for use with FM modulators
- Also to be used with our 60-Series harness



40-VW21 Audi•BMW•Mercedes•VW Antenna Adaptor 1988-2005

- VW•Audi•European factory radio with flat connector to aftermarket antenna
- No internal capacitor as that limits proper reception on some European vehicles



40-VW12 Audi•BMW•Mercedes•VW Antenna Adaptor 1988-2005

- VW•Audi•European factory antenna with flat plug to aftermarket radio
- No internal capacitor as that limits proper reception on some European vehicles



40-VW16 Audi•BMW•Mercedes•VW Antenna Adaptor 1988-2005

- VW•Audi•European factory antenna cable to aftermarket antenna
- Used when replacing the factory cable to the radio with an aftermarket cable



ADAPTORS

For specific applications please refer to the application guide on pages 181-269



40-VW17 Audi•BMW•Mercedes•VW Antenna Adaptor 1988-2005

- VW•Audi•Euro factory Screw-on connector antenna to aftermarket cable
- Used when replacing the factory cable to the radio with an aftermarket cable
- Can also be used in conjunction with the 40-VW16 to install a FM modulator in the rear of the vehicle



40-VW18 Audi•BMW•Mercedes•VW Antenna Adaptor 1988-2005

- VW•Audi•European factory "Screw-on connector" antenna to female Motorola
- Female version of the 40-VW17




40-VW53 Audi•VW Antenna Adaptor 1997-2002

- Aftermarket radio to European factory Coax cable powered amplified antenna



40-VW54 Audi•VW Antenna Adaptor 1997-2002

- Aftermarket radio to European factory Coax cable powered amplified antenna



40-EU56 European Dual Fakra

- Amplified antenna adapter to aftermarket radio



40-UV41 Universal Antenna Adaptor

- Female to female cable



ADAPTORS

For specific applications please refer to the application guide on pages 181-269



40-UV42 Universal Antenna Adaptor

- Male to male cable



40-UV43 Universal Antenna Adaptor

- Male to two female cable



40-UV44 Universal Antenna Adaptor

- Female to two male cable



40-UV40 Universal Antenna Connectors

- Standard male antenna plug (5/bg)



40-UV45 Universal Antenna Connectors

- Standard female antenna connector (5/bg)



EXTENSION CABLES/REPLACEMENT ANTENNAS

For specific applications please refer to the application guide on pages 181-269



44-EC6R • 44-EC12R
Right Angle Connector



Extension cables 36"
and longer include
impedance matching
capacitors

44-EC6R

- 6"/15cm right angle extension cable

44-EC12

- 12"/30cm extension cable

44-EC12R

- 12"/30cm right angle extension cable

44-EC18

- 18"/46cm extension cable

44-EC24

- 24"/61cm extension cable

44-EC36

- 36"/91cm extension cable*

44-EC48

- 48"/122cm extension cable*

44-EC72

- 72"/182cm extension cable*

44-EC96

- 96"/244cm extension cable*

44-EC120

- 120"/305cm extension cable*

44-EC144

- 144"/366cm extension cable*

44-EC204

- 204"/518cm extension cable*

44-EC240

- 240"/610cm extension cable*



REPLACEMENT ANTENNAS

For specific applications please refer to the application guide on pages 181-269




44-RMW1 Universal Black Spiral 1-Section Replacement Mast

- Fits factory antenna bases
- 6 adapters to fit most cars




44-RMBC High Performance Booster Replacement Mast

- Extendable 17" three-section mast
- Includes adaptors



44-RMS Universal Chrome Replacement Mast

- Fits factory antenna bases
- 4 adapters to fit most cars
- 14" length
- FM only




44-RMSB Universal Black Replacement Mast

- Fits factory antenna bases
- 4 adapters to fit most cars
- 14" length
- FM only



44-RM01B Universal Cellular Look-Alike Black Replacement Mast

- Replacement mast for General Motors Ford, Chrysler and vehicles with Japanese threads
- 16"/41cm 1-section cellular "Look-a-like" black mast only




44-RM22 Universal Replacement Mast

- Replacement mast for General Motors Ford, Chrysler and vehicles with Japanese threads
- 31"/79cm 1-section mast only



REPLACEMENT MASTS/UNIVERSAL

For specific applications please refer to the application guide on pages 181-269



44-RM22B Universal Black Replacement Mast

- Replacement mast for General Motors Ford, Chrysler and vehicles with Japanese threads
- 31"/79cm 1-section black mast only



44-RM1R Universal Black Rubber Replacement Mast

- Replacement mast for General Motors Ford, Chrysler and vehicles with Japanese threads
- 14"/37cm black conductive rubber mast only



44-RM02 Aluminum Replacement Mast

- For roof mount antenna
- Replaces longer black factory mast
- 3 3/4" aluminum mast



44-RMUA40 Amplified Replacement Mast

- Direct replacement mast for Volkswagen, Audi and BMW
- 16"/41cm



44-US03R Universal Rubber Antenna

- Side/top mount for 1"/25mm hole split ball
- 14"/36cm removable black conductive rubber mast
- 54"/137cm cable



44-UT03R Universal Rubber Antenna

- Top mount for 1"/25mm hole, split ball
- 14"/36cm removable black conductive rubber mast
- 54"/137cm cable



AMPLIFIED/UNIVERSAL

For specific applications please refer to the application guide on pages 181-269



44-US07R Universal Rubber Antenna

- Side/top mount for 1"/25mm hole split ball
- 14"/36cm removable black conductive rubber mast
- 54"/137cm cable



44-UA200 Amplified Glass Mount Antenna

- Deluxe high performance windshield or glass mount amplified antenna
- Mount on windshield behind mirror or on fixed side/back windows 14-1/2" (37cm) width
- Gain FM - 10db/12db, AM - 5db/2db



44-UA205 Amplified Glass Mount Antenna

- AM/FM slim style windshield or glass mount amplified antenna
- Gain FM - 10db/12db, AM - 5db/2db



44-UA20 Amplified Hide-Away Antenna

- High gain "Hide-away" amplified antenna for FM bands
- Active magnetic-type antenna, working on the magnetic field associated with a conductor excited by a microwave
- 102"/260cm coaxial cable and power supply wire



44-UA42 Amplified Roof Mount Antenna

- AM/FM
- Includes 17' coaxial cable and power supply wire
- 3/4" hole required



44-UA44 Amplified Roof Mount Antenna

- AM/FM
- Includes 17' coaxial cable and power supply wire
- 3/4" hole required
- For rear mount installations



AMPLIFIED

For specific applications please refer to the application guide on pages 181-269



44-UA25 On-Glass Micro Screen FM Antenna

- Hide-away, omni-directional antenna with a 54 inch cable



44-UA46 Amplified roof Mount Antenna

- Electronic roof mount AM/FM antenna 3db gain
- 7"/17mm 1-section detachable black conductive rubber mast
- 195"/15m Signal/power detachable cable
- Requires 9/16" hole



44-UA30 Amplified Roof Mount Antenna

- European look amplified roof antenna for AM/FM bands
- 15"/38cm black helical wind removable fiberglass mast
- 6"/15cm coaxial cable and power supply wire



44-UA40 Amplified Roof Mount Antenna

- European amplified roof antenna for AM/FM bands
- 15"/38cm black helical wind removable fiberglass mast
- 6"/15cm coaxial cable (Power through cable)



44-UA50 Universal Amplified Antenna

- European amplified antenna for AM/FM bands
- 15"/38cm 6-section black retractable mast
- 59"/150cm coaxial cable and power supply wire



44-UA60 Antenna Amplifier

- Amplifier for FM band with bypass switch, in-dash or under dash mounting
- 21"/53cm coaxial cable and power supply wire



UNIVERSAL/KEY LOCK

For specific applications please refer to the application guide on pages 181-269



KEY LOCK

44-UL09 Universal Retractable Antenna

- Retractable for 3/4"/19mm hole
- 31"/79cm 4-section retractable mast
- 48"/122cm cable, requires 9 1/2"/23cm under fender



44-UL10 Universal Retractable Antenna Mazda RX7 1978-96

- Universal locking top mount for 1"/25mm hole
- 37"/94cm 4-section retractable mast
- 48"/122cm cable, requires 9 1/2"/23cm under fender



44-UL15 Universal Retractable Antenna

- Locking top mount with key for 3/4"/19mm hole
- 37"/94cm 5-section retractable mast
- 48"/122cm cable, requires 9 1/2"/23cm under fender



44-UL15B Universal Retractable Antenna

- Locking top mount with key for 3/4"/19mm hole
- 37"/94cm 5-section black retractable mast
- 48"/122cm cable, requires 9 1/2"/23cm under fender



44-UM53 Universal Mirror Mount Antenna

- Mirror mount for heavy duty applications
- 31"/79cm 1-section removable mast with spring
- 20"/305cm cable



44-UP21 Toyota/Universal Pillar Mount Antenna

- Toyota and Universal pillar mount applications
- 50"/127cm 3-section retractable mast
- 48"/122cm cable



UNIVERSAL/CHRYSLER

For specific applications please refer to the application guide on pages 181-269



44-UP58 Universal Pillar Mount Antenna

- Offset left/right hand pillar mount
- 50"/127cm 3-section retractable mast
- 65"/165cm cable



44-US01R Universal Rubber Antenna

- Side/top mount for (4) hole application
- Split ball heavy duty round, black base
- 14"/36cm removable black conductive rubber mast
- 96"/244cm detachable special low capacitance cable



44-US13 Universal Antenna

- Side/top mount for 1"/25mm hole split ball
- 53"/135cm 3-section mast with spring
- 54"/137cm cable



44-US19 Universal Antenna

- Top/side mount for 1"/25mm hole split ball
- Adjustable angle to 180°
- 45" 3-section mast
- 54" cable



44-US30 Universal Antenna

- Side/top mount for 1"/25mm hole split ball
- 31"/79cm 1-section mast with spring
- 54"/137cm cable



44-US401 Jeep CJ-7 1974-1978

- Side mount for universal (2) hole applications
- 55"/140cm 3-section removable mast with spring
- 60"/152cm detachable cable



CHRYSLER/UNIVERSAL

For specific applications please refer to the application guide on pages 181-269



44-US51 Jeep CJ-7 1979-1986 Wrangler 1985-1996

- Side mount for universal (4) hole application
- 31"/79cm 1-section removable mast
- 60"/152cm detachable cable



44-US51B Jeep CJ-7 1979-1986 Wrangler 1985-1996

- Side mount for universal (4) hole application
- 31"/79cm 1-section removable black mast
- 60"/152cm detachable cable



44-US502 Jeep CJ-7 1979-1986 Wrangler 1985-1996

- Side mount for (4) hole applications
- 39"/96cm 3-section removable mast
- 60"/152cm detachable cable



44-US71 Universal Antenna

- Side/top mount for (4) hole application
- Split ball heavy duty round base
- 31"/79cm 1-section stainless steel mast with spring
- 96"/244cm detachable special low capacitance cable



44-UT03R Universal Rubber Antenna

- Top mount for 1"/25mm hole
- 14"/36cm removable black conductive rubber mast
- 54"/137cm cable



44-UT06R Universal Rubber Antenna

- Top mount for 1"/25mm hole
- 14"/36cm removable black conductive rubber mast
- 54"/137cm cable



CHRYSLER/UNIVERSAL

For specific applications please refer to the application guide on pages 181-269



44-UT10 Universal Antenna

- Top mount for 1"/25mm hole
- 38"/97cm 3-section removable mast
- 48"/122cm cable



44-UT30 Universal Antenna

- Top mount for 1"/25mm hole
- 38"/97cm 1-section removable mast
- 50"/127cm cable



44-UT30B Universal Antenna

- Top mount for 1"/25mm hole
- 31"/79cm 1-section black removable mast
- 50"/127cm cable



44-UT91 Universal Narrow Base Antenna

- Top mount for 3/4"/19mm hole
- Narrow fender applications
- 31"/79cm removable mast with 72"/183cm cable



44-GM935 General Motors Multi-Applications 1982-Up

- Universal with 5 fixed-angle bases
- 31"/79cm 1-section removable mast with 72"/183cm cable



44-GM935B General Motors Multi-Applications 1982-Up

- Universal with 5 fixed-angle bases
- 31"/79cm 1-section removable black mast with 72"/183cm cable



GM/CHRYSLER/FORD

For specific applications please refer to the application guide on pages 181-269



44-CR88 Chrysler Multi-Application

- Universal multi-application antenna
- 31"/79 removable mast
- 61"/155cm cable



44-CR190B Dodge Ram Truck 1995-Up

- Side mount for (4) hole applications
- 39"/96cm 3-section removable mast
- 60"/152cm detachable cable



44-CR72 Jeep Comanche Cherokee Wagoneer 1985-1996

- 31"/79 removable mast
- 80"/203cm cable




44-CR70 Jeep • AMC • GM • VW • Buick Skyhawk 1982-1987 • Century 1982-up Chevy Blazer 1977-1991 • Suburban 1985-1987 • Oldsmobile Cutlass Sierra 1988-1994 • Pontiac 6000 1986-1993

- Universal narrow fender, small rectangular base
- 31"/79cm mast with 61"/165cm cable



44-FD81 Ford • Lincoln • Mazda Mercury 1979-up

- Universal oval base antenna
- 31"/79cm removable mast with 72"/183cm cable



44-FD81B Ford • Lincoln • Mazda Mercury 1979-up

- Universal oval base antenna
- 31"/79cm removable black mast with 72"/183cm cable



FORD/GM

For specific applications please refer to the application guide on pages 181-269



44-FD810 Ford 1965-Up Rectangular Base Ford 1979-Up Oval Universal Base

- Ford 1"/25mm hole
- 31"/79cm removable mast with 72"/183cm cable



44-FD80 Ford 1965-Up Universal Rectangular Base

- 31"/79cm removable mast with 72"/183cm cable



44-FD77 Ford Taurus•Mercury Sable 1986-1995•Chevrolet Beretta Corsica 1987-1993

- 31"/79cm removable mast with 48"/122cm cable



44-MZ62 Ford/Mazda

- Pillar mount
- 35"/89cm 1-section retractable mast with 75"/191cm cable



44-GM94B General Motors Trucks and Vans

- 31"/79cm black removable mast with 61"/165cm cable



44-GM92 Chevrolet•GMC Full Size Truck, 1500 2500, 3500 1988-1998

- 31"/79cm removable mast
- 72"/183cm cable



GM/IMPORT

For specific applications please refer to the application guide on pages 181-269



44-GM92B Chevrolet•GMC Full Size Truck, 1500 2500, 3500 1988–1998

- 31"/79cm removable black mast
- 72"/183cm cable



44-GM93 General Motors Most Applications 1982-1998

- 31"/79cm removable mast
- 72"/183cm cable



44-TY205 Geo Prizm 1990–1992 Subaru Impreza 1993–1995•Loyale 1990–1994•Toyota Camry•Corolla 1984–Up GTS•FX16 1987–1990•Paseo 1992–Up Tercel 1987–Up

- 31"/79cm 1-section retractable mast with 88"/224cm cable



44-HD98 Geo Prizm 1993–Up•Storm 1990–1993 Honda Civic 1992–Up Toyota Corolla SR5 (RWD) 1988–1991 Isuzu Stylus 1990–1991

- 37"/94cm 2-section retractable mast with 80"/200cm cable



44-UL105 BMW•Mercedes•Jaguar Peugeot•Porsche

- 37"/94cm 5-section black retractable mast
- 48"/122cm cable, requires 9 1/2"/23cm under fender



44-VW07 VW Golf, Jetta 1994–1998

- 34"/86cm 4-section retractable mast
- 59"/150cm detachable cable



IMPORT

For specific applications please refer to the application guide on pages 181-269



44-HD94 Honda Accord 1994-Up Prelude 1992-2001

- 31"/79cm 1-section removable mast
- 12"/30cm cable



44-HD99B Honda Civic Del Sol 1992-1997

- 31"/79cm 4-section black retractable mast
- 12"/30cm cable



44-NI24 Nissan Hard body Truck Pathfinder 1986-1997

- 31"/79cm 1-section removable mast
- 72"/183cm cable



44-TY23 Toyota Truck 4Runner 1989-1995 Camry 1983-1986 Celica Supra 1983-1985

- 31"/79cm removable mast with 59"/150cm cable