Revision: 3.1 Date: 21.03.2024

Minerals Minerals

ACCORDING TO EC-REGULATIONS 1907/2006

(REACH), 1272/2008 (CLP) & 2020/878

Diatomaceous Earth Flux-Calcined, Kieselguhr Flux-Calcined PurifiDE® XG-3 and XG-12

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name PurifiDE® XG-3 and XG-12
Trade names PurifiDE® XG-3 and XG-12

Chemical Name Diatomaceous Earth Flux-Calcined, Kieselguhr Flux-Calcined

CAS No. 68855-54-9 14464-46-1 EINECS No. 272-489-0 238-455-4

Nanoform The product does not contain nanoparticles

REACH Registration No. 01-2119488518-22-0002

1.2 Recommended use of the chemical and restrictions

on use

Identified Use(s)

Use as filter aid in industrial settings.

Exposure Scenario

No.
Page:

Manufacture of kieselguhr soda ash flux calcined
Use as filter aid in industrial settings
13
Industrial, professional and private use of substance or mixtures containing the substance

Anything other than the above.

Uses Advised Against

1.3 Details of the supplier of the safety data sheet

Manufacturer

EP Minerals, LLC

9785 Gateway Drive

Reno,

Nevada 89521

USA

Telephone +1-775-824-7600 Fax +1-775-824-7601

E-Mail (competent person) inquiry.minerals@epminerals.com

Importer EP Minerals Europe GmbH & Co,

KG Rehrhofer Weg 115 D-29633,

Munster, Germany

Telephone +49 51 92 98970
Fax +49-51 92 989715
E-Mail (competent person) EPME@epminerals.com

**1.4** Emergency Phone No. Europe: +49 51 92 98970 (08:00 – 17:00 CET)

Languages spoken: English, French and German USA: +1-775-824-7600 (08:00- 17:00 PST)

## **SECTION 2: HAZARDS IDENTIFICATION**

2.1 Classification of the substance or mixture This product contains cristobalite (fine fraction) at: < 1%

Depending on the type of handling and use (e.g. grinding, drying), airborne fine fraction crystalline silica may be generated. Prolonged and/or massive inhalation of fine fraction crystalline silica dust may cause lung fibrosis, commonly referred to as silicosis. Principal symptoms of silicosis are cough and breathlessness. Occupational exposure to fine fraction crystalline silica dust should be monitored

and controlled.

2.1.1 Regulation (EC) No. 1272/2008 (CLP) Not classified as hazardous for supply/use.

2.2 Label elements According to Regulation (EC) No. 1272/2008 (CLP)

Product Name PurifiDE® XG-3 and XG-12

Page: 1 of 19

Revision: 3.1 Date: 21.03.2024



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

Diatomaceous Earth Flux-Calcined, Kieselguhr Flux-Calcined PurifiDE® XG-3 and XG-12

Contains: Diatomaceous Earth ,Flux-Calcined (Kieselguhr)

(< 1% Crystalline Silica- Cristobalite (Respirable Dust))

Hazard Pictogram(s) None assigned.

Signal Word(s) None assigned.

Hazard Statement(s) None assigned.

Precautionary Statement(s) None assigned.

2.3 Other hazards None

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 **Substances**

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.
Diatomaceous Earth , Flux-Calcined (Kieselguhr)	circa.100	68855-54-9	272-489-0
Contains: Cristobalite (Respirable Dust), <1 Fine Fraction Crystalline silica per SWeRF calculation	< 1	14464-46-1	238-455-4

3.2 Mixtures - Not applicable.

## SECTION 4: FIRST AID MEASURES



Description of first aid measures 4.1

> Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position

> > comfortable for breathing. If irritation develops and persists, get medical

attention. Blow nose to evacuate dust.

Skin Contact Remove clothing and wash thoroughly before use. Wash affected skin with soap

and water. If skin irritation or rash occurs: Get medical advice/attention.

Eye Contact Flush eyes with water for at least 15 minutes while holding eyelids open. Get

medical attention if eye irritation develops or persists.

Rinse mouth. Give plenty of water to drink. Get medical attention. Ingestion

4.2

Most important symptoms and effects, both acute and Prolonged and/or massive exposure to fine fraction crystalline silica-containing delayed

dust may cause silicosis, a nodular pulmonary fibrosis caused by deposition in the lungs of fine respirable particles of crystalline silica. Acute inhalation can cause dryness of the nasal passage and lung congestion, coughing and general

throat irritation. Chronic inhalation of dust should be avoided. May cause

irritation to the respiratory system.

4.3 Indication of any immediate medical attention and

special treatment needed

Unlikely to be required but if necessary treat symptomatically. There is no specific antidote. Remove person to fresh air and keep comfortable for

breathing.

## **SECTION 5: FIREFIGHTING MEASURES**

5.1 **Extinguishing media** 

> Suitable Extinguishing media Non-flammable. Extinguish with carbon dioxide, dry chemical, foam or

waterspray. As appropriate for surrounding fire.

Unsuitable extinguishing media

5.2 Special hazards arising from the substance or mixture Non-flammable, Non-combustible, Not explosive.

Revision: 3.1 Date: 21.03.2024



ACCORDING TO EC-REGULATIONS 1907/2006

(REACH), 1272/2008 (CLP) & 2020/878

Diatomaceous Earth Flux-Calcined, Kieselguhr Flux-Calcined PurifiDE® XG-3 and XG-12

5.3 Advice for fire-fighters

Fight fire with normal precautions from a reasonable distance. Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid generation of dust. Do not breathe dust. Wear appropriate personal protective equipment, avoid direct contact. Where engineering controls are not fitted or inadequate wear suitable respiratory protective equipment.

6.2 **Environmental precautions** 

6.4

Methods and material for containment and cleaning 6.3

No special requirements.

Sweep spilled substances into containers if appropriate moisten first to prevent dusting. Use vacuum equipment for collecting spilt materials, where practicable.

Transfer to a container for disposal.

Reference to other sections

See Section: 8, 13

## **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling 7.1

Handle packaged products carefully to prevent accidental bursting. If you require advice on safe handling techniques, please contact your supplier or check the Good Practice Guide referred to in section 16. Avoid generation of dust. In case of inadequate ventilation wear respiratory protection. Do not breathe dust. Wear protective gloves/protective clothing/eye protection/face protection. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Storage life

Incompatible materials

7.3 Specific end use(s) Atmospheric concentrations should be minimised and kept as low as reasonably practicable below the occupational exposure limit.

Stable under normal conditions. Store in a dry place.

Keep away from: Hydrofluoric Acid

See Section: 1.2

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 **Control parameters**

#### 8.1.1 **Occupational Exposure Limits**

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Silica, Respirable Crystalline	-	-	0.1	-	-	WEL: Workplace Exposure Limit (UK HSE EH40)
Nuisance Dust	-	-	10	-	-	Inhalable Dust. WEL: Workplace Exposure Limit (UK HSE EH40)
Nuisance Dust	-	-	4	-	-	Respirable Dust. WEL: Workplace Exposure Limit (UK HSE EH40)

Note: For the equivalent limits in other countries, please consult a competent occupational hygienist or the local regulatory authority

8.1.2 **Biological limit value**  Not established.

**PNECs and DNELs** 8.1.3

Diatomaceous Earth (Kieselguhr): Not harmful to aquatic organisms. Insoluble in water. On this basis the PNECs for the aquatic compartment have not been derived.

Diatomaceous Earth (Kieselguhr) DNELs	Oral	Inhalation	Dermal
Industry - Long Term - Systemic effects	-	0.05 mg/m <sup>3</sup>	-
Consumer - Long Term - Systemic effects	18.7 mg/kg	0.05 mg/m <sup>3</sup>	-
	bw/day		

Revision: 3.1 Date: 21.03.2024



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

Diatomaceous Earth Flux-Calcined, Kieselguhr Flux-Calcined PurifiDE® XG-3 and XG-12

8.2 Exposure controls

8.2.1 Appropriate engineering controls

8.2.2 Individual protection measures, such as personal protective equipment (PPE)

Ensure adequate ventilation. Atmospheric levels should be controlled in compliance with the occupational exposure limit. Avoid dust generation. Use personal protective equipment as required. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe dust.

Eye/ face protection Wear eye protection with side protection (EN166).

Skin protection



Use skin barrier cream before handling the product. Wear suitable gloves if prolonged skin contact is likely - Wear impervious gloves (EN374). Unsuitable

gloves materials

Respiratory protection



Atmospheric levels should be controlled in compliance with the occupational exposure limit. In case of inadequate ventilation wear respiratory protection. Recommended: Half-face mask (DIN EN 140), Filter type P2/P3 - efficiency of at

least 90%

Thermal hazards Not applicable.

8.2.3 Environmental Exposure Controls Avoid wind dispersal.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 Information on basic physical and chemical properties

Appearance Light pink to gray to white powder

Odour Odourless Odour threshold Odourless Not available.

pH (10% Suspension) 4-6

Melting point/freezing point

Not applicable.

Initial boiling point and boiling range

Decomposes below boiling point at (°C): >1300°C

Flash point Non-flammable.

Evaporation rate Not applicable.

Flammability (solid, gas) Non-flammable.

Upper/lower flammability or explosive limits Non-flammable.

Vapour pressure Not applicable.

Vapour density Not applicable.

Vapour pressure Not applicable. Vapour density Not applicable. Relative density 2.3 g/cm $^3$  (H $_2$ O = 1) Solubility(ies) <1% Water

Jubility(les)

Soluble in: Hydrofluoric Acid
Partition coefficient: n-octanol/water Not available.
Auto-ignition temperature Not applicable

Decomposition Temperature Not available.

Viscosity Not applicable, Solid.

Explosive properties

Oxidising properties

Particle Characteristics

Not explosive.

Not oxidising.

Not available.

**9.2 Other information** None.

## **SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity
 10.2 Chemical stability
 10.3 Possibility of hazardous reactions
 10.4 Stable under normal conditions.
 10.5 Stable under normal conditions.
 10.6 Stable under normal conditions.

10.4 Conditions to avoid Avoid Contact with: Hydrofluoric Acid. Do not leave in enclosed spaces when

mixed with highly flammable material, as heat can build up over long periods of

time and flammable material may eventually ignite.

Revision: 3.1 Date: 21.03.2024

Minerals®

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

Diatomaceous Earth Flux-Calcined, Kieselguhr Flux-Calcined PurifiDE® XG-3 and XG-12

10.5 Incompatible materials

Hazardous decomposition product(s) 10.6

Reacts violently with - Hydrofluoric Acid No hazardous decomposition products known.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** 

Ingestion

Inhalation

Skin Contact

Eye Contact

Skin corrosion/irritation

Serious eye damage/irritation

Respiratory or skin sensitization

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

STOT - single exposure

STOT - repeated exposure

Aspiration hazard

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

11.2.2 Other information Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met.

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria. Prolonged and/or massive exposure to fine fraction crystalline silica-containing dust may cause silicosis, a nodular pulmonary fibrosis caused by deposition in the lungs of fine respirable particles of crystalline silica.

In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans (human carcinogen category 1). However it pointed out that not all industrial circumstances, nor all crystalline silica types, were to be incriminated. (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In 2009, in the Monographs 100 series, IARC confirmed its classification of Silica Dust, Crystalline, in the form of Quartz and Cristobalite (IARC Monographs, Volume 100C, 2012). In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of fine fraction crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in guarries and in the ceramic industry). Therefore preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003). So there is a body of evidence supporting the fact that increased cancer risk would be limited to people already suffering from silicosis. Worker protection against silicosis should be assured by respecting the existing regulatory occupational exposure limits and implementing additional risk management measures where required (see section 16 below).

## **SECTION 12: ECOLOGICAL INFORMATION**

12.1 Toxicity

12.2 Persistence and degradability

12.3 Bioaccumulative potential

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

12.6 **Endocrine disrupting properties**  Not classified as a Marine Pollutant.

Not applicable.

The product has no potential for bioaccumulation. Some organisms accumulate

The product is predicted to have low mobility in soil.

This product is an inorganic substance and does not meet the criteria for PBT or vPvB in accordance with Annex XIII of REACH.

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Revision: 3.1 Date: 21.03.2024



ACCORDING TO EC-REGULATIONS 1907/2006

(REACH), 1272/2008 (CLP) & 2020/878

Diatomaceous Earth Flux-Calcined, Kieselguhr Flux-Calcined PurifiDE® XG-3 and XG-12

12.7 Other adverse effects None known.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1 Waste treatment methods Dispose of empty containers and wastes safely. Dispose of contents in

accordance with local, state or national legislation.

13.2 Additional Information Packaging waste: Remove all packaging for recovery or disposal. Make sure

that packaging is completely empty before recycling. Inform consumer about possible hazards of unclean empty packaging for recycling or disposal.

## **SECTION 14: TRANSPORT INFORMATION**

Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods'.

ADR/RID / IMDG / ICAO/IATA

14.1UN number or ID numberNot applicable.14.2UN proper shipping nameNot applicable.14.3Transport hazard class(es)Not applicable.14.4Packing groupNot applicable.

**14.5** Environmental hazards Not classified as a Marine Pollutant.

14.6 Special precautions for user Not applicable.

**14.7 Maritime transport in bulk according to IMO** Diatomaceous Earth, No special measures are required.

instruments

14.8 Additional Information None.

## **SECTION 15: REGULATORY INFORMATION**

15.1 Safety, health and environmental

regulations/legislation specific for the substance or

mixture

15.1.1 EU regulations

Authorisations and/or Restrictions On Use None.

15.1.2 National regulations

Germany

Water hazard class: nwg

15.2 Chemical Safety Assessment

Subject to REACH Registration, A REACH chemical safety assessment has

been carried out.

## **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: 14, 15

References: Existing Safety Data Sheet (SDS), Existing ECHA registration(s) for Diatomaceous Earth (Kieselguhr), Soda Flux-Calcined (CAS# 68855-54-9).

Training advice: Workers must be informed of the presence of crystalline silica and trained in the proper use and handling of this product as required under applicable regulations. A multi-sectoral social dialogue agreement on Workers Health Protection through the Good Handling and Use of Crystalline Silica and Products Containing it was signed on 25 April 2006. This autonomous agreement, which receives the European Commission's financial support, is based on a Good Practices Guide. The requirements of the Agreement came into force on 25 October 2006. The Agreement was published in the Official Journal of the European Union (2006/C 279/02). The text of the Agreement and its annexes, including the Good Practices Guide, are available from http://www.nepsi.eu and provide useful information and guidance for the handling of products containing fine fraction crystalline silica. Literature references are available on request from EUROSIL, the European Association of Industrial Silica Producers.

## **LEGEND**

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration

PBT PBT: Persistent, Bioaccumulative and Toxic PPB PBT: Persistent, Bioaccumulative and Toxic PPB PBT: Persistent, Bioaccumulative and Toxic

Page: 6 of 19

Revision: 3.1 Date: 21.03.2024



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

Diatomaceous Earth Flux-Calcined, Kieselguhr Flux-Calcined PurifiDE® XG-3 and XG-12

OECD Organisation for Economic Cooperation and Development
SCOEL The EU Scientific Committee on Occupational Exposure Limits

IARC International Agency for Research on Cancer

SWeRF Size-Weighted Fine Fraction

#### **Disclaimers**

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. EP Minerals, LLC gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. EP Minerals, LLC accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

#### Annex to the extended Safety Data Sheet (eSDS)

The following scenarios were addressed in the chemical safety report (CSR) for Kieselguhr, Soda Ash Flux-Calcined Fine Cristobalite Fraction as prepared as part of the registration dossier required by the EU REACH Regulation:

Exposure scenario 1 Manufacture of kieselguhr soda ash flux calcined

Exposure scenario 2 Use as filter aid in industrial settings

Exposure scenario 3 Industrial, professional and private use of substance or mixtures containing the substance

Revision: 3.1 Date: 21.03.2024

Minerals®

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

Diatomaceous Earth Flux-Calcined, Kieselguhr Flux-Calcined PurifiDE® XG-3 and XG-12

# Kieselguhr, Soda Ash Flux-Calcined Fine Cristobalite Fraction < 1%

CAS No. 68855-54-9 EC No. 272-489-0

## **Summary of Parameters**

Physical parameters	
Melting point/freezing point	> 450 °C
Partition Coefficient (log K <sub>OW</sub> )	Not applicable
Solubility (Water) (mg/l)	3.7 mg/l @ 20 °C
Molecular weight	66.0843
Biodegradability	The methods for determining the biological degradability are not applicable to inorganic substances.

Human Health (DNEL)				
Short term	Inhalation (mg/m³)	0.05 mg/m³		
Workers	Short term	Dermal (mg/kg bw/day)	Not determined	
Workers	Long Term	Inhalation (mg/m³)	Not determined	
	Long remi	Dermal (mg/kg bw/day)	Not determined	
		Inhalation (mg/m³)	0.05 mg/m³	
Consumer		Dermal (mg/kg bw/day)	Not determined	
		Oral (mg/kg bw/day)	3.5 mg/kg bw/day	

Environmental Parameters (PNECs)		
Exposure Scenario	PEC Environment Reasonable worst case	PNEC STP
ES1 Manufacture of kieselguhr soda ash flux calcined	Not defined	Not defined
ES2 Use as filter aid in industrial settings	3.87 mg/l	100 mg/l
ES3 Industrial, professional and private use of substance or mixtures containing the substance	0.329 mg/l	100 mg/l

Revision: 3.1 Date: 21.03.2024



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

Diatomaceous Earth Flux-Calcined, Kieselguhr Flux-Calcined PurifiDE® XG-3 and XG-12

## **Contents**

Number of the ES	Title	Page:
Exposure scenario 1	Manufacture of kieselguhr soda ash flux calcined	10
Exposure scenario 2	Use as filter aid in industrial settings	13
Exposure scenario 3	Industrial, professional and private use of substance or mixtures containing the substance	16

## **Contributing Scenarios**

#### **PROC Codes**

PROC1 Use in closed process, no likelihood of exposure

PROC2 Use in closed, continuous process with occasional controlled exposure

PROC3 Use in closed batch process (synthesis or formulation)

PROC4 Use in batch and other process (synthesis) where opportunity for exposure arises

PROC5 Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact)

PROC7 Industrial spraying

PROC8a Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities

PROC8b Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities

PROC9 Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC10 Roller application or brushing

PROC11 Non industrial spraying

PROC13 Treatment of articles by dipping and pouring

PROC15 Use as laboratory reagent

PROC19 Hand-mixing with intimate contact and only PPE available

Revision: 3.1 Date: 21.03.2024

Minerals •

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

Diatomaceous Earth Flux-Calcined, Kieselguhr Flux-Calcined PurifiDE® XG-3 and XG-12

## Exposure Scenario 1 - Manufacture of kieselguhr soda ash flux calcined

1.0 Contributing Scenarios	
Sector of uses SU	SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
	PROC2 Use in closed, continuous process with occasional controlled exposure
	PROC3 Use in closed batch process (synthesis or formulation)
	PROC4 Use in batch and other process (synthesis) where opportunity for exposure arises
Process category [PROC]	PROC8b Transfer of substance or preparation (charging/discharging) from/to vessels/large
	containers at dedicated facilities
	PROC9 Transfer of substance or preparation into small containers (dedicated filling line, including
	weighing)
Chemical product category [PC]	PC0 Other Adsorbents, Filling material
Chemical product category [PC]	PC14 Metal surface treatment products, including galvanic and electroplating products
Article Categories [AC]	Not applicable
Environmental release categories [ERC]	ERC1 Manufacture of substances
Specific Environmental Release Categories SPERC	Not applicable

	agement measures		
2.1 Control of worker exposure			
Product characteristics			
Physical form of product	White/Beige Powder		
Concentration of substance in product	Covers concentrations up to	100%	
Human factors not influenced by risk ma	anagement		
Potential exposure area	Not defined		
Frequency and duration of use			
Exposure duration per day	Covers daily exposures up to	8 hours (unless stated differently).	
Exposure time per week	Covers frequency up to: 5 da	vs per week.	
Other operational conditions affecting w	orker exposure		
Area of use	All contributing scenarios	Indoor	
Characteristics of the surroundings	Not defined		
stated differently. Do not breathe dust. Avoi Water. Provide basic employee training to p	ional hygiene is implemented. As id dust generation. Clear spills im	sumes use at not more than 20°C above ambient temperature, unless mediately. After contact with skin, wash immediately with plenty of:	
Organisational measures			
All contributing scenarios	designed and maintained facilities and a good standard of general ventilation. Drain down systems and clear transfer lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance. Where there is potential for exposure: Ensure relevant staff are informed of the nature of exposure and aware of basic actions to minimise exposures; Ensure suitable personal protective equipment is available; Clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; consider the need for health surveillance; identify and implement corrective actions.		
		identify and implement corrective actions.	
Technical conditions of use		identify and implement corrective actions.	
PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC15, PROC19	Local exhaust ventilation is re		
PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC15, PROC19 PROC1, PROC2, PROC3	Local exhaust ventilation is rules in closed systems. Local		
PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC15, PROC19	Local exhaust ventilation is rules in closed systems. Local	equired.  exhaust ventilation is required.	
PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC15, PROC19 PROC1, PROC2, PROC3	Local exhaust ventilation is rules in closed systems. Local numan health PROC4, PROC8b, PROC9	equired.  exhaust ventilation is required.  Half-face mask (DIN EN 140), Filter type P2/P3 - efficiency of at least 90%	
PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC15, PROC19 PROC1, PROC2, PROC3 Risk management measures related to h	Local exhaust ventilation is re Use in closed systems. Loca	equired.  exhaust ventilation is required.  Half-face mask (DIN EN 140), Filter type P2/P3 - efficiency of at	
PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC15, PROC19 PROC1, PROC2, PROC3 <i>Risk management measures related to h</i> Respiratory protection	Local exhaust ventilation is regular use in closed systems. Local numan health  PROC4, PROC8b, PROC9  PROC2, PROC3	equired.  exhaust ventilation is required.  Half-face mask (DIN EN 140), Filter type P2/P3 - efficiency of at least 90%  No special measures are required.  Wear impervious gloves (EN374). Wear suitable coveralls to prevent	
PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC15, PROC19 PROC1, PROC2, PROC3 Risk management measures related to h Respiratory protection Hand and/or Skin protection Eye Protection	Local exhaust ventilation is reduced by the contributing scenarios  Local exhaust ventilation is reduced by the contributing scenarios and the contributing scenarios.	equired.  exhaust ventilation is required.  Half-face mask (DIN EN 140), Filter type P2/P3 - efficiency of at least 90%  No special measures are required.  Wear impervious gloves (EN374). Wear suitable coveralls to prevent exposure to the skin.	
PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC15, PROC19 PROC1, PROC2, PROC3 Risk management measures related to h Respiratory protection Hand and/or Skin protection	Local exhaust ventilation is related by the contributing scenarios  All contributing scenarios  All contributing scenarios  All contributing scenarios  All contributing scenarios	equired.  exhaust ventilation is required.  Half-face mask (DIN EN 140), Filter type P2/P3 - efficiency of at least 90%  No special measures are required.  Wear impervious gloves (EN374). Wear suitable coveralls to prevent exposure to the skin.	
PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC15, PROC19 PROC1, PROC2, PROC3 Risk management measures related to h Respiratory protection  Hand and/or Skin protection  Eye Protection Other operational conditions affecting w Assumes a good basic standard of occupat	Local exhaust ventilation is related by the contributing scenarios  All contributing scenarios  All contributing scenarios  All contributing scenarios  All contributing scenarios	equired.  exhaust ventilation is required.  Half-face mask (DIN EN 140), Filter type P2/P3 - efficiency of at least 90%  No special measures are required.  Wear impervious gloves (EN374). Wear suitable coveralls to prevent exposure to the skin.	
PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC15, PROC19 PROC1, PROC2, PROC3 Risk management measures related to h Respiratory protection  Hand and/or Skin protection  Eye Protection Other operational conditions affecting w	Local exhaust ventilation is related by the contributing scenarios  All contributing scenarios  All contributing scenarios  All contributing scenarios  All contributing scenarios	equired.  exhaust ventilation is required.  Half-face mask (DIN EN 140), Filter type P2/P3 - efficiency of at least 90%  No special measures are required.  Wear impervious gloves (EN374). Wear suitable coveralls to prevent exposure to the skin.	
PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC15, PROC19 PROC1, PROC2, PROC3 Risk management measures related to h Respiratory protection  Hand and/or Skin protection  Eye Protection Other operational conditions affecting w Assumes a good basic standard of occupat 2.2 Control of environmental exposure	Local exhaust ventilation is reduced by the contributing scenarios and the contributing scenarios by the contributing scenario	equired.  exhaust ventilation is required.  Half-face mask (DIN EN 140), Filter type P2/P3 - efficiency of at least 90%  No special measures are required.  Wear impervious gloves (EN374). Wear suitable coveralls to prevent exposure to the skin.	
PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC15, PROC19 PROC1, PROC2, PROC3 Risk management measures related to h Respiratory protection  Hand and/or Skin protection  Eye Protection Other operational conditions affecting w Assumes a good basic standard of occupat 2.2 Control of environmental exposure Amounts used Fraction of EU tonnage used in region:	Local exhaust ventilation is regular Use in closed systems. Local numan health  PROC4, PROC8b, PROC9  PROC2, PROC3  All contributing scenarios  All contributing scenarios  Forker exposure  Lional hygiene is implemented.	equired.  exhaust ventilation is required.  Half-face mask (DIN EN 140), Filter type P2/P3 - efficiency of at least 90%  No special measures are required.  Wear impervious gloves (EN374). Wear suitable coveralls to prevent exposure to the skin.  Wear eye protection with side protection (EN166).	
PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC15, PROC19 PROC1, PROC2, PROC3 Risk management measures related to h Respiratory protection  Hand and/or Skin protection  Eye Protection Other operational conditions affecting w Assumes a good basic standard of occupat 2.2 Control of environmental exposure Amounts used	Local exhaust ventilation is reduced by the construction of the co	equired.  exhaust ventilation is required.  Half-face mask (DIN EN 140), Filter type P2/P3 - efficiency of at least 90%  No special measures are required.  Wear impervious gloves (EN374). Wear suitable coveralls to prevent exposure to the skin.	

Revision: 3.1 Date: 21.03.2024



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

Diatomaceous Earth Flux-Calcined, Kieselguhr Flux-Calcined PurifiDE® XG-3 and XG-12

Maximum daily site tennage (kg/day):				
Maximum daily site tonnage (kg/day):				
Environment factors not influenced by risk management Flow rate of receiving surface water (m³/d):	Not defined (default = 18,000)			
Local freshwater dilution factor:	10 10			
Local marine water dilution factor:	100			
	100			
Operational conditions	No. defend			
Emission days (days/year):	Not defined			
Release fraction to air from process (initial release prior to RMM):	No risk is anticipated: Atmospheric concentrations are expected to be low.			
Release fraction to wastewater from process (initial release prior to RMM):	100 mg/l			
Release fraction to soil from process (initial release prior to RMM):	No risk is anticipated: Deposition is expected to be low.			
Technical onsite conditions and measures to reduce or limit of	discharges, air emissions and releases to soil			
Treat air emission to provide a typical removal efficiency of (%):	Not defined. It is recommended to pass waste gas from manufacturing processes through bag filters, scrubbers or cyclones.			
Treat onsite wastewater (prior to receiving water discharge) to provide the required removal efficiency of (%):	The wastewater resulting from manufacturing of the substance can be treated by sedimentation to remove the solid parts of the substance. The sedimentation is very efficient with a reduction efficacy of 99% or more.			
If discharging to domestic sewage treatment plant, provide the required onsite wastewater removal efficiency of (%):	The wastewater resulting from manufacturing of the substance can be treated by sedimentation to remove the solid parts of the substance. The sedimentation is very efficient with a reduction efficacy of 99% or more.			
Treat soil emission to provide a typical removal efficiency of (%):	Not defined			
Note: Common practices vary across sites thus conservative process release estimates used.				
Organisational measures to prevent/limit release from site				
Prevent discharge of undissolved substance to or recover from on	site wastewater.			
Do not apply industrial sludge to natural soils.				
Sludge should be incinerated, contained or reclaimed.				
Conditions and measures related to municipal sewage treatm	ent plant			
Size of municipal sewage system/treatment plant (m³/d)	Not defined			
Degradation effectiveness (%)	Not defined			
Conditions and measures related to external treatment of waste for disposal				
Type of waste	Solid and Liquid and Gas			
Disposal technique	Bury on an authorised landfill site or incinerate under approved controlled conditions. It is recommended to pass waste gas from manufacturing processes through bag filters, scrubbers or cyclones.			
Substance release quantities after risk management measures				
Release to waste water from process (mg/l)	< 3.87 mg/l			
Maximum allowable site tonnage (MSafe) (kg/d):	Not defined			

## 3. Exposure estimation and reference to its source

## 3.1 Human exposure prediction

Exposure assessment (method/calculation model) ECETOC TRA 2010

			Inf	nalation
Process category [PROC]	Duration	Local Exhaust Ventilation	inhalation exposure (mg/m³)	Risk characterisation ratio (RCR)
PROC1	4 – 8	None	0.01	0.028
PROC2	4 – 8	90%	0.1	0.278
PROC3	4 – 8	90%	0.1	0.278
PROC4	<u>&lt;</u> 1	95%	0.25	0.694
PROC5	<u>&lt;</u> 1	95%	0.25	0.694
PROC8a	<u>&lt;</u> 1	95%	0.25	0.694
PROC8b	<u>&lt;</u> 1	95%	0.25	0.694
PROC9	<u>&lt;</u> 1	95%	0.2	0.556
PROC15	4 – 8	95%	0.25	0.694
PROC19	<u>&lt;</u> 1	95%	0.25	0.694

Dermal exposure is considered to be not relevant.

Oral exposure is not expected to occur.

3.2 Environmental exposure prediction	
Exposure assessment (method/calculation model)	EUSES
Risk characterisation ratio	
Waste water treatment	Not defined: After sedimentation, wastewater sent to the waste water treatment
	plant contains: < 3.87 mg/l. No effects are observed at this level.

Revision: 3.1 Date: 21.03.2024



ACCORDING TO EC-REGULATIONS 1907/2006

Diatomaceous Earth Flux-Calcined, Kieselguhr Flux-Calcined PurifiDE® XG-3 and XG-12 (REACH), 1272/2008 (CLP) & 2020/878

Aquatic Compartment (Pelagic)	Not defined: Reasonable worst-case local PECs are below the no effect level (3.87 mg/l): 0.387/0.039 mg/l
freshwater sediment/marine sediment	No risk is anticipated: Kieselguhr is naturally occurring and is considered a
	natural part of ecosystems.
Soil	No risk is anticipated: Deposition is expected to be low.
Atmospheric Compartment	No risk is anticipated: Atmospheric concentrations are expected to be low.
Indirect exposure to humans via the environment / Secondary	The substance has a low solubility in water and thus is essentially unavailable to
Poisoning	organisms.

4. Evaluation guidance to d	ownstream user	
For scaling see	are managed to at least equivalent Available hazard data do not supp Further details on scaling and cont industries-libraries.html).	ort the need for a DNEL to be established for other health effects. crol technologies are provided in SpERC factsheet (http://cefic.org/en/reach-formendations, the "worst case" approach has been taken and only the most stringent
Exposure assessment	Workers	ECETOC TRA 2010
instrument/tool/method	Environmental exposure	EUSES

Revision: 3.1 Date: 21.03.2024

Minerals®

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

Diatomaceous Earth Flux-Calcined, Kieselguhr Flux-Calcined PurifiDE® XG-3 and XG-12

## Exposure Scenario 2 – Use as filter aid in industrial settings

1.0 Contributing Scenarios	
Sector of uses SU	SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites SU4 Manufacture of food products SU6a Manufacture of wood and wood products SU6b Manufacture of pulp, paper and paper products SU8 Manufacture of bulk, large scale chemicals (including petroleum products) SU9 Manufacture of fine chemicals SU15 Manufacture of fabricated metal products, except machinery and equipment SU19 Building and construction work
Process category [PROC]	PROC1 Use in closed process, no likelihood of exposure PROC2 Use in closed, continuous process with occasional controlled exposure PROC3 Use in closed batch process (synthesis or formulation) PROC4 Use in batch and other process (synthesis) where opportunity for exposure arises PROC5 Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact) PROC8a Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities PROC8b Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC9 Transfer of substance or preparation into small containers (dedicated filling line, including weighing) PROC15 Use as laboratory reagent PROC19 Hand-mixing with intimate contact and only PPE available
Chemical product category [PC]	PC0 Other Filtration material PC2 Adsorbents PC14 Metal surface treatment products, including galvanic and electroplating products PC20 Products such as ph-regulators, flocculants, precipitants, neutralization agents PC25 Metal working fluids PC35 Washing and cleaning products (including solvent based products)
Article Categories [AC]	Not applicable
Environmental release categories [ERC]	ERC1 Manufacture of substances ERC2 Formulation of preparations ERC4 Industrial use of processing aids in processes and products, not becoming part of articles. ERC6b Industrial use of reactive processing aids ERC7 Industrial use of substances in closed systems
Specific Environmental Release Categories SPERC	Not applicable

2.0 Operational conditions and risk management measures				
2.1 Control of worker exposure				
Product characteristics				
Physical form of product	Light pink to white powder			
Concentration of substance in product	White/Beige Powder Covers c	oncentrations up to 100%		
Human factors not influenced by risk mana	ngement			
Potential exposure area	Not defined			
Frequency and duration of use				
Exposure duration per day	Covers daily exposures up to 8	B hours (unless stated differently).		
Exposure time per week	Covers frequency up to: 5 day	s per week.		
Other operational conditions affecting work	Other operational conditions affecting worker exposure			
Area of use	All contributing scenarios	Indoor		
Characteristics of the surroundings	Room volume	50 m <sup>3</sup>		
	Ventilation rate 0.6 / 1 hour(s)			
General measures applicable to all activities  Assumes a good basic standard of occupational hygiene is implemented. Assumes use at not more than 20°C above ambient temperature, unless stated differently. Do not breathe dust. Avoid dust generation. Clear spills immediately. After contact with skin, wash immediately with plenty of:  Water. Provide basic employee training to prevent / minimize exposures.				
Organisational measures				
All contributing scenarios	Control any potential exposure using measures such as contained or enclosed systems, properly designed and maintained facilities and a good standard of general ventilation. Drain down systems and clear transfer lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance. Where there is potential for exposure: Ensure relevant staff are informed of the nature of exposure and aware of basic actions to minimise exposures; Ensure			

Revision: 3.1 Date: 21.03.2024

Minerals<sup>®</sup>

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

Diatomaceous Earth Flux-Calcined, Kieselguhr Flux-Calcined PurifiDE® XG-3 and XG-12

	L quitable personal i	orotootivo o	aujoment is available: Clear up spills and dispess of wests in		
	suitable personal protective equipment is available; Clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; consider the				
	need for health surveillance; identify and implement corrective actions.				
Technical conditions of use					
PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC15, PROC19	Use with local exhaust ventilation or breathing protection.				
PROC2, PROC3	Use in closed syst	tems.			
Risk management measures related to h					
	PROC4, PROC5,				
Respiratory protection	PROC8b, PROC9		Wear respiratory protection.		
respiratory proteodion	PROC15, PROC1	9			
	PROC2, PROC3		No special measures are required.		
Hand and/or Skin protection	All contributing scenarios		Wear impervious gloves (EN374). Wear suitable coveralls to preve exposure to the skin.		
Eye Protection	All contributing sc	enarios	Wear eye protection with side protection (EN166).		
Other operational conditions affecting w					
Assumes a good basic standard of occupat	onal hygiene is impler	nented.			
2.2 Control of environmental exposure					
Amounts used					
Fraction of EU tonnage used in region:		NI-1	dense data Sefficiencia de la companione de la Confesione de		
Regional use tonnage (tons/year):		Not consid	dered to influence the exposure as such for this scenario		
Fraction of Regional tonnage used locally: t	ons/year	0 40500			
Annual site tonnage (tons/year):		2 - 12500			
Maximum daily site tonnage (kg/day):	-l	Not deterr	minea.		
Environment factors not influenced by r	sk management	Not define	. d /d-fdr		
Flow rate of receiving surface water (m³/d):			ed (default = 18,000)		
Local freshwater dilution factor:		10			
Local marine water dilution factor:		100			
Operational conditions Emission days (days/year):		Not define	and and		
Release fraction to air from process (initial	ologo prior to	Not deline	eu		
RMM):		No risk is	anticipated: Atmospheric concentrations are expected to be low.		
Release fraction to wastewater from process (initial release prior to RMM):		100 mg/l			
Release fraction to soil from process (initial RMM):	release prior to	No risk is anticipated: Deposition is expected to be low.			
Technical onsite conditions and measur	es to reduce or limit (				
Treat air emission to provide a typical remo	val efficiency of (%):	processes	ed. It is recommended to pass waste gas from manufacturing sthrough bag filters, scrubbers or cyclones.		
Treat onsite wastewater (prior to receiving water discharge) to provide the required removal efficiency of (%):		sedimenta	The wastewater resulting from manufacturing of the substance can be treated by sedimentation to remove the solid parts of the substance. The sedimentation is very efficient with a reduction efficacy of 99% or more.		
If discharging to domestic sewage treatment plant, provide the required onsite wastewater removal efficiency of (%):		The wastewater resulting from manufacturing of the substance can be treated by sedimentation to remove the solid parts of the substance. The sedimentation is very efficient with a reduction efficacy of 99% or more.			
Treat soil emission to provide a typical remo			Not defined		
Note: Common practices vary across sites					
Organisational measures to prevent/limi		230 1010436	outinated adda.		
Prevent discharge of undissolved substance		site wastew	ater.		
Do not apply industrial sludge to natural soi Sludge should be incinerated, contained or	S.				
Conditions and measures related to mur		ent plant			
Size of municipal sewage system/treatment plant (m³/d)		Not defined			
Degradation effectiveness (%)		Not defined			
Conditions and measures related to exte	rnal treatment of was				
Type of waste			Liquid and Gas		
Disposal technique		Bury on an authorised landfill site or incinerate under approved controlled conditions. It is recommended to pass waste gas from manufacturing processes through bag filters, scrubbers or cyclones.			
Substance release quantities after risk n	nanagement measure		ago.g octabboto of dynamos.		
Release to waste water from process (mg/l)		< 3.87 mg/l			
Maximum allowable site tonnage (MSafe) (I		Not defined			
in the same of the	J 1.				

## 3. Exposure estimation and reference to its source

## 3.1 Human exposure prediction

Revision: 3.1 Date: 21.03.2024



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

Diatomaceous Earth Flux-Calcined, Kieselguhr Flux-Calcined PurifiDE® XG-3 and XG-12

			Inf	nalation
Process category [PROC]	Duration	Local Exhaust Ventilation	inhalation exposure (mg/m³)	Risk characterisation ratio (RCR)
PROC2	4 – 8	None	0.147	0.408
PROC3	4 – 8	None	0.147	0.408
PROC4	4 – 8	None	0.147	0.408
PROC5	4 – 8	None	0.147	0.408
PROC8a	4 – 8	None	0.147	0.408
PROC8b	4 – 8	None	0.147	0.408
PROC9	4 – 8	None	0.147	0.408
PROC15	4 – 8	None	0.147	0.408
PROC19	8	None	0.147	0.408

Dermal exposure is considered to be not relevant.

Oral exposure is not expected to occur.

Oral exposure is not expected to occur.	
3.2 Environmental exposure prediction	
Exposure assessment (method/calculation model)	EUSES
Risk characterisation ratio	
Waste water treatment	Not defined: After sedimentation, wastewater sent to the waste water treatment
	plant contains: < 3.87 mg/l. No effects are observed at this level.
Aquatic Compartment (Pelagic)	Not defined: Reasonable worst-case local PECs are below the no effect level
	(3.87 mg/l): 0.387/0.0387 mg/l
freshwater sediment/marine sediment	No risk is anticipated: Kieselguhr is naturally occurring and is considered a
	natural part of ecosystems.
Soil	No risk is anticipated: Deposition is expected to be low.
Atmospheric Compartment	No risk is anticipated: Atmospheric concentrations are expected to be low.
Indirect exposure to humans via the environment / Secondary	The substance has a low solubility in water and thus is essentially unavailable to
Poisoning	organisms.

4. Evaluation guidance t	o downstream user	
For scaling see	are managed to at least equival Available hazard data do not su Further details on scaling and co industries-libraries.html). In accordance with ECHAs reco	pport the need for a DNEL to be established for other health effects. ontrol technologies are provided in SpERC factsheet (http://cefic.org/en/reach-for-mmendations, the "worst case" approach has been taken and only the most stringent oute of exposure have been taken.
Exposure assessment	Workers	ECETOC TRA 2010
instrument/tool/method	Environmental exposure	EUSES

Revision: 3.1 Date: 21.03.2024



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

Diatomaceous Earth Flux-Calcined, Kieselguhr Flux-Calcined PurifiDE® XG-3 and XG-12

## Exposure Scenario 3 – Industrial, professional and private use of substance or mixtures containing the substance

1.0 Contributing Scenarios	
Sector of uses SU	SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites SU21 Consumer uses: Private households (= general public = consumers) SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Process category [PROC]	PROC2 Use in closed, continuous process with occasional controlled exposure PROC3 Use in closed batch process (synthesis or formulation) PROC4 Use in batch and other process (synthesis) where opportunity for exposure arises PROC5 Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact) PROC7 Industrial spraying PROC8a Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities PROC10 Roller application or brushing PROC11 Non industrial spraying PROC13 Treatment of articles by dipping and pouring PROC19 Hand-mixing with intimate contact and only PPE available
Chemical product category [PC]	PC35 Washing and cleaning products (including solvent based products) PC37 Water treatment chemicals
Article Categories [AC]	AC10 Rubber articles AC13 Plastic articles
Environmental release categories [ERC]	ERC1 Manufacture of substances ERC2 Formulation of preparations ERC8a Wide dispersive indoor use of processing aids in open systems ERC8c Wide dispersive indoor use resulting in inclusion into or onto a matrix ERC8d Wide dispersive outdoor use of processing aids in open systems ERC8f Wide dispersive outdoor use resulting in inclusion into or onto a matrix ERC10b Wide dispersive outdoor use of long-life articles and materials with high or intended release (including abrasive processing)
Specific Environmental Release Categories SPERC	Not applicable

2.0 Operational conditions and risk management measures				
2.1 Control of worker exposure				
Product characteristics				
Physical form of product	Solid and Liquid			
Concentration of substance in product	Covers concentrations up to 1	5%		
Human factors not influenced by risk m	anagement			
Potential exposure area	Not defined			
Frequency and duration of use				
	Use of coatings and paints co soda ash flux-calcined	ntaining kieselguhr	4 – 8 hours	
Exposure duration	Use of kieselguhr soda ash flu filtering water	ux calcined for	1 hour/days	
	Use of cleaners containing kie flux calcined	eselguhr soda-ash	Professional: 60 min/Use Consumer: 20 min/Days	
	Use of coatings and paints containing kieselguhr soda ash flux-calcined		225 days per year	
Exposure frequency	Use of kieselguhr soda ash flu filtering water	ux calcined for	Professional: Weekly Consumer: Monthly	
	Use of cleaners containing kie flux calcined	eselguhr soda-ash	Professional: ≤ 8 Uses per day Consumer: 1 Uses per day	
Other operational conditions affecting worker exposure				
Area of use	All contributing scenarios Indoor			
·	Professional: Use of	Room volume	1 m <sup>3</sup>	
	coatings and paints	Ventilation rate	0.6 / 1 hour(s)	
Characteristics of the surroundings	Characteristics of the surroundings containing kieselguhr soda ash flux-calcined		200 cm <sup>2</sup>	
	Professional use of hand	Room volume	2.5 m³	

Revision: 3.1 Date: 21.03.2024



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

Diatomaceous Earth Flux-Calcined, Kieselguhr Flux-Calcined PurifiDE® XG-3 and XG-12

	cleaners		Ventilation rate	2 / 1 hour(s)
			Release area	5 m <sup>2</sup>
	All other uses		Not defined	
General measures applicable to all activities Assumes a good basic standard of occupational hygiene is implemented. Assumes use at not more than 20°C above ambient temperature, unless stated differently. Do not breathe dust. Avoid dust generation. Clear spills immediately. After contact with skin, wash immediately with plenty of: Water. Provide basic employee training to prevent / minimize exposures.				
Organisational measures				
All contributing scenarios	Control any potential exposure using measures such as contained or enclosed systems, properly designed and maintained facilities and a good standard of general ventilation. Drain down systems and clear transfer lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance. Where there is potential for exposure: Ensure relevant staff are informed of the nature of exposure and aware of basic actions to minimise exposures; Ensure suitable personal protective equipment is available; Clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; consider the need for health surveillance; identify and implement corrective actions.			
Technical conditions of use				
All contributing scenarios	Local exhaust reco	ommended.		
Risk management measures related to hur	nan health			
Respiratory protection	All contributing sce	enarios	Wear respiratory p	protection.
Hand and/or Skin protection	All contributing sce	enarios	Wear impervious of exposure to the sk	gloves (EN374). Wear suitable coveralls to prevent in.
Eye Protection	All contributing sce	enarios	Wear eye protection	on with side protection (EN166).
Other operational conditions affecting wor			<u> </u>	
Assumes a good basic standard of occupation  2.2 Control of environmental exposure  Amounts used		nented.		
Tonnage in EU per year		120, tonne	es .	
Fraction of EU tonnage used in region:		10 %		
Regional use tonnage (tons/year):		12 tonnes		
Fraction of Regional tonnage used locally:		Not defined		
Annual site tonnage (tons/year):		Not defined		
Maximum daily site tonnage (kg/day):		Not defined		
Environment factors not influenced by risk management				
	management			
Flow rate of receiving surface water (m³/d):	management	2000		
Flow rate of receiving surface water (m³/d): Local freshwater dilution factor:	management	10		
Flow rate of receiving surface water (m³/d): Local freshwater dilution factor: Local marine water dilution factor:	management			
Flow rate of receiving surface water (m³/d): Local freshwater dilution factor: Local marine water dilution factor: Operational conditions	c management	10		
Flow rate of receiving surface water (m³/d): Local freshwater dilution factor: Local marine water dilution factor:  Operational conditions Emission days (days/year):		10		
Flow rate of receiving surface water (m³/d): Local freshwater dilution factor: Local marine water dilution factor:  Operational conditions  Emission days (days/year): Release fraction to air from process (initial releasement):	ease prior to	10		
Flow rate of receiving surface water (m³/d): Local freshwater dilution factor: Local marine water dilution factor: Operational conditions Emission days (days/year): Release fraction to air from process (initial rele	ease prior to	10 100 260		
Flow rate of receiving surface water (m³/d): Local freshwater dilution factor: Local marine water dilution factor:  Operational conditions  Emission days (days/year): Release fraction to air from process (initial releasement): Release fraction to wastewater from process (	ease prior to initial release prior	10 100 260 0		
Flow rate of receiving surface water (m³/d): Local freshwater dilution factor: Local marine water dilution factor: Operational conditions Emission days (days/year): Release fraction to air from process (initial release): Release fraction to wastewater from process (to RMM): Release fraction to soil from process (initial release fraction to soil from process (initial release): Release fraction to soil from process (initial release): Technical onsite conditions and measures	ease prior to initial release prior lease prior to to reduce or limit of	10 100 260 0 0.1 0		releases to soil
Flow rate of receiving surface water (m³/d): Local freshwater dilution factor: Local marine water dilution factor:  Operational conditions  Emission days (days/year): Release fraction to air from process (initial release fraction to wastewater from process (to RMM): Release fraction to soil from process (initial release fraction to soil from process (initial release fraction to soil from process (initial re	ease prior to initial release prior lease prior to to reduce or limit of	10 100 260 0 0.1 0 discharges,	d	
Flow rate of receiving surface water (m³/d): Local freshwater dilution factor: Local marine water dilution factor:  Operational conditions  Emission days (days/year): Release fraction to air from process (initial release fraction to wastewater from process (to RMM): Release fraction to soil from process (initial release):	ease prior to initial release prior lease prior to to reduce or limit of the lefficiency of (%): ter discharge) to	10 100 260 0 0.1 0 discharges, Not define The waste sedimenta very efficie	d water resulting from tion to remove the s ent with a reduction o	manufacturing of the substance can be treated by olid parts of the substance. The sedimentation is efficacy of 99% or more.
Flow rate of receiving surface water (m³/d): Local freshwater dilution factor: Local marine water dilution factor: Operational conditions Emission days (days/year): Release fraction to air from process (initial release fraction to wastewater from process (to RMM): Release fraction to soil from process (initial release): Technical onsite conditions and measures Treat air emission to provide a typical remova Treat onsite wastewater (prior to receiving was provide the required removal efficiency of (%)  If discharging to domestic sewage treatment prequired onsite wastewater removal efficiency	ease prior to initial release prior lease prior to to reduce or limit of lefficiency of (%): ter discharge) to initial release prior to	10 100 260 0 0.1 0 discharges, Not define The waste sedimenta very efficie The waste sedimenta very efficie	d water resulting from tion to remove the s ent with a reduction o water resulting from tion to remove the s ent with a reduction o	manufacturing of the substance can be treated by olid parts of the substance. The sedimentation is
Flow rate of receiving surface water (m³/d): Local freshwater dilution factor: Local marine water dilution factor: Operational conditions Emission days (days/year): Release fraction to air from process (initial release fraction to wastewater from process (to RMM): Release fraction to soil from process (initial release): Technical onsite conditions and measures Treat air emission to provide a typical removal fractions and the required removal efficiency of (%)  If discharging to domestic sewage treatment prequired onsite wastewater removal efficiency Treat soil emission to provide a typical removal	ease prior to initial release prior lease prior to  to reduce or limit of lefficiency of (%): ter discharge) to initial release prior to reduce or limit of lefficiency of (%): al efficiency of (%):	10 100 260 0 0.1 0 discharges, Not define The waste sedimenta very efficie The waste sedimenta very efficie Not define	d water resulting from tion to remove the s ent with a reduction of water resulting from tion to remove the s ent with a reduction of	manufacturing of the substance can be treated by olid parts of the substance. The sedimentation is efficacy of 99% or more.  manufacturing of the substance can be treated by olid parts of the substance. The sedimentation is efficacy of 99% or more.
Flow rate of receiving surface water (m³/d): Local freshwater dilution factor: Local marine water dilution factor: Operational conditions Emission days (days/year): Release fraction to air from process (initial release fraction to wastewater from process (to RMM): Release fraction to soil from process (initial release): Technical onsite conditions and measures Treat air emission to provide a typical removal frequired onsite wastewater (prior to receiving was provide the required removal efficiency of (%)  If discharging to domestic sewage treatment prequired onsite wastewater removal efficiency Treat soil emission to provide a typical removal Note: Common practices vary across sites the	ease prior to  initial release prior  lease prior to  to reduce or limit of lefficiency of (%): ter discharge) to  clant, provide the of (%): al efficiency of (%): as conservative processors	10 100 260 0 0.1 0 discharges, Not define The waste sedimenta very efficie The waste sedimenta very efficie Not define	d water resulting from tion to remove the s ent with a reduction of water resulting from tion to remove the s ent with a reduction of	manufacturing of the substance can be treated by olid parts of the substance. The sedimentation is efficacy of 99% or more.  manufacturing of the substance can be treated by olid parts of the substance. The sedimentation is efficacy of 99% or more.
Flow rate of receiving surface water (m³/d): Local freshwater dilution factor: Local marine water dilution factor:  Operational conditions  Emission days (days/year): Release fraction to air from process (initial release fraction to wastewater from process (to RMM): Release fraction to wastewater from process (to RMM): Release fraction to soil from process (initial release): Treat air emission to provide a typical removal freat onsite wastewater (prior to receiving was provide the required removal efficiency of (%)  If discharging to domestic sewage treatment prequired onsite wastewater removal efficiency freat soil emission to provide a typical removal Note: Common practices vary across sites the Organisational measures to prevent/limit release fraction for the provided of the provided substance to not apply industrial sludge to natural soils. Sludge should be incinerated, contained or release fractions and the provided in the provided substance to the provid	ease prior to  initial release prior lease prior to  to reduce or limit of lefficiency of (%): ter discharge) to  claim, provide the of (%): al efficiency of (%): as conservative proceelease from site scrubbers. of or recover from on claimed.	10 100 260 0 0.1 0 discharges, Not define The waste sedimenta very efficies Sedimenta very efficies Not define ess release sedimenta	d water resulting from tion to remove the s ent with a reduction of water resulting from tion to remove the s ent with a reduction of d estimates used. No	manufacturing of the substance can be treated by olid parts of the substance. The sedimentation is efficacy of 99% or more.  manufacturing of the substance can be treated by olid parts of the substance. The sedimentation is efficacy of 99% or more.
Flow rate of receiving surface water (m³/d): Local freshwater dilution factor: Local marine water dilution factor:  Operational conditions  Emission days (days/year): Release fraction to air from process (initial release fraction to wastewater from process (to RMM): Release fraction to wastewater from process (to RMM): Release fraction to soil from process (initial release): Technical onsite conditions and measures Treat air emission to provide a typical removal provide the required removal efficiency of (%)  If discharging to domestic sewage treatment prequired onsite wastewater removal efficiency Treat soil emission to provide a typical removal Note: Common practices vary across sites thu Organisational measures to prevent/limit revent discharge of undissolved substance to Do not apply industrial sludge to natural soils. Sludge should be incinerated, contained or reconditions and measures related to munic	ease prior to  initial release prior lease prior to  to reduce or limit of lefficiency of (%): ter discharge) to  claimed. claimed. ipal sewage treatm	10 100 260 0 0.1 0 discharges, Not define The waste sedimenta very efficie The waste sedimenta very efficie Not define ess release site wastewa	d water resulting from tion to remove the s ent with a reduction of water resulting from tion to remove the s ent with a reduction of d estimates used. No ater.	manufacturing of the substance can be treated by olid parts of the substance. The sedimentation is efficacy of 99% or more.  manufacturing of the substance can be treated by olid parts of the substance. The sedimentation is efficacy of 99% or more.
Flow rate of receiving surface water (m³/d): Local freshwater dilution factor: Local marine water dilution factor:  Operational conditions  Emission days (days/year): Release fraction to air from process (initial release fraction to wastewater from process (to RMM): Release fraction to wastewater from process (to RMM): Release fraction to soil from process (initial release):  Technical onsite conditions and measures  Treat air emission to provide a typical removal provide the required removal efficiency of (%)  If discharging to domestic sewage treatment prequired onsite wastewater removal efficiency  Treat soil emission to provide a typical removal Note: Common practices vary across sites thu  Organisational measures to prevent/limit release to prevent discharge of undissolved substance to Do not apply industrial sludge to natural soils. Sludge should be incinerated, contained or reconditions and measures related to munic	ease prior to  initial release prior lease prior to  to reduce or limit of lefficiency of (%): ter discharge) to  claimed. claimed. ipal sewage treatm	10 100 260 0 0.1 0 discharges, Not define The waste sedimenta very efficie The waste sedimenta very efficie Not define ess release desired and the sedimenta very efficie Not define	d water resulting from tion to remove the s ent with a reduction of water resulting from tion to remove the s ent with a reduction of d estimates used. No atter.	manufacturing of the substance can be treated by olid parts of the substance. The sedimentation is efficacy of 99% or more.  manufacturing of the substance can be treated by olid parts of the substance. The sedimentation is efficacy of 99% or more.
Flow rate of receiving surface water (m³/d): Local freshwater dilution factor: Local marine water dilution factor:  Operational conditions  Emission days (days/year): Release fraction to air from process (initial release fraction to wastewater from process (to RMM): Release fraction to wastewater from process (to RMM): Release fraction to soil from process (initial release):  Technical onsite conditions and measures  Treat air emission to provide a typical removal provide the required removal efficiency of (%)  If discharging to domestic sewage treatment prequired onsite wastewater removal efficiency  Treat soil emission to provide a typical removal Note: Common practices vary across sites thutous common practices of provide a typical removal efficiency of (%)	ease prior to  initial release prior lease prior to  to reduce or limit of the prior lefficiency of (%): ter discharge) to claint, provide the of (%): al efficiency of (%): as conservative procelease from site scrubbers. to or recover from on claimed. ipal sewage treatment ant (m³/d)	10 100 260 0 0.1 0 discharges, Not define The waste sedimenta very efficie The waste sedimenta very efficie Not define ess release described in the wastewater wastewater plant Not define Not define Not define	d water resulting from tion to remove the s ent with a reduction of water resulting from tion to remove the s ent with a reduction of d estimates used. No ater.	manufacturing of the substance can be treated by olid parts of the substance. The sedimentation is efficacy of 99% or more.  manufacturing of the substance can be treated by olid parts of the substance. The sedimentation is efficacy of 99% or more.
Flow rate of receiving surface water (m³/d): Local freshwater dilution factor: Local marine water dilution factor:  Operational conditions  Emission days (days/year): Release fraction to air from process (initial release fraction to wastewater from process (to RMM): Release fraction to wastewater from process (to RMM): Release fraction to soil from process (initial release):  Technical onsite conditions and measures  Treat air emission to provide a typical removal provide the required removal efficiency of (%)  If discharging to domestic sewage treatment prequired onsite wastewater removal efficiency  Treat soil emission to provide a typical removal Note: Common practices vary across sites the Organisational measures to prevent/limit release to provent/limit release to provent discharge of undissolved substance to Do not apply industrial sludge to natural soils. Sludge should be incinerated, contained or reconditions and measures related to munic Size of municipal sewage system/treatment plegradation effectiveness (%)  Conditions and measures related to externations and measures re	ease prior to  initial release prior lease prior to  to reduce or limit of the prior lefficiency of (%): ter discharge) to claint, provide the of (%): al efficiency of (%): as conservative procelease from site scrubbers. to or recover from on claimed. ipal sewage treatment ant (m³/d)	10 100 260 0 0.1 0 discharges, Not define The waste sedimenta very efficie The waste sedimenta very efficie Not define ess release of the sedimenta very efficie Not define site wastewa	d water resulting from tion to remove the s ent with a reduction of water resulting from tion to remove the s ent with a reduction of d estimates used. No eater.	manufacturing of the substance can be treated by olid parts of the substance. The sedimentation is efficacy of 99% or more.  manufacturing of the substance can be treated by olid parts of the substance. The sedimentation is efficacy of 99% or more.
Flow rate of receiving surface water (m³/d): Local freshwater dilution factor: Local marine water dilution factor:  Operational conditions  Emission days (days/year): Release fraction to air from process (initial release fraction to wastewater from process (to RMM): Release fraction to wastewater from process (to RMM): Release fraction to soil from process (initial release):  Technical onsite conditions and measures  Treat air emission to provide a typical removal provide the required removal efficiency of (%)  If discharging to domestic sewage treatment prequired onsite wastewater removal efficiency  Treat soil emission to provide a typical removal Note: Common practices vary across sites thutous common practices of provide a typical removal efficiency of (%)	ease prior to  initial release prior lease prior to  to reduce or limit of the prior lefficiency of (%): ter discharge) to claint, provide the of (%): al efficiency of (%): as conservative procelease from site scrubbers. to or recover from on claimed. ipal sewage treatment ant (m³/d)	10 100 260 0 0.1 0 discharges, Not define The waste sedimenta very efficie The waste sedimenta very efficie Not define ess release described in the waste waste waste waste waste waste waste waste waste for disposition of the set for disp	d water resulting from tion to remove the s ent with a reduction e water resulting from tion to remove the s ent with a reduction e d d estimates used. No ater.  d d d bsal Liquid	manufacturing of the substance can be treated by olid parts of the substance. The sedimentation is efficacy of 99% or more.  manufacturing of the substance can be treated by olid parts of the substance. The sedimentation is efficacy of 99% or more.

Revision: 3.1 Date: 21.03.2024



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

Diatomaceous Earth Flux-Calcined, Kieselguhr Flux-Calcined PurifiDE® XG-3 and XG-12

	conditions. Discharge cleaning water into sewer. Do not discharge cleaning water into small water bodies.
Substance release quantities after risk management measure	S Control of the cont
Release to waste water from process (mg/l)	0.012 mg/l
Maximum allowable site tonnage (MSafe) (kg/d):	Not defined

3. Exposure estimation and reference to its source		
3.1 Human exposure prediction		
Exposure assessment (method/calculation model)	ECETOC TRA 2010	
Risk characterisation ratio		

			Inhalation			
Туре	Content	Local Exhaust Ventilation	Duration	Process category [PROC]	inhalation exposure (mg/m³)	Risk characterisation ratio (RCR)
Industrial	10%	NO	6	PROC7	0.325	0.903
Professional	95%	NO	6	PROC11	0.325	0.903

Consumer use	Long Term inhalation exposure (mg/m³)	Short term inhalation exposure (mg/m³)	Risk characterisation ratio (RCR)
Use of high-solid paints	0.000122	=	0.0015
Use of water-based paints	0.000186		0.0023
Use of solvent-based paints	0.000864		0.011
Use of water-based wall	0.00044		
paints			0.0055
Spray painting (trigger cans)	-	37.5	-
Spray painting (pneumatic		0.676	
sprayer)	-		-
Filtration material	-	0.14	-
Cleaning products	0.00002	-	0.00025

3.2 Environmental exposure prediction		
Exposure assessment (method/calculation model)	EUSES	
Risk characterisation ratio		
Waste water treatment	$C_{\mathit{STP}} = \frac{\mathit{AMOUNT}_{\mathit{STP}}}{\mathit{DAYS} \cdot \mathit{INHAB} \cdot \mathit{WASTEW}_{\mathit{inhab}}}$	
	$AMOUNT_{STP} \qquad \text{Amount of kieselguhr soda ash flux-calcined released to} \\ DAYS \qquad \text{Amount of kieselguhr soda ash flux-calcined released to} \\ \text{municipal STPs in the EU per year (1.2E13 mg/Year(s))}, \\ \text{Number of release days (365 Days//Year(s))}, \\ \text{Number of release days (365 Days/Year(s))}, $	
	INHAB Number of inhabitants in EU (500 million inhabitants)	
	$W\!ASTEW_{inhab}$ Wastewater per inhabitant (200 L/day)	
	$C_{\it STP} \qquad \qquad {\it Concentration of kieselguhr soda ash flux-calcined in municipal STP (mg/l)}.$	
	Estimated STP Concentration (g/L):	
	$C_{STP} = \frac{1.2E13}{365 \cdot 500000000 \cdot 200} = 0.329 \frac{mg}{L}$	
Aquatic Compartment (Pelagic)	Surface Water: 0.333 mg/l marine water: 0.00033 mg/l	
freshwater sediment/marine sediment	No risk is anticipated: Kieselguhr is naturally occurring and is considered a natural part of ecosystems.	
Soil	No risk is anticipated: Kieselguhr is naturally occurring and is considered a natural part of ecosystems.	
Atmospheric Compartment	No risk is anticipated: Deposition is expected to be low.	
Secondary Poisoning	No risk is anticipated: Atmospheric concentrations are expected to be low.	
Indirect exposure to humans via the environment / Secondary	The substance has a low solubility in water and thus is essentially unavailable to	
Poisoning	organisms.	

Page: 18 of 19

Revision: 3.1 Date: 21.03.2024

Minerals<sup>®</sup>

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

Diatomaceous Earth Flux-Calcined, Kieselguhr Flux-Calcined PurifiDE® XG-3 and XG-12

4. Evaluation guidance to downstream user				
For scaling see	Where other Risk Management Measures/Operational Conditions are adopted, then users should ensure that risks are managed to at least equivalent levels.  Available hazard data do not support the need for a DNEL to be established for other health effects.  Further details on scaling and control technologies are provided in SpERC factsheet (http://cefic.org/en/reach-for-industries-libraries.html).  In accordance with ECHAs recommendations, the "worst case" approach has been taken and only the most stringent RMMs recommended for each route of exposure have been taken.			
Exposure assessment	Workers	ECETOC TRA 2010 / RIVM 2008		
instrument/tool/method	Consumer	RIVM 2008		
	Environmental exposure	EUSES		