ACTIVE TSE SURVEILLANCE IN NORTHERN IRELAND

| YEAR | SCRAPIE SURVEYS (SHEEP and GOATS) | NUMBER OF ANIMALS TESTED | NUMBER OF ANIMALS TESTED WITH OUTCOME PENDING | NUMBER OF ANIMALS TESTED WITH AN ATYPICAL RESULT | NUMBER OF ANIMALS TESTED IN WHICH SCRAPIE NOT CONFIRMED | NUMBER OF ANIMALS TESTED IN WHICH CLASSICAL SCRAPIE CONFIRMED |
|------|---|-----------------------------|---|--|--|--|
| 2002 | Sheep abattoir survey | 1438 | 0 | 0 | 1438 | 0 |
| 2002 | Sheep fallen stock survey | 519 | 0 | 0 | 519 | 0 |
| 2002 | Goat fallen stock survey | 3 | 0 | 0 | 3 | 0 |
| 2002 | Totals | 1960 | 0 | 0 | 1960 | 0 |
| | | | | | | |
| 2003 | Sheep abattoir survey | 1268 | 0 | 0 | 1268 | 0 |
| 2003 | Sheep fallen stock survey | 1067 | 0 | 0 | 1066 | 1 |
| 2003 | Goat fallen stock survey | 1 | 0 | 0 | 1 | 0 |
| 2003 | Totals | 2336 | 0 | 0 | 2335 | 1 |
| | | | | | | |
| 2004 | Sheep abattoir survey | 715 | 0 | 0 | 715 | 0 |
| 2004 | Sheep fallen stock survey | 725 | 0 | 0 | 725 | 0 |
| 2004 | Goat fallen stock survey | 1 | 0 | 0 | 1 | 0 |
| 2004 | Totals | 1441 | 0 | 0 | 1441 | 0 |
| - | | | | T | T | |
| 2005 | Sheep abattoir survey | 710 | 0 | 0 | 708 | 2 |
| 2005 | Sheep fallen stock survey | 1489 | 0 | 0 | 1488 | 1 |
| 2005 | Scrapie monitored flocks | 56 | 0 | 0 | 56 | 0 |
| 2005 | Monitoring of Infected Flocks | 115 | 0 | 0 | 110 | 5 |
| 2005 | Goat fallen stock survey | 5 | 0 | 0 | 5 | 0 |
| 2005 | Totals | 2375 | 0 | 0 | 2367 | 8 |
| | | T | | т . | T | T |
| 2006 | Sheep abattoir survey - 1 January to 30 June | 605 | 0 | 1 | 604 | 0 |
| 2006 | Sheep abattoir survey - 1 July to 31 December | 2111 | 0 | 0 | 2111 | 0 |
| 2006 | Sheep fallen stock survey - 1 January to 30 June | 1654 | 0 | 0 | 1652 | 2 |
| 2006 | Sheep fallen stock survey - 1 July to 31 December | 687 | 0 | 1 | 686 | 0 |
| 2006 | Scrapie monitored flocks | 117 | 0 | 0 | 117 | 0 |
| 2006 | Monitoring of Infected Flocks | 85 | 0 | 0 | 78 | 7 |
| 2006 | Goat fallen stock survey | 19 | 0 | 0 | 19 | 0 |
| 2006 | Totals | 5278 | 0 | 2 | 5267 | 9 |

| YEAR | SCRAPIE SURVEYS (SHEEP and GOATS) | NUMBER OF ANIMALS TESTED | NUMBER OF ANIMALS TESTED WITH OUTCOME PENDING | NUMBER OF ANIMALS TESTED WITH AN ATYPICAL RESULT | NUMBER OF ANIMALS TESTED IN WHICH SCRAPIE NOT CONFIRMED | NUMBER OF ANIMALS TESTED IN WHICH CLASSICAL SCRAPIE CONFIRMED |
|------|-----------------------------------|-----------------------------|---|--|--|--|
| 2007 | Sheep abattoir survey | 1555 | 0 | 2 | 1552 | 1 |
| 2007 | Sheep fallen stock survey | 1784 | 0 | 1 | 1782 | 1 |
| 2007 | Scrapie monitored flocks | 157 | 0 | 0 | 157 | 0 |
| 2007 | Monitoring of Infected Flocks | 107 | 0 | 0 | 107 | 0 |
| 2007 | Goat fallen stock survey | 18 | 0 | 0 | 18 | 0 |
| 2007 | Totals | 3621 | 0 | 3 | 3616 | 2 |
| | | | | | | |
| 2008 | Sheep abattoir survey | 602 | 0 | 0 | 602 | 0 |
| 2008 | Sheep fallen stock survey | 691 | 0 | 1 | 689 | 1 |
| 2008 | Scrapie monitored flocks | 786 | 0 | 1 | 785 | 0 |
| 2008 | Monitoring of Infected Flocks | 0 | 0 | 0 | 0 | 0 |
| 2008 | Goat fallen stock survey | 14 | 0 | 0 | 14 | 0 |
| 2008 | Totals | 2093 | 0 | 2 | 2090 | 1 |
| 1 | | | | | | |
| 2009 | Sheep abattoir survey | 603 | 0 | 0 | 603 | 0 |
| 2009 | Sheep fallen stock survey | 236 | 0 | 0 | 236 | 0 |
| 2009 | Scrapie monitored flocks | 650 | 0 | 0 | 650 | 0 |
| 2009 | Monitoring of Infected Flocks | 26 | 0 | 0 | 26 | 0 |
| 2009 | Goat fallen stock survey | 3 | 0 | 0 | 3 | 0 |
| 2009 | Totals | 1518 | 0 | 0 | 1518 | 0 |
| - | | | | | | |
| 2010 | Sheep abattoir survey (HC) | 600 | 0 | 0 | 600 | 0 |
| 2010 | Sheep fallen stock survey | 414 | 0 | 0 | 414 | 0 |
| 2010 | Scrapie monitored flocks | 790 | 0 | 0 | 790 | 0 |
| 2010 | Monitoring of Infected Flocks | 6 | 0 | 0 | 6 | 0 |
| 2010 | Goat fallen stock survey | 4 | 0 | 0 | 4 | 0 |
| 2010 | Totals | 1814 | 0 | 0 | 1814 | 0 |

| | | | NI IMPED OF | NILIMPED OF | I | |
|------|-----------------------------------|-----------------------------|---|--|--|--|
| YEAR | SCRAPIE SURVEYS (SHEEP and GOATS) | NUMBER OF ANIMALS TESTED | NUMBER OF ANIMALS TESTED WITH OUTCOME PENDING | NUMBER OF ANIMALS TESTED WITH AN ATYPICAL RESULT | NUMBER OF ANIMALS TESTED IN WHICH SCRAPIE NOT CONFIRMED | NUMBER OF ANIMALS TESTED IN WHICH CLASSICAL SCRAPIE CONFIRMED |
| 2011 | Sheep abattoir survey (HC) | 610 | 0 | 1 | 609 | 0 |
| 2011 | Sheep fallen stock survey | 622 | 0 | 0 | 622 | 0 |
| 2011 | Scrapie monitored flocks | 673 | 0 | 0 | 673 | 0 |
| 2011 | Monitoring of Infected Flocks | 0 | 0 | 0 | 0 | 0 |
| 2011 | Goat fallen stock survey | 11 | 0 | 0 | 11 | 0 |
| 2011 | Totals | 1916 | 0 | 1 | 1915 | 0 |
| | | | | | | |
| 2012 | Sheep abattoir survey (HC) | 607 | 0 | 0 | 607 | 0 |
| 2012 | Sheep fallen stock survey | 388 | 0 | 1 | 387 | 0 |
| 2012 | Scrapie monitored flocks | 828 | 0 | 0 | 828 | 0 |
| 2012 | Monitoring of Infected Flocks | 167 | 0 | 0 | 167 | 0 |
| 2012 | Goat fallen stock survey | 16 | 0 | 0 | 16 | 0 |
| 2012 | Totals | 2006 | 0 | 1 | 2005 | 0 |
| | | | | | | |
| 2013 | Sheep abattoir survey (HC) | 360 | 0 | 0 | 360 | 0 |
| 2013 | Sheep fallen stock survey | 276 | 0 | 0 | 276 | 0 |
| 2013 | Scrapie monitored flocks | 983 | 0 | 0 | 983 | 0 |
| 2013 | Monitoring of Infected Flocks | 188 | 0 | 0 | 188 | 0 |
| 2013 | Goat fallen stock survey | 6 | 0 | 0 | 6 | 0 |
| 2013 | Totals | 1813 | 0 | 0 | 1813 | 0 |
| | | | | | | |
| 2014 | Sheep abattoir survey (HC) | 601 | 0 | 1 | 600 | 0 |
| 2014 | Sheep fallen stock survey | 393 | 0 | 0 | 393 | 0 |
| 2014 | Scrapie monitored flocks | 905 | 0 | 0 | 905 | 0 |
| 2014 | Monitoring of Infected Flocks | 101 | 0 | 0 | 101 | 0 |
| 2014 | Goat fallen stock survey | 5 | 0 | 0 | 5 | 0 |
| 2014 | Totals | 2005 | 0 | 1 | 2004 | 0 |
| | | | | | | |
| 2015 | Sheep abattoir survey (HC) | 515 | 0 | 0 | 515 | 0 |
| 2015 | Sheep fallen stock survey | 380 | 0 | 0 | 380 | 0 |
| 2015 | Scrapie monitored flocks | 1043 | 0 | 0 | 1043 | 0 |
| 2015 | Monitoring of Infected Flocks | 1 | 0 | 0 | 1 | 0 |
| 2015 | Goat fallen stock survey | 7 | 0 | 0 | 7 | 0 |
| 2015 | Totals | 1946 | 0 | 0 | 1946 | 0 |

| YEAR | SCRAPIE SURVEYS (SHEEP and GOATS) | NUMBER OF ANIMALS TESTED | NUMBER OF ANIMALS TESTED WITH OUTCOME PENDING | NUMBER OF ANIMALS TESTED WITH AN ATYPICAL RESULT | NUMBER OF ANIMALS TESTED IN WHICH SCRAPIE NOT CONFIRMED | NUMBER OF ANIMALS TESTED IN WHICH CLASSICAL SCRAPIE CONFIRMED |
|------|-----------------------------------|-----------------------------|---|--|--|--|
| 2016 | Sheep abattoir survey (HC) | 496 | 0 | 0 | 496 | 0 |
| 2016 | Sheep fallen stock survey | 580 | 0 | 0 | 580 | 0 |
| 2016 | Scrapie monitored flocks | 1196 | 0 | 0 | 1196 | 0 |
| 2016 | Monitoring of Infected Flocks | 0 | 0 | 0 | 0 | 0 |
| 2016 | Goat fallen stock survey | 10 | 0 | 0 | 10 | 0 |
| 2016 | Totals | 2282 | 0 | 0 | 2282 | 0 |
| | | | | | | |
| 2017 | Sheep abattoir survey (HC) | 309 | 0 | 0 | 309 | 0 |
| 2017 | Sheep fallen stock survey | 612 | 0 | 0 | 612 | 0 |
| 2017 | Scrapie monitored flocks | 971 | 0 | 0 | 971 | 0 |
| 2017 | Monitoring of Infected Flocks | 0 | 0 | 0 | 0 | 0 |
| 2017 | Goat fallen stock survey | 11 | 0 | 0 | 11 | 0 |
| 2017 | Totals | 1903 | 0 | 0 | 1903 | 0 |

| YEAR | DEER SURVEY | NUMBER OF ANIMALS TESTED | NUMBER OF ANIMALS TESTED WITH OUTCOME PENDING | NUMBER OF ANIMALS TESTED WITH AN ATYPICAL RESULT | NUMBER OF ANIMALS TESTED IN WHICH TSE NOT CONFIRMED | NUMBER OF ANIMALS TESTED IN WHICH TSE CONFIRMED |
|------|------------------------------|-----------------------------|---|--|--|--|
| 2007 | Red deer fallen stock survey | 2 | 0 | 0 | 2 | 0 |
| 2007 | Totals | 2 | 0 | 0 | 2 | 0 |
| | | | | | | |
| 2008 | Red deer fallen stock survey | 2 | 0 | 0 | 2 | 0 |
| 2008 | Totals | 2 | 0 | 0 | 2 | 0 |
| | · | | | | | |
| 2009 | Red deer fallen stock survey | 1 | 0 | 0 | 1 | 0 |
| 2009 | Totals | 1 | 0 | 0 | 1 | 0 |

ACTIVE TSE SURVEILLANCE IN NORTHERN IRELAND

| | | | NUMBER OF | NUMBER OF | NUMBER OF |
|------|--|----------------|----------------|----------------|----------------|
| YEAR | BSE SURVEYS | NUMBER OF | ANIMALS TESTED | ANIMALS TESTED | ANIMALS TESTED |
| ILAN | BOL SORVETS | ANIMALS TESTED | WITH OUTCOME | IN WHICH BSE | IN WHICH BSE |
| | | | PENDING | NOT CONFIRMED | CONFIRMED |
| 2001 | Fallen Stock Survey | 2347 | 0 | 2344 | 3 |
| 2001 | Casualty | 8024 | 0 | 7987 | 37 |
| | UTM | 74 | 0 | 74 | 0 |
| 2001 | Animals sampled as 96/97 Cohort | 6070 | 0 | 6070 | 0 |
| 2001 | Over Thirty Months Scheme - Random animals | 977 | 0 | 977 | 0 |
| 2001 | BSE offspring (Born after 31 July 1996) | 206* | 0 | 206 | 0 |
| 2001 | Totals | 17698 | 0 | 17658 | 40 |

*Updated to include backlog cases

| 2002 | Fallen Stock Survey | 7514 | 0 | 7507 | 7 |
|------|--|-------|---|-------|----|
| 2002 | Casualty | 23130 | 0 | 23069 | 61 |
| | UTM | 323 | 0 | 323 | 0 |
| 2002 | Animals sampled as 96/97 Cohort | 11909 | 0 | 11909 | 0 |
| 2002 | Over Thirty Months Scheme - Random animals | 6040 | 0 | 6039 | 1 |
| 2002 | Ante Mortem Failures OTM | 900 | 0 | 899 | 1 |
| | UTM | 23 | 0 | 23 | 0 |
| 2002 | > 42 Month Survey | 9781 | 0 | 9781 | 0 |
| 2002 | BSE offspring (Born after 31 July 1996) | 193 | 0 | 193 | 0 |
| 2002 | Totals | 59813 | 0 | 59743 | 70 |

| 2003 | Fallen Stock Survey | 7095 | 0 | 7091 | 4 |
|------|--|-------|---|-------|----|
| 2003 | Casualty on farm OTM | 22753 | 0 | 22710 | 43 |
| | UTM | 268 | 0 | 268 | 0 |
| 2003 | Animals sampled as born after 31 July 1996 & > 42 months | 32222 | 0 | 32222 | 0 |
| 2003 | Over Thirty Months Scheme - Random animals | 2009 | 0 | 2007 | 2 |
| 2003 | Ante Mortem Failures OTM | 1020 | 0 | 1018 | 2 |
| | UTM | 31 | 0 | 31 | 0 |
| 2003 | Birth cohorts of BSE cases | 25 | 0 | 25 | 0 |
| 2003 | BSE offspring (Born after 31 July 1996) | 170 | 0 | 170 | 0 |
| 2003 | Totals | 65593 | 0 | 65542 | 51 |

Continued

| YEAR | BSE SURVEYS | NUMBER OF ANIMALS TESTED | NUMBER OF ANIMALS TESTED WITH OUTCOME PENDING | NUMBER OF ANIMALS TESTED IN WHICH BSE NOT CONFIRMED | NUMBER OF ANIMALS TESTED IN WHICH BSE CONFIRMED |
|------|--|-----------------------------|--|--|--|
| 2004 | Fallen Stock Survey | 8997 | 0 | 8996 | 1 |
| 2004 | Casualty on farm OTM | 22164 | 0 | 22143 | 21 |
| | UTM | 312 | 0 | 312 | 0 |
| 2004 | Animals sampled as born after 31 July 1996 & > 30 months | 49410 | 0 | 49409 | 1 |
| 2004 | Over Thirty Months Scheme - Random animals | 1425 | 0 | 1424 | 1 |
| 2004 | Ante Mortem Failures OTM | 826 | 0 | 824 | 2 |
| | UTM | 247 | 0 | 247 | 0 |
| 2004 | Cohorts of BSE cases | 235 | 0 | 235 | 0 |
| 2004 | BSE offspring (Born after 31 July 1996) | 82 | 0 | 82 | 0 |
| 2004 | Totals | 83698 | 0 | 83672 | 26 |
| | | | | | |
| | Fallen Stock Survey | 9734 | 0 | 9729 | 5 |
| 2005 | Casualty on farm OTM | 26662 | 0 | 26646 | 15 |
| | UTM | 328 | 0 | 328 | 0 |
| 2005 | Animals sampled as born after 31 July 1996 & > 30 months | 51619 | 0 | 51619 | 0 |
| 2005 | Over Thirty Months Scheme - Random animals | 1463 | 0 | 1463 | 0 |
| 2005 | Over Thirty Month Human Consumption animals | 3186 | 0 | 3186 | 0 |
| 2005 | Ante Mortem Failures OTM | 807 | 0 | 807 | 0 |
| | UTM | 202 | 0 | 202 | 0 |
| | Cohorts of BSE cases | 803 | 0 | 801 | 2 |
| | BSE offspring (Born after 31 July 1996) | 63 | 0 | 63 | 0 |
| 2005 | Totals | 94867 | 0 | 94844 | 22 |
| | | | | | |
| | Fallen Stock Survey | 32141 | 0 | 32134 | 7 |
| 2006 | Casualty on farm OTM/OCDS | 5039 | 0 | 5036 | 3 |
| 2006 | Ante Mortem Failures OTM/OCDS | 313 | 0 | 313 | 0 |
| 2006 | Emergency slaughter at fresh meat plants | 231 | 0 | 231 | 0 |
| 2006 | Ante Mortem Failures at fresh meat plants | 1099 | 0 | 1099 | 0 |
| | OTM/OCDS random animals | 222 | 0 | 222 | 0 |
| 2006 | Healthy slaughtered animals born 1/8/95-31/7/96 (OCDS) | 4091 | 0 | 4091 | 0 |
| 2006 | Healthy slaughtered animals born post July 1996 (OTMS) | 5133 | 0 | 5133 | 0 |
| 2006 | Healthy slaughtered animals born post July 1996 at fresh meat plants | 83924 | 0 | 83924 | 0 |
| 2006 | Cohorts of BSE cases | 138 | 0 | 138 | 0 |
| 2006 | BSE offspring (Born after 31 July 1996) | 27 | 0 | 27 | 0 |
| 2006 | Totals | 132358 | 0 | 132348 | 10 |

Continued

| YEAR | BSE SURVEYS | NUMBER OF ANIMALS TESTED | NUMBER OF ANIMALS TESTED WITH OUTCOME PENDING | NUMBER OF ANIMALS TESTED IN WHICH BSE NOT CONFIRMED | NUMBER OF ANIMALS TESTED IN WHICH BSE CONFIRMED |
|------|--|-----------------------------|--|--|--|
| 2007 | Fallen Stock Survey | 34066 | 0 | 34057 | 9 |
| 2007 | Casualty on farm OCDS | 2404 | 0 | 2401 | 3 |
| | Ante Mortem Failures OCDS | 159 | 0 | 158 | 1 |
| 2007 | Emergency slaughter for fresh meat plants (over 24 months) | 179 | 0 | 179 | 0 |
| 2007 | Ante Mortem Failures at fresh meat plants (over 24 months) | 1344 | 0 | 1344 | 0 |
| 2007 | Healthy slaughtered animals born 1/8/95-31/7/96 (OCDS) | 5196 | 0 | 5196 | 0 |
| | Healthy slaughtered OTM animals at fresh meat plants | 93382 | 0 | 93381 | 1 |
| | Cohorts of BSE cases | 127 | 0 | 127 | 0 |
| 2007 | BSE offspring (Born after 31 July 1996) | 13 | 0 | 13 | 0 |
| 2007 | Totals | 136870 | 0 | 136856 | 14 |
| | | | | | |
| 2008 | Fallen Stock Survey | 37841 | 0 | 37837 | 4 |
| 2008 | Casualty on farm OCDS | 1465 | 0 | 1465 | 0 |
| 2008 | Ante Mortem Failures OCDS | 64 | 0 | 64 | 0 |
| 2008 | Emergency slaughter for fresh meat plants (over 24 months) | 183 | 0 | 183 | 0 |
| 2008 | Ante Mortem Failures at fresh meat plants (over 24 months) | 1765 | 0 | 1765 | 0 |
| 2008 | Healthy slaughtered animals born 1/8/95-31/7/96 (OCDS) | 7109 | 0 | 7109 | 0 |
| | Healthy slaughtered OTM animals at fresh meat plants | 109744 | 0 | 109744 | 0 |
| | Cohorts of BSE cases | 265 | 0 | 265 | 0 |
| | BSE offspring (Born after 31 July 1996) | 8 | 0 | 8 | 0 |
| 2008 | Totals | 158444 | 0 | 158440 | 4 |
| | | | | | |
| | Fallen Stock Survey | 27085 | 0 | 27083 | 2 |
| 2009 | Emergency slaughter for fresh meat plants (over 48 months) | 71 | 0 | 71 | 0 |
| 2009 | Ante Mortem Failures at fresh meat plants (over 48 months) | 218 | 0 | 218 | 0 |
| | Healthy slaughtered O48M animals at fresh meat plants | 77833 | 0 | 77832 | 1 |
| | Cohorts of BSE cases | 27 | 0 | 27 | 0 |
| 2009 | BSE offspring (Born after 31 July 1996) | 2 | 0 | 2 | 0 |
| 2009 | Totals | 105236 | 0 | 105233 | 3 |

Fallen Stock Total includes 624 dioxin animals

Continued

| YEAR | BSE SURVEYS | NUMBER OF ANIMALS TESTED | NUMBER OF ANIMALS TESTED WITH OUTCOME PENDING | NUMBER OF ANIMALS TESTED IN WHICH BSE NOT CONFIRMED | NUMBER OF ANIMALS TESTED IN WHICH BSE CONFIRMED |
|------|---|-----------------------------|--|--|--|
| | Fallen Stock Survey | 22604 | 0 | 22604 | 0 |
| | Emergency slaughter for fresh meat plants (over 48 months) (TC) | 153 | 0 | 153 | 0 |
| | Ante Mortem Failures at fresh meat plants (over 48 months) (TA) | 792 | 0 | 792 | 0 |
| | Healthy slaughtered O48M animals at fresh meat plants | 70843 | 0 | 70843 | 0 |
| | Cohorts of BSE cases | 1 | 0 | 1 | 0 |
| | BSE offspring (Born after 31 July 1996) | 0 | 0 | 0 | 0 |
| 2010 | Totals | 94393 | 0 | 94393 | 0 |
| 2011 | Fallen Stock Survey | 23080 | 0 | 23078 | 2 |
| 2011 | Emergency slaughter for fresh meat plants (over 48 months) (TC) | 283 | 0 | 283 | 0 |
| 2011 | Ante Mortem Failures at fresh meat plants (over 48 months) (TA) | 886 | 0 | 886 | 0 |
| 2011 | Healthy slaughtered O48M animals at fresh meat plants (O72M since 4 July) | 69162 | 0 | 69162 | 0 |
| 2011 | Cohorts of BSE cases | 5 | 0 | 5 | 0 |
| 2011 | BSE offspring (Born after 31 July 1996) | 2 | 0 | 2 | 0 |
| 2011 | Totals | 93418 | 0 | 93416 | 2 |
| | | | | | |
| 2012 | Fallen Stock Survey | 24783 | 0 | 24782 | 1 |
| 2012 | Emergency slaughter for fresh meat plants (over 48 months) | 312 | 0 | 312 | 0 |
| 2012 | Ante Mortem Failures at fresh meat plants (over 48 months) | 645 | 0 | 645 | 0 |
| 2012 | Healthy slaughtered O72M animals at fresh meat plants | 61535 | 0 | 61535 | 0 |
| 2012 | Cohorts of BSE cases | 3 | 0 | 3 | 0 |
| 2012 | BSE offspring (Born after 31 July 1996) | 2 | 0 | 2 | 0 |
| 2012 | Totals | 87280 | 0 | 87279 | 1 |
| | | | | | |
| 2013 | Fallen Stock Survey | 26209 | 0 | 26209 | 0 |
| | Emergency slaughter for fresh meat plants (over 48 months) | 215 | 0 | 215 | 0 |
| | Ante Mortem Failures at fresh meat plants (over 48 months) | 401 | 0 | 401 | 0 |
| | Healthy slaughtered O72M animals at fresh meat plants | 9575 | 0 | 9575 | 0 |
| 2013 | Healthy slaughtered animals imported from outside EU 25 | 8 | 0 | 8 | 0 |
| | Cohorts of BSE cases | 0 | 0 | 0 | 0 |
| 2013 | BSE offspring (Born after 31 July 1996) | 0 | 0 | 0 | 0 |
| 2013 | Totals | 36408 | 0 | 36408 | 0 |
| | | | | | |

| YEAR | BSE SURVEYS | NUMBER OF ANIMALS TESTED | NUMBER OF ANIMALS TESTED WITH OUTCOME PENDING | NUMBER OF ANIMALS TESTED IN WHICH BSE NOT CONFIRMED | NUMBER OF ANIMALS TESTED IN WHICH BSE CONFIRMED |
|------|---|-----------------------------|--|--|--|
| 2014 | Fallen Stock Survey | 21154 | 0 | 21154 | 0 |
| 2014 | Emergency slaughter for fresh meat plants (over 48 months) (TC) | 122 | 0 | 122 | 0 |
| 2014 | Ante Mortem Failures at fresh meat plants (over 48 months) (TA) | 365 | 0 | 365 | 0 |
| 2014 | Healthy slaughtered animals imported from outside EU 25 | 41 | 0 | 41 | 0 |
| 2014 | Cohorts of BSE cases | 0 | 0 | 0 | 0 |
| 2014 | BSE offspring (Born after 31 July 1996) | 0 | 0 | 0 | 0 |
| 2014 | Totals | 21682 | 0 | 21682 | 0 |
| | | | | | |
| 2015 | Fallen Stock Survey | 22620 | 0 | 22620 | 0 |
| 2015 | Emergency slaughter for fresh meat plants (over 48 months) (TC) | 116 | 0 | 116 | 0 |
| 2015 | Ante Mortem Failures at fresh meat plants (over 48 months) (TA) | 447 | 0 | 447 | 0 |
| 2015 | Healthy slaughtered animals imported from outside EU 25 | 82 | 0 | 82 | 0 |
| 2015 | Cohorts of BSE cases | 0 | 0 | 0 | 0 |
| 2015 | BSE offspring (Born after 31 July 1996) | 0 | 0 | 0 | 0 |
| 2015 | Totals | 23265 | 0 | 23265 | 0 |
| | | | | | |
| 2016 | Fallen Stock Survey | 23241 | 0 | 23241 | 0 |
| 2016 | Emergency slaughter for fresh meat plants (over 48 months) (TC) | 152 | 0 | 152 | 0 |
| 2016 | Ante Mortem Failures at fresh meat plants (over 48 months) (TA) | 593 | 0 | 593 | 0 |
| 2016 | Healthy slaughtered animals imported from outside EU 25 | 16 | 0 | 16 | 0 |
| | Cohorts of BSE cases | 0 | 0 | 0 | 0 |
| | BSE offspring (Born after 31 July 1996) | 0 | 0 | 0 | 0 |
| 2016 | Totals | 24002 | 0 | 24002 | 0 |
| | | | | | |
| | Fallen Stock Survey | 17822 | 0 | 17822 | 0 |
| 2017 | Emergency slaughter for fresh meat plants (over 48 months) (TC) | 157 | 0 | 157 | 0 |
| | Ante Mortem Failures at fresh meat plants (over 48 months) (TA) | 165 | 0 | 165 | 0 |
| | Healthy slaughtered animals imported from outside EU 25 | 3 | 0 | 3 | 0 |
| | Cohorts of BSE cases | 0 | 0 | 0 | 0 |
| | BSE offspring (Born after 31 July 1996) | 0 | 0 | 0 | 0 |
| 2017 | Totals | 18147 | 0 | 18147 | 0 |

Data available at 30 September 2017