Street Sweeper - us









Maximum efficiency

The adjustable working width of the side brushes guarantees maximum cleaning in all conditions.

Maximum suction

The suction mouth and powerful suction turbine are able to efficiently collect materials such as gravel, sand and bulky fragments.

Maximum autonomy

The large capacity of the water tank ensures maximum operating autonomy by reducing downtime.



Accessibility

Maintenance hatch under the driver's seat for checking and cleaning the suction pipe.

Easy maintenance

With a belt drive, the sweeper does not have electronics components to maintain.



The water tanks are located on the side and easily removable. There is easy access to all main components for maintenance and repair.









Safe driving

Large standard tyres, axle suspension and optimal weight distribution ensure a safe and balanced ride.

Powerful transmission

Thanks to its powerful transmission, the machine can also be used in difficult conditions and on slopes.



Maneuverability

Steering by means of the central joint of the two half-frames, synchronised and with hydrostatic steering, makes even the most complex maneuvres much easier.



Side brushes

Full-movement side brushes are ideal for sweeping corners and gutters and for increasing the working surface.

Visibility

The convex front glass facilitates daily operations on the mouth and suction hose.




Accessories

A high-pressure unit and a manual suction hose can be added as optional working tools to extend the range of possible operations.









Low engine emissions

Tier 4 engine .The engine complies with the latest emission regulations


Reduced consumption of water


The Dulevo recycling system allows the machine to work while drastically reducing water consumption.

Low sound power

the sound-absorbing material used, allows a high level of environmental comfort to be achieved.







Technical data

850 TIER4

in 59.1 - 72.9	mm 1500 - 1850
yd³ 0.87	m³ 0,66
yd³1.13	m³ 0,86
in 56	mm 1.420
ft²/h 238872	m²/h 22.000
mph 16.8	Km/h 27
ft 18.4	mm 5.600
	1
PM 2.5/PM 10****	
Yanmar	
Tier 4 (Step V)	
Diesel	
	yd³ 0.87 yd³ 1.13 in 56 ft²/h 238872 mph 16.8 ft 18.4 PM 2.5/F Yar Tier 4

Applications*. A wide range of options and accessories, complementing its features, places the 850 at the highest level for versatility and ductility.

- Reverse of brushes rotation and suction inlet lifting system with switch from the cabin
- Front brush inclination adjustment from the cab
- 1.1 yd³ stainless steel contaier
- Washing system with gun and reel
- Water recycling system
- Reflecting stripes
- Hydraulic oil low level gauge
- Acoustic reverse signal (self leveling)
- Pneumatic sprung seat

- Electrically controlled and heated mirrors
- Darkened windshields
- Lights on the suction inlet
- Suction unit with hose Ø 3,9 in Length 118 in
- Water kit for suction hose
- Spare tire (not on board)
- Hydraulic Jack
- Customized painting (no chassis)
- Wax film for sea freight
- DULEVO TELEMATIC



*Some pictures and equipment may show options that are not available in all markets. For information contact your nearestdealer: www.dulevo.com or info@dulevo.com

AUTHORIZED DEALER:



Make us your go-to source for premium vac trucks, jetters, pipeline inspection/rehab equipment, sweepers and accessories.

We service all types of equipment - even if you didn't purchase it from us.

Contact your sales rep or text/call the number below.