

KEYWORD SEARCH

CRYSTALLIZED™ - Swarovski Elements

Crystal Beads
Crystal Pendants
Crystal Components
Crystal Pearls
Crystal Sew-On Stones

GLASS BEADS

Glass Beads
Lampwork Glass Beads
Cubic Zirconia Beads
Artist Beads

JAPANESE SEED BEADS

Round Seed Beads
Seed Bead Shapes
Delicas by Number
Delicas by Color

NATURAL BEADS

Semi-Precious Beads
Freshwater Pearls
Wood, Shell, Horn, Bone
Felt and Resin Beads

METAL BEADS

Alphabet Beads
Silver Beads
Gold Beads
Brass Beads
Copper Beads
Thai Hill Tribe Silver

CHARMS AND PENDANTS


Silver Charms
Gold Charms
Brass Charms
Copper Charms
Stamping Blanks & Charms
Pendants
Buttons

SILVER COMPONENTS

Findings
Clasps
Ear Wires
Links, Caps, Components
Bangles and Rings

Techniques: Wig Jig Pattern 2

Beading Techniques > Wire Working Techniques > Wig Jig Pattern 2



Materials


- Wire

Tools

- Olympus Wig Jig Lite
- Olympus Small Round Super Pegs
- Chain Nose Pliers
- Wire Cutters


Note: I used the 3/8" Super Peg.

Tip: Use a thicker gauge wire such as 18 or 20 gauge for a stronger finished wire form.



Step 1

Place 3 pegs in a diamond pattern in your wig jig. Leave an empty space in between each of the small pegs. Use a super peg for the bottom peg.



Step 2

Cut a piece of wire 7 inches long. Place one end of the wire into the empty peg hole between the top and right peg. Bend the wire to a right angle.




Step 3

Begin wrapping the wire around the top peg.




Step 4

Tip: Try moving the wig jig instead of moving the wire. Keep the tension on the wire tight with the opposite hand.



Step 5

After wrapping the wire completely around the top peg, bring the wire down around the left peg.



Step 6

After wrapping the wire completely around the left peg, bring the wire down around the bottom peg.

Artist Findings

GOLD COMPONENTS

Findings

Clasps

Ear Wires

Links, Caps, Components

Bangles and Rings

BRASS COMPONENTS

Findings, Clasps, Earwires

Links and Components

COPPER COMPONENTS

Findings

Clasps

Ear Wires

Links, Caps, Components

BASE METAL COMPONENTS

Findings

STRINGING MATERIALS

Chain

Wire

Beading Wire

Beading Thread

Elastic and Cord

Wire Lace Ribbon

TOOLS AND SUPPLIES

Bead Kits

Beading Tools

Design Tools

Storage Supplies

Gift Bags and Boxes

Books

NEW AND SPECIALS

New Products


Specials

Gift Certificate

FREE SHIPPING!


FusionBeads.com offers free standard shipping on all domestic orders.

No minimum purchase required.



Step 7

After wrapping the wire completely around the bottom peg, bring the wire up around the right peg.



Step 8

After wrapping the wire completely around the right peg, bring the wire up around the top peg again.



Step 9

Wrap the wire around the top peg. This will create a second loop around the top peg.



Step 10

Take the wire form off of the wig jig. Use your wire cutters to cut off the end of the wire. This will leave a simple loop on one side of the form.



Step 11

Repeat step 10 on the other side of the wire form.



Step 12

Using your chain nose pliers, grasp the side of the loop.




Step 13

Close the loop by moving the open side of the loop back until the loop is closed.



Step 14

Repeat steps 12 and 13 for the other side of the wire form.



Step 15

Make several forms and link them together for a necklace, bracelet or earrings. Also, try linking them together with wire wrapped links.

[View Cart](#)

[Email This Page](#)

[Bookmark This Page](#)

[Return To Top](#)

ORDER QUESTIONS orders@fusionbeads.com PRODUCT QUESTIONS & REQUESTS info@fusionbeads.com CUSTOMER SERVICE 1.888.781.3559

[Contact Us](#) | [Customer Service](#) | [Frequently Asked Questions](#) | [Return Policy](#)

[Privacy Policy](#) | [Terms of Use](#) | [Safe Shopping Guarantee](#) | [Site Map](#) | © 2008 Fusion Beads Inc.

