

Glimmers of Light by FusionBeads.com



Approximate finished length: 7.75 inches

Beads and other products needed for one bracelet:

- 2 grams - Size 11 Silver Lined Light Aqua AB Round Japanese Seed Bead (SB1462) **(A)**
- 72 beads - Crystal Capri Gold Full DropDuo 2-Hole Czech Glass Beads - 3x6mm (GL6255) **(B)**
- 35 beads - 2x5mm Aqua Capri Gold SuperDuo 2 Hole Seed Bead (SB6484) **(C)**
- 1 - Pewter Classic Toggle Clasp by TierraCast - Antique Silver - 15mm (SP2143)
- 2 - 5mm Silver Plated Base Metal 21 Gauge Open Jump Ring (BM2731)
- 1 - FireLine Braided Bead Thread - Crystal Clear - 6 lb - 15 yard spool (SM6281)

Tools needed to complete the bracelet:

- Tulip Beading Needles - Size 11 (TL2648)
- Xuron Thread and Fiber Scissors (TL3000)

Beading Techniques needed to complete the bracelet:

Opening and Closing a Jump Ring

Instructions to complete “Glimmers of Light” bracelet:

Tip

This bracelet is a unique design that do not follow any specific beadweaving stitch. The letters A – C designate the beads used in the pattern. Please refer to the materials list above for the key.

Step 1

Using scissors, cut a 3-foot length of beading thread, and thread a needle.

Step 2

String 1 - B bead going through the narrow part of the bead then turn and pass through second hole of the same B bead. Turn and pass back through the first hole and then turn and pass back through the second hole. This will help anchor your thread so you don't need a stop bead.

Step 3

String 1 - C bead then turn and pass through the second hole of the same C bead.

String 1 - B bead going through the wide part of the bead then turn and pass through second hole of the same B bead.

Step 4

String 1 - A bead and 1 - B bead going through the wide part of the bead then turn and pass through second hole of the same B bead and then go through the next C bead. Turn and pass through the second hole of the same C bead.

Step 5

String 1 - B bead going through the narrow part of the bead then turn and pass through second hole of the same B bead. String 1 – A bead and go through the next B bead then turn and pass through the second hole of the same B bead and then go through the next C bead and the next B bead.

Step 6

String 1 - C bead then turn and pass through the second hole of the same C bead and go through the next B bead then turn and pass through the second hole of the same B bead.

Step 7

String 1 – A bead and 1 – B bead going through the narrow part of the bead then turn and pass through the second hole of the same B bead then go through the next C bead. Turn and pass through the second hole of the same C bead.

Step 8

String 1 - B bead going through the wide part of the bead then turn and pass through second hole of the same B bead. String 1 – A bead and go through the next B bead then turn and pass through the second hold of the same B bead and then go through the next C bead and the next B bead

Step 9

String 1 - C bead then turn and pass through the second hole of the same C bead and go through the next B bead then turn and pass through the second hold of the same B bead.

Step 10

Repeat Steps 4-9 until you reach your desired length less 1 inch. Example for a 7 inch bracelet stop at 6 inches.

Step 11

Repeat Steps 4 and 5 once.

Step 12

To create a loop to attach the clasp, make sure you are coming out of one of the inner holes of the B bead string 7 – A beads and go through the hole of the next B bead. Reinforce the loop by going through it a couple of times.

Step 13

Open one 5mm jump ring (see Opening and Closing a Jump Ring Technique). Attach the jump ring to the loop you just made and the loop of the toggle ring. Close the jump ring.

Step 14

Repeat Steps 12-13 to attach the toggle bar to the other side of the bracelet.

*For step-by-step photos and instructions on these and other techniques, visit FusionBeads.com and select *Beading Techniques* from the top navigation bar. You'll find more *Inspiration jewelry ideas* at FusionBeads.com!*