



Marlow Hunter
Standard Equipment
Options
& Specifications
2016 Model Year

^HM15



M
H
MARLOW
HUNTER

Part of the World Class Marlow Group of Companies

H M₁₅ Specifications and Equipment

Rigging

Anodized aluminum mast and boom
 Boom vang
 Mainsail
 Roller furling jib
 Standing rigging

Deck/Hull

FRP hull and deck construction
 Centerboard
 Foam positive flotation
 Heavy duty rub rail
 Kick-up rudder
 Removable drain plug
 Self-bailing drain
 Stainless steel bow eye
 Telescoping tiller extension

Reference Book


Reference book, *ASA Sailing Made Easy*

Optional equipment

Aft mast carrier
 Colored Hull (Gelcoat)
 Mainsail cover
 Mast float
 Motor mount
 Outboard motor bracket
 Seat cushions
 Trailer – galvanized trailer
 Trailer – tongue jack
 Trailer – spare tire
 Transshield® shipping cover



Standard Layout



Specifications

Length	Overall (ft/m)	14'6"	4.42
Beam	(ft/m)	6'6"	1.98
Draft	Board Up (ft/m)	6"	0.15
	Board Down (ft/m)	3'0"	0.92
Mast Height	(ft/m)	21'6"	6.55
Sail Area	(ft ² /m ²)	107	9.96
Basic Weight	(lb/kg)	500	227
Towing Weight	(lb/kg)	750	340
Maximum Capacity	(lb/kg)	926	420
CE Classification		D	



Part of the World Class Marlow Group of Companies

Marlow-Hunter, LLC reserves the right to modify or change, without notice, any materials, specifications, equipment and/or accessories. All measurements are approximate. Standard equipment may vary for products sold outside the United States.





^H
M₁₈



Part of the World Class Marlow Group of Companies

National Customer Hotline USA 800.771.5556 • **w** marlow-hunter.com • **e** sales@marlow-hunter.com

M^H18 Specifications and Equipment

Rigging

Anodized aluminum mast and boom
Boom vang
Mainsail
Roller furling jib
Standing rigging

Deck/Hull


FRP hull and deck construction
Centerboard
Cuddy Cooler
Foam positive flotation
Heavy duty rub rail
Kick-up rudder
Removable drain plug
Self-bailing drain
Stainless steel bow eye
Stainless steel cleats (3)
Telescoping tiller extension
Aft mast carrier

Reference Book


Reference book, *ASA Sailing Made Easy*

Optional Equipment

Colored Hull (Gelcoat)
Cockpit seat cushions
Mainsail cover
Mast float
Outboard motor bracket
Spinnaker kit
Transshield™ shipping cover
Trailer – galvanized trailer
Trailer – tongue jack
Trailer – spare tire



Standard Layout



Specifications

Length	Overall (ft/m)	18'4"	5.59
	Waterline (ft/m)	16'6"	5.03
Beam	(ft/m)	7'2"	2.18
Draft	Board Up (ft/m)	6"	0.15
	Board Down (ft/m)	4'4"	1.32
Mast Height	(ft/m)	24'6"	7.47
Sail Area	(ft²/m²)	170	15.79
Basic Weight	(lb/kg)	836	379
Towing Weight	(lb/kg)	1143	518
Maximum Capacity	(lb/kg)	935	424
CE Classification		D	



Part of the World Class Marlow Group of Companies

Marlow-Hunter, LLC reserves the right to modify or change, without notice, any materials, specifications, equipment and/or accessories. All measurements are approximate. Standard equipment may vary for products sold outside the United States.



H M₂₂



Part of the World Class Marlow Group of Companies

National Customer Hotline USA 800.771.5556 • [w marlow-hunter.com](http://www.marlow-hunter.com) • [e sales@marlow-hunter.com](mailto:sales@marlow-hunter.com)

M^H22 Specifications and Equipment

Rigging

Anodized aluminum mast and boom
 Boom vang
 Mainsail
 Mainsheet system
 Reefing system – mainsail
 Roller furling jib
 Running rigging
 Deck/hull/cockpit
 Aft mast carrier

Deck/Hull

FRP hull and deck construction
 Cuddy cabin
 Molded-in non-skid
 Hatchboard and lockable hatch
 Integral centerline foot rest in cockpit floor
 Hydraulic lifting centerboard
 Molded deck toe rail
 Opening ports with screens in cuddy cabin (2)
 Easy lift rudder system
 Mesh bags in cockpit for running rigging tails
 Cockpit fuel tank storage locker
 Motor mount
 Protective rubrail
 Stainless steel bow eye
 Stainless steel mooring cleats (4)
 Tiller extension

Reference Book

Reference book, *ASA Sailing Made Easy*

Optional Equipment

Cockpit hand holds
 Cockpit seat cushions
 Interior V-berth package
 Mainsheet traveler
 Mainsail cover
 Mast float
 Porta-potty
 Spinnaker kit
 Trailer – spare tire
 Transshield™ shipping cover


Electric Power Package

Interior light, bow and stern light, mast light,
 bilge pump, battery charger, battery box,
 electrical panel

Performance Package

Asymmetrical spinnaker kit with sail and pole,
 cockpit handholds, mainsheet traveler

Standard Layout



Specifications

Length	Overall (ft/m)	21'4"	6.50
	Waterline (ft/m)	18'9"	5.72
Beam	(ft/m)	7'11"	2.41
Draft	Board Up (ft/m)	12"	0.30
	Board Down (ft/m)	3'6"	1.07
Mast Height	(ft/m)	31'2"	9.50
Sail Area	(ft ² /m ²)	293	27.13
Displacement	(lb/kg)	2000	907
Towing Weight	(lb/kg)	2699	1224
Maximum Capacity	(lb/kg)	1250	567
Maximum Power	(HP/kW)	10	8
CE Classification		C	



Part of the World Class Marlow Group of Companies

Marlow-Hunter, LLC reserves the right to modify or change, without notice, any materials, specifications, equipment and/or accessories. All measurements are approximate. Standard equipment may vary for products sold outside the United States.



^HM31



M₃₁ Specifications and Equipment

The all new Marlow-Hunter 31 will debut this year. Her wide beam rivals most 34' models allowing for ample room to move and work in her state-of-the-art interior. No 31' boat on the market today can compete in value and quality. Her woodwork and finish is second to none a Marlow through and through with generous standard features and equipment paired with thoughtful options available by top shelf suppliers like Bose®, Lewmar® and Raymarine®.

Rigging

Boom vang
In-mast furling system (Seldén) with rigid boom vang
Internal halyards led to cockpit Jib furling system
Jib, 110% furling with acrylic sun cover
Jib tracks with adjustable cars
Lazy jacks with standard mainsail
Mainsail, full roach with flaking system
Mainsheet purchase system
Mast, B&R with fractional sail plan reefing system, dual single line led aft
Rigging line stoppers and organizers, two sets winch handles (2)
Winches, (2) self-tailing #16, halyard
Winches, (2) self-tailing #30, jib
Windex® wind vane

Cockpit

Steering console with single lever engine control, wheel brake, lighted compass, space for instruments, and stainless steel wheel guard
Bilge pump, manual
Cockpit arch
Cockpit table with fold out leaves
Dual ended main sheeting
Lewmar steering
Lockers, (2) storage
LPG storage locker
Stern rail seats, stainless steel with drink holders
Stern storage compartment for shore power
Stern storage locker
Walk-through transom with fold down swim platform and telescoping stainless steel ladder

Deck/Hull

Anchor roller, single
Anchor well with space for rode and chain
Blister prevent technology – hull
Bow pulpit, stainless steel
Deck handrails, stainless steel
Folding cleats (6)
Hatches, (2) opening deck, with screens
Hull, FRP/Nida-Core sandwich above waterline, solid FRP bottom
Hull, structural grid reinforcement
Keel, shoal draft
Lifelines, double with 3 gates and SS stanchions
Mooring cleats folding, (6) stainless steel
Nonskid deck
Ports, (3) opening, with screens
Rubrail, with stainless steel insert
Rudder, balanced spade, with stainless steel shaft
Sliding companionway hatch
Through-bolted hull/deck joint with rubrail
Through-hull fittings, all bronze below waterline



Part of the World Class Marlow Group of Companies

Marlow-Hunter, LLC reserves the right to modify or change, without notice, any materials, specifications, equipment and/or accessories. All measurements are approximate. Standard equipment may vary for products sold outside the United States.



Forward Cabin

Deck hatch, opening
Designer bedding fabrics
Electrical outlets, AC and DC
Hanging lockers, (2) cedar-lined
Mattress, foam
Private forward cabin
Smoke and carbon monoxide detectors
Storage shelving against hanging lockers
Under-berth storage space

Aft Cabin

Berth, double with foam mattress
Compartment storage space
Designer bedding fabrics
Electrical outlets, AC and DC
Hanging locker
Ports/hatches, (1) opening with screens
Seat for reading

Main Salon

Deck hatch, (1) opening with screens
Deck side windows, fixed
Deluxe cushion/fabric package
Dinette table
Electrical outlets, AC and DC
Gloss finish "cherry" woodwork
Handrails, stainless wrapped, on both sides
Head compartment, enclosed with vanity and shower
Engine access
Selected hardwood trim
Storage shelving

Galley

Electrical outlets, AC and DC
Corian® countertop
Fresh water system, pressurized, hot and cold
Microwave
Port, (1) opening, with screen
Sink, single, stainless steel with cutting board
Storage cabinets
Storage drawers Storage shelving
Stove, two burner with oven, LPG gimbaled

Systems/Electronics

12-volt DC electrical system with breaker panel
21hp Yanmar® diesel engine with two blade prop
Alternator, 125 amp
Battery box, engine start
Battery box, house
Battery charger
Bilge pump, electric, automatic
Engine panel, deluxe with alarms and hour meter
Fresh water system, pressurized, hot and cold
Galvanic isolator
Gauges, tank for fuel, water, and waste
Gravity drain holding tank
LED lighting, interior
Navigation light package
NMMA certification on all systems
Propane gas system for cooking
Shore power system, 120 volt with cord
Sump pump, shower
Water heater

General Safety Group

Anti-bacterial gelcoat in head
Carbon monoxide and smoke detectors
Emergency tiller
Manual bilge pump
NMMA/ABYC certification on all systems
Reference book, ASA Coastal Cruising Made Easy

Optional Equipment

Anchor, chain and line
Air conditioning system
Automatic engine room fire extinguishing system
Barrier coat, epoxy with bottom paint
Bilge keel
Bimini top
Cabin top winch upgrade to #30
Cockpit cushions
Colored hull (Paint or Gelcoat)
Cruise ready safety package
Cruising spinnaker gear
Deep keel
Diesel heating system
Dish setting package
Dodger
Dura-Leather® cushion upgrade
Electric anchor windlass
Engine upgrade: 29hp Yanmar® with sail drive
Helm sheeting package for jib with winches
High water bilge water alarm and pump
Inverter
Lewmar® folding steering wheel
Propeller, folding – two blade
Quiet-flush® head
Raymarine® AIS system
Raymarine® a7 chart-plotter with internal GPS
Raymarine® e7 chart-plotter with internal GPS
Raymarine® a95 MFD with GPS
Raymarine® e95 MFD with GPS
Raymarine® radar
Raymarine® Smart Controller/ wireless remote
Raymarine® X5 autopilot
Raymarine® i40 knot and depth
Raymarine® wind machine
Refrigerator and freezer
Remote mic for VHF radio
Sail cover (standard main only)
Shade package
Sirius® receiver and antenna (U.S. only)
Solid boom vang (included in furling main option)
SmartPlug® shore-power cord
Spinnaker gear
Steering: Adjustable wheel – port/starboard
Stereo: AM/FM, CD player in salon with Bose® speakers and cockpit arch pod with speakers
Teak on fold down stern platform
Transom shower, hot and cold
Traveler, arch mounted for mainsheet
TV: Main salon – 24" flat panel with DVD player
Vertical battens for furling mainsail option
VHF radio

Mariner Package†

Engine upgrade: 29hp Yanmar® with sail drive
Lewmar® folding steering wheel
Mainsheet with traveler mounted on stainless arch
Raymarine® i40 knot and depth
Refrigerator and freezer
SmartPlug® shore-power cord
Stereo: AM/FM, CD player in salon with Bose® speakers and cockpit arch pod with speakers
Teak on fold down stern platform
Transom shower, hot and cold
VHF radio

† Items in Mariner package are available as individual optional equipment, but are packaged for value pricing.

Standard Layout



Specifications

Length	Overall (ft/m)	32'4"	9.86
	Hull (ft/m)	31'11"	9.73
	Waterline (ft/m)	29'8"	9.04
Beam	(ft/m)	11'10"	3.61
Draft	Shoal (ft/m)	4'5"	1.35
	Deep (ft/m)	5'5"	1.65
Displacement			
	Shoal (lb/kg)	12000	5443
	Deep (lb/kg)	11854	5377
Ballast	Shoal (lb/kg)	3525	1599
	Deep (lb/kg)	3379	1533
Mast Height			
	Standard (ft/m)	46'7"	14.19
	Furling (ft/m)	51'11"	15.82
Sail Area			
	Standard (ft ² /m ²)	581	53.98
	Furling (ft ² /m ²)	542	50.35
I	(ft/m)	35'9"	10.90
J	(ft/m)	11'3"	3.43
P	Standard (ft/m)	36'5 1/2"	11.11
	Furling (ft/m)	40'11 3/4"	12.49
E	Standard (ft/m)	13'10"	4.22
	Furling (ft/m)	14'7"	4.45
Headroom	(ft/m)	6'1"	1.85
Tank Capacities			
	Fuel (gal/L)	21	80
	Water (gal/L)	50	189
Holding Tank†	(gal/L)	20	76
	Water Heater (gal/L)	5	19
Inboard Engine			
	Standard (HP/KW)	21	15.7
	Optional (HP/KW)	29	21.6
CE Classification		A/8	

^H
M₃₃



Part of the World Class Marlow Group of Companies

National Customer Hotline USA 800.771.5556 • [w marlow-hunter.com](http://www.marlow-hunter.com) • [e sales@marlow-hunter.com](mailto:sales@marlow-hunter.com)

M₃₃ Specifications and Equipment

Rigging

Boom vang
In-mast furling system (Seldén) with rigid boom vang
Internal halyards led to cockpit
Jib furling system
Jib, 110% furling with acrylic sun cover
Jib tracks with adjustable cars
Lazy jacks with standard mainsail
Mainsail, full roach with flaking system and sail cover
Mainsheet purchase system
Mast, Selden®, BandR with fractional sail plan
Reefing system, dual single line led aft
Rigging line stoppers and organizers, two sets
Winch handles (2)
Winches, (2) self-tailing #16, halyard
Winches, (2) self-tailing #30, jib
Windex® wind vane

Cockpit

Steering console with single lever engine control, wheel brake, lighted compass, space for instruments, and stainless steel wheel guard
Bilge pump, manual
Cockpit arch, stainless steel with mainsheet traveler
Cockpit table with fold out leaves
Dual ended main sheeting
Halyard tail stowage wells
Lewmar® steering
Lockers, (2) storage
LPG storage locker
Stern rail seats, stainless steel with drink holders and genuine teak seat inserts
Walk-through transom with fold down swim platform and telescoping stainless steel ladder

Deck/Hull

Anchor roller, single
Anchor well with space for rode and chain
Blister prevent technology – hull
Bow pulpit, stainless steel
Deck handrails, stainless steel
Folding cleats (6)
Hatches, (3) opening deck, with screens
Hull, FRP/Nida-Core sandwich above waterline, solid FRP bottom
Hull, structural grid reinforcement
Keel, shoal draft
Lifelines, double with 3 gates and stainless steel stanchions
Mooring cleats, (6) stainless steel
Nonskid deck
Ports, (4) opening, with screens
Rubrail, full wrap with stainless steel insert
Rudder, balanced spade, with stainless steel shaft
Sliding companionway hatch
Through-bolted hull/deck joint with full rubrail
Through-hull fittings, all bronze below waterline

Aft Cabin

Berth, double with foam mattress
Compartment storage space
Designer bedding fabrics
Electrical outlets, AC and DC
Hanging locker
Ports/hatches, (2) opening with screens
Storage shelf against hanging locker



MARLOW HUNTER

Part of the World Class Marlow Group of Companies

Marlow-Hunter, LLC reserves the right to modify or change, without notice, any materials, specifications, equipment and/or accessories. All measurements are approximate. Standard equipment may vary for products sold outside the United States.



Forward Cabin

Deck hatch, opening
Designer bedding fabrics
Electrical outlets, AC and DC
Hanging lockers, (2) cedar-lined
Mattress, foam
Private forward cabin
Smoke and carbon monoxide detectors
Storage shelving against hanging lockers
Under-berth storage space

Main Salon

Chart table – easy flip conversion from settee
Custom tongue and groove cherry phenolic flooring
Deck hatch, (2) opening with screens
Deck side windows, fixed
Deluxe cushion/fabric package
Dinette table/easy-lift, adjustable
Electrical outlets, AC and DC
Gloss finish “cherry” woodwork
Handrails, hardwood on both sides
Head compartment, enclosed with vanity and shower
Lift-assisted engine access
Selected hardwood trim
Storage shelving

Galley

Electrical outlets, AC and DC
Corian® countertop
Fresh water system, pressurized, hot and cold
Icebox
Microwave
Port, (1) opening, with screen
Sink, single, stainless steel with cutting board
Storage cabinets
Storage drawers
Storage shelving
Stove, two burner with oven, LPG gimbaled
Waste bin, built-in

Systems/Electronics

12-volt DC electrical system with breaker panel
21hp Yanmar® diesel engine with two blade prop
Alternator, 125 amp
Battery box, engine start
Battery box, house
Battery charger
Bilge pump, electric, automatic
Engine panel, deluxe with alarms and hour meter
Fresh water system, pressurized, hot and cold
Galvanic isolator
Gauges, tank for fuel, water, and waste
Gravity drain holding tank
LED lighting, interior
Navigation light package
NMMA certification on all systems
Propane gas system for cooking
Shore power system, 120 volt with cord
Sump pump, shower
Water heater

General Safety Group


Air horn
Anti-bacterial gelcoat in head
Carbon monoxide and smoke detectors
Emergency tiller
Fire extinguishers (2)
GFI receptacles
Handheld flares
Manual bilge pump
NMMA certification on all systems
Throwable device
Reference book, *ASA Coastal Cruising Made Easy*

Optional Equipment

Anchor, chain and line
Air conditioning system
Automatic engine room fire extinguishing system
Barrier coat, epoxy with bottom paint
Bilge keel
Bimini top
Bottom paint
Cabin top winch upgrade to #30
Cockpit cushions
Colored Hull (Gelcoat)
Cruise ready safety package
Cruising spinnaker gear
Deep keel
Diesel heating system
Dish setting package
Dodger
Dura-Leather® cushion upgrade
Electric anchor windlass
Engine upgrade: 29hp Yanmar® with sail drive
Fire suppression system
Freezer
Generator
Helm sheeting package for jib with winches and tracks
High bilge water alarm and pump
Inverter
Lead keel
Lewmar® folding steering wheel
Painted hull
Propeller – folding – two blade
Quiet-flush® head
Raymarine® AIS system
Raymarine® a95 MFD with GPS
Raymarine® e95 MFD with GPS
Raymarine® e7 chartplotter
Raymarine® radar
Raymarine® smart controller/wireless remote
Raymarine® X5 autopilot
Raymarine® i40 knot and depth
Raymarine® wind machine
Remote mic for VHF radio
Refrigerator
Sail cover (standard main only)
Shade package
Sirius® receiver and antenna
SmartPlug® shore-power cord
Solid boom vang (included in furling main option)
Spinnaker gear
Stereo: AM/FM, CD player in salon with Bose® speakers and cockpit arch pod with speakers
Teak on fold down stern platform
Teak inlaid cockpit table
Transom shower, hot and cold
Traveler, arch mounted for mainsheet
TV: Main salon – 24” flat panel with DVD player
Vertical battens for furling mainsail option
VHF radio

Mariner Package†

Engine upgrade: 29hp Yanmar® with sail drive
Lewmar® folding steering wheel
Raymarine® i40 knot and depth
Refrigerator
SmartPlug® shore-power cord
Stereo: AM/FM, CD player in salon with Bose® speakers and cockpit arch pod with speakers
Teak on fold down stern platform
Transom shower, hot and cold
Traveler, arch mounted for mainsheet
VHF radio



Standard Layout

Specifications

Length			
Overall (ft/m)	33'6"		10.21
Hull (ft/m)	33'1"		10.08
Waterline (ft/m)	29'5"		8.97
Beam			
(ft/m)	11'10"		3.61
Draft			
Shoal (ft/m)	4'6"		1.37
Deep (ft/m)	5'6"		1.67
Displacement			
Shoal (lb/kg)	12400	5624	
Deep (lb/kg)	12280	5570	
Ballast			
Shoal (lb/kg)	3579	1623	
Deep (lb/kg)	3459	1569	
Mast Height			
Standard (ft/m)	46'7"		14.20
Furling (ft/m)	51'11"		15.80
Sail Area			
Standard (ft²/m²)	625	58.06	
Furling (ft²/m²)	542	50.35	
I			
(ft/m)	37'5"		11.41
J			
(ft/m)	10'10"		3.30
P			
Standard (ft/m)	36'5"		11.10
Furling (ft/m)	41'0"		12.51
E			
Standard (ft/m)	13'10"		4.22
Furling (ft/m)	14'7"		4.45
Headroom			
(ft/m)	6'4"		1.93
Tank Capacities			
Fuel (gal/L)	25	95	
Water (gal/L)	50	189	
Holding Tank (gal/L)	15	57	
Water Heater (gal/L)	5	19	

Inboard Engine			
Standard (HP/KW)	21	15.3	
Optional (HP/KW)	29	21.3	
CE Classification			
	A/8		

† Items in Mariner package are available as individual optional equipment, but are packaged for value pricing.



M^H M37



Part of the World Class Marlow Group of Companies

National Customer Hotline USA 800.771.5556 • [w marlow-hunter.com](http://www.marlow-hunter.com) • [e sales@marlow-hunter.com](mailto:sales@marlow-hunter.com)

M₃₇ Specifications and Equipment

Rigging

Boom vang
In-mast furling system (Seldén) with rigid boom vang
Inboard jib tracks with adjustable cars
Internal halyards led to cockpit
Jib furling system
Jib, 110% furling with acrylic sun cover
Mainsail, full roach with flaking system and sail cover
Mainsheet purchase system with adjustable traveler
Mast, B&R with fractional rig
Reefing system, dual single line led aft
Rigging line stoppers and organizers, two sets
Winch handles (2)
Winches, (2) Rigging, 2-speed, self-tailing, #40
Winches, (2) Jib, 2-speed, self-tailing, #45 at helm
Windex® wind vane

Cockpit

Bilge pump, manual
Cockpit arch, stainless steel
Wheel steering system, rack and pinion
Halyard tail stowage wells
Jib winches placed aft at helm station
Locker, storage deep
Stern rail seats, stainless steel with drink holders
Transom swim platform, fold-down
Transom shower, hot and cold

Deck/Hull

Anchor roller, double offset
Anchor well with space for rode and chain
Blister prevent technology hull
Bow pulpit, stainless steel
Deck handrails, stainless steel
Dorade vents (2)
Folding cleats (6)
Hatches, opening deck, with screens
HKT Kevlar® hull reinforcement
Hull, FRP/Nida-Core sandwich above waterline, solid FRP bottom
Hull, structural grid reinforcement
Hull windows (3), fixed
Keel, shoal draft
Lifelines, double with 2 gates and stainless steel stanchions
LPG tank storage for two bottles
Mooring cleats, (6) stainless steel
Nonskid deck
Ports, opening, with screens
Rubrail with stainless steel insert
Rudder, balanced spade, with stainless steel shaft
Swim platform with stainless steel telescoping ladder
Through-bolted hull/deck joint

Forward Cabin

Bench seat
Hanging lockers (2)
Mattress
Private forward cabin
Smoke and carbon monoxide detectors
Storage shelving
Under-berth storage space

Main Salon

Accordion shades
Chart table, forward facing
Deck side windows, fixed
Deluxe cushion/fabric package
Dinette table, convertible to berth with filler cushion
Handrails, hardwood on both sides
Hardwood flooring
Hullside storage cabinets
Easy engine access
Navigation station with space for electronics
Selected hardwood trim
Cherry laminated furniture
Companionway steps with stainless steel grab rails

Galley

Corian® countertop
Dish rack cabinet with lighting and ventilation
Fresh water system, pressurized, hot and cold
Microwave
Sinks, double stainless steel with cutting board
Storage cabinets, drawers and shelving
Stove, two burner with oven, LPG gimbaled
Waste bin, built-in

Aft Cabin

Berth, Queen
Built-in lounge chair
Hanging locker, cedar-lined
Private access to head and shower
Storage shelves and compartment storage space

Aft Head

Access door, dual
Anti-bacterial gelcoat
Marine head with manual pump
Shower stall with adjustable shower head, seat and folding shower door
Shower sump pump
Stainless steel sink
Storage compartments
Vanity with Corian® countertop

Systems/Electronics

12 Volt cabin lighting
12 Volt DC electrical system with breaker panel
29hp Yanmar® diesel engine with two-blade prop
Alternator, 125 amp
Battery box, engine start
Battery boxes (2), house
Battery charger, 40 amp
Bilge pump, electric, automatic
Electrical outlets, AC and DC
Engine panel, deluxe with alarms and hour meter
Fresh water system, pressurized, hot and cold
Galvanic isolator
LED lighting, interior
Navigation light package
Shore power system, 120 volt AC with cord
Tank gauges for fuel, water and waste
VHF radio with DSC and stainless steel antenna
Waste holding tank
Water heater

General Safety Group


Air horn
Carbon monoxide and smoke detectors
Emergency tiller
Fire extinguishers (2)
GFI receptacles
Handheld flares
Manual bilge pump
Reference book, *Chapman Piloting*
NMMA certification on all systems
Throwable device

Optional Equipment

Air conditioning system with shore power outlet and cord
Anchor with chain and line
Automatic engine room fire extinguishing system
Barrier coat, epoxy with bottom paint
Bimini
Bottom paint (without barrier coat)
Bow thruster
Colored Hull (Gelcoat)
Cockpit cushions
Cruising spinnaker gear
Deep keel
Diesel heating system
Dishware, plates, mugs, bowls, (6) sets
Dodger (spray hood)
Dynaplate
Electric rigging winch, #46
Electric sheeting winches, #46
Engine upgrade: 40hp Yanmar® with saildrive
Folding deck cleats (6)
Folding wheel, 36" (.91m)
Freezer, front opening
Generator – 4.0 Kw
High bilge water alarm and pump
Inverter with battery charger upgrade
Leather interior cushions
Lead keel (shoal or deep)
Mattress, innerspring aft cabin
Non-skid decking, painted – 2-tone
Painted hull
Propeller: 2-blade, folding
Quiet-flush® head
Raymarine® AIS system
Raymarine® p70 autopilot with linear drive
Raymarine® a50 chartplotter with GPS
Raymarine® e7 chartplotter with GPS
Raymarine® e95 MFD with GPS
Raymarine® e95 MFD with GPS and 4kw radar
Raymarine® radar (4kw)
Raymarine® smart controller/wireless remote
Raymarine® i40 knot and depth
Raymarine® i70 package
Raymarine® Sirius® weather
Raymarine® wind machine
Remote mic for VHF radio
Rigid boom vang (included in furling main option)
Sirius® receiver and antenna (USA only)
SmartPlug® shore-power cord
Stern rail seat cushions
Teak furniture and doors
Teak exterior options
Three-blade fixed propeller
Tri-cabin version
TV: 24" flat panel with DVD player
Vertical battens for furling mainsail option
Wrapped teak bulkheads with teak furniture and floors
X-Change-R® oil change system

Mariner Package†

Electric anchor windlass
Engine upgrade: 40hp Yanmar® with saildrive
Folding wheel, 36" (.91m)
Hatch shades with screens – Oceanair®
SmartPlug® shore-power cord
Raymarine® i40 knot and depth
Refrigeration
Remote mic for VHF radio
Traveler, arch-mounted for mainsheet



Standard –
Layout

Specifications

Length	Overall (ft/m)	
	39'1"	11.91
Hull (ft/m)	37'6"	11.43
	Waterline (ft/m)	35'8" 10.87
Beam (ft/m)	13'1"	3.99
Draft	Shoal (ft/m)	5'0" 1.52
	Deep (ft/m)	6'6" 1.98
Displacement	Shoal (lb/kg)	18995 8616
	Deep (lb/kg)	18393 8343
Ballast	Shoal (lb/kg)	5727 2598
	Deep (lb/kg)	5125 2325
Mast Height	Standard (ft/m)	59'2" 18.03
	Furling (ft/m)	61'2" 18.64
Sail Area	Standard (ft²/m²)	856 79.53
	Furling (ft²/m²)	764 70.98
I (ft/m)	49'2"	14.98
J (ft/m)	12'1"	3.68
P	Standard (ft/m)	45'6" 13.87
	Furling (ft/m)	49'0" 14.93
E	Standard (ft/m)	17'7" 5.37
	Furling (ft/m)	18'4" 5.59
Headroom (ft/m)	6'6"	1.98
Tank Capacities	Fuel (gal/L)	50 189
	Water (gal/L)	80 303
Holding Tank (gal/L)	25	95
	Water Heater (gal/L)	5 19
Inboard Engine	Standard (HP/KW)	29 21.3
	Optional (HP/KW)	40 29.4
CE Classification	A/10	



† Items in Mariner package are available as individual optional equipment, but are packaged for value pricing.



Part of the World Class Marlow Group of Companies

Marlow-Hunter, LLC reserves the right to modify or change, without notice, any materials, specifications, equipment and/or accessories. All measurements are approximate. Standard equipment may vary for products sold outside the United States.



M^H40



Part of the World Class Marine Group of Companies

National Customer Hotline USA 800.771.5556 • [w marlow-hunter.com](http://www.marlow-hunter.com) • [e sales@marlow-hunter.com](mailto:sales@marlow-hunter.com)

M40 Specifications and Equipment

Rigging

Boom vang
In-mast furling system (Seldén) with rigid boom vang
Inboard jib tracks with adjustable cars
Internal halyards led to cockpit
Jib furling system
Jib, 110% furling with acrylic sun cover
Mainsail, full roach with flaking system and sail cover
Mainsheet purchase system with adjustable traveler
Mast, Selden®, B&R with fractional rig
Reefing system, dual single line led aft
Rigging line stoppers and organizers, two sets
Winch handles (2)
Winches, (2) Rigging, 2-speed, self-tailing, #40
Winches, (2) Jib, 2-speed, self-tailing, #46 at helm
Windex® wind vane

Cockpit

Bilge pump, manual
Cockpit arch, stainless steel
Dual helm stations w/stainless steel wheels
Halyard tail stowage wells
Jib winches placed aft at helm station
Lewmar® direct drive steering system
Locker, storage
Stern rail seats, stainless steel with drink holders
Transom swim platform, fold-down
Transom shower, hot and cold

Deck/Hull

Anchor roller, double offset
Anchor well with space for rode and chain
Blister prevent technology hull
Bow pulpit, stainless steel
Deck handrails, stainless steel
Dorade vents (2)
Folding deck cleats (6)
Hatches, opening deck, with screens
HKT Kevlar® hull reinforcement
Hull, FRP/Nida-Core sandwich above waterline, solid FRP bottom
Hull, structural grid reinforcement
Hull windows (6), fixed
Keel, shoal draft
Lifelines, double with 2 gates and stainless steel stanchions
LPG tank storage for two bottles
Mooring cleats, (6) stainless steel
Nonskid deck
Ports, opening, with screens
Rubrail with stainless steel insert
Rudder, balanced spade, with stainless steel shaft
Swim platform with stainless steel telescoping ladder
Through-bolted hull/deck joint

Forward Cabin

Bench seat
Hanging locker
Mattress, innerspring
Private forward cabin
Smoke and carbon monoxide detectors
Storage shelving
Under-berth storage space

Forward Head

Shower stall with adjustable shower head and seat
Anti-bacterial gelcoat
Marine head, manual pump
Shower sump pump
Stainless steel sink
Storage compartments
Vanity with Corian® countertop

Galley

Corian® countertop
Dish rack cabinet with lighting and ventilation
Dishware, plates, mugs, bowls, (6) sets
Fresh water system, pressurized, hot and cold
Microwave
Sinks, double stainless steel with cutting board
Storage cabinets, drawers and shelving
Stove, LPG two burner with oven – gimbaled
Waste bin, built-in

Main Salon

Accordion shades
Chart table
Deck side windows, fixed
Deluxe cushion/fabric package
Dinette table, convertible to berth with filler cushion
Handrails, hardwood on both sides
Hardwood flooring
Hullside storage cabinets
Easy engine access
Navigation station with space for electronics
Selected hardwood trim
Cherry laminated furniture
Companionway steps with stainless steel grab rails

Aft Cabin

Berth, double with innerspring mattress
Built-in lounge chair
Hanging locker, cedar-lined
Private access to head and shower
Storage shelves and compartment storage space

Aft Head

Access door, dual
Anti-bacterial gelcoat
Marine head with manual pump
Shower stall with adjustable shower head, seat and folding shower door
Shower sump pump
Stainless steel sink
Storage compartments
Vanity with Corian® countertop

Systems/Electronics

12 Volt cabin lighting
12 Volt DC electrical system with breaker panel
40hp Yanmar® diesel engine with two-blade prop
Alternator, 125 amp
Battery box, engine start
Battery boxes (2), house
Battery charger, 40 amp
Bilge pump, electric, automatic
Electrical outlets, AC and DC
Engine panel, deluxe with alarms and hour meter
Fresh water system, pressurized, hot and cold
Galvanic isolator
LED lighting, interior
Navigation light package
NMMA certification on all systems
Propane gas system for cooking
Raymarine® i50 depth sounder with alarm
Raymarine® i50 knot meter with log
Shore power system, 120 volt AC with cord
Stereo: AM/FM, CD player, Bose® speakers in salon and cockpit arch pod with speakers
Tank gauges for fuel, water and waste
VHF radio with DSC and stainless steel antenna
Waste holding tank and macerator pump
Water heater

General Safety Group

Air horn
Anchor with chain and line
Carbon monoxide and smoke detectors
Emergency tiller
Fire extinguishers (2)
GFI receptacles
Handheld flares

General Safety Group (continued)

Manual bilge pump
Reference book, *Chapman Piloting*
NMMA certification on all systems
Throwable device

Optional Equipment

Air conditioning system with shore power outlet and cord
Automatic engine room fire extinguishing system
Barrier coat, epoxy with bottom paint
Bottom paint (without barrier coat)
Bimini
Bose® Lifestyle 235 entertainment system; 26" flat panel TV, iPod dock, remote cockpit stereo package and environmental speakers
Cockpit cushions
Colored Hull (Gelcoat)
Cruising spinnaker gear
Davits
Deep keel
Diesel heating system
Dodger (spray hood)
Dynaplate
Electric rigging winch, #46
Electric sheeting winches, #46
Engine upgrade: 54hp Yanmar® diesel
Freezer, front opening
Generator – 4.0 Kw
Hard top
High bilge water alarm and pump
Inverter with battery charger upgrade
Leather interior cushions
Lead keel (shoal or deep)
Innerspring mattress upgrade (foreward/aft cabins)
Painted hull
Propeller: 2 blade, folding
Quiet-flush® heads (2)
Raymarine® AIS system
Raymarine® p70 autopilot with linear drive
Raymarine® e95 MFD with GPS
Raymarine® e125 MFD with GPS
Raymarine® radar (4kw)
Raymarine® smart controller/wireless remote
Raymarine® i50 knot and depth
Raymarine® i70 package
Raymarine® Sirius® weather
Rigid boom vang (included in furling main option)
Sirius® receiver and antenna (USA only)
SmartPlug® shore-power cord
Solar panel, large, mounted on optional hard top
Spare rudder system
Stern rail seat cushions
Teak furniture and doors
Teak exterior options
Tri-cabin floor plan
TV: Forward/aft cabin – 24" flat panel with DVD player
TV: Main salon – 28" flat screen with DVD player
Vertical battens for furling mainsail option
VHF remote mic at helm
Wrapped teak bulkheads with teak furniture and floors

Mariner Package†

Electric anchor windlass
Engine upgrade: 54hp Yanmar® diesel
Freezer – front opening
Innerspring mattress upgrade (foreward/aft cabins)
Raymarine® i50 knot and depth
SmartPlug® shore-power cord
Supreme shade package
Three-blade fixed propeller
Traveler, arch-mounted for mainsheet
TV: Main salon – 28" flat screen with DVD player
VHF remote mic at helm
Wrapped steering wheels: leather

† Items in Mariner package are available as individual optional equipment, but are packaged for value pricing.



Standard Layout

Specifications

Length

Overall (ft/m)	41'3"	12.57
Hull (ft/m)	40'0"	12.19
Waterline (ft/m)	36'0"	10.97

Beam

(ft/m)	13'2"	4.01
--------	-------	------

Draft:

Shoal (ft/m)	5'2"	1.57
--------------	------	------

Deep (ft/m)	6'8"	2.03
-------------	------	------

Displacement

Shoal (lb/kg)	19700	8935
Deep (lb/kg)	19098	8662

Ballast

Shoal (lb/kg)	6027	2733
Deep (lb/kg)	5425	2460

Mast Height

Standard	61'9"	18.82
Furling	63'3"	19.27

Sail Area

Standard (ft²/m²)	1006	93.46
Furling (ft²/m²)	910	84.54

I (ft/m)	50'0"	15.24
----------	-------	-------

J (ft/m)	12'1"	3.68
----------	-------	------

P Standard (ft/m)	47'0"	14.32
-------------------	-------	-------

Furling (ft/m)	51'2"	15.59
----------------	-------	-------

E Standard (ft/m)	17'8"	5.38
-------------------	-------	------

Furling (ft/m)	19'3"	5.86
----------------	-------	------

Headroom (ft/m)	6'6"	1.98
-----------------	------	------

Tank Capacities

Fuel (gal/L)	50	189
Water (gal/L)	90	341
Holding Tank (gal/L)	40	151
Water Heater (gal/L)	5	19

Inboard Engine

Standard (HP/KW)	40	29.4
Optional (HP/KW)	54	40.3

CE Classification

A/10



Part of the World Class Marlow Group of Companies

Marlow-Hunter, LLC reserves the right to modify or change, without notice, any materials, specifications, equipment and/or accessories. All measurements are approximate. Standard equipment may vary for products sold outside the United States.



^HM47

^HM47



M47 Specifications and Equipment

Standard
Layout

Rigging

Boom Vang
In-mast furling system (Seldén) with rigid boom vang
Inboard jib tracks with adjustable cars
Internal halyards led to cockpit
Jib furling system
Jib, overlapping 110%
Mast, Seldén, B&R with fractional sailplan
Mainsheet, dual ended
Rigging line stoppers and organizers, two sets
Traveler, arch mounted for mainsheet
Winch handles (2)
Winches, (2) Rigging, 2-speed, self-tailing, #55
WindeX® wind vane

Cockpit

Bilge pump, manual
Compasses, lighted
Canting hydraulic helm station with lighted compass
Fold down swim platform
Wheel brake
Single lever engine control
Lockers, cockpit storage
Table, in cockpit with teak
Transom shower, hot and cold
Sundeck, non-skid
Stern rail seats, stainless steel with drink holders

Deck/Hull

Anchor roller, double offset
Anchor well with space for rode and chain
Anchor windlass, electric
Blister prevent technology – hull
Bow pulpit, stainless steel
Compass
Deck handrails, stainless steel
Deck FRP/Nida-Core sandwich
Dinghy storage in stern
Dorade vents (2)
Fresh water hook-up, dockside
Folding cleats, (6) stainless steel
Hatches, opening deck, with screens
HKT Kevlar® hull reinforcement
Hull, FRP/Nida-Core sandwich above waterline, solid FRP
bottom hull, structural grid reinforcement
Keel, shoal draft
Lifelines, double with 3 gates and stainless steel stanchions
LPG tank storage for two bottles
Ports, (4) fixed
Ports, (4) opening, with screens
Rubrail, with stainless steel insert
Rudder, balanced spade, with stainless steel shaft
Swim platform with stainless steel telescoping ladder
Through-bolted hull/deck joint
Through-hull fittings, all bronze below waterline
Windshield fixed with cover

Forward Cabin

Cabin lighting
Electrical outlets, AC and DC
Hanging lockers, cedar lined
Hatches, deck, (2) opening with screens
Head, private with vanity, Corian® countertop
and opening hatch
Mattress, innerspring with bedding package
Shower stall compartment with sump pump
Smoke and carbon monoxide detectors
Storage cabinet (1), drawers (5) and shelving
Storage under berth
Vanity, ensuite with Corian® countertop and storage cabinets

Galley

Corian® countertops with backsplash and
stainless steel grab rails
Dishware, plates, mugs, bowls, (6) sets
Electrical outlets, AC and DC
Faucet, chrome, pull-out, dual function
Fresh water system, pressurized, hot and cold
Hatch, (1) deck, opening
Microwave
Ports, (1) opening, with screens
Refrigerator/Freezer, front-opening, stainless steel
Sinks, double stainless steel with cutting board
Storage cabinets, drawers and shelving
Storage cabinet, for dishes, vented and self-draining
Stove, with three burners & LPG gimbaled with oven
Waste bin, built-in

Main Salon

Shades
Cabin lighting
Courtesy floor lighting
Deck side windows, (3) fixed with shades
Deluxe cushion/fabric package
Dinette table, high gloss, convertible to berth
Dorade vents (2)
Electrical outlets, AC and DC
Cherry laminate woodwork
Genuine hardwood floors
Handrails, hardwood on both sides
Hatches, (3) deck, opening with screens
Leaf, removable for high-gloss dinette table

Main Salon *continued*

Wine bottle rack storage
Selected hardwood trim
Smoke and carbon monoxide detectors
Stereo, AM/FM CD with Bose® speakers
Storage lockers on hull sides
Storage shelving
TV for salon, flat panel with DVD

Port Cabin

Berth, double with innerspring mattress
Bedding package
Cabin lighting
Electrical outlets, AC and DC
Hanging locker, (1) cedar lined
Hull port window fixed
Port/hatch opening with screens
Private entrance to head (port)
Storage cabinet or space for optional washer/dryer
Storage drawers
Storage, cabinet with (5) drawers – starboard side

Starboard Cabin

Berth, double with mattress
Bedding package
Cabin lighting
Electrical outlets, AC and DC
Hanging locker, (1) cedar lined
Hull port window fixed
Port/hatch opening with screens
Private entrance to head (port)
Storage cabinet or space for optional washer/dryer
Storage drawers
Storage, cabinet with (5) drawers – starboard side

Main Head – Aft

Access door, dual
Anti-bacterial gelcoat
Electrical outlets, AC and DC Hatch, (1) deck
Ports, (1) fixed
Marine head with manual pump
Shower stall with adjustable shower head,
seat and sump pump
Storage compartments
Vanity with Corian® countertop

General Safety Group

Air horn
Anchor and line
Anti-bacterial gelcoat in head
Carbon monoxide and smoke detectors
Emergency tiller
Fire extinguishers, (4) handheld
Fire extinguishing system, automatic in engine room
Fog bell
GFI receptacles
Hand-held flares
High-bilge water alarm and pump
NMMA certification on all systems
Reference book, *Chapman's Manual*
Throwable flotation cushion

Systems/ Electronics

12-volt DC electrical system with breaker panel
80hp Yanmar® diesel engine with saildrive
and 3-blade propeller
Alternator, 125 amp
Battery box, engine start
Battery boxes, (1)start & (2)house
Battery charger
Bilge pump, manual
Bilge pump, electric primary 1600 gph
Bilge pump, electric secondary 4000 gph with alarm
Cable TV
Engine panel, deluxe with gauges, hour meter and alarm
Fresh water system, pressurized, hot and cold
Galvanic isolator
Gauges, tank for fuel, water, and waste
Lights, deck and anchor
Navigation light package
NMMA certification on all systems
Propane gas system for cooking
Raymarine® i50 speed and depth
Stereo power system with cord 120v 30amp
Stereo, AM/FM CD player, Bose® speakers in salon and cockpit
arch pod with speakers
Sump pumps, shower
VHF radio with DSC and stainless steel antenna
Waste holding tank with macerator pump
Water heater, 11 gallon
TV for salon, flat panel with DVD player
X-Change-R® Oil Change System

Optional Equipment

Air conditioning system
Barrier coat, epoxy with bottom paint
Bimini top
Boom vang, solid (included with in-mast furling)
Bow thruster
Cockpit cushions
Colored hull (Gelcoat)
Conventional standard rig and sailplan w/full batten main
Cushions, salon upgrade to Dura-Leather®
Cushions, stern rail seats
Custom Décor package with real "Teak" wood interior
Deep keel
Diesel heating system
Dodger, canvas
Dynaplate® grounding system (for SSB radio)
Electric rigging winch upgrade (port or starboard)
Fuel tank, in place of same size water tank
Generator
Icemaker
Inverter
Isolation transformer
Jib, self tacking
Lead keel
Mattress, memory foam
Painted hull
Quiet-flush® head system
Radar module with antenna for e-series MFD
Raymarine® AIS system
Raymarine® p70 autopilot with i70 control head
Raymarine® e95 MFD with GPS
Raymarine® e125 MFD with GPS
Raymarine® radar
Raymarine® Sirius® weather
Raymarine® i70 package with autopilot and displays
Raymarine® i50 knot and depth
Raymarine® i60 wind
Raymarine® wireless autopilot controller
Refrigerator/Freezer additional top loading
(two separate units)
Sail cover (standard main only)
Shade package, supreme
Sirius® receiver and antenna
Spare rudder system
Spinnaker gear
Staysail, 229 ft² with inner forestay, furler,
and self-tacking system
Stove, electric with convection oven
Stereo, cockpit AM/FM CD with marine speakers
Stereo, staterooms AM/FM CD with speakers
Tall mast (furling)
TV for main salon, 28" flat panel with DVD player
TV for main salon, 32" flat panel with DVD player
and Bose Lifestyle® 235 sound system
TV for staterooms, 24" flat panel with DVD player
Vertical battens for in-mast furling
VHF remote mic at helm
Washer/dryer
Watermaker
Winches, for spinnaker
Wine cooler (cannot be installed with icemaker)

Mariner Package†

Bow thruster
Freezer, additional, top opening
Inverter
Mattress, memory foam
Quiet-flush® head system
Raymarine® i50 knot and depth
Refrigerator, additional, top opening
Remote VHF mic at helm
SmartPlug®, shore power cord
TV for main salon, 32" flat panel with DVD player
and Bose Lifestyle® 235 sound system
Vertical battens for in-mast furling

† Items in Mariner package are available as individual
optional equipment, but are packaged for value pricing.



Part of the World Class Marlow Group of Companies

Marlow-Hunter, LLC reserves the right to modify or
change, without notice, any materials, specifications,
equipment and/or accessories. All measurements are ap-
proximate. Standard equipment may vary for products
sold outside the United States.



Specifications

Length			
Overall	(ft/m)	50'6"	15.39
Hull	(ft/m)	48'5"	14.76
Waterline	(ft/m)	44'8"	13.61
Beam			
	(ft/m)	15'0"	4.57
Draft			
Shoal	(ft/m)	5'6"	1.68
Deep	(ft/m)	7'0"	2.13

Displacement			
Shoal	(lb/kg)	36000	16329
Deep	(lb/kg)	32793	14875
Ballast			
Shoal	(lb/kg)	12500	5670
Deep	(lb/kg)	9093	4125

Mast Height			
Standard	(ft/m)	68'0"	20.73
Furling	(ft/m)	62'10"	19.15

Sail Area			
Standard	(ft²/m²)	1277	118.64
Furling	(ft²/m²)	1065	98.94
(Vertical Battens) Furling	(ft²/m²)	1105	102.66

Headroom			
	(ft/m)	6'9"	2.06

Tank Capacities			
Fuel	(gal/L)	150	568
Optional Fuel	(gal/L)	222	840
Water	(gal/L)	194	734
Holding Tank	(gal/L)	52	197
Water Heater	(gal/L)	11	42

Inboard Engine			
Standard	(HP/kW)	80	58.84
Alternator	(amps)	125	125

CE Classification			
		A/13	

MH_16116.03-47



^H
M50



M50 Specifications and Equipment

Rigging

Boom Vang
In-mast furling system (Seldén) with rigid vang
Inboard jib tracks with adjustable cars
Internal halyards led to cockpit
Jib furling system
Jib, 95% self tacking furling with acrylic sun cover
Mainsail, full roach with flogging system and sail cover
Mainsheet purchase system, double ended
Mast, Selden®, B&R with fractional sailplan
Reefing system, dual single line led aft
Rigging line stoppers and organizers, two sets
Traveler, Arch Mounted for Mainsheet
Winch handles (2)
Winches, (2) Rigging, 2-speed, self-tailing, #46
Winches, (2) Jib, 2-speed, self-tailing, #54 at helm
Windex® wind vane

Cockpit

Bilge pump, manual
Cockpit traveler arch, stainless steel with mainsheet traveler and pod with speakers
Compasses, (2) lighted
Dual helm station with lighted compass and stainless wheel guard
Wheel brake
Single lever engine control
Halyard tail storage wells
Lewmar® direct drive steering system
Lockers, (5) cockpit storage
Stern rail seats, stainless steel with drink holders
Synthetic teak in cockpit and swim platform
Table, cockpit with teak inlay top, handrail, folding leaves, drink holders and ice bucket
Walk-through transom with swim platform
Transom shower, hot and cold

Deck/Hull

Anchor roller, double offset
Anchor well with space for rode and chain
Anchor windlass, electric
Blister prevent technology – hull
Bow pulpit, stainless steel
Compass
Deck handrails, stainless steel
Dorade vents (2)
Folding cleats, (8) stainless steel
Fresh water hook-up, dockside
Hatches (11), opening deck, with screens
HKT Kevlar® hull reinforcement
Hull, FRP/Nida-Core sandwich above waterline, solid FRP bottom hull, structural grid reinforcement
Keel, shoal draft
Lifelines, double with 3 gates and stainless steel stanchions
Lockers, (2) transom storage
LPG tank storage for two bottles
Nonskid deck
Ports, (2) fixed
Ports, (10) opening, with screens
Rubrail, full wrap with stainless steel insert
Rudder, balanced spade, with stainless steel shaft
Swim platform with stainless steel telescoping ladder
Through-bolted hull/deck joint with full rub rail
Through-hull fittings, all bronze below waterline
Windshield fixed ports, with cover



Marlow-Hunter, LLC reserves the right to modify or change, without notice, any materials, specifications, equipment and/or accessories. All measurements are approximate. Standard equipment may vary for products sold outside the United States.



Forward Cabin

Cabin lighting
Designer bedding fabrics with duvet
Electrical outlets, AC and DC
Hanging lockers, (2) cedar lined
Hatches, deck, (2) opening with screens
Head, private with vanity, Corian® countertop and opening hatch
Mattress, innerspring with bedding package
Seat, dressing
Shower stall compartment with sump pump
Smoke and carbon monoxide detectors
Storage cabinet (1), drawers (5) and shelving
Storage under berth
Vanity, ensuite with Corian® countertop and storage cabinets

Galley

Corian® countertops with backsplash and stainless steel grab rails
Dishware, plates, mugs, bowls, (6) sets
Electrical outlets, AC and DC
Faucet, chrome, pull-out, dual function
Fresh water system, pressurized, hot and cold
Hatch, (1) deck, opening
Microwave
Ports, (2) opening, with screens
Range hood with light and fan
Refrigerator, front-opening, stainless steel
Freezer, top opening
Sinks, double stainless steel with cutting board
Storage bin under sole
Storage cabinets (3), drawers (7), and shelving
Storage cabinet, dish, vented and self-draining
Stove, three burner, LPG gimbaled with oven
Waste bin, built-in

Main Salon

Shades
Cabin lighting
Courtesy floor lighting
Deck side windows, (4) fixed with shades
Deck windshield ports, (2) fixed
Deluxe cushion/fabric package
Dinette table, high gloss, convertible to berth
Dorade vents (2)
Electrical outlets, AC and DC
Gloss finish "cherry" woodwork
Genuine hardwood floors
Handrails, hardwood on both sides
Hatches, (2) deck, opening with screens
Leaf, removable for high-gloss dinette table
Ottoman with wine bottle rack storage
Ports, (2) hull, fixed
Selected hardwood trim
Smoke and carbon monoxide detectors
Stereo: AM/FM, CD with Bose® speakers
Storage lockers on hull sides
Storage shelving
TV: Salon – 24" flat panel with DVD

Navigation Station

Adjustable chart light
Chair
Chart table, opening
Electrical outlets, AC and DC
Phone jack
"Simpli panel" 12v switching system
Space for electronics
Storage cabinet, plotting gear
Storage cabinets

Aft Cabins

Berth, double with innerspring
Mattress and bedding package
Cabin lighting
Electrical outlets, AC and DC
Hanging locker, (1) cedar lined
Hanging wet locker, port side
Headboard, padded
Ports/hatches (4/3) opening with screens
Private entrance to head (port)
Storage cabinet or space for optional washer/dryer
Storage drawers/bins (3) around bed
Storage, extra cabinet with (5) drawers – starboard side

Main Head – Aft

Access door, dual
Anti-bacterial gelcoat
Electrical outlets, AC and DC
Hatch, (1) deck
Ports, (3) opening
Marine head with manual pump
Shower stall with adjustable shower head, seat and sump pump
Storage compartments
Vanity with Corian® countertop

General Safety Group

Air horn
Anchor and line
Anti-bacterial gelcoat in head
Carbon monoxide and smoke detectors
Emergency tiller
Fire extinguishers, (4) handheld
Fire extinguishing system, automatic in engine room
Fog bell
GFI receptacles
Hand-held flares
High-bilge water alarm and pump
NMMA certification on all systems
Reference book, *Chapman's Manual*
Throwable flotation cushion

Systems/Electronics

12 volt DC electrical system with breaker panel
75hp Yanmar® diesel engine with 3-blade propeller
Alternator, 125 amp
Battery box, engine start
Battery boxes, (3) house, size 8D
Battery charger, 100 amp
Bilge pump, manual
Bilge pump, electric primary 1600 gph
Bilge pump, electric secondary 4000 gph with alarm
Cable TV and phone jacks
Engine panel, deluxe with gauges, hour meter and alarm
Fresh water system, pressurized, hot and cold
Galvanic isolator
Gauges, tank for fuel, water, and waste
LED lighting
Lights, deck and anchor
Navigation light package
NMMA certification on all systems
Propane gas system for cooking
Raymarine® i50 speed and depth
Shore power system, 240 volt with cord
Stereo, AM/FM CD player, Bose® speakers in salon and cockpit arch pod with speakers
Sump pumps, shower
VHF radio with DSC and stainless steel antenna
Waste holding tank with macerator pump
Water heater, 11 gallon
TV for salon, 24" flat panel with DVD player

Optional Equipment

Air conditioning system
Barrier coat, epoxy with bottom paint
Bimini top
Bottom paint
Bow thruster
Cockpit cushions
Colored Hull (Gelcoat)
Cushions, salon upgrade to Dura-Leather®
Cushions, stern rail seats
Cushions, sundeck
Davit system
Deep keel
Desk/workbench in starboard aft cabin
Diesel heating system

Optional Equipment


Dodger, canvas
Dynaplate® grounding system (for SSB radio)
Electric rigging winch upgrade (starboard cabin top)
Electric winch upgrade at helm station (per side)
Engine upgrade: 100hp Yanmar® diesel
Four-cabin version
Freezer, additional top opening
Fuel tank: 67gal (in place of same size water tank)
Generator – 11.2 Kw
Icemaker
Inverter with battery monitoring system
Isolation transformer
Jib, overlapping with sheeting system and winch
Lead keel
Leaf, removable for dinette table
Leather interior cushions
Mattress: memory foam
Painted hull
Quickdock docking system
Quiet-flush® head system
Radar module with antenna for e-series MFD
Raymarine® AIS system
Raymarine® i70 autopilot with i70 control head
Raymarine® e95 MFD with GPS
Raymarine® e125 MFD with GPS
Raymarine® radar
Raymarine® Sirius® weather
Raymarine® i70 package with autopilot and displays
Raymarine® i50 knot and depth
Raymarine® i60 wind
Raymarine® wireless autopilot controller
Refrigerator, additional front opening
Remote mic for VHF radio
Sail cover (standard main only)
Shade package, supreme
Sirius® receiver and antenna
SmartPlug shore-power
Spare rudder system
Spinnaker gear
Staysail, 229 sq ft with inner forestay, Furler, and self tacking system
Stove, electric with convection oven
Stereo: Cockpit – AM/FM, CD with marine speakers
Stereo: Staterooms – AM/FM, CD with speakers
Tall mast (furling)
TV: Main salon – 28" flat panel with DVD player
TV: Main salon – 28" flat panel with DVD player and Bose Lifestyle® 235 sound system plus cockpit sound system
TV: Staterooms – 24" flat panel with DVD player
Vertical battens for in-mast furling
Washer/dryer
Watermaker
Winches, spinnaker, installed outboard of helm winches
Wine cooler (cannot be installed with icemaker)
X-Change-R® oil change system

Mariner Package†

Additional refrigerator and freezer
Bow thruster
Electric rigging winch upgrade (starboard cabin top)
Engine upgrade: 110hp Yanmar® diesel
Inverter with battery monitoring system
Mattress: memory foam
Quiet-flush® head system
Raymarine® i50 Tridata repeater
Remote mic for VHF radio
Shade package, supreme
SmartPlug® shore-power cord
TV: Main salon – 28" flat panel with DVD player and Bose Lifestyle® 235 sound system plus cockpit sound system

Workbench and Desk Layout

Standard Layout



Specifications

Length	Overall (ft/m)	49'11"	15.21
	Hull (ft/m)	47'10"	14.58
	Waterline (ft/m)	43'10"	13.36
Beam	(ft/m)	14'9"	4.50
Draft	Shoal (ft/m)	5'6"	1.68
	Deep (ft/m)	7'0"	2.13
Displacement	Shoal (lb/kg)	32813	14884
	Deep (lb/kg)	29406	13338
Ballast	Shoal (lb/kg)	12500	5690
	Deep (lb/kg)	9093	5087
Mast Height	Standard (ft/m)	68'6"	20.88
	Furling (ft/m)	63'4"	19.30
Sail Area	Standard (ft²/m²)	1277	118.64
	¹Furling (ft²/m²)	1161	107.86
	²Furling (ft²/m²)	1316	122.26
I	(ft/m)	54'7"	16.64
J	(ft/m)	16'6"	5.03
P	Standard (ft/m)	51'7"	15.73
	Furling (ft/m)	50'7"	15.42
E	Standard (ft/m)	21'10"	6.65
	Furling (ft/m)	23'9"	7.24
Headroom	(ft/m)	6'6"	2.06
Tank Capacities	Fuel (gal/L)	150	568
	Optional Fuel (gal/L)	217	821
	Water (gal/L)	200	757
	Holding Tank (gal/L)	52	197
	Water Heater (gal/L)	11	42
Inboard Engine	Standard (HP/kW)	75	56.0
	Optional (HP/kW)	110	82.0
CE Classification		A/13	

1 With Vertical Battens • 2 With Stay Sail Rig

MH_15153.06-50



^H
M50cc



MARLOW
HUNTER

Part of the World Class Marlow Group of Companies



M50cc Specifications and Equipment

Rigging

Boom Vang
In-mast furling system (Seldén)
with rigid vang
Inboard jib tracks with adjustable cars
Internal halyards led to cockpit
Jib furling system
Jib, 95% self tacking furling with
acrylic sun cover
Mainsail, full roach with flaking
system and sail cover
Mainsheet purchase system,
double ended
Mast, Seldén, B&R with
fractional sailplan
Reefing system, dual single line
Rigging line stoppers and
organizers, two sets
Traveler, Arch Mounted for Mainsheet
Winch handles (2)
Winches, (2) Rigging, 2-speed,
self-tailing, #46
Winches, (2) Jib, 2-speed, self-tailing,
#54 at helm
WindeX® wind vane

Cockpit

Bilge pump, manual
Cockpit traveler arch, stainless steel
with mainsheet traveler and pod with
marine speakers
Compass
Helm station with lighted compass
and stainless steel wheel guard
Wheel brake
Single lever engine control
Halyard tail stowage wells
Lewmar® direct drive steering system
Synthetic teak in cockpit and
swim platform
Table, cockpit with teak inlay top
Winding stairs to transom
Transom shower, hot and cold

Deck/Hull

Admiral seat (seats 2)
Aft lounge bench (seats 4)
Aft deck locker (2) (one reserved for LPG tanks)
Anchor roller, double offset
Anchor well with space for
rode and chain
Anchor windlass, electric
Blister prevent technology – hull
Bow pulpit, stainless steel
Deck handrails, stainless steel
Dorade vents (2)
Folding cleats, (8) stainless steel
Fresh water hook-up, dockside
Hatches (10), opening deck,
with screens
HKT Kevlar® hull reinforcement
Hull, FRP/Nida-Core sandwich above
waterline, solid FRP bottom hull,
structural grid reinforcement
Keel, shoal draft
Lifelines, double with 3 gates and
stainless steel stanchions
Lockers, (2) transom storage
LPG tank storage for two bottles
Non-skid deck
Ports, (2) fixed
Ports, (6) opening, with screens
Rubrail, full wrap with
stainless steel insert
Rudder, balanced spade, with
stainless steel shaft
Sail locker, forward, with
watertight bulkhead
Swim platform with stainless steel
telescoping ladder
Through-bolted hull/deck joint
with full rub rail
Through-hull fittings, all bronze
below waterline
Windshield fixed ports

Forward Cabin

Designer bedding fabrics with duvet
Electrical outlets, AC and DC
Hanging lockers, (2) cedar lined
Hatches, deck, (2) opening with screens
Head, private with vanity, Corian®
countertop and opening hatch
Mattress, innerspring with
bedding package
Seat, dressing
Shower stall compartment
with sump pump
Smoke and carbon monoxide detectors
Storage cabinet with (5) drawers
and shelving
Storage under berth
Vanity, ensuite with Corian® countertop
and storage cabinets

Galley

Corian® countertops with backsplash
and stainless steel grab rails
Dishware, plates, mugs, bowls for 6
Electrical outlets, AC and DC
Faucet, chrome, pull-out, dual function
Fresh water system, pressurized,
hot and cold
Hatch, (1) deck, opening
Microwave
Range hood with light and fan
Refrigerator, front-opening,
stainless steel
Freezer, front opening, stainless steel
Sinks, double stainless steel
with cutting board
Storage cabinets (3), drawers (7),
and shelving
Storage cabinet, dish, vented
and self-draining
Stove, three burner, LPG gimbaled
with oven
Waste bin, built-in

Main Salon

Accordion shades
Courtesy floor lighting
Deck side windows, (4) fixed
with shades
Deck windshield ports, (2) fixed
Deluxe cushion/fabric package
Dinette table, high gloss, convertible
to berth
Electrical outlets, AC and DC
Gloss finish "cherry" woodwork
Genuine hardwood floors
Handrails, hardwood on both sides
Hatches, (2) deck, opening with screens
Leaf, removable for high-gloss
"dinettes" table
Ports, (2) hull, fixed
Selected hardwood trim
Smoke and carbon monoxide detectors
Stereo: AM/FM, CD with Bose® speakers
Storage lockers on hull sides
Storage shelving
TV: Salon – 24" flat panel with
DVD player

Main Head

Anti-bacterial gelcoat
Electrical outlets, AC and DC
Hatch, (1) deck
Hooks, chrome (2)
Port, (1) opening
Marine head with manual pump
Private head with shower stall
Shower stall with adjustable shower
head, seat and sump pump
Storage compartments (3) with mirror

Aft Cabin

Berth with innerspring mattress and
bedding package
Electrical outlets, AC and DC
Cedar chest with storage
Desk (starboard)
Drawers (6)
Electrical outlets, ac and dc
Walk-in locker, cedar-lined with
hanging shelf
Full length mirror, custom
locking baskets (7)
Headboard, padded
Lounge bench
Ports/hatches (4/3) opening
with screens
Vanity (port) with adjustable mirror

General Safety Group

Air horn
Anchor and line
Anti-bacterial gelcoat in head
Carbon monoxide and smoke detectors
Emergency tiller
Fire extinguishers, (3) handheld
Fire extinguishing system, automatic
in engine room
Fog bell
GFI receptacles
Hand-held flares
High-bilge water alarm and pump
NMMA certification on all systems
Reference book, *Chapman Piloting*
Throwable flotation cushion

Navigation Station

Adjustable chart light
Chair
Chart table, opening
Electrical outlets, AC and DC
"Simpli panel" 12v switching system
Space for electronics
Storage cabinet, plotting gear
Storage cabinets

Systems/Electronics

12-volt DC electrical system
with breaker panel
75hp Yanmar® diesel engine with
3-blade propeller
Alternator, 125 amp
Battery box, engine start
Battery boxes, (3) house, size 8D
Battery charger, 100 amp
Bilge pump, manual
Bilge pump, electric primary 1600 gph
Bilge pump, electric secondary
4000 gph with alarm
Cable TV and phone jacks
Engine panel, deluxe with gauges,
hour meter and alarm
Fresh water system, pressurized,
hot and cold
Galvanic isolator
Gauges for fuel, water, and waste
Lights, deck and anchor
LED lighting: interior
Navigation light package
NMMA certification on all systems
Propane gas system for cooking
Raymarine® i50 speed and depth
Stereo power system, 240 volt with cord
Stereo, AM/FM CD player, Bose®
speakers in salon and cockpit arch
pod with speakers
Sump pumps, shower
VHF radio with DSC and stainless
steel antenna
Waste holding tank with
macerator pump
Water heater, 11 gallons
TV: Salon – 24" flat panel with
DVD player


Optional Equipment

Air conditioning system
Aft sundeck seat cushion
Aft lounge table, hinged
Alternator: 160amp
Barrier coat, epoxy with bottom paint
Bimini top
Bottom paint
Bow thruster
Chaise lounge chair – aft cabin
Cockpit cushions
Cushion, admiral seat
Cushion, aft lounge bench
Deep keel
Diesel heating system
Dodger, canvas
Dynaplate® grounding system
(for SSB radio)
Electric rigging winch upgrade
Electric winch upgrade: helm station
Electric winch upgrade: Starboard
cabin roof
Engine upgrade: 110hp Yanmar® diesel
Three cabin version
Freezer, additional top opening
Fuel tank: 67 gal. (In place of same size
water tank)
Generator: 11.2 Kw
Inverter with battery monitor system
Isolation transformer
Jet spa tub with water heater
Jib, overlapping with sheeting
system and winch
Leather interior cushions
Mattress: upgrade with memory foam
Painted hull
Quickdock docking system
Quiet-flush® head system
Radar module with antenna
for e-series MFD
Raymarine® AIS system
Raymarine® p70 autopilot with
type 2 linear drive
Raymarine® e95 with GPS
Raymarine® e125 with GPS
Raymarine® radar
Raymarine® wind machine
Raymarine® i50 knot and depth
Raymarine® i70 package with autopilot
and displays
Raymarine® Sirius® weather
Raymarine® wireless autopilot controller
Remote mic for VHF radio
Sail cover (standard main only)
Shade package, supreme
Sirius® stereo receiver and antenna
SmartPlug® shore power cord
Spare rudder system
Spinnaker gear
Staysail, 229ft² with inner forestay,
furler and self tacking system
Stereo: cockpit – AM/FM, CD with
marine speakers
Stereo: staterooms – AM/FM, CD
with speakers
Tall mast (furling)
TV: Main salon – 28" flat panel
with DVD player
TV: Main salon – 28" flat panel
with DVD player and Bose® Lifestyle
235 stereo system plus cockpit
sound system
TV: Staterooms – 24" flat panel
with DVD player
Vertical battens for in-mast furling
Washer/dryer
Watermaker
Winches, spinnaker, installed forward
of helm winches
X-Change® oil change system


Mariner Package†

Aft sundeck seat cushion
Bow thruster
Cushions, aft sundeck seat
Electric rigging winch upgrade
Engine upgrade: 110hp Yanmar® diesel
Freezer, additional top opening
Inverter with battery monitoring system
Mattress: memory foam
Quiet-flush® head system
Raymarine® i50 knot and depth
Remote mic for VHF radio
Shade package, supreme
SmartPlug® shore power cord
TV: Main salon – 28" flat panel
with DVD player and Bose® Lifestyle
235 stereo system plus cockpit
sound system

Standard
Layout



3-Cabin
Layout



Specifications

Length		Overall (ft/m)	
		49'11"	15.21
Hull		47'10"	
		14.58	
Waterline		43'10"	
		13.36	
Beam		(ft/m)	14'9" 4.50
Draft		Shoal (ft/m)	5'6" 1.68
		Deep (ft/m)	7'0" 2.13
Displacement		Shoal (lb/kg)	36945 16758
		Deep (lb/kg)	35661 16175
Ballast		Shoal (lb/kg)	12500 5690
		Deep (lb/kg)	9093 5087
Mast Height		Standard	68'6" 20.88
		Furling	63'4" 19.30
Sail Area		Standard (ft ² /m ²)	1247 115.85
		¹ Furling (ft ² /m ²)	1131 105.07
		² Furling (ft ² /m ²)	1316 122.26
I		(ft/m)	54'7" 16.64
		(ft/m)	16'6" 5.03
P		Standard (ft/m)	51'7" 15.73
		Furling (ft/m)	50'7" 15.42
E		Standard (ft/m)	21'10" 6.65
		Furling (ft/m)	23'9" 7.24
Headroom		(ft/m)	6'9" 2.06
Tank Capacities	Fuel	(gal/L)	162 613
	Optional Fuel	(gal/L)	229 867
	Water	(gal/L)	194 734
	Holding Tank	(gal/L)	52 197
	Water Heater	(gal/L)	11 42
Inboard Engine	Standard	(HP/kW)	75 56.0
	Optional	(HP/kW)	110 82.0
CE Classification			A/13

1 With Vertical Battens • 2 With Stay Sail Rig

MH_15153.06-50cc



Part of the World Class Marlow Group of Companies

Marlow-Hunter, LLC reserves the right to modify or change, without notice, any materials, specifications, equipment and/or accessories. All measurements are approximate. Standard equipment may vary for products sold outside the United States.



† Items in Mariner package are available as individual optional equipment, but are packaged for value pricing.