

FOIA MARKER

This is not a textual record. This is used as an administrative marker by the William J. Clinton Presidential Library Staff.

Collection/Record Group: Clinton Presidential Records
Subgroup/Office of Origin: Council on Environmental Quality
Series/Staff Member: Kathleen (Katie) McGinty
Subseries:

OA/ID Number: 2610
FolderID:

Folder Title:
Scheduling Proposals - John Shafer

Stack:	Row:	Section:	Shelf:	Position:
S	61	5	5	2

M E M O R A N D U M

TO: The Honorable Kathleen McGinty
Special Assistant to the President
for the Environment

ATTN: Trey Lindseth

FR: Randall E. Davis *RD*
Counsel for Amoco Corporation

DATE: March 4, 1993

RE: Pollution Prevention Legislative Initiative

I am attaching a copy of a letter which you will be receiving by mail shortly from Mr. Walter Quanstrom, Vice President, Environment, Health and Safety, Amoco Corporation, requesting a meeting with you to discuss a pollution prevention legislative initiative.

Mr. Quanstrom is willing to arrange his schedule to accommodate yours. Please advise me of suitable dates and times and I would be happy to coordinate arrangements for the meeting. I can be reached at (202) 879-3608.

Thank you in advance for your consideration.

Copy -
pls advise TREY -
wait for
John Shafer
-CB
3/16

Date 3/2
This transmission
consists of:

2 pages

Jones Day
FAX NUMBER 737-2832
FAX Operator's Number for Confirmation

Amoco
FAX Telephone Number 857-1608
Voice Telephone Number 5310

Notes:

Amoco Corporation

200 East Randolph Drive
Post Office Box 87703
Chicago, Illinois 60660-0703

Environment, Health & Safety Department
312-856-2506
Facsimile: 312-516-0197

Walter Roy Quenstrom
Vice President

March 1, 1993

Ms. Katie McGinty
Special Assistant to the President for the Environment
Old Executive Office Building
Washington, DC 20501

Dear Ms. McGinty:

We recently wrote to Administrator Browner offering Amoco's continued commitment to work with EPA to identify cost effective ways to achieve the goals of clean air, clean water, and sound waste management practices. We are seeking to meet with Ms. Browner to discuss these concepts, and we would be most interested in similar discussions with you and your staff as well.

Three years ago, Amoco initiated a multi-year partnership with EPA to identify and evaluate pollution prevention opportunities at our Yorktown, Virginia Refinery. This Project presented risks to both our organizations. I was and continue to be impressed with EPA's willingness to enter into such an open-ended venture. I'm enclosing a copy of the Executive Summary of this Project. All 22 volumes of Project documentation are being made available through the National Technical Information Service. A summary of the major documents with their NTIS numbers is also enclosed.

This jointly funded, voluntary Project identified a number of ways both industry and government can work more effectively. Many of us recognize we need to improve our working relationships. A very important first step was to work together. Over 200 people from EPA, the Commonwealth of Virginia, Amoco, and other organizations were ultimately involved with this Project. While the Project had many useful findings, it left several issues unresolved. The Project's external peer review committee (assembled and funded by EPA) asked what specific changes Amoco and EPA would make as a result of this effort. For example, EPA indicated that they did not have statutory authority to implement the kind of site-specific, innovative environmental management plans that the Project Workgroup identified as being particularly effective. Perhaps this is something we can discuss.

We would be most interested in working with the Administration to support specific statutory changes the Agency requires to improve the efficiency and effectiveness of environmental management programs. At a minimum, we would like to see the Agency given

authority they need to conduct pilot programs which would evaluate and report on the effectiveness of different policy and management choices for controlling emissions from industrial facilities. I believe we need to create incentives for innovative policy choices just as we need incentives for innovative technology choices.

The Project identified significant information gaps in industry's emissions data, in the data normally required for permit monitoring, and in the data which are genuinely useful in formulating sound facility management plans. As follow-up to the Yorktown Project, Amoco has continued to make measurements of different refinery emission sources. We are interested in sharing this data with the Office of Air and Radiation to improve the Agency's published emission estimating methods.

Finally, Amoco has continued to offer the Yorktown facility to EPA for use in follow-up studies to resolve issues raised about emission measurements, monitoring, and enforcement under different facility management approaches. We recognize that Agency policy is not likely to change on the basis of one study in one state with one oil company. Perhaps it would be possible for us jointly to use the Yorktown study as a catalyst for a pilot program that could include 50 programs in 50 states with 50 different companies. I'm certain the ideas produced from such an approach would be of great value. Why not harness the well-known creative and innovative strengths of the American people in both government and the private sector to generate these ideas?

I believe it would be useful to meet and review for you the background, program and results of the Yorktown study. Dr. Mahesh Podar, now at the Agency's Water Office, headed EPA's efforts on this study. All of those closely involved with the Project believe we identified several innovative strategies to meeting environmental protection goals while maintaining a sound economy. We also identified a number of institutional barriers in both industry and government that prevent more rapid progress.

I look forward to the opportunity of meeting with you.

Sincerely,

encl.

Walter R. Gromer
Administrator Carol Browner, EPA w/o
Dr. Mahesh Podar, Water Office, EPA WH-552 w/o

HUNDRED THIRD CONGRESS

JOHN D. DINGELL, MICHIGAN, CHAIRMAN

HENRY A. WAXMAN, CALIFORNIA
 PHILIP R. SHARP, INDIANA
 EDWARD J. MARKEY, MASSACHUSETTS
 AL SWIFT, WASHINGTON
 CARROLL COLLINS, ILLINOIS
 MIKE SYNAR, OKLAHOMA
 W.J. "BILLY" TAUZEN, LOUISIANA
 RON WYDEN, OREGON
 RALPH M. HALL, TEXAS
 BILL RICHARDSON, NEW MEXICO
 JIM BLUMENTHAL, IOWA
 JOHN BRYANT, TEXAS
 RICK BOUCHER, VIRGINIA
 JIM COOPER, TENNESSEE
 J. ROY ROWLAND, GEORGIA
 THOMAS J. MANTON, NEW YORK
 EDOLPHUS TOWNS, NEW YORK
 GERRY E. STUDS, MASSACHUSETTS
 RICHARD H. LEBMAN, CALIFORNIA
 FRANK PALLONE, JR., NEW JERSEY
 CRAIG A. WASHINGTON, TEXAS
 LYNN SCHERK, CALIFORNIA
 SHERWOOD BROWN, OHIO
 MIKE GREEN, PA, WASHINGTON
 MARJORIE MANGOLIS-MEZYNSKY, PENNSYLVANIA
 BLANCHETTE M. LAMBERT, ARKANSAS

CARLOS J. MOOREHEAD, CALIFORNIA
 THOMAS J. BLLEY, JR., VIRGINIA
 JACK FIELD, TEXAS
 MICHAEL D. GILLEY, OHIO
 MICHAEL D. BRAWLEY, FLORIDA
 DAN SCHAEFER, COLORADO
 JOE BARTON, TEXAS
 ALEX McMEILLAN, NORTH CAROLINA
 J. DENNIS MASTERT, ILLINOIS
 FRED LUTON, MICHIGAN
 CLIFF STEAKS, FLORIDA
 BILL FAXON, NEW YORK
 PAUL E. GILLUM, OHIO
 SCOTT KLUG, WISCONSIN
 GARY A. FRANKS, CONNECTICUT
 JAMES C. GREENWOOD, PENNSYLVANIA
 MICHAEL D. GRAP, IDAHO

U. S. House of Representatives
Committee on Energy and Commerce
 Room 2125, Rayburn House Office Building
 Washington, DC 20515-6115

March 11, 1993

MEMORANDUM

TO: Ms. Katie McGinty
 Director, White House Office of Environmental Policy

FROM: Dick Frandsen *Dick*
 Committee on Energy and Commerce } *yes*
 U.S. House of Representatives

SUBJECT: Meeting To Discuss Legislative Reauthorization
 of Superfund

Mr. Swift's staff of the Subcommittee on Transportation and Hazardous Materials and I would like to discuss the timing of Superfund reauthorization initiatives, the Subcommittee hearing schedule, and the Administration's environmental reauthorization priorities. In addition to me, those also attending the meeting will be Skip Endres, Subcommittee staff director, Anne Forristall and Len Barson of the professional staff of the Subcommittee.

We would like to arrange a meeting at your office at the earliest convenient opportunity.

We suggest the following dates: either Monday, March 15; Tuesday, March 16; Thursday, March 18; or Monday, March 22, 1993. If these dates are not convenient or you have any questions concerning this request, please contact me at (202) 225-3147.

*Cathy -
 should I be
 wait for John
 Shafer on this
 one? Not John
 Shafer - we'll be
 hiring someone
 in there*


WUNDER, DIEFENDERFER, RYAN, CANNON & THELEN

1615 I STREET, N.W., SUITE 650

WASHINGTON, D. C. 20036

(202) 659-3005

MEMORANDUM

TO: Katie McGinty
FROM: Ken Levine 
DATE: February 26, 1993
RE: Superfund

*regret
not possible for now
hold for John Shafer*

Doug Lowenstein and I would like to meet with you to talk about Superfund Reform issues and how the Administration in general, and the Vice President's office in particular, will be approaching policy development on Superfund Reauthorization. If possible we would like to schedule this meeting on March 5, March 12 or during the week of March 15-19.

As you will recall we have met with you previously about Superfund when you worked in the Senate and we discussed a possible meeting with you during the campaign.

We look forward to seeing you soon.

Amjoe

Facsimile Transmittal Cover Sheet

Wunder, Diefenderfer, Ryan,
Cannon & Thelen

1615 L Street, N.W., Suite 650

Washington, DC 20036

(202) 659-3005

Facsimile No: (202) 659-3010

TO: Trey LindaphFAX NO: 456-2710NO. OF Pages: 2 (including cover)FROM: Ken LevineDATE: 2/26/93CLIENT NO: ~~399~~ 399-01SPECIAL INSTRUCTIONS: _____

NOTICE: Any message above, together with any attached materials, are intended only for the use of the indicated recipient and may contain information that is confidential and/or attorney work product and/or subject to the attorney-client privilege. If you are not the indicated recipient, any review, use or dissemination of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone. Thank you.

ANY QUESTIONS OR PROBLEMS CALL: Levine at (202) 659-3005

VALIS ASSOCIATES

Wayne H. Valis

1747 Pennsylvania Avenue, N.W.
Suite 850
Washington, D.C. 20006
202 833-5055
FAX 202 833-9265

February 19, 1993

The Honorable Katie McGinty
Deputy Assistant to the President
and Director, Office on Environmental Policy
286 OEOB
Washington, D.C. 20500

Dear Ms. McGinty:

First, the members of the Environmental Action Group (EAG) (please see the enclosed membership list) would like to congratulate you on your appointment as Director of the White House Office on Environmental Policy. The EAG would like to meet with you, at your convenience, to discuss cost-effective and creative environmental protection and natural resource preservation. We would especially like to give you some ideas on Superfund.

The EAG was formed as an ad hoc group of inter-industry trade associations interested in pro-active environmental public policy. It grew out of the Clean Air Act Coalition, which was organized to support passage of the Clean Air Act. The EAG serves as an informal "sounding board" for the frank expression and exchange of cutting-edge ideas.

Since our inception three years ago, we have met regularly with EPA officials (including Bill Reilly, Hank Habicht, Bill Rosenberg, Don Clay, and LaJuana Wilcher), environmental groups (such as Jim Leape and Don Barry of the World Wildlife Foundation), key congressmen (such as Henry Waxman and John Dingell), administration officials (such as then-CEQ Chairman Michael Deland), etc. We believe some good consensus has emerged on how to advance and improve environmental policies.

EAG members believe that environmental protection is closely bound to economic health and growth in the United States. We believe that a strong U.S. economy and effective environmental protection are not mutually exclusive. EAG members also wholeheartedly believe that business, environmental groups, and the government must work together to ensure workable, effective environmental protection. We recently met with former-Gore aid Tom Grumbly to discuss both of these issues. He suggested and we agreed that a meeting with you would be mutually rewarding.

We would very much like to get your views on both of these issues. We also would like to discuss your goals and mission as head of the White House Office on Environmental Policy and how best EAG can work with you. Our agenda would include a frank exchange of ideas on important environmental issues.

Trey
Copy?
wait til he calls and
sup
up
CE
3/10

page 2

We can arrange a breakfast or lunch meeting at one of our member's offices or we can come to your offices at any time. Obviously, we are happy to meet with you at a place and time of your choosing.

I will contact your office to discuss arranging such a session. Thank you for your consideration and courtesy, and, again, congratulations.

With best wishes,

A handwritten signature in black ink, appearing to be 'W Valis', written over a horizontal line.

Wayne Valis

Enclosures

cc: T.Grumbly
EAG members

ENVIRONMENTAL ACTION GROUP

Membership

Paul Abenante, President
American Bakers Association

Nicholas Bush, President
Natural Gas Supply Association

Red Cavaney, President
American Paper Institute

Kent Colton, Executive Vice President
National Association of Home Builders

Richard Creighton, President
American Cement Alliance

Regis Delmontagne, President
NPES The Association for Suppliers of Printing
and Publishing Technologies

Andrew Doyle, Executive Director
National Paint and Coatings Association

Thomas Kuhn, President
Edison Electric Institute

Larry Thomas, President
The Society of the Plastics Industry

Wayne Valis, Executive Director
Environmental Action Group

Eugene Wingerter, Executive Director and CEO
National Solid Wastes Management Association

M E M O R A N D U M

TO: The Honorable Kathleen McGinty
Special Assistant to the President
for the Environment

ATTN: Trey Lindseth

FR: Randall E. Davis *RD*
Counsel for Amoco Corporation

DATE: March 4, 1993

RE: Pollution Prevention Legislative Initiative

I am attaching a copy of a letter which you will be receiving by mail shortly from Mr. Walter Quanstrom, Vice President, Environment, Health and Safety, Amoco Corporation, requesting a meeting with you to discuss a pollution prevention legislative initiative.

Mr. Quanstrom is willing to arrange his schedule to accommodate yours. Please advise me of suitable dates and times and I would be happy to coordinate arrangements for the meeting. I can be reached at (202) 879-3608.

Thank you in advance for your consideration.

*Trey When John
Schaefer starts,
this will be
his. How 'bout
starting a file for
him?*

*- Greg
3/10*



Facsimile Transmission

Jones Day
Jones Day

R
O
M

Mike Bren
Amoco

Mail Code

Date 3/2 Time Sent
This transmission consists of: 2 pages

FAX NUMBER 737-2832
FAX Operator's Number for Confirmation

FAX Telephone Number 857-1608
Voice Telephone Number 5310

Notes

Amoco Corporation

200 East Randolph Drive
Post Office Box 87703
Chicago, Illinois 60680-0703

Environment, Health & Safety Department
312-656-2500
Facsimile: 312-616-0197

Walter Roy Quastrom
Vice President

March 1, 1993

Ms. Katie McGinty
Special Assistant to the President for the Environment
Old Executive Office Building
Washington, DC 20501

Dear Ms. McGinty:

We recently wrote to Administrator Browner offering Amoco's continued commitment to work with EPA to identify cost effective ways to achieve the goals of clean air, clean water, and sound waste management practices. We are seeking to meet with Ms. Browner to discuss these concepts, and we would be most interested in similar discussions with you and your staff as well.

Three years ago, Amoco initiated a multi-year partnership with EPA to identify and evaluate pollution prevention opportunities at our Yorktown, Virginia Refinery. This Project presented risks to both our organizations. I was and continue to be impressed with EPA's willingness to enter into such an open-ended venture. I'm enclosing a copy of the Executive Summary of this Project. All 22 volumes of Project documentation are being made available through the National Technical Information Service. A summary of the major documents with their NTIS numbers is also enclosed.

This jointly funded, voluntary Project identified a number of ways both industry and government can work more effectively. Many of us recognize we need to improve our working relationships. A very important first step was to work together. Over 200 people from EPA, the Commonwealth of Virginia, Amoco, and other organizations were ultimately involved with this Project. While the Project had many useful findings, it left several issues unresolved. The Project's external peer review committee (assembled and funded by EPA) asked what specific changes Amoco and EPA would make as a result of this effort. For example, EPA indicated that they did not have statutory authority to implement the kind of site-specific, innovative environmental management plans that the Project Workgroup identified as being particularly effective. Perhaps this is something we can discuss.

We would be most interested in working with the Administration to support specific statutory changes the Agency requires to improve the efficiency and effectiveness of environmental management programs. At a minimum, we would like to see the Agency given

authority they need to conduct pilot programs which would evaluate and report on the effectiveness of different policy and management choices for controlling emissions from industrial facilities. I believe we need to create incentives for innovative policy choices just as we need incentives for innovative technology choices.

The Project identified significant information gaps in industry's emissions data, in the data normally required for permit monitoring, and in the data which are genuinely useful in formulating sound facility management plans. As follow-up to the Yorktown Project, Amoco has continued to make measurements of different refinery emission sources. We are interested in sharing this data with the Office of Air and Radiation to improve the Agency's published emission estimating methods.

Finally, Amoco has continued to offer the Yorktown facility to EPA for use in follow-up studies to resolve issues raised about emission measurements, monitoring, and enforcement under different facility management approaches. We recognize that Agency policy is not likely to change on the basis of one study in one state with one oil company. Perhaps it would be possible for us jointly to use the Yorktown study as a catalyst for a pilot program that could include 50 programs in 50 states with 50 different companies. I'm certain the ideas produced from such an approach would be of great value. Why not harness the well-known creative and innovative strengths of the American people in both government and the private sector to generate these ideas?

I believe it would be useful to meet and review for you the background, program and results of the Yorktown study. Dr. Mahesh Podar, now at the Agency's Water Office, headed EPA's efforts on this study. All of those closely involved with the Project believe we identified several innovative strategies to meeting environmental protection goals while maintaining a sound economy. We also identified a number of institutional barriers in both industry and government that prevent more rapid progress.

I look forward to the opportunity of meeting with you.

Sincerely,

encl.


Administrator Carol Browner, EPA w/o
Dr. Mahesh Podar, Water Office, EPA WH-552 w/o

Walter Roy Quanstrom
Vice President

Amoco Corporation

200 East Randolph Drive
Post Office Box 87703
Chicago, Illinois 60680-0703

Environment, Health & Safety Department
312-856-2506
Facsimile 312-616-0197

March 1, 1993

[Handwritten signature]

Ms. Katie McGinty
Special Assistant to the President for the Environment
Old Executive Office Building
Washington, DC 20501

Dear Ms. McGinty:

We recently wrote to Administrator Browner offering Amoco's continued commitment to work with EPA to identify cost effective ways to achieve the goals of clean air, clean water, and sound waste management practices. We are seeking to meet with Ms. Browner to discuss these concepts, and we would be most interested in similar discussions with you and your staff as well.

Three years ago, Amoco initiated a multi-year partnership with EPA to identify and evaluate pollution prevention opportunities at our Yorktown, Virginia Refinery. This Project presented risks to both our organizations. I was and continue to be impressed with EPA's willingness to enter into such an open-ended venture. I'm enclosing a copy of the Executive Summary of this Project. All 22 volumes of Project documentation are being made available through the National Technical Information Service. A summary of the major documents with their NTIS numbers is also enclosed.

This jointly funded, voluntary Project identified a number of ways both industry and government can work more effectively. Many of us recognize we need to improve our working relationships. A very important first step was to work together. Over 200 people from EPA, the Commonwealth of Virginia, Amoco, and other organizations were ultimately involved with this Project. While the Project had many useful findings, it left several issues unresolved. The Project's external peer review committee (assembled and funded by EPA) asked what specific changes Amoco and EPA would make as a result of this effort. For example, EPA indicated that they did not have statutory authority to implement the kind of site-specific, innovative environmental management plans that the Project Workgroup identified as being particularly effective. Perhaps this is something we can discuss.

We would be most interested in working with the Administration to support specific statutory changes the Agency requires to improve the efficiency and effectiveness of environmental management programs. At a minimum, we would like to see the Agency given

authority they need to conduct pilot programs which would evaluate and report on the effectiveness of different policy and management choices for controlling emissions from industrial facilities. I believe we need to create incentives for innovative policy choices just as we need incentives for innovative technology choices.

The Project identified significant information gaps in industry's emissions data, in the data normally required for permit monitoring, and in the data which are genuinely useful in formulating sound facility management plans. As follow-up to the Yorktown Project, Amoco has continued to make measurements of different refinery emission sources. We are interested in sharing this data with the Office of Air and Radiation to improve the Agency's published emission estimating methods.

Finally, Amoco has continued to offer the Yorktown facility to EPA for use in follow-up studies to resolve issues raised about emission measurements, monitoring, and enforcement under different facility management approaches. We recognize that Agency policy is not likely to change on the basis of one study in one state with one oil company. Perhaps it would be possible for us jointly to use the Yorktown study as a catalyst for a pilot program that could include 50 programs in 50 states with 50 different companies. I'm certain the ideas produced from such an approach would be of great value. Why not harness the well-known creative and innovative strengths of the American people in both government and the private sector to generate these ideas?

I believe it would be useful to meet and review for you the background, program and results of the Yorktown study. Dr. Mahesh Podar, now at the Agency's Water Office, headed EPA's efforts on this study. All of those closely involved with the Project believe we identified several innovative strategies to meeting environmental protection goals while maintaining a sound economy. We also identified a number of institutional barriers in both industry and government that prevent more rapid progress.

I look forward to the opportunity of meeting with you.

Sincerely,



encl.

Administrator Carol Browner, EPA w/o
Dr. Mahesh Podar, Water Office, EPA WH-552 w/o

Acknowledgments

Many people and organizations contributed to the success of the Yorktown pollution-prevention project, including the following:

- U.S. Environmental Protection Agency
 - Office of Air and Radiation
 - Office of Solid Waste and Emergency Response
 - National Advisory Council on Environmental Policy and Technology
 - Office of Research and Development
 - Office of Policy, Planning and Evaluation
 - Office of Water
 - Office of Pesticides and Toxic Substances
 - Office of Air Quality Planning and Standards
 - Region III

- Amoco Corporation
 - Yorktown Refinery
 - Research and Development
 - Environmental Affairs and Safety
 - Public and Government Affairs
 - Analytical Services
 - Groundwater Management Services
 - Refining and Transportation Engineering
 - Whiting Refinery

- Commonwealth of Virginia
 - State Water Control Board
 - Department of Waste Management
 - Department of Air Pollution Control

- Academic Institutions
 - Virginia Institute of Marine Science
 - College of William and Mary
 - University of California at Los Angeles
 - University of Michigan

Integral to the success of the project was the contribution made by members of an outside Peer Review Committee selected by Resources for the Future, a "think-tank" based in Washington, D.C.

- Dr. Clifford S. Russell, Chairman
 - Vanderbilt Institute for Public Policy
- Jolène Chinchilli
 - Chesapeake Bay Foundation
- A. Ray Dudley
 - Array Enterprises, Inc.
- Dr. John R. Ehrenfeld
 - MIT Center for Technology, Policy and Industrial Development
- Dr. Ted Glickman
 - Resources for the Future
- Dr. John D. Graham
 - Harvard School of Public Health
- Dr. Robert J. Huggett
 - Virginia Institute of Marine Science
- Frances H. Irwin
 - Conservation Foundation
- Dr. Joseph F. Malena Jr.
 - University of Texas
- Dr. John J. McKetta
 - University of Texas
- David R. Patrick
 - Clement International Corporation
- Dr. James G. Quinn
 - University of Rhode Island
- Dr. Mitchell J. Small
 - Carnegie-Mellon University

Amoco – U.S. EPA
Joint Pollution Prevention Project
Yorktown, Virginia



Project Summary



Project purpose

A cleaner environment is a goal we all share. However, government and industry often are at odds over the most effective way to improve air, land, and water quality.

In November 1989, Amoco Corporation and the U.S. Environmental Protection Agency (EPA) demonstrated unprecedented cooperation between government and industry in the interest of a cleaner environment. That's when the two organizations began studying ways to reduce pollution from a source they had never before closely examined together—a functioning industrial facility, namely Amoco's Yorktown, Va., refinery.

- Specifically, the Amoco/EPA project sought to:
- Determine the types, amounts, and sources of emissions that the refinery releases to the air, land, and water.
 - Develop options to reduce these releases.
 - Determine the benefits, impacts, and costs of different options to select the most effective.
 - Identify factors that encourage or discourage pollution-prevention initiatives.
 - Increase participants' knowledge of refinery and regulatory systems.

Project approach

The Yorktown project was ambitious. The two-year study cost about \$2.3 million, with Amoco and EPA paying 70 percent and 30 percent, respectively.

More than 200 people and 35 organizations participated in the project, including representatives from universities, the Commonwealth of Virginia, and public interest groups, as well as Amoco and EPA. (See the list in this brochure.) The diverse skills of the participants reflected the belief that solving difficult environmental problems must draw on many of society's partners.

The project was divided into two phases. Phase One, which ran through year-end 1990, emphasized information gathering. Through an extensive sampling and monitoring program, about 1,000 air, water, groundwater, and soil samples were each tested for 15 to 20 chemicals. The project work group from Amoco, EPA, and Virginia met monthly to plan the program, discuss the data, and interpret the results.

Phase One sought to associate specific chemical emissions with their exact sources in the refinery. This proved to be difficult for airborne releases (which account for nearly 90 percent of this refinery's emissions) for two reasons:

First, refinery products are defined by specific properties (such as octane, color, and freeze point) rather than by specific chemical compositions. Therefore, refiners do

not routinely track the thousands of chemicals found in refinery products and emissions.


Second, measuring the thousands of potential emission sources within a refinery is not feasible, because the quantity released by any one source is extremely small. For example, hydrocarbons released from the Yorktown refinery to the air, land, and water only amount to about 0.3 percent by weight of the total crude oil processed.

Despite the overwhelming nature of the task, the Amoco/EPA team managed to compile an inventory of refinery emissions using a combination of sampling, measurements, dispersion modeling, and EPA estimating techniques. In Yorktown's case, the project found measurements of more general classes of materials, such as volatile organic compounds emitted by a source, can be a more effective gauge of emission-reduction progress than tracking many different chemicals separately.


A brainstorming meeting attended by about 120 people from many disciplines and organizations launched the project's second phase. Phase Two was designed to review findings, develop emission-reduction options, and set priorities for these options.

The workshop approach worked well by developing emission-reduction options more quickly than EPA or industry could produce working alone. The initial suggestions were later refined and analyzed by the Amoco/EPA work group. Ultimately, the work group agreed on the most sensible and useful options for managing refinery emissions at the Yorktown site, as well as on the ranking of the most- and least cost-effective choices.

Releases entering the environment
from Yorktown Refinery



Simplified flow diagram and emission sources of the Yorktown Refinery



Amoco, EPA, and Virginia authorities agreed that controlling barge-loading emissions offered the most effective—though not the lowest-cost—option. A second tier of options included (1) installing improved seals on selected storage tanks, (2) instituting a leak detection and repair program to address small leaks sometimes found on valves and flanges, and (3) upgrading emergency process vents to reduce hydrocarbon losses to the air.

The group agreed that all four of these options are reasonably effective pollution-prevention projects that could prevent or capture almost 6,900 tons of emissions annually for about \$510 per ton.

Key findings

Better environmental results can be achieved at lower cost.

Example: The Yorktown refinery study showed that new approaches could produce about 90 percent of the mandatory emissions reductions for 20 percent to 25 percent of today's costs. Current regulations require controls of 7,300 tons per year at an average cost of \$2,400 per ton. Similar total reductions could be accomplished for about \$510 per ton.

Recommendation: Explore opportunities to produce better environmental results more cost-effectively. EPA might evaluate options for setting a goal or target for reducing emissions and then allow the facility to develop a strategy to meet the target.

The current system encourages short-term fixes at the expense of more effective solutions.

Example: Most regulatory and statutory programs require compliance within six months to three years after a rule is finalized. This is shorter than the design, engineering, and construction time frames needed for many environmental management projects. These projects often suffer delays when regulatory interpretation and design criteria are unclear, or new technologies are involved.

Recommendation: Reconsider compliance time frames.

Current practices discourage innovative solutions to complex environmental problems.

Example: Since the 1970s, Amoco's environmental investments have been focused on meeting single-issue regulatory requirements as they were developed. There has been and continues to be little coordinated management of multiple regulatory requirements because the regulations themselves do not recognize or allow for this, and sound data has not been available.

Recommendation: Consider providing incentives for conducting facilitywide assessments and emission-reduction strategies.

Better data can improve environmental management decisions.

Example: One current regulation requires refineries to control benzene emissions from their water-treating systems. However, this study found that those systems are a relatively small source of benzene emissions. By looking at the entire facility, the study's emissions assessment identified both the most significant sources of benzene and more cost-effective ways to manage them.

Recommendation: Improve environmental data collection techniques, analysis, and management, and consider additional research.

Government and industry can accomplish more by working together.

Example: This is the first joint industry/government project to study pollution-prevention opportunities at an industrial facility. The study helped Amoco and EPA each better understand what the other faces. By agreeing at the beginning of the project that everyone might not always agree, participants showed a willingness to discuss issues and focus on data and factual information.

Recommendation: Encourage additional private-public partnerships on environmental management.

Summary

We all share the same environment, and want what is best for it. But because our resources are limited, we must choose the way these resources are invested for environmental quality. The Amoco/EPA project took a significant step toward identifying new ways to set priorities for opportunities that make sound environmental improvements.

The project showed the value and the challenge of government and industry partnerships. Through the use of these partnerships, perhaps we can learn to better prioritize and manage the environmental work that needs to be done.

The Yorktown facility is a 53,000-barrel-a-day oil refinery, located on a 1,400-acre site along the York River in York County, Va., near Chesapeake Bay. The refinery produces gasoline, heating oil, petroleum coke and LPG fuel, most of which are shipped by water for distribution throughout the Mid-Atlantic States.

The Yorktown refinery was chosen partly because of its proximity to Washington, D.C. This location enabled federal officials to get firsthand information about the refinery's operations and environmental effects. The refinery's size and product mix are typical of petroleum industry operations, yet the facility was small enough to permit overall study within the two-year time frame.

W. R. (Wally) Quanstrom
Vice President

Amoco Corporation

Mail Code 4905A
200 East Randolph Drive
Post Office Box 87703
Chicago, IL 60680-0703
Environment, Health and Safety
312-856-2506
Facsimile: 312-616-0197

**Amoco – U.S. EPA
Pollution Prevention Project
Yorktown, Virginia**



Executive Summary



APPENDIX C

PROJECT DOCUMENTATION

Summaries and details of the Amoco/EPA Yorktown Pollution Prevention Project are documented in 21 volumes of data, information, findings, and comments, etc. All of these volumes have been made available for purchase through NTIS, the National Technical Information Service. Orders may be placed by contacting:

National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161

Telephone number (703) 487-4650

A list of the NTIS document numbers and a description of each volume follows.

AMOCO/USEPA YORKTOWN POLLUTION PREVENTION PROJECT
NTIS DOCUMENT NUMBERS

PB92228519	EXECUTIVE SUMMARY
PB92228527	PROJECT SUMMARY
PB92228535	PROJECT WORKPLAN
PB92228543	POLLUTION PREVENTION WORKSHOP
*PB92228550	REFINERY RELEASE INVENTORY
PB92228568	SOLID WASTE DATA
PB92228576	GROUNDWATER & SOIL DATA
PB92228584	SURFACE WATER DATA
PB92228592	AIR QUALITY DATA, VOLUME I
*PB92228600	AIR QUALITY DATA, VOLUME II AIR QUALITY DATA, VOLUME II, APPENDICES A, I & J
PB92228618	PROJECT PEER REVIEW
*PB92228626	PROJECTS, EVALUATION AND RANKING
PB92228634	ECOLOGICAL IMPACTS
PB92228642	PUBLIC PERCEPTIONS
*PB92228659	RISK ASSESSMENT METHODOLOGY AND RESULTS
*PB92228667	SUPPLEMENTARY INFORMATION
PB92228691	AIR QUALITY DATA, VOLUME II, APPENDIX B-BENZENE & TOLUENE
PB92228709	AIR QUALITY DATA, VOLUME II, APPENDIX B-ETHYLBENZENE & XYLENE
PB92228717	AIR QUALITY DATA, VOLUME II, APPENDICES C, D AND E
PB92228725	AIR QUALITY DATA, VOLUME II, APPENDIX F
PB92228733	AIR QUALITY DATA, VOLUME II, APPENDICES G AND H

*INCOMPLETE AS OF 12/92

AMOCO/USEPA YORKTOWN POLLUTION PREVENTION PROJECT

DOCUMENT ABSTRACTS

PB92228519 - EXECUTIVE SUMMARY

This volume summarizes results and policy alternatives identified during a 2-year pollution prevention study of Amoco Oil Company's Yorktown Virginia Refinery, jointly sponsored as a cooperative effort of Amoco Corporation and the United States Environmental Protection Agency. A significant finding of the study was that at this facility, current and expected environmental regulatory requirements can be achieved for 20-25% of the cost of current mandated approaches. Major recommendations are: (1) Government and industry need to explore opportunities to produce better environmental results more cost effectively; (2) We need to improve environmental release data collection, analysis, and management; (3) EPA should provide incentives for conducting facility-wide assessments and developing multi-media release reduction strategies; (4) We should encourage additional public/private partnerships on environmental management issues; (5) EPA and the petroleum industry should conduct research on the potential health and ecological effects of VOCs and reformulated gasolines.

PB92228527 - PROJECT SUMMARY

This volume summarized data obtained and analyses conducted during a 2-year pollution prevention study of Amoco Oil Company's Yorktown Virginia Refinery. A multi-media sampling program was used to identify potential pollution sources within the Refinery. Specific engineering projects were proposed to deal with major sources, and the simulated results of implementation were assessed in terms of environmental impact, cost, risk reduction for people living near the facility, liability, etc.

PB92228535 - PROJECT WORKPLAN

This volume provides a detailed workplan for obtaining data and analyzing results for a 2-year pollution prevention study of Amoco Oil Company's Yorktown Virginia Refinery. The goals of the study include (1) a multi-media inventory of all releases entering the environment from the Refinery, (2) development of possible engineering options to reduce the releases, (3) analysis of each option in terms of release reduction potential, impact on human health risk, ecological impact, changes in future liability, etc., and (4) identification of obstacles and incentives for implementation of any of the options considered.

PB92228543 - POLLUTION PREVENTION WORKSHOP

This volume documents the workshop held in Williamsburg, VA, on March 25-27, 1991, to review multi-media (air, water, land) data on environmental releases from Amoco Oil Company's Yorktown Virginia Refinery. Following the data review and a Refinery tour, breakout sessions were held to brainstorm on various topics including (a) process changes to reduce emissions, (b) groundwater protection, (c) criteria for ranking alternatives, (d) permitting issues, (e) general obstacles and incentives, and (f) maintenance and operating practices. This document provides presentation materials and notes from each breakout session.

PB92228550 - REFINERY RELEASE INVENTORY (incomplete as of 11/92)

This volume summarizes physical data obtained during a 2-year pollution prevention study of Amoco Oil Company's Yorktown Virginia Refinery. A multi-media sampling program was used to identify potential pollution sources within the Refinery. Sampling and analysis included air, surface water, groundwater, and solid waste data. Public perceptions about environmental issues of concern in the vicinity of the Refinery were also surveyed. The inventory showed that nearly 90% of the releases were airborne at this facility. Most of the remainder involved land disposal of solid wastes. Specific sources of major pollutants are identified.

PB92228568 - SOLID WASTE DATA

This volume summarizes the solid waste emissions inventory, solids source identification, and the solid waste sampling program that was conducted at the Amoco Yorktown Refinery on September 25-27, 1990, in support of the Pollution Prevention Project.

Major findings showed that the majority of solid waste generation occurs as "end-of-pipe" solids resulting from the treatment of wastewaters from the refinery sewer. Based on a regression analysis of the composition data for samples collected during this project, major upstream contributors to these solids appear to be soils. Solids from process units are also significant contributors.

PB92228576 - GROUNDWATER & SOIL DATA

This volume summarizes the evaluation of potential sources and sinks of groundwater contamination to determine the effects of the Yorktown refinery on the subsurface. Subsurface characterization of the refinery included an extensive

subsurface sampling program that included 39 soil borings, 181 monitoring wells, and 23 surface water sampling points. Groundwater flow was modeled using FTWORK, a modification of MODFLOW.

Results showed that, due to above-ground process piping, contamination at the Yorktown Refinery was significantly less than that observed at other refineries. Free-phase hydrocarbons were only detected in one monitoring well. Metals contamination was limited to monitoring wells associated with historic waste management activities at the east end of the refinery. Contamination was detected in monitoring wells located adjacent to process units but affects were limited due to the process sewer acting as a collection point.

PB92228584 - SURFACE WATER DATA

This report summarizes the surface water sampling program at the Amoco Refinery at Yorktown, Virginia. The surface water data provides a snapshot of surface water pollutant generation and discharge from the refinery. Different process units contribute to the total wastewater flow of 460 GPM in the refinery. Water in the ditch system, which is non-process water, is free of organic contamination. Oil and grease, phenols, ammonia and sulfides are the significant components measured in the process wastewater. The concentrations of organics in most water streams leaving the individual process units are relatively low, in the 1-5 parts per million (ppm) range. However, extended contact of oil and water in the sewers increases the organic loading. A few individual streams such as the crude desalter brine and tank water draws have high pollutant loadings. Concentrations of metals in the refinery wastewater are very low. The wastewater treatment plant is very effective in reducing the pollutant loading in the water with overall removal efficiencies greater than 99% for most organics and inorganics.

PB92228592 - AIR QUALITY DATA, VOLUME I

This volume summarizes the measurement activities performed by Radian Corporation to quantify airborne organic vapor emissions. Radian conducted 3 measurement tasks concurrently during the period September 25 - October 1, 1990. The data from these activities were used to explore pollution prevention options and the impact these options could have on human and environmental exposure to airborne emissions. In addition to sampling ambient air, specific emission sources--the oil/water (API) separator, underground sewer, blowdown stacks and water ponds--were also tested. Most sampling examined benzene, toluene, xylene, and ethylbenzene emissions.

PB92228600 - AIR QUALITY DATA, VOLUME II
AIR QUALITY DATA, VOLUME II, APPENDICES A, I & J
(incomplete as of 11/92)

This volume defines baseline air quality in terms of air emissions and ambient air quality. This baseline was used to evaluate potential impact of different pollution prevention options. The objectives of this study were to: 1) quantify current air emissions from the facility; 2) quantify ambient air quality impacts of these emissions; and 3) identify benefits of implementing pollution prevention alternatives or additional control measures.

Extensive computer modeling of the airshed immediately around the Refinery was conducted using the ISC Short-Term model with approximately 80 on-site emission sources and 8700 hourly meteorological data points.

This volume also includes:

Appendix A, which contains the analysis of tracer data used to evaluate fugitive emissions in the ultraformer unit area.

Appendix I, a summary of wind persistence data.

Appendix J, which contains Amoco responses to USEPA comments on the project's emission measurement techniques, data, etc.

PB92228618 - PROJECT PEER REVIEW

This volume documents the Peer Review process and comments received on various aspects of the AMOCO/USEPA Pollution Prevention Project conducted at Amoco Oil Company's Yorktown Virginia Refinery. An external Peer Review was an integral part of the Project to provide a 3rd-party view of technical and scientific issues, as well as comments on potential policy implications. Reviewers were selected and meetings organized by Resources for the Future, based in Washington, DC. Many of the reviewers had academic backgrounds, although representatives from environmental and industrial consulting organizations were also included. Three full-day meetings were held during the 2-year project to review (1) the Workplan, (2) sampling results, and (3) project results and conclusions.

PB92228626 - PROJECTS, EVALUATIONS AND RANKING

(incomplete as of 11/92)

This volume describes the methodologies used to evaluate and rank the cost and effectiveness of each of the pollution prevention projects suggested for future investigation by the project workgroup. The report includes a third-party assessment (by IEC) to compare the different evaluation methodologies used by Amoco and the EPA.

PB92228634 - ECOLOGICAL IMPACTS

This volume includes the findings of a two-phase (laboratory and field) assessment of the potential use of biomarkers to evaluate the impact of the Refinery effluent on the York River. In the laboratory phase of the study, several of the biomarkers tested responded to various dilutions of process water effluent in an apparent dose-dependent manner. In the field study, however, there was little evidence that similar exposure is occurring in fish collected from the York River mainstream. The field data did suggest PAH exposure in fish collected from the stormwater settling pond and perhaps from the creek below the pond. Further studies are needed to evaluate the usefulness of those assays in future biomonitoring studies.

Also included in this volume are a characterization of the York River and several previous field studies of benthic community response to the Refinery effluent, where impacts have been difficult to detect.

PB92228642 - PUBLIC PERCEPTIONS

This volume provides data obtained from interviews, focus groups and a telephone survey about environmental issues of concern for people living in the vicinity of Amoco Oil Company's Yorktown Virginia Refinery. Major concerns identified were related to land development and infrastructure support. The Refinery has a relatively low profile in the area. The most serious environmental concern identified was the management of municipal and industrial solid waste.

PB92228659 - RISK ASSESSMENT METHODOLOGY AND RESULTS

(incomplete as of 11/92)

This volume includes the third party assessment (performed by ABT, Inc.) of the relative risk that the refinery may have on the surrounding area. The primary focus of the assessment is airborne releases.

PB92228667 - SUPPLEMENTARY INFORMATION

(incomplete as of 11/92)

This volume includes data collected subsequent to the completion of the project study, which is integrally related to the study. Two such investigations include 1) additional testing of the blowdown stacks which showed significantly lower emissions; and 2) analysis on the sediment in the stormwater surge basin and a assessment of its effect on fish living in the basin.

PB92228691 AIR QUALITY DATA, VOLUME II, APPENDIX B-BENZENE & TOLUENE

PB92228709 AIR QUALITY DATA, VOLUME II, APPENDIX B-ETHYLBENZENE & XYLENE

The two volumes above contain the ISCST modeling results of BTEX emission monitoring data.

PB92228717 AIR QUALITY DATA, VOLUME II, APPENDICES C, D AND E

This volume includes the following appendices:

Appendix C - Summary of modeling and monitoring comparisons

Appendix D - Annual modeling for BTEX

Appendix E - Culpability Analyses for BTEX

PB92228725 AIR QUALITY DATA, VOLUME II, APPENDIX F

This volume includes the annual modeling analyses for SARA Chemicals.

AIR QUALITY DATA, VOLUME II, APPENDICES G AND H

This volume includes the following appendices:

Appendix G - Culpability Analyses for SARA Chemicals

Appendix H - Modeling Analyses for criteria pollutants

AMOCO/USEPA POLLUTION PREVENTION PROJECT

Executive Summary

**December, 1991
(Revised, May, 1992)**

AMOCO/USEPA POLLUTION PREVENTION PROJECT

Executive Summary

**December, 1991
(Revised, May, 1992)**

**AMOCO/EPA Pollution Prevention Project
Executive Summary**

Table of Contents

	<u>Page</u>
Forward	ii
Abstract	iii
1.1 Project Goals	1
1.2 Project Organization, Staffing and Budget	2
1.3 Lessons and Results	3
1.3.1 Refinery Release Inventory	3
1.3.2 Reducing Releases	8
1.3.3 Ranking Alternatives	10
1.3.4 Obstacles and Incentives	12
1.3.5 Education, Communications, and Working Relationships	14
1.4 Recommendations	15
1.5 References	20
Table 1.1 Project Components	22
Table 1.2 Project Participants	23
Table 1.3 Comparison of Different Environmental Management Options for the Yorktown Refinery	25
Table 3.2 Selected Pollution Prevention Engineering Projects	26
Figure 2.2 Pollution Prevention Sampling Program	
Figure 2.4 Pollutant Transfers, Recycle and Treatment within the Yorktown Refinery	
Figure 2.5 Releases Entering the Environment from Yorktown Refinery	
Figure 2.7 1989 TRI Inventory Compared to Measured Emissions	
Figure 3.1 Simplified Flow Diagram, Emission Sources, and Pollution Prevention Projects for the Yorktown Refinery	
Figure 3.4 Histogram of Benzene Emissions With and Without Marine Loading Controls	
Figure 3.9 Estimated Rates of Return: Selected Pollution Prevention Projects	
Appendix C Project Documentation	

Forward

This volume provides an executive summary of work completed during a voluntary, AMOCO/USEPA Pollution Prevention Project undertaken at Amoco Oil Company's Yorktown, Virginia Refinery. Overall goals of the Project were to (1) inventory releases of all pollutants to the environment from the Refinery; (2) develop, evaluate and rank process, maintenance and operating options that reduce these releases; and (3) identify barriers and incentives to implementing the alternatives identified.

Special thanks are due to the AMOCO/USEPA Workgroup who provided Project oversight and direction during this two-year, \$2.3 million effort. In addition, more than 200 people, from 35 organizations participated at various times in this unique Project. Their enthusiasm and contributions are obvious from the wealth of ideas developed, considered and analyzed. Their assistance supports a central belief of this Project: that developing effective solutions to complex environmental management problems will take the best efforts of the many 'partners' in our society. We extend a personal thanks to all participants.

Howard Klee, Jr.
Amoco Corporation

Mahesh Podar
USEPA

Amoco/USEPA Pollution Prevention Project

ABSTRACT

In late 1989, Amoco Corporation and the United States Environmental Protection Agency began a voluntary, joint project to study pollution prevention opportunities at an industrial facility. The Amoco/EPA Workgroup, composed of EPA, Amoco and Commonwealth of Virginia staff, agreed to use Amoco Oil Company's refinery at Yorktown, Virginia, to conduct a multi-media assessment of releases to the environment, then to develop and evaluate options to reduce these releases. The Workgroup identified five tasks for this study:

1. Inventory refinery releases to the environment to define their chemical type, quantity, source, and medium of release.
2. Develop options to reduce selected releases identified.
3. Rank and prioritize the options based on a variety of criteria and perspectives.
4. Identify and evaluate factors such as technical, legislative, regulatory, institutional, permitting, and economic, that impede or encourage pollution prevention.
5. Enhance participants' knowledge of refinery and regulatory systems.

Project Organization, Staffing, and Budget

Workgroup: Monthly Workgroup meetings provided Project oversight, a forum for presentations on different Project components, and an opportunity for informal discussion of differing viewpoints about environmental management. Although attendance varied, each meeting included representatives from various EPA offices, the Commonwealth of Virginia, and Amoco.

Peer Review: At the Workgroup's request, EPA arranged for Resources for the Future to assemble a group of outside scientific and technical experts. This Peer Review Group provided evaluation and advice on the Project workplan, sampling, analysis results, and conclusions. Members of this group were paid a small honoraria for their participation.

Workshop: A special Workshop, held during March 24-27, 1991 in Williamsburg, Virginia, reviewed sampling data and identified reduction options and ranking criteria. More than 120 people from diverse backgrounds--EPA, Amoco, Virginia, academia and public interest groups--attended the Workshop.

Participants: More than 200 people, 35 organizations, and many disciplines were involved in this Project. This reflected a central belief of this Project that solving difficult environmental problems must draw on many of society's "partners."

Cost: Total cost for this Project was approximately \$2.3 million. Amoco Oil Company provided 70 percent of the funding and EPA the remainder.

Lessons and Results

Refinery Release Inventory

- A. Existing estimates of environmental releases were not adequate for making a chemical-specific, multi-media, facility-wide assessment of the Refinery.
- B. A substantial portion of pollution generated at this refinery is not released to the environment.
- C. The Toxic Release Inventory database does not adequately characterize releases from this Refinery.
- D. Site specific features, determined during the facility-wide assessment, affect releases and release management options.

Reducing Releases

- A. A workshop approach, drawing on a diverse group representing government, industry, academic, environmental, and public interests, developed a wide range of release reduction options in a multi-media context more quickly than either EPA or industry alone would do.
- B. Pollutant release management frequently involves the transfer or conversion of pollutants from one form or medium to another.
- C. Although the Refinery is highly efficient in handling materials (currently recovering 99.7 percent of its feedstock in products and fuel), four source reduction options identified show positive rates of return ranging from one to nineteen percent.
- D. Source reduction is not necessarily practical for all release management options, despite its cost effectiveness. Effective release management requires a combination of source reduction, recycling; treatment and safe disposal.

Choosing Alternatives

- A. Ranking the options showed that better environmental results can be obtained more cost-effectively. At this facility, about 97 percent of the release reductions that regulatory and statutory programs require can be achieved for about 25 percent of today's cost for these programs. Table 1.3 summarizes several management options.

These savings could be achieved if a facility-wide release reduction target existed, if statutes and regulations did not prescribe the methods to use, and if facility operators could determine the best approach to reach that target.

- B. All participants agreed on which options were the most effective and which were least, regardless of their institutional viewpoints and preferred ranking criteria.

Obstacles and Incentives to Implementing Pollution Prevention

- A. EPA does not have the policy goal and may not have the statutory authority to simply set an emissions reduction "target" without prescribing how this target should or could be met. Current administrative procedures discourage such an approach, including the analysis of tradeoffs in risks, benefits, and costs of managing residual pollutants in different media.

The Agency is required to implement media-specific legislation enacted by Congress. In addition, EPA does not have the technical and analytical skills to determine if multi-media, facility-wide reduction plans are meeting the requirements established in single medium-specific legislation. This would make compliance monitoring and enforcement more difficult than present approaches.

- B. Many legislative and regulatory programs do not provide implementation schedules compatible with design, engineering, and construction timeframes. Consequently, short-term "fixes" which meet legal deadlines are used at the expense of more cost- and environmentally effective, long-term, solutions.
- C. Well established problem-solving approaches are difficult to change. Congress, EPA, and much of industry are used to command-and-control, end-of-pipe treatment approaches based on twenty years of experience. Many of today's problems could benefit from a different approach.
- D. Inadequate accounting for both the benefits and costs of environmental legislation and regulations is an obstacle to developing a more efficient environmental management system.

Responsibility for pollutant generation and accountability for environmental protection are difficult to quantify.

Recommendations

1. **Explore Opportunities to Produce Better Environmental Results More Cost-effectively.**
2. **Improve Environmental Release Data Collection, Analysis and Management.**
3. **Provide Incentives for Conducting Facility-wide Assessments, and Developing multi-media Release Reduction Strategies. Such Strategies must Consider the Multi-Media Consequences of Environmental Management Decisions.**
4. **Encourage Additional Public/Private Partnerships on Environmental Management.**
5. **Conduct Research on the Potential Health and Ecological Effects of VOCs.**

SUMMARY

1.1 Project Goals

In late 1989, Amoco Corporation (Amoco) and the United States Environmental Protection Agency (EPA) began a voluntary, joint project to study pollution prevention opportunities at an industrial facility. The Amoco/EPA workgroup (Workgroup), composed of EPA, Amoco, and Commonwealth of Virginia staff, agreed to use Amoco Oil Company's refinery at Yorktown, Virginia (the Refinery), to conduct a multi-media assessment of releases to the environment, then to develop and evaluate options to reduce these releases. The Workgroup identified five tasks for this study:

1. Inventory refinery releases to the environment to define their chemical type, quantity, source, and medium of release.
2. Develop options to reduce selected releases identified.
3. Rank and prioritize the options using a variety of criteria and perspectives.
4. Identify and evaluate factors such as technical, legislative, regulatory, institutional, permitting, and economic, that impede or invite pollution prevention.
5. Enhance participants' knowledge of refinery and regulatory systems.

Figure 3.1 shows a schematic diagram of the Refinery, potential release sources, and a number of pollution prevention options identified in this Project. Table 3.2 describes specific options to reduce releases. At the time this Project began, pollution prevention was a concept predicated on reducing or eliminating releases of materials into the environment rather than managing the releases later. The Workgroup adopted this general concept and agreed to consider all opportunities--source reduction, recycling, treatment, and environmentally sound disposal--as potential choices in pollution management. Since then, Congress, in the Pollution Prevention Act of 1990, and other organizations, have put greater emphasis on source reduction as the primary, if not the exclusive, means to accomplish pollution prevention.

A central goal of this Project was to identify criteria and develop a ranking system for prioritizing environmental management opportunities that recognized a variety of factors including release reduction, technical feasibility, cost, environmental impact, human health risk, and risk reduction potential. Due to the inherent uncertainties in risk assessments, the Project focused on relative changes in risk

compared to current levels, rather than establishing absolute risk levels. Because of difficulties in quantifying changes in ecological impact from airborne emissions, changes in relative risk were based primarily on human health effects indicated by changes in exposure to benzene. The risk assessment did not include a quantitative analysis of VOCs due to limited information on their health effects.

This project focused on pollution and potential risks posed by normal operation of the Refinery and chronic exposure to its releases into the environment. Minimizing emergency and upset events is a top priority of Amoco's facility managers. Such events can have catastrophic results. However, they were not studied in this project because: (a) prevention and control of such events involves significantly different skills, technical resources, and analyses than controlling releases from day-to-day operations (AIChE, 1985); (b) the number, type, and frequency of incidents at Yorktown is very low; and (c) data regarding the type of release, and relevant meteorology during the release are not available for analysis. Appendix D describes potential emergency and upset events that might occur at a petroleum refinery and the general preventative measures used to minimize their severity and the likelihood of their occurrence.

1.2 Project Organization, Staffing and Budget

Project Content: The Pollution Prevention Project has many components. Each component defines and addresses an issue associated with pollution prevention and facility management choices. These include pollutant source identification, sampling, exposure modeling, risk assessment, etc. Table 1.1 provides a complete list of the components in this Project. The Project workplan outlined the purpose and content for most of these components (Amoco/EPA, 1990).

Exclusions/Limitations: A number of areas specifically excluded or limited in this Project are described in Appendix B. Some are listed below:

- Limited sampling time and data provided a "snapshot" of releases rather than measured annual values.
- Very few generally accepted methodologies exist for the sampling used to obtain a site-wide release inventory, particularly for measuring air emissions. Both EPA and Amoco concerns about specific sampling issues are highlighted in Appendix B and discussed in more detail in Air Quality Data, Volume II (Amoco/EPA, 1992 b).
- The Project considered available technologies rather than exploring innovative techniques for reducing releases.

- Chemical changes of airborne pollutants were not evaluated.
- Data and analysis focused on the Yorktown Refinery. Site-specific features of this facility and its emissions may not apply to other refineries. Broader regional concerns were not evaluated.
- The forthcoming human health risk assessment focuses on potential cancer risks associated with benzene exposure outside the facility fence line.

Peer Review: At the Workgroup's request, Resources for the Future organized a group of outside scientific and technical experts. This Peer Review Group provided evaluation and advice on the Project workplan, sampling, analytical results, and conclusions. Members of this group were paid a small honoraria for their participation and reimbursed for travel expenses to Washington by EPA. A report summarizing their comments is included as part of the documentation for this Project. Appendix C lists all Project documentation.

Workgroup: Monthly Workgroup meetings provided Project oversight, a forum for presentations on different Project components, and an opportunity for informal discussion of differing viewpoints about environmental management. Although attendance varied, each meeting included representatives from various EPA offices, the Commonwealth of Virginia, and Amoco.

Workshop: A special Workshop, held during March 24-27, 1991, in Williamsburg, Virginia, reviewed sampling data and identified reduction options and ranking criteria. More than 120 people from diverse backgrounds--EPA, Amoco, Virginia, academia and public interest groups--attended the Workshop. The Workshop sessions resulted in suggestions that further refined and directed Project activities (Amoco/EPA, 1991a).

Participants: More than 200 people, 35 organizations, and many disciplines have been involved in this Project. Table 1.2 lists the various participating organizations.

Cost: Total cost for this Project was approximately \$2.3 million. Amoco Oil Company provided 70 percent of the funding and EPA the remainder.

1.3 Lessons and Results

1.3.1 Refinery Release Inventory

- A. Existing estimates of environmental releases were not adequate for making a chemical-specific, multi-media, facility-wide assessment.**

The Yorktown Refinery had good information about the quantity of material released to the York River from NPDES Permit monitoring requirements, and for solid wastes as a result of internal programs and participation in recent American Petroleum Institute surveys (API, 1991b). These releases, however, made up only 11 percent of the total releases from the facility. Available data did not include adequate chemical-specific characterization of the water discharge or solid waste streams.

The Refinery (and other refineries as well) could not easily identify specific airborne hydrocarbon compounds released or the quantity released because:

- (a) Refineries typically do not manufacture products with specific chemical compositions, and therefore do not routinely measure chemical compositions of their products or emissions. Rather, refinery products have specific properties such as octane, freeze point, and sulfur content. Crude oil, the raw material used to make these products, contains thousands of distinct chemicals that are never fully separated during the manufacturing processes. Airborne releases from this kind of facility are similarly complex.
- (b) Most hydrocarbons are released through a large number of widely distributed sources (valves, flanges, pump seals and tank vents). Even a small refinery may have more than 10,000 potentially different sources. Direct measurement of each of these sources is not practical.
- (c) The quantities released through any single source are extremely small--on the order of pounds per year--dilute and difficult to measure. In addition, some large sources that emit pollutants in the amount of tons per year are difficult to measure and quantify. Total hydrocarbons released from Yorktown Refinery from all sources were approximately 0.3 weight percent of the total crude oil processed. Therefore, they would not be detected through normal mass balances and materials accounting (NRC, 1990).

Thus, collecting detailed, chemical specific release information used to characterize the Refinery was expensive and time consuming. This Project developed a sampling and monitoring program that included about 1,000 samples (see Figure 2.2). Each sample was analyzed for 15-20 chemicals. The sampling program took about 12 months to complete at a cost of about \$1 million. Even with this time and dollar commitment, only selected sources were sampled. The final release inventory was assembled using a

combination of sampling, measurements, dispersion modeling, and estimates based on emission factors.

Because this sampling program was a first of its kind effort, its scope was intentionally broad. Subsequent analysis showed that not all of the information obtained was necessary to identify significant sources and potential reduction options. For the Yorktown Refinery (and the petroleum refining industry overall), more general information, such as source specific VOC emissions, is adequate to identify many of the pollution prevention projects developed in this study. Total VOC emissions are a good indicator of overall emissions and can be used for tracking emissions reduction progress.

B. A substantial portion of pollution generated at this refinery is not released to the environment.

The release inventory process allowed a comparison of pollutant generation, on-site management and ultimate releases to the environment. The Refinery generates about 27,500 tons/year of pollutants. As a result of site hydrogeology, on-site wastewater treatment, and solid waste recycling practices, about 12,000 tons are recovered, treated or recycled and do not leave the Refinery site. Of the remaining 15,500 tons about 90 percent are released to the air.

Figure 2.4 illustrates the transfers which take place between generation and ultimate release. Figure 2.5 characterizes pollutants released from the Refinery. This site-wide analysis of pollutant generation and release characteristics allowed the Workgroup to focus much of the remaining Project resources on the largest releases--airborne emissions.

Modeling studies indicated relatively little naturally occurring transfer of hydrocarbon emissions from air into other media (Cohen and Allen, 1991). Most hydrocarbons are not very water soluble, and so are not easily removed from the air by rainfall. Section 2.0 includes a more detailed discussion of the potential for transfer to other media. Although the fate of criteria airborne pollutants (like NOX and SO2) was not studied in this Project, they are known to be scavenged by rainfall and can contribute to nitrogen loads and pH changes in lakes and soil (See Appendix B). Measurements and modeling results showed small transfers from some surface water ponds to groundwater. Groundwater also enters the wastewater treatment system through the underground sewers, resulting in a net groundwater inflow.

Transfers of pollutants between media do occur, particularly as a result of pollution management activities. Over 370 tons/year of hydrocarbons initially present in wastewater streams are volatilized into air from the water collection system. More than

2,000 tons/year of biosolids are produced by treating wastewater in the Refinery's activated sludge system.

C. The TRI database does not adequately characterize releases from this Refinery.

Title III of SARA, Emergency Planning and Community Right-to-Know Act, created the Toxic Release Inventory (TRI) in 1986. Title III requires regulated facilities in SIC Code 20-39 to submit annual release data on more than 300 chemicals manufactured, produced or otherwise used in quantities exceeding certain threshold values. Releases to all media must be reported. The TRI is one way of focusing corporate attention on release reduction opportunities.

TRI reports are based on either emission estimates, direct measurements or a combination of both methods. Each facility is responsible for the accuracy of the data reported. Industrial facilities frequently file amendments to TRI reports to reflect improvements in the accuracy of the estimation and measurement techniques.

The TRI database has become the de facto national release inventory. The quality and utility of data reported can vary widely. At a plant that uses a single solvent to wash manufactured parts, and that purchases extra solvent every year to make up for evaporative losses, the quantity of solvent emissions is well known and tracked through monthly purchasing records. A TRI report which included this solvent and plant should be quite accurate. However, at the Refinery, the TRI does not report total facility emissions because:

- The TRI is based on estimates rather than measurements. Estimating accuracy varies widely. During the measurement portion of this Project, several new sources were identified whose significance had been previously underestimated. One source was identified which had been overestimated. Figure 2.7 summarizes the results of this analysis.
- The measurement phase of this Project revealed substantially higher TRI reportable emissions from the blowdown stacks than had been estimated previously. On the other hand, measurements revealed that emissions from wastewater sources had been overestimated. Amoco has filed an amendment to its past TRI reports for Yorktown to reflect new data. Figure 2.7 compares the starting TRI data with results obtained from the Project.
- The TRI focuses on specific chemicals which account for only a portion of the total emissions. In the Refinery's case, the TRI report covers only 9 percent of the total

hydrocarbons released, and only 2.4 percent of the total releases to all media. Criteria pollutants--CO, NOX, SO2, and PM-10--are not reportable in the TRI.

- Some activities and emissions are excluded by EPA from record keeping requirements, such as emissions from barge loading. At this facility, barge loading operations account for about 20 percent of the total benzene emissions (See Figure 3.4).

Finally, TRI provides an approximate inventory of selected materials released to the environment. TRI data by itself does not allow for meaningful risk evaluation or comparisons on a facility basis, because it does not define the facility's relationship to nearby populations and ecosystems.

D. Site specific features determined during the facility-wide assessment, affect releases and release management options.

National programs, by design, address overall problems in specific media. But these programs seldom consider site-specific differences in developing standards. Other refineries, and indeed other industrial facilities, can use the general sampling approach developed here to obtain the facility-wide release inventory. However, each site will exhibit unique geophysical and process characteristics. Each assessment plan must include these site-specific characteristics in its design and focus. As an example, the Yorktown Refinery does not have a hydrofluoric acid (HF) alkylation unit and HF was not measured. HF can pose a significant health risk if managed improperly, and may need to be tracked at facilities that use it.

Groundwater: As a result of a clay soil layer, unique hydrogeology, the placement of the underground drainage system relative to the water table, and local climate, groundwater movement at this site is minimal. In fact, the underground drainage system is acting as a groundwater collection unit, sending groundwater to the Refinery's wastewater treatment plant. Thus, groundwater at this site is not leaving the property. Furthermore, sampling showed surprisingly low levels of groundwater contamination, compared to other refineries (LA Times, 1988).

Marine Loading Emissions: Yorktown Refinery uses marine transportation for receiving all crude oil and shipping more than 80 percent of its products. Estimated releases from product loading operations are 784 tons/year of VOCs. Computer modeling analysis showed this source had the greatest impact on exposure of nearby residences to Refinery hydrocarbon emissions. Therefore, it would be useful to include marine loading emissions in this facility's environmental management plans. Many other refineries rely more on pipeline, rail and truck shipments to

handle crude and products, and would thus not expect to find the same potential impact from marine operations.

Airshed Status: As discussed in Appendix A, the Refinery is located in an airshed classified as an attainment area for all criteria pollutants including ozone. Therefore, relatively few hydrocarbon emission controls have been required or installed at this facility. The sampling program and release reduction options focused on hydrocarbon releases. Many other refineries in ozone non-attainment areas have already installed extensive hydrocarbon emission controls. Consequently, other facilities may have a significantly lower percentage of hydrocarbon emissions. Similarly, NOX, CO, PM-10 and SO2 emissions have been more tightly controlled in some other airsheds (such as the Los Angeles basin) which do not meet NAAQS for these pollutants.

1.3.2 Release Reduction Options

- A. A workshop approach, drawing on a diverse group representing government, industry, academic, environmental and public interests developed a wide range of release reduction options in a multi-media context more quickly than EPA or industry alone would do.**

The release inventory described in 1.3.1 above, served as the basis for identifying ways to reduce releases. A 3-day brainstorming Workshop, held in Williamsburg, Virginia generated more than 50 potential release reduction options for the Refinery. These ranged from producing a single grade of gasoline to specific technical options for particular equipment or processes. Table 3.1 lists all options identified.

The Workgroup subsequently narrowed this list to 12 options for more careful, quantitative analysis. This winnowing process considered only those options that were technically feasible now, offered potentially large release reductions, addressed different environmental media, and posed no process or worker safety problems. Projects designed to comply with several current or anticipated regulations were also included. Table 3.2 lists engineering projects included for further analysis.

The Workshop also addressed screening criteria to help prioritize the options, potential barriers and incentives for implementation, and permitting concerns. The diverse viewpoints brought to all these discussions helped guide subsequent Project activities. These views reinforced the Workgroup's desire to consider broader issues such as multi-media release management consequences, future liability impacts, etc. The Workshop was able to consider these issues more comprehensively than either government or industry alone would normally do.

B. Release management frequently involves the transfer or conversion of pollutants from one form or medium to another.

It is not at all unusual for pollutants to be converted and transferred from one form or media to another as part of a pollution control practice. For example, scrubbers used to remove acidic pollutants from many electric utility stacks generate large volumes of calcium sulfate sludge (EPRI, 1983) which must also be managed. For options developed at the Yorktown Refinery:

- Modifications of the underground drainage system and process water treatment plant (required under the Benzene Waste Operations NESHAP; Federal Register, 1990) will improve process water treatment and reduce air emissions, but produce more solid waste such as biosolids and fully spent activated carbon.
- The Refinery has limited sludge processing capacity. Keeping soils out of sewers would reduce the amount of sludge in the API Separator and thus allow for more on-site management of other solid wastes, reducing offsite disposal.
- Installing an electrostatic precipitator would reduce FCU particulate (PM-10) emissions (catalyst fines), but transfer the additional collected particulates to land disposal.
- Burning hydrocarbons that cannot be economically recovered generates other criteria pollutants which may also need to be managed.

None of these transfers or transformations are bad, in and of themselves. The Project simply pointed out the need to recognize, plan, and manage these changes at an early stage of the release management cycle.

C. Source reduction options were more cost-effective than most treatment and disposal alternatives. Nevertheless, source reduction alone was not adequate to achieve all the desired or legally required release reductions.

The Workgroup agreed to consider the waste management hierarchy--source reduction, recycling, treatment, and safe disposal--as the basis for developing release reduction options. Technologies identified and analyzed fit into this hierarchy. Time and budget constraints limited technology choices to conventional, proven solutions rather than exploring innovative alternatives.

However, less than half the options identified qualified as "source reduction." Had the options been limited to only source reduction, the scope of potential opportunities for reducing

releases and improving environmental quality would have been unnecessarily restricted.

If all source reduction options identified in this Project were implemented, benzene and total hydrocarbon emissions would be reduced by about 25 percent and 16 percent, respectively. The Workgroup concluded that a cost-effective strategy for the Refinery would have to include a mix of source reduction, recycling, treatment and disposal options.

Of the source reduction options considered, most appear to be significantly lower cost than recycling, treatment, and disposal. Source reduction options considered have had an average cost of \$650/ton of pollutant recovered. The remaining seven options analyzed had an average cost of \$3,200/ton, nearly 5 times higher. The cost-effectiveness of individual options varied from a low of \$190/ton for secondary seals on gasoline storage tanks to a high of \$128,000/ton for the treatment plant upgrade.

- D. While release reductions do not always pay for themselves, some environmental improvements can be made at a net cost savings to the Refinery.**

The Refinery is relatively efficient in managing materials. An ongoing weight-loss management program to capture lost material has been in place at all Amoco refineries for a number of years. Approximately 99.7 percent of the incoming crude is converted to useful products and refinery fuel. The hydrocarbon release reduction options identified in this Project dealt with the remaining 0.3 percent.

Despite the relative efficiency of the Refinery, two source reduction options--seals on gasoline tanks and a leak detection and repair program--have net cost savings and a positive rate of return. Amoco did not know this before this Project. On the other hand, some of the source reduction options and all treatment options were not economic investments for the Refinery. For example, fitting all fixed roof storage tanks with secondary seals would result in much higher cost for relatively little additional reduction in hydrocarbon emissions compared to fitting only gasoline storage tanks. Treatment options generally require significant capital outlays with no return in the form of recaptured or improved product. Technology options with positive rates of return are shown in Figure 3.9. Options that have negative return are not shown.

1.3.3 Choosing Alternatives

- A. Ranking the options showed that better environmental results can be obtained more cost-effectively.**

Compliance with current and anticipated regulations requires controls for eight sources types, reducing airborne hydrocarbon releases by 7,300 tons/year at an average cost of \$2,400/ton. The Refinery could reduce about 7,100 tons of airborne hydrocarbons each year (or about 97 percent) by controlling six sources at about 25 percent of the cost. This cost-effectiveness comparison does not account for possible benefits to other media.

If allowed to address both hydrocarbons and listed hazardous waste, the Refinery could reduce about 7,500 tons per year at an average cost of about \$500/ton using its choice of sources and techniques. Table 1.3 provides a more detailed comparison of different Release Management Strategies, results and costs.

These results are all the more significant because the options evaluated were neither selected nor developed ahead of time with a target reduction goal in mind. Nor did the selection process have a goal of meeting regulatory requirements in some alternative fashion. This suggests that even more impressive results might be achieved, if that were the focal point at the beginning.

B. All participants agreed on which options were the most effective and which were least, regardless of their ranking criteria or institutional viewpoints.

The Project used a multi-dimensional prioritizing process (the Analytical Hierarchy Process, AHP) in which weights were developed for all criteria used to rank alternatives. These criteria included cost, release reduction, timeliness and changes in benzene exposure, among others. The process allowed the Workgroup to assess the significance of and interactions between criteria--how changes in one criterion affect other criteria and total rankings.

All options were considered legally acceptable, and no specific regulatory requirements were imposed on the decision making process. Although different organizations brought different perspectives to the discussions, each organization reached the same conclusions about which options would be most effective and which were least. The driving forces in this prioritization were cost and relative risk reduction, as measured by benzene exposure. A variety of sensitivity studies confirmed this initial set of preferences.

Amoco ranked control of marine loading losses as the most effective--though not the lowest cost--option. A second tier of options included installing secondary seals on tanks, instituting a leak detection and repair program, and upgrading blowdown stacks. All four were also viewed as reasonably effective pollution prevention projects. In total these four projects would prevent or capture almost 6,900 tons of releases annually

at a cost of about \$510/ton. EPA and Virginia selected the same five options, in this hypothetical case with no specific regulatory requirements. See Items 4 and 5 in Table 1.3.

1.3.4 Obstacles and Incentives to Implementing Pollution Prevention

After identifying several alternative environmental management options, it is reasonable to ask why these options are not being implemented. What can be done to encourage their use? The following discussion summarizes the general findings based on an assessment of potential obstacles and incentives for implementing five highly ranked options. For more details, see Section 5.0.

- A. EPA does not have an explicit policy goal and may not have the statutory authority to simply set a release reduction "target" without prescribing how this target should or could be met. When the target involves releases in multiple media, current administrative procedures discourage a coordinated approach, including evaluating risks, costs and benefits of managing residual pollutants in different media.**

Requirements under many statutes and regulations prescribe how release reductions should be achieved, sometimes in terms of which technology should be used, often in terms of which specific sources should be controlled. For example, the Benzene Waste Operations NESHAP focuses on a specific emissions source to a single medium--benzene emissions from wastewater. The rule requires control of benzene emissions from this single source.

Data from this refinery indicated that wastewater is a small contributor to total benzene releases. Amoco and EPA disagree about some of the specific measurements and results. These are discussed in detail in Air Quality Data, Volume II (Amoco/EPA 1992b).

A number of pollution prevention approaches developed in this Project are more effective in controlling benzene emissions, and less costly to implement than the benzene NESHAP. Other refineries might find other sources that present more cost-effective control opportunities. Focusing on individual sources, rather than on desired overall "performance," limits the ability to achieve the most cost-effective control.

RCRA requires application of the Best Demonstrated Available Technology (BDAT) to a hazardous waste before it can be disposed. BDAT standards are typically based on a destruction technology rather than on methods at the higher end of the pollution prevention hierarchy.

One proposal now before Congress (S. 1081) to reauthorize the Clean Water Act would amend 304(b) of the Act and require EPA to

promulgate effluent guidelines which reflect the application of best available control technology (BAT) for all categories of pollutants. This Congressional proposal, which does not reflect the Administration's position, could limit the Agency's ability to set environmental protection priorities.

B. Legislative and regulatory programs do not provide implementation schedules compatible with design, engineering, and construction timeframes.

Most regulatory and statutory programs require compliance within six months to at most three years after promulgation of a final rule. In some cases, compliance requirements do not consider normal maintenance schedules and economic penalties associated with facility-wide shutdowns. Consequently, short-term "fixes" which can meet legal deadlines, are used at the expense of more cost- and environmentally effective, long-term solutions.

A typical refinery project for processing oil using established technology and design procedures, normally takes 2-3 years from initial design to startup, assuming there is agreement on what to build, no unusual equipment delivery problems, no additional safety considerations, and no prolonged startup difficulties. Many projects take longer when regulatory applicability, scope or design criteria are unclear, or new technologies are involved.

For example, the benzene NESHAP rule discussed above was promulgated in March 1990 (under the 1977 Clean Air Act Amendments). Statutory language required compliance with the regulations within two years. In this case, significant differences in interpretation between EPA and the regulated community took more than one year to resolve and to clarify the regulatory requirements. An acceptable understanding is a prerequisite to engineering and construction. It was physically impossible to design, engineer, procure, construct, and start up the required control within the remaining one year compliance time frame.

C. Congress, EPA and much of industry have become used to command-and-control, end-of-pipe treatment approaches based on twenty years of experience. These well established problem solving approaches are difficult to change.

In the 1970's, environmental regulations successfully helped reduce point source emissions to air and water. End of pipe treatment was successful partly because many industrial firms and permitting authorities had little experience dealing with these problems, and found the specification of technical solutions offered a "road-map" for how to proceed along an uncharted course. These requirements also provided a relatively "level playing field" for US industry. Many of today's problems are

sufficiently different than those of the early 1970's that they can benefit from alternative approaches.

- D. The short time taken by the Virginia Air Pollution Control Board to issue or modify air permits is not a deterrent to installing technologies to reduce airborne emission at this site.**

Most of the technical options would reduce air releases at the Refinery. However, obtaining permits to install most of these technologies would probably not be a problem since the Virginia Air Pollution Control Board is estimated to take about six months to issue a permit (Virginia is a delegated state for issuing air permits).

However, information generated through a facility-wide multi-media assessment is a necessary first step to not only developing a strategy to reduce these releases, but also to exploring such implementation options as integrated permits.

- E. Inadequate accounting for both the benefits and costs of environmental regulations is an obstacle to developing a more efficient environmental management system. Responsibility for pollutant generation and accountability for environmental protection are difficult to quantify.**

At many industrial plants, such as Amoco's, waste management costs are frequently charged to a central environmental management division rather than to the operating unit that generates the waste. Remediation costs for clean-up of contaminated soil, for example, are frequently charged against another cost center, rather than to the generator of the contamination. This separation between release generation and costs is a disincentive to manage releases more effectively.

Few EPA accounting systems measure direct benefits of the Agency's activities, such as improved ecological health, biodiversity, reduced risk to human populations, etc. Rather, accomplishments are usually measured in terms of activities such as permits written, amount of fines collected, or number of enforcement actions pursued. (GAO, 1991) The lack of direct connection between Agency activities and environmental results reduces accountability for program costs and benefits. Without adequate measurement systems, it is difficult to tell when environmental management practices actually improve the environment.

1.3.5. Education/Communications/Working Relationships

This Project enhanced knowledge of both government and industry, and generated information that EPA and Amoco can use.

The study provided an opportunity to educate individuals within EPA and Amoco. Based on plant visits and information exchanges, EPA personnel better understand how a refinery works, the complexities of the refining processes, and the difficulties in obtaining reliable environmental release data. This improved understanding will be useful as the Agency considers future data needs for regulatory development and permits.

Similarly, Amoco personnel better understand how EPA develops regulations, the type of information needed, and the Agency's operating constraints. This will be useful for Amoco in interacting with EPA and other government agencies.

The detailed release information developed in this Project could be useful to all three media offices: air, water, and solid waste.

- The Office of Air and Radiation may be able to use air monitoring and modeling information for developing MACT standards and improving emission factors.
- The Office of Solid Waste should be able to use sampling and monitoring information for characterizing RCRA Subtitle D wastes and management practices.
- The Office of Water should be able to use wastewater sampling information to evaluate Petroleum Refining effluent guidelines, and the biomarkers research results in evaluating aquatic health measurement tools.

The working relationships between various EPA offices, State and Amoco personnel were quite fragile when the Project began. Individuals brought their institutional viewpoints to initial discussions. By agreeing at the beginning of the Project that we may not necessarily agree with all findings and conclusions, people showed a willingness to discuss issues and focus on data and factual information. Many of the perceived and real differences in views were more easily dealt with in a factual setting.

1.4 Recommendations

1.4.1 Explore Opportunities to Produce Better Environmental Results More Cost-effectively.

Data from this study show that the Refinery can meet a release reduction goal more cost-effectively than by meeting reductions prescribed by current regulatory or legislative requirements.

For example, the ranking analysis shows that given the opportunity the Refinery could remove about 97 percent of tons of airborne hydrocarbons at about 25 percent of the cost of reducing

them under current and anticipated regulations. The cost-effectiveness of the flexible option is about \$600/ton compared with the cost-effectiveness of \$2,400/ton for regulatory requirements.

EPA might evaluate options for setting a goal or target for reducing multi-media releases from a facility, and then allow the facility to develop an alternative compliance strategy to meet the goal. This alternative strategy would allow the facility to meet the goal at a lower cost, include interim milestones, and be enforceable. This strategy would also make appropriate information available to ensure that the reduction targets will be met.

This strategy might also include commitments to other environmental improvements such as cogeneration, additional reductions in releases, wetlands restoration, wildlife habitat enhancement, creation of new wetlands, controls on nonpoint sources of pollution, improved environmental data collection and research. The cost savings realized from meeting requirements under a more flexible approach make it possible to realize additional environmental benefits which are presently foregone because of the high costs of many regulatory programs.

1.4.2 Improve Environmental Release Data Collection, Analysis and Management.

Data from this study show that an emissions inventory could be improved by measuring releases and developing new emission factors. For example, the emissions inventory at the beginning of the project did not account for all potential releases to the environment. Some releases were excluded because the Agency has excluded them from reporting (e.g., barge loading operations); some releases were not included because the sources and the amount were thought by Amoco to be insignificant (e.g., blowdown stacks); some emissions were overestimated (e.g., API Separator); and some releases were underestimated (e.g., coker pond). Jointly established sampling and analysis protocols could help improve data quality, so that reported values more accurately portray facility releases.

Data currently collected in response to regulatory or permitting requirements could be evaluated to determine how its utility and quality might be improved. For example, TRI data quality and utility could be improved by:

- Providing more inclusive estimates of facility-wide releases to all media. The Project found the exclusion of marine loading operations from TRI reporting requirements conveyed an inaccurate picture of total facility releases.

- Reporting groups of chemicals, rather than individual species, especially if these chemicals have similar structural, physical and toxicological properties. Requiring reporting of all VOCs for refineries, rather than specific compounds like xylene (and its individual isomers), would provide a meaningful measure of refinery releases. That is because xylene poses approximately the same risks and has physical characteristics similar to the hundred of undifferentiated VOC compounds not covered in TRI. For a refinery, where a complex mixture of chemicals are released from most sources, tracking many separate chemicals does not make good use of technical, laboratory, and environmental management resources.
- Reporting other selected chemicals of concern for demonstrated human health or ecological impact separately. At a refinery, chemicals such as butadiene, benzene, and nickel may be good indicators of risk/release potential and management practices. Other industrial sectors would need to track different specific chemicals.
- Improving emission factors for estimating releases based upon information developed in this project, and additional work by EPA/industry task groups that could focus on the different data collection needs of discrete industry sectors.

The Project had great difficulty collecting and verifying environmental release data from the site. Emissions from these sources are complex and measurement techniques are rudimentary. Many emission measurements varied with time. For example, the Coker pond emissions varied by a factor of three within a few hours. Better sampling and analysis methods and statistical tools are needed to analyze variability. Research is also needed to develop methods that can verify release inventories within reasonable confidence limits, accounting for specific differences in emissions factors.

1.4.3 Provide Incentives for Conducting Facility-wide Assessments, and Developing multi-media Release Reduction Strategies. Such Strategies Should Consider Multi-Media Consequences of Environmental Management Decisions.

This Project demonstrates that more cost-effective environmental protection programs can be designed by allowing companies to consider site specific factors and focus on results.

A detailed facility-wide, multi-media assessment identified the most significant medium (air) and releases sources, both in terms of quantity and impact on the surrounding area. Specific

technology options were then developed to deal with these sources. The significance of sources identified in this Project were not initially known or apparent to the participants. Proposed solutions could not have been developed in the absence of data which identified their importance.

For example, hydrocarbon emissions from barge loading operations (784 tons annually) and blowdown stacks (5,200 tons annually) are significant. However, the Refinery did not know this prior to this Project, nor did the existing regulations require the collection of this data. Thus, it did not develop control options to reduce these emissions.

Several technologies considered for reducing releases, transfer pollutants from one medium to another or convert pollutants to different forms. Since human health and environmental consequences vary from one medium to another, viewing a release problem in the context of net environmental effects is essential to developing more sound solutions.

The current institutional framework and procedures for developing regulations do not include multi-media assessments and analysis. Current practices should be reviewed to determine how they could be modified to use information from such assessments. An integrated pollution prevention and management strategy would facilitate development of release management options that produce better environmental results. (EPA/SAB, 1990a; EPA/SAB, 1990b; OMB, 1991)

At present, industry has little incentive to conduct such assessments because it does not have an opportunity to implement their findings.

1.4.4 Encourage Additional Public/Private Partnerships on Environmental Management.

The Yorktown experience demonstrates the opportunities and pitfalls that can occur when government and industry work together. The opportunities are significant. The pitfalls are worth overcoming. All organizations--EPA, Virginia and Amoco--sought to develop and test innovative environmental management approaches that, unlike most traditional "command and control" approaches, consider risk reduction, address multi-media concerns, maximize environmental benefits, encourage efficient use of resources, and promote facility-specific implementation choices. While it will take time and patience to overcome decades of distrust, such joint government/industry efforts can result in more cost-effective environmental protection by providing the opportunity to share different viewpoints and skills.

In this study, for example, EPA brought expertise on the type of information needed to develop regulations, and their operating constraints, while Amoco brought an understanding of refinery operations and economics. By helping to educate each other and develop a mutual understanding of issues and technology, Amoco, EPA and the Commonwealth of Virginia together agreed on the most significant emissions from the Refinery and the most promising approaches to reducing them.

Public/Private partnerships could also be used to leverage Agency resources for providing improved data needed to develop regulations. This Project illustrates a possible approach to collecting data, assessing technologies and characterizing a facility within an industry that took less time and Agency resources but relied more on private support.

1.4.5 Conduct Research on the Potential Health and Ecological Effects of VOCs.

The Refinery is a major source of the area's VOC emissions. However, information on the potential adverse health effects of VOC emissions is rather limited (Graham, 1991). Research is needed to better characterize health and ecological effects of VOCs that can be used in conducting risk assessments. This study could also build on efforts currently underway at the American Petroleum Institute, and the Chemical Industry Institute of Toxicology (CIIT) and others.

EPA should also undertake research to develop indicators that measure impacts on the ecosystem of multi-media releases from industrial facilities. This Project looked at several biomarkers that show promise as indicators in aquatic environments. Limited information and methods for assessing ecological risk limits the ability to conduct comprehensive risk assessments, and measure changes in environmental quality.

1.5 References

AICHE, 1985, **Guidelines for Hazard Evaluation Procedures**, American Institute of Chemical Engineers, New York, 1985.

Amoco/EPA, 1992b. "Air Quality Data, Volume II," prepared by D. N. Blewitt for the Amoco/USEPA Pollution Prevention Project, Chicago.

Amoco/EPA, 1991a. "Pollution Prevention Workshop," prepared by H. Klee, Jr. and SAIC for the Amoco/USEPA Pollution Prevention Project, Chicago.

Amoco/EPA, 1990. "Project Workplan," prepared by H. Klee, Jr. (Amoco) and M. Podar, (USEPA) for the Amoco/USEPA Pollution Prevention Project, Chicago.

API, 1991b. "The Generation and Management of Wastes and Secondary Materials in the Petroleum Refining Industry, 1987-88," American Petroleum Institute, Washington, D.C.

CAA, 1990. Clean Air Act Amendments of 1990, Conference Report 101-952, October 26, 1990.

Cohen, Y., Allen, D. T., Blewitt, D. N., and Klee, H., 1991. "A Multimedia Emissions Assessment of the Amoco Yorktown Refinery," presented at the 84th Annual Air and Waste Management Association meeting, Vancouver, Canada, June 17, 1991.

EPA/SAB, 1990a. "Reducing Risk: Setting Priorities and Strategies for Environmental Protection," United States Environmental Protection Agency, Washington, D.C.

EPA/SAB, 1990b. "The Report of the Strategic Subcommittee, Relative Risk Reduction Project, Reducing Risk, Appendix C," (EPA SAB-EC-90-021C), United States Environmental Protection Agency, Washington, D.C.

EPRI, 1983. "Economic Evaluation of FGD Systems," Project 1610-1, Electric Power Research Institute, Palo Alto, California.

Federal Register, 1990. "Benzene Waste Operations NESHA," **Federal Register**, 55, 8292, March 7, 1990.

Graham, J. D. (ed), 1991. **Harnessing Science for Environmental Regulation**, Praeger, New York, 1991.

GAO, 1991. "Environmental Protection: Meeting Public Expectations with Limited Resources," General Accounting Office, (GAO/RCED-91-97), Washington, D.C., June, 1991, Chapter 3.

Los Angeles Times, 4/14/88. See Also, **Chicago Tribune**, 1/25/91, **Houston Post**, 9/3/88, **Philadelphia Inquirer**, 4/29/88, and **Seattle Times**, 2/25/91.

NRC, 1990. **Tracking Toxic Substances at Industrial Facilities: Engineering Mass Balance versus Materials Accounting**, National Research Council, National Academy Press, Washington, D.C.

OMB, 1991. "Budget of the United States Government, Fiscal Year 1992, Section IX.C. Reforming Regulation and Managing Risk-Reduction Sensibly," Office of Management and Budget, Washington, D.C., February 4, 1991.

Table 1.1
Project Components

Biomarkers
Chemical Fate and Transport
Communications
Cost Estimation
Decision Making Methodology
Engineering
Environmental Impact
Exposure Modeling
Facilities Management
Group Dynamics
Meteorology
Public Perceptions
Regulatory/Legislative Policy
Risk Assessment
Sampling
Source Identification

Table 1.2

Participants in the AMOCO/EPA Pollution Prevention Project

U.S. Environmental Protection Agency

Office of Air and Radiation
Office of Solid Waste and Emergency Response
National Advisory Council on Environmental Policy
and Technology
Office of Research and Development
Office of Policy, Planning and Evaluation
Office of Water
Office of Pesticides and Toxic Substances
Office of Air Quality Planning and Standards
Region III

Amoco Corporation

Environmental Affairs and Safety
Public and Government Affairs
Art Services
Analytical Services
Groundwater Management Services

Amoco Oil Company

Refining and Transportation Engineering
Research and Development
Yorktown Refinery
Whiting Refinery

Commonwealth of Virginia

State Water Control Board
Department of Waste Management
Department of Air Pollution Control

Academic Institutions

Virginia Institute of Marine Science, College of William and Mary
University of California at Los Angeles
University of Michigan

Table 1.2 (Continued)

Consultants

ICF/Clement International
Researchable
ENSECO Laboratories
Radian Corporation
Linnhoff-March
York Laboratories
Murry/Trettel Consulting Meteorologists
Industrial Marine Service, Inc.
James R. Reed and Associates
Industrial Economics, Incorporated
Abt Associates
Resources for the Future

Peer Review Committee Members

Dr. Clifford S. Russell, Vanderbilt Institute for Public Policy Studies (Chair)
Ms. Jolene Chinchilli, Chesapeake Bay Foundation
Mr. A. Ray Dudley, Array Enterprises, Inc.
Dr. John R. Ehrenfeld, MIT Center for Technology, Policy and Industrial Development
Dr. John D. Graham, Harvard School of Public Health
Dr. Robert J. Huggett, Virginia Institute of Marine Science
Ms. Frances H. Irwin, Conservation Foundation
Dr. Joseph F. Malina, Jr., University of Texas
Dr. John J. McKetta, University of Texas
Mr. David R. Patrick, Clement International Corporation
Dr. James G. Quinn, University of Rhode Island
Dr. Mitchell J. Small, Carnegie Mellon University

Amoco/USEPA Workgroup Members

John Atcheson
David Berg
Doug Blewitt
Walter Brodtman
Kirt Cox
Catherine Crane
Jim Cummings-Saxton
Christine E. DeLuca
Dan Fort
Deborah Gillette
Madeline Grulich
Deborah Hanlon
Janice Johnson
Mark Joyce
Sharon Keneally-Baxter

Mark Klan
Howard Klee
Donna Kraisinger
Jim Lounsbury
Keith Mason
Richard Olin
Pat Pesacreta
Mahesh Podar
Alex Ross
Manik Roy
Marv Rubin
Dale Ruhter
Debora Sparks
Mary Spearman
Pat Woodson

Table 1.3
Comparison of Different Environmental Management Options for the Yorktown Refinery

Selection Criteria for Release Reduction Projects	No. of Projects	Material Released (Note 1)	Total Release Reduction Tons/Yr.	Capital Cost \$MM	Annual Cost \$MM	Benzene Exposure Reduction, %	Average Cost \$/Ton
1. Current and Expected Regulatory Requirements (Table 4.5) (Note 3)	8	VOC/HC	7,300	53.6	17.5	99	2,400
2. Cost-Effective Release Reduction (Table 4.6)	6	VOC/HC Listed HW	7,500	10.7	3.8	87	510
3. Cost-Effective Benzene Exposure Reduction (Table 4.7)	6	VOC	7,100	13.2	4.2	90	590
4. Multiple Criteria (Table 4.4) (Note 4)			Four options were consistently selected as most effective in different ranking exercises.				
4a. Work Group (Top 4)	4	VOC					
4b. Amoco (Top 4)	4	VOC					
4c. EPA/Virginia (Top 4)	4	VOC					
5. Most Favored--All Rankings, All Evaluators (Table 4.8)	4	VOC	6,900	10.2	3.5	87	510

Notes:

1. VOC = Volatile Organic Compounds
HC = Liquid Hydrocarbons
Listed HW = Solid, Hazardous Waste
2. Values are rounded. See tables 4.1 through 4.7 for details.
3. Regulatory and Statutory Programs considered include Benzene NESHAP, Ozone non-attainment, likely Clean Air Act requirements under MACT and HON rules.
4. Multiple criteria included release reduction potential, benzene exposure reduction potential, cost, impact on liability, transferability to other facilities, status in pollution prevention hierarchy, etc. See Section 4.0 for discussion.

Table 3.2

Selected Pollution Prevention Engineering Projects

The following projects were identified for further study as a result of the Pollution Prevention Workshop in Williamsburg and subsequent Workshop meetings.


1. Reroute Desalter Effluent: Hot desalter effluent water currently flows into the process water drainage system at Combination unit. This project would install a new line and route this stream directly to the API Separator. This reduces volatile losses from the sewer system by reducing process sewer temperature and oil content. Volatile losses at the API Separator increase slightly.
2. Improve Desalter System: Evaluate installation of adjunct technology (e.g., centrifuge, air flotation, or other technology) on desalter water stream prior to discharge into the underground process drainage system. This reduces oil and solids waste loads in the sewer system, affecting the waste water treatment plant and volatile losses from the drainage system.
3. Reduce FCU Catalyst Fines: Evaluate possible performance of more attrition resistant FCU catalyst to reduce fines production. (Subsequent review with catalyst vendors indicated the Refinery was already using the most attrition resistant catalyst available.) Two other fines reduction options were considered.
 - 3a. Replace FCU Cyclones: Assess potential for reducing emissions of catalyst fines (PM10) by adding new cyclones in the regenerator.
 - 3b. Install Electrostatic Precipitator at FCU: Assess potential of electrostatic precipitator in reducing catalyst fines (PM10) emissions.
4. Eliminate Coker Blowdown Pond: Change operating procedures for coke drum quench and cooldown so that an open pond is no longer needed. This reduces volatile losses from the hot blowdown water.
5. Install Seals on Storage Tanks: Double seals or secondary seals will reduce fugitive vapor losses. Recovery efficiency varies from tank to tank, depending on the hydrocarbon stored and construction details. Table 3.3 provides additional information.
 - 5a. Secondary Seals on Gasoline Tanks: Secondary rim mounted seals on tanks containing gasoline.

- 5b. Secondary Seals on Gasoline and Distillate Tanks: Secondary rim mounted seals on tanks containing gasoline and distillate material.
- 5c. Secondary Seals on ALL Floating Roof Tanks: Secondary rim mounted seals on all floating roof tanks.
- 5d. Option 5c + Internal Floaters on Fixed Roof Tanks: Secondary rim mounted seals on floating roof tanks and the installation of a floating roof with a primary seal on all fixed roof tanks.
- 5e. Option 5d + Secondary Seals on Fixed Roof Tanks: Secondary rim mounted seal on all floating roof tanks and the installation of a floating roof with a primary and secondary seal on all fixed roof tanks.
- 6. Keep Soils out of Sewers: Use road sweeper to remove dirt from roadways and concrete areas which would otherwise blow or be washed into the drainage system. Develop and install new sewer boxes designed to reduce soil movement into sewer system, particularly from Tankfarm area. Estimate cost for installation on a Refinery wide basis. Both items reduce soil infiltration, in turn reducing hazardous solid waste generation.
- 7. The Benzene Waste Operations NESHAP requires control of benzene emissions from refinery wastewater sources. Three separate projects (7A, 7B, and 7C) were identified to meet these requirements. Specific design and construction features of these projects will aid with meeting anticipated requirements of some future regulations, such as storm water permitting, RCRA corrective action, the Primary Sludge rule and land disposal restrictions.
 - 7A. Drainage System Upgrade: Install above-grade, pressurized sewers, segregating storm water and process water systems.
 - 7B. Upgrade Process Water Treatment Plant: Replace the API Separator with a covered gravity separator and air floatation system. Capture hydrocarbon vapors from both units.
 - 7C. Convert Blowdown Stacks: Replace existing atmospheric blowdown stacks with flares. This reduces untreated hydrocarbon losses to the atmosphere, but creates criteria pollutants.
- 8. Change Sampling Systems: Install flow-through sampling stations (speed loops) where required on a refinery-wide basis. These replace existing sampling stations and would reduce oil load in the sewer or drained to the deck.

Figure 2.2

Pollution Prevention Sampling Program

(Number of Samples)



9. Reduce Barge Loading Emissions: Estimate cost to install a marine vapor loss control system. Consider both vapor recovery and destruction in a flare.
10. Sour Water System Improvements: Sour water is the most likely source of Refinery odor problems. Followup on projects previously identified by Linnhoff-March engineering to reduce sour water production, improve sour water stripping.
11. Institute LDAR Program: Institute a leak detection and repair program for fugitive emissions from process equipment (valves, flanges, pump seals, etc.) and consider costs and benefits.
 - 11a Annual LDAR Program with a 10,000 PPM hydrocarbon leak level
 - 11b. Quarterly LDAR Program with a 10,000 PPM hydrocarbon leak level
 - 11c. Quarterly LDAR Program with a 500 PPM hydrocarbon leak level

Figure 2.4

Pollutant Transfers/Recycle/Treatment within the Yorktown Refinery

(Units are tons per year)

Pollutant Generation at Refinery: 27,504

(See Figure 2.3)


Pollutant Releases from Refinery: 15,380

(See Figure 2.5)

Air

Airborne criteria: 5704
NO_x, SO₂, CO, PM-10


Airborne hydrocarbons: 7527



Water

Stormwater

Waterborne material: 3749
Oil, susp. solids, inorganics




Groundwater

Solid Waste

Hazardous and solid waste: 8104


Catalysts, sludges, spent caustic



Hydrocarbon evaporation from water: 378

Airborne criteria: 5704

Airborne hydrocarbons: 7905




Settling basin

Stormwater to York River

Water treatment

Treated effluent to York River: 46
0.3%

Recovered oil: 2690



Biosolids from treatment: 2420 (wet tons)

Sludges and oils to on-site recycle: 4398

On-site landfill: 713


Caustic to off-site recycle: 3788

Catalysts to off-site recovery: 613

Off-site disposal: 1012

Land disposal: 1725

Figure 2.5
Total Releases Entering the
Environment from Yorktown Refinery



Units are Ton/year

Total Releases = 15380 tons/year

Figure 2.7
1989 TRI Inventory Compared to
Measured Emissions





Figure 2.9
Yorktown Refinery
Airborne Hydrocarbon Sources



Units are tons/year

Total = 7905

Figure 3.1

Yorktown refinery

Simplified flow diagram and emission sources




Figure 3.4
Histogram of Benzene Emissions
With and Without Marine Loading Controls





Figure 3.9
Projected Rates of Return
Pollution Prevention Projects - Yorktown



(See Table 3.2 for Descriptions)

- Notes
1. Projects for which no values are shown have negative returns.
 2. Rate of return is the rate at which benefits and costs are equal for the life of the project.

Appendix C
Project Documentation

Project Workplan (October, 1990)

Release Inventory Summary (Draft, March, 1991)

Solid Waste Data (May, 1991)

Groundwater and Soil Data (March, 1991)

Surface Water Data (August, 1991)

Pollution Prevention Workshop (September, 1991)

Project Summary (January, 1992)

Executive Summary (December, 1991)

Air Quality Data, Volume I (December, 1991)

Air Quality Data, Volume II (Draft, September, 1991)

Air Quality Data, Appendices B-J (5 Volumes, December, 1991)

Project Peer Review (November 1991)

Projects, Evaluation and Ranking (due July, 1992)

Ecological Impacts (due July, 1992)

Public Perceptions (January, 1992)

Risk Assessment Methodology and Results (due August, 1992)

Supplementary Information (due August, 1992)