

FOIA MARKER

This is not a textual record. This is used as an administrative marker by the William J. Clinton Presidential Library Staff.

Collection/Record Group: Clinton Presidential Records
Subgroup/Office of Origin: National AIDS Policy Office
Series/Staff Member: Patsy Fleming
Subseries: National AIDS Strategy

OA/ID Number: 9005
FolderID:

Folder Title:
7/15/ 96 Strategy Comments [2]

Stack:	Row:	Section:	Shelf:	Position:
S	66	5	8	3

THE WHITE HOUSE

WASHINGTON

June 12, 1996

1996 JUN 21 A 9:40
HHS EXECUTIVE SECRET

MEMORANDUM FOR THE INTERDEPARTMENTAL TASK FORCE ON HIV AND AIDS,
DEPARTMENT OF HEALTH AND HUMAN SERVICES

FROM: Patricia S. Fleming *Patricia S. Fleming*
Director, Office of National AIDS Policy

SUBJECT: Review of Draft of the National Strategy for HIV and AIDS

Attached is the revised draft of the National Strategy for HIV and AIDS. The comments DHHS provided have been considered and incorporated to the extent possible. If you have further comments, the new suggested language must be specific.

Please review the budget table on the follow pages to this memo carefully. You should:

- Update the budget table to reflect current figures, noting FY 95 actuals, FY 96 estimates, and the FY 97 President's budget request for each agency goal. (These budget figures will be cross-checked with OMB figures and the Federal Biomedical and Behavioral Research Plan and Budget for HIV and AIDS, April 1996.) The attached table reflects the budget levels provided in your revised submission.

Comments are due back to the Office of National AIDS Policy **BY NO LATER THAN JUNE 15, 1996**. If you have any questions please call Jane Sanville at (202) 632-1090.

Thank you for your assistance in developing this first-ever National Strategy for HIV and AIDS.

Attachments: Summary Budget Tables

The National Strategy for HIV and AIDS, 6.11.96 draft

DHHS Appendices for The National Strategy for HIV and AIDS, 6.11.96 draft

151086

Insert A

NIH AIDS Funding By the FY 1997 Plan
(Dollars in thousands)

Area of Emphasis	FY 1995 Actual	FY 1996 Estimate	FY 1997 President's Budget
Natural History and Epidemiology	\$192,624	\$205,812	\$203,285
Etiology and Pathogenesis	344,303	382,903	400,182
Therapeutics	462,929	472,944	470,042
Vaccines	100,399	109,533	116,132
<i>and Social Sciences</i> Behavioral Research	170,984	174,077	180,238
Training and Infrastructure	46,483	44,643	44,335
Information Dissemination	16,153	17,912	17,694
TOTAL FUNDING BY THE PLAN	1,333,875	1,407,824	1,431,908

96
Bypass

237,271 / 339,866
420,983 / 20,801
545,405 / 75,363
154,771 / 38,639
205,893 / 25,655
58,703 / 14,368,000
18,527 / 333,000

Post-It™ brand fax transmittal memo 7671

of pages 1

To	From
Co. <i>Don</i>	Co. <i>T. J. J. J.</i>
Dept.	Phone #
Fax #	Fax #

545,405,000
470,042,000
75,363,000

PAGE 2: MEMORANDUM FOR THE INTERDEPARTMENTAL TASK FORCE ON
HIV AND AIDS, DEPARTMENT OF HEALTH AND HUMAN SERVICES

AGENCY	GOALS	FY 95 Actuals	FY 96	FY 97 President's Budget
NIH	Natural History and Epidemiology Etiology and Pathogenesis Therapeutics Vaccines <i>and Social Sciences</i> Behavioral Research Training and Infrastructure Information Dissemination		<i>See</i> <i>9/16/97</i> <i>Ed</i>	

CDC	More accurately monitor the HIV epidemic and provide data to assess and direct prevention programs by strengthening existing systems and develop new surveillance systems.	\$141,076,000	\$140,917,000	
	Increase the public understanding of, involvement in, and support for HIV prevention	\$45,970,000	\$46,869,000	
	Prevent risk behaviors that can cause HIV infection and related health problems in school age children and college age persons through implementation of comprehensive school health education programs.	\$48,215,000	\$48,162,000	
	Prevent or reduce behaviors or practices which place individuals at risk of HIV infection, and for HIV positive individuals, place others at risk.	\$185,666,000	\$209,764,000	
	Increase individual knowledge of sero-status and strengthen systems for successful referral to early intervention services.	\$169,035,000	\$179,006,000	

HRSA	Increase the number of competent primary care providers willing to care for HIV positive persons	\$16,300,000	\$16,300,000	
	Reduce barriers to obtaining dental care for HIV positive persons	\$6,937,000	\$6,937,000	
	Increase access to care and improve quality of life for persons living with HIV/AIDS	\$632,965,000 I: 356,500,000 II:198,147,000 III:52,318,000 IV: 26,000,000	\$723,465,000 I: 407,000,000 II:221,897,000 III:62,568,000 IV: 32,000,000	
	Develop and evaluate innovative models of comprehensive managed care for persons living with HIV	Objective 1: \$2,092,302 Objective 2: \$4,000,00	Objective 1: \$4,000,00 Objective 2: \$4,000,00	
	Reduce the perinatal transmission of HIV	\$1,520,000	\$1,800,000	

SAMHSA	Reduce the rate of HIV transmission among high-risk substance abusers and their sexual partners	Objective 1: \$1,500,00 (With 1,500,000 from HRSA & \$1,400,000 from NIH)	Objective 1: \$1,500,00 (With 1,500,000 from HRSA & \$1,400,000 from NIH)	
		Objective 2: \$7,500,000	Objective 2: \$7,500,000	
	Improve HIV/AIDS training of clinicians	Objective 1: \$2,930,000	Objective 1: \$2,800,000	
		Objective 2: \$2,800,00	Objective 2: \$0	
	Improve the integration of substance treatment and primary medical care	\$7,700,000		
AHCPR	Reduce the number of new HIV infections	Objective 1: \$1,000,000	Objective 1: \$3,000,000	
		Objective 2: \$0	Objective 2: \$5,000,000	
		Objective 3: \$	Objective 3: \$	
AHCPR	To provide national estimates of the cost and use of HIV-related medical and non-medical services	\$6,744,480	\$5,015,707	
	To provide national estimates of the cost and use of HIV-related prevention services	\$1,051,075	\$56,308	
	To expedite the dissemination of data from research	\$318,833	\$155,000	
IHS	Reduce the number of infections among Federally recognized American Indians and Alaska Natives	Objective 1: \$912,000	Objective 1: \$912,000	
		Objective 2: \$2,321,000	Objective 2: \$2,321,000	

FDA	Ensure the safety and effectiveness of HIV-related therapeutic agents	\$25,235,000	\$25,536,000	
	Ensure the safety and effectiveness of HIV-related preventive and therapeutic vaccines	\$11,863,000	\$12,005,000	
	Ensure the effectiveness of test methodologies (such as diagnostic reagents and test kits) for HIV detection, confirmation, and viral load measurement	\$8,732,000	\$8,836,000	
	Reduce transfusion-transmitted HIV infection	\$17,458,000	\$17,667,000	
	Ensure the safety and effectiveness of HIV-related medical devices	\$9,457,000	\$9,570,000	
ACF	To meet the social and support service needs of children, youth, and families with or at risk for HIV/AIDS	NA - HIV services integrated into overall budget	NA - HIV services integrated into overall budget	
OPA	Reduce the number of new infections	NA - HIV services integrated into overall budget	NA - HIV services integrated into overall budget	

TABLE OF CONTENTS

MESSAGE FROM THE DIRECTOR OF THE OFFICE OF NATIONAL AIDS POLICY

PREFACE

The Need for a National Strategy for HIV and AIDS
The Strategy as a Catalyst for Change

I. INTRODUCTION

Scope of the HIV/AIDS Pandemic
An Expanding Public Health Threat
The Social Impact

The Evolving Challenge of the HIV/AIDS Epidemic

Goal of the National Strategy
Development of the Strategy
Common Objectives and Opportunities for Progress
Implementation
Organization of the Strategy

II. OVERVIEW OF FEDERAL EFFORTS

Introduction
Prevention
Research
Care and Services
International Activities
Translation of Research into Practice
Civil Rights

III. APPENDICES

Appendices A - F (Prevention, Research, Care and Services, International Activities, Translation of Research into Practice, Civil Rights)

Appendix G Budget Tables

IV. FIGURES, ACRONYMS, AND MEMBERS OF THE INTERDEPARTMENTAL TASK FORCE ON HIV AND AIDS

Figure 1 Death Rates from Leading Causes of Death in Persons Aged 25-44 Years, USA, 1982 -1993

The National Strategy for HIV and AIDS
Draft for Department of Health and Human Services Review: 6.11.96

Figure 2

Cumulative U.S. AIDS Cases: 2/83 through 12/94

Acronym List

Members of the Interdepartmental Task Force on HIV and AIDS

***Message from the Director of the
Office of National AIDS Policy***

The epidemic of HIV and AIDS constitutes a public health crisis of unprecedented proportions. In 1993, the Office of National AIDS Policy (ONAP) was created by President Clinton to provide a national focus and direction for the government's response to HIV and AIDS. More recently, President Clinton asked ONAP to develop a comprehensive National Strategy that would chart the Administration's direction in responding to the HIV/AIDS national and international pandemic. This was as a result of the President's commitment to promote efficient and collaborative policy and program efforts.

The development of a National Strategy for HIV and AIDS is an historic undertaking. No previous administration has undertaken so broad a planning effort that: (1) involves all Federal Departments and Agencies that engage in HIV-related efforts; (2) reaches out to communities and the private sector; and, (3) identifies areas where the Nation should place its most concerted efforts.

Combating HIV disease will require nothing less than the best innovative and cooperative efforts of State, local and federal governments, the private sector, and infected and affected communities and individuals. The urgency of the crisis requires that we build upon what we have already learned, joining together with one

another to develop a new, more unified and collaborative approach to addressing the epidemic.

The Strategy was developed through consultation with, and guidance from, many groups and individuals. I would like to thank, in particular, the members of the Interdepartmental Task Force on HIV and AIDS (IDTF) for the time and attention that they, and their staffs, contributed to the development of the Strategy. The IDTF is a group consisting of representatives from executive branch Departments and Agencies that conduct HIV-relevant work.

In developing the document, we depended heavily upon groups outside of government as well -- they, too, have been, and will continue to be, essential partners in developing solutions that capitalize on the opportunities for progress that are now before us. The recommendations provided by the Presidential Advisory Council on HIV and AIDS (PAC), the advocacy community, participants in the White House Conference on HIV and AIDS, service providers on the front lines of the epidemic, and many HIV-positive persons, their families, friends and care givers have been central to identifying areas for focused attention. The insights provided by the National Commission on AIDS, the Institute of Medicine and National Research Council, the General Accounting Office, and the reports of the Office of Technology Assessment have also been extraordinarily helpful in developing the National Strategy.

The National Strategy for HIV and AIDS
Draft for Department of Health and Human Services Review: 6.11.96

This document is a snapshot of where we are and where we think we need to go. Collaboration is one of the hallmarks of this Administration's approach to AIDS policy and Strategy serves as a reference point for lengthier dialogues and collaborative efforts between the public and private sectors.

It is important to remember that our efforts would not have been possible without leadership and direction at the highest levels of government. While the challenges of HIV/AIDS that are facing us cannot be solved by government or the private sector acting alone, more than ever in the history of this epidemic, we need innovative ideas, careful planning, and the strength of public-private partnerships to bring our strategy to fruition.

The epidemic challenges us on many fronts. Because the most common transmission routes are sexual activity and drug use, topics difficult for many Americans to confront directly, HIV has challenged this country to look at things that are difficult to face.

There is also fear -- fear of contracting this disease and unwarranted fear of those who are infected. Fifteen years into the epidemic, persons living with HIV still endure daily prejudice and discrimination based upon their HIV status. We are further challenged by the inadequacies of a social and health care infrastructure that is, in many ways, woefully unprepared to address the needs of HIV-infected persons. Moreover, the safety net provided by programs such as Medicaid and Medicare is

threatened with fundamental programmatic changes and reductions in funding. Scientifically, we have made much progress, but the virus continues to be a formidable adversary, challenging the best and brightest among us to find a cure and a vaccine.

Despite the many difficulties, AIDS has also brought forth an outpouring of compassion and caring. In my many meetings around the country with persons living with HIV, I have been inspired by numerous examples of great personal courage. I have been impressed by the dedication with which many communities and individuals have overcome obstacles in preventing infections and caring for those who are sick. By example, it demonstrates that, as a Nation, we, too, can collectively rise to meet the most difficult challenges placed in our path. Those Americans living with HIV, and others who are at-risk of infection, their families, and their communities, deserve a thoughtful, effective, and aggressive strategy to combat the disease.

Today we are facing great challenges, but we are also facing equally great opportunities. While AIDS is a terrible tragedy that has already affected far too many people around the world, I believe it is a disease that we can defeat -- just as we have eradicated polio from the western hemisphere and smallpox from the world. The National Strategy for HIV and AIDS lays a foundation for the public-private partnerships that are essential to our success. Together, with steadfast commitment, courage, and leadership, we will be able to win the battle against HIV and AIDS.

Preface

The Need for a National Strategy for HIV and AIDS

The National Strategy for HIV and AIDS has been developed to capitalize upon progress already made in fighting the epidemic and to catalyze collaborative efforts among Federal Departments and Agencies, communities, State and local governments, and the private sector.

Since the discovery of the first AIDS cases in the early 1980s, the epidemic of HIV and AIDS has posed a series of unique challenges. The challenges today are very different from those that we faced ten or even five years ago. We now know the risk factors and the etiologic agent, and we have tests to diagnose infection and protect the blood supply. We are developing new and more powerful therapies that offer hope for treatment and prevention. Scientists now believe that a vaccine is possible. Nonetheless, the epidemic continues. More people are infected every year, in every geographic area, and in every age range. Racial and ethnic minorities are disproportionately represented among existing and new cases of HIV infection. And youth are at increasing risk. Internationally, the epidemic is threatening the economic stability of a number of developing nations.

The changing face of HIV and AIDS, coupled with a period of overall fiscal restraint and a trend toward managed health care programs, require new approaches and

solutions. The National Strategy must incorporate innovative ideas, careful planning, and the strength of public-private partnerships.

The Strategy as a Catalyst for Change

The National Strategy is intended to serve the public, the President, the Congress, the members of the Interdepartmental Task Force on HIV/AIDS, and Presidential Advisory Council on HIV and AIDS. The text that follows will serve as a blueprint that will: document the baseline of current efforts government-wide; link goals to budget objectives; and, guide us in refining our goals and objectives in response to the changing face of the epidemic of HIV and AIDS.

The Strategy does not prescribe a fixed sequence of steps by which the entire plan, and its identified opportunities, are to be accomplished. The goals, common objectives, and opportunities for progress are intended to serve as a focus for our attention and efforts. The development of a functional implementation plan will be the responsibility of the Office of National AIDS Policy in partnership with the Interdepartmental Task Force on HIV/AIDS, the Presidential Advisory Council on HIV and AIDS, private sector organizations, and the community.

Executive Summary

== Place Holder ==

The National Strategy for HIV and AIDS

Draft for Department of Health and Human Services Review: 6.11.96

I. INTRODUCTION

Scope of the HIV/AIDS Pandemic

-This is not true - many infectious diseases in history have been infections & fatal.

The pandemic of Human Immunodeficiency Virus (HIV) and Acquired Immunodeficiency Syndrome (AIDS) presents unique social, economic, and public health challenges to governments and individuals here in the United States and worldwide. ~~Unlike other infectious diseases that have arisen over the course of history,~~ HIV is infectious for life and almost always fatal. ~~[Awaiting revised language from NIH.]~~ While we have made significant progress in understanding the disease and developing treatments since the first case was identified by the CDC in June of 1981, with this progress comes the challenge of preventing new infections, ensuring access to new treatments, and assuring that health care professionals know how to care for their patients. Still, HIV remains a deadly infection for which there is no vaccine, no cure, and for which there is an expanding, but still limited, inventory of available treatments.

An Expanding Public Health Threat

As of October 1995, the Centers for Disease Control and Prevention (CDC) reported 501,310 cases of AIDS among persons in the U.S.; 311,381 of these persons have been reported to have died as a result of complications related to HIV. Since 1987, AIDS has gone from being the 15th ranked cause of death among all Americans to the 8th. It is now the leading cause of death among Americans aged 25 to 44. (See

Figure 1.) In 1994 alone, approximately 81,000 new cases of AIDS and more than 45,000 AIDS-related deaths were reported to the CDC ~~in 1994~~. The CDC estimates that between 40,000 and 60,000 Americans are becoming newly infected with HIV each year, and that between 800,000 and one million Americans are currently living with HIV. ✓

As the epidemic in the United States has evolved, the demographics of the epidemic have been shifting. The early years of the epidemic were dominated by cases involving gay or bisexual men living in major urban centers, such as New York, San Francisco, and Los Angeles; this group now represents less than half of all new cases. Among the populations being more heavily affected now are young gay men, women, and heterosexual injecting drug users. Although gay men no longer represent the majority of new cases, this group represents the majority of persons living with HIV and AIDS. In 1994, more than 14,000 women were reported with AIDS and now women comprise 14 percent of cumulatively reported AIDS cases. It is estimated that if this trend continues, 80,000 American children will have been orphaned as a result of AIDS by the end of this decade. In 1994 alone, more than 1,000 new pediatric AIDS cases were reported. ✓

however, the geographic diversity of the disease has widened, the impact of the disease on the country as a whole has increased.

As the geographic diversity of the disease has widened, the impact of the disease on the country as a whole has increased. However, research progress has been made demonstrating that perinatal transmission can be significantly reduced through the administration of AZT to both the mother (during pregnancy and labor) and to the baby.

Adolescents are at special risk. The CDC estimates that one in four new HIV infections in the U.S. occur among people *significantly reduced through the administration of AZT to both the mother (during pregnancy and labor) and to the baby.*

The National Strategy for HIV and AIDS
Draft for Department of Health and Human Services Review: 6.11.96

under the age of 21. Under current trends, between 27 and 54 young people in the United States under the age of 21 are infected by HIV each day, or more than two young people every hour. Moreover, a significant number of young people are engaging in sexual intercourse as well as drug and alcohol use at earlier stages in their lives. This fact, coupled with the disturbing number of adolescents who are prone to high risk behavior due to homelessness, sexual abuse, and other circumstances, places young Americans in a situation that leaves them extremely vulnerable to HIV infection.

Communities of color have been ~~more~~ severely and disproportionately affected by the epidemic. As of October 1995, African-Americans accounted for 38 percent of newly reported AIDS cases, while representing approximately 12 percent of the general population. Hispanics represented 18 percent of new cases through October 1995, although this group represents only 9 percent of the general population. In 1982, Blacks and Hispanics represented 31 percent of all AIDS cases; however, as of October 1995 these groups comprised 51 percent of cumulative AIDS cases. Gay men of color in certain regions of the country account for approximately 39 percent of new AIDS cases.

AIDS is no longer just an urban problem. The HIV/AIDS pandemic is spreading to non-urban areas, including dramatic increases in certain regions of the South and Midwest. In fact, between 1993 and 1995 the largest numbers of AIDS cases (86,462)

were reported from the South.¹ While most cases are still reported from urban areas, the rate of reported cases in non-metropolitan areas is increasing faster than in urban areas. AIDS cases have now been reported in all 50 States, the District of Columbia, Puerto Rico, and each of the American Territories. (See Figure 2.)

Internationally, the toll of the epidemic is greater still. The World Health Organization (WHO) estimates that since the beginning of the epidemic, 4.5 million cases of AIDS have occurred worldwide. It has estimated that as of mid-1995, 18.5 million adults and more than 1.5 million children have been infected with HIV since the beginning of the pandemic. WHO also projects that by the year 2000 between 30-40 million people will have been infected with HIV.

The Social Impact

Prejudice and discrimination are still experienced by people living with HIV, their families, and their loved ones. Persons with HIV have been denied medical and dental services, emergency medical treatment, and health insurance. They have been discharged from their jobs and evicted from their homes. ~~Unlike other persons with infectious diseases,~~ many persons living with HIV have been the target of violence, rejected by their families, and suffered discrimination because of their HIV status.

AIDS is a disease that most often affects people in the prime of life. It

The National Strategy for HIV and AIDS

Draft for Department of Health and Human Services Review: 6.11.96

✓ ~~disproportionately~~ kills people during their most productive years. That it is the leading cause of death among Americans 25 to 44 is particularly significant since this is the age group that constituted 54% of the civilian labor force in 1992.² Premature deaths due to AIDS result in the loss of many productive years of life and in many cases deprive young children of their parents. In 1994, HIV infection was the fourth leading cause of potential life lost before age 65.

The human toll has been staggering and is likely to continue.

✓ years of
AIDS has consistently risen in the rankings as a cause of death, while rates for disease such as cancer and heart disease have been comparatively stable. Direct lifetime medical care after diagnosis for an HIV-infected person costs more than care for patients with cancer or heart disease, specifically: \$61,211 for heart disease³, \$25,000 to 84,000 for Cancer⁴, and \$119,000 for HIV/AIDS⁵. Overall HHS spending for research, treatment, prevention, and income supplements is significantly greater for cancer and heart disease than for AIDS. In FY 1995 DHHS spent approximately: \$38.0 billion for heart disease, \$17.5 billion for cancer, and \$6.0 billion for AIDS. [DHHS -- update figures.]

In developing countries, the pandemic threatens to reverse decades of progress in strengthening national economies and improving the health status and social well-being of millions of women, men, and children. In some African nations, 95 percent of hospital beds are occupied by AIDS patients. Moreover, the WHO estimates that 10 to 15 million children will be orphaned due to AIDS by the year 2000.

The National Strategy for HIV and AIDS
Draft for Department of Health and Human Services Review: 6.11.96

The Evolving Challenge of the HIV/AIDS Epidemic

The four decades prior to the report of the first AIDS case in the early 1980s encompassed a period of unprecedented success in controlling infectious diseases. The emergence of HIV, and the subsequent epidemic of HIV and AIDS, has posed an evolving series of unique scientific, economic, and social challenges, both domestic and international. Today the challenges we face with the epidemic are very different from challenges we faced previously.

In the early years of the epidemic, significant scientific resources were dedicated towards understanding how the disease was transmitted and identifying its underlying cause. Thanks to this work, we now know the risk factors and the etiologic agent for HIV, and we have a test to ~~ascertain the serostatus of infected persons~~ ^{HIV} ~~and can, therefore, protect the blood supply.~~

Building on the knowledge gained from those discoveries, more resources were subsequently directed towards achieving a deeper understanding of HIV-related immunology and pathogenesis, and, developing therapies for HIV ~~primary~~ ^{its} infection and associated opportunistic infections ^{and malignancies}. New and more powerful therapies that offer new hope for treatment and prevention have been developed. Scientists now believe that a vaccine is possible. Current day discoveries also create new challenges for the future. We

now face new scientific challenges in developing a vaccine and the new generation of therapeutics for ~~primary~~ ^{HIV} and opportunistic infections ^{and malignancies}. ^{its associated} ✓

Since the beginning of the epidemic, behavioral research designed to understand the behavioral, social, cognitive, and biological factors that place individuals at risk for acquiring HIV infection has provided important insights for prevention efforts. Practical experience has also taught us that prevention efforts can be effective. However, behavioral research remains a relatively young science and there are currently more questions than answers. The challenge before us now lies in expanding the scientific underpinnings that will allow us to design more effective prevention programs that will reach even more ~~Americans~~ ^{individuals} at risk for infection. ✓ ^{not just US}

The progress in developing therapies and prevention programs has also created new problems for the health care delivery system. ~~As a result of improved therapies, people with AIDS now live twice as long as they did a decade ago.~~ ^[Awaiting additional language from NIH.] Due to NIH-sponsored research we now have the ability to reduce the risk of ~~perinatally acquired~~ ^{perinatal transmission of} HIV infection by treating women with AZT during pregnancy. The recent approval of a new class of therapies, protease inhibitors, will again change the direction of HIV/AIDS treatment and prevention. Ensuring access to these therapies is the challenge that confronts us now. We need to improve our efforts in providing people with care earlier in their infection so they can receive the ^{and their babies after birth.} ✓

new treatments and we need, as well, to ensure that health care professionals are well-trained and know the best way to provide that care.

Ensuring access to prevention services and medical care for the growing number of people who need, or will need, health care is an enormous task. There are societal and economic changes that are influencing the ways in which the country addresses the issues of health care access and cost. There is a trend towards decentralizing the role of the Federal government in health care and placing more responsibility at the State and local levels, coupled with a movement to managed care systems. These changes will influence efforts to strengthen prevention efforts and ensure health care and services for people with HIV/AIDS.

From a societal perspective, while we have made tremendous progress in overcoming fear and discrimination, we still have a long way to go. There are no grounds for discriminating against persons with HIV infection and yet such action has thwarted access to health care, health insurance, housing, employment, and even funeral services. We must continue in our vigilance to ensure that the protections provided under the law are extended to all HIV-infected persons.

The National Strategy for HIV and AIDS

Draft for Department of Health and Human Services Review: 6.11.96

Goal of the National Strategy

✓ The goal of the National Strategy for HIV and AIDS is to capitalize upon the progress which has been made in fighting the epidemic and to catalyze new and strengthened collaborative efforts among Federal Departments and Agencies, communities, State and local governments, and the private sector. To realize this ambition we will need innovative ideas, careful planning, and the strength of public-private partnerships to make these plans a reality.

The text^{and appendices} that follows will serve as a blueprint that will: document the baseline of current efforts government-wide; link goals to budget objectives; and, guide us in refining our goals and objectives in response to the changing face of the epidemic of HIV and AIDS. This is intended to be a living document that will require regular updating and adjustment as goals are reached and as new challenges occur.

Development of the Strategy

The National Strategy for HIV and AIDS presented here is broader in scope than any prior planning efforts. To date, planning has been focused primarily in the Public Health Service (PHS)⁶, Department of Health and Human Services, as evidenced by a series of documents such as the Public Health Service Plan for the Prevention and Control of Acquired Immune Deficiency Syndrome⁷, the "Coolfont"⁸ and "Charlottesville"⁹ reports, and the PHS Strategic Plan to Combat HIV and AIDS in

the United States¹⁰ and the Congressionally-mandated annual NIH Plan for HIV-related Research. Recommendations have also been issued by a number of groups, including the National Commission on AIDS¹¹ and the Presidential Advisory Council for HIV and AIDS. There have also been significant planning efforts on the part of individual Agencies. However, until now there has not been a national plan that provides for a government-wide coordinated effort encompassing not just Public Health Service activities, but also that incorporates areas such as housing, health care, and civil rights. ✓

Effective planning requires a genuine commitment from participants to work together toward clearly defined goals. Therefore, the strategy for HIV and AIDS has been developed by the Federal Departments and Agencies that support HIV-related activities along with the counsel of HIV-infected persons and their advocates, the private sector, and the Presidential Advisory Council on HIV and AIDS. ✓

Through the Interdepartmental Task Force on HIV and AIDS (IDTF), a formal request went out for the executive branch Agencies to identify their activities, goals, and objectives. These pertinent data have been compiled uniformly and are contained within the appendices of the strategy. The IDTF members, with their specialized knowledge of a broad range of HIV-related issues, have been crucial in identifying areas requiring special attention.

There has also been a reliance on groups outside of government -- the same groups that have been and will continue to be

essential partners in developing solutions and capitalizing on the opportunities for progress that lay before us now. The recommendations provided by the Presidential Advisory Council on HIV and AIDS (PAC) have been invaluable. The advice and counsel of the activist and advocacy communities, participants in the White House Conference on HIV and AIDS, individuals on the front lines of the epidemic, and many HIV-infected persons and their families, friends, and care givers have been essential in identifying areas for focused attention. And finally, the insights provided by the National Commission on AIDS, the Institute of Medicine of the National Research Council, the General Accounting Office, and the reports of the Office of Technology Assessment have also been extraordinarily helpful in developing this Strategy.

Common Objectives and Opportunities for Progress

Based on the consultations, the following national objectives are established:

- To provide strong support for research in order to find treatments and a cure for those currently infected, and a preventive vaccine to protect the uninfected;
- To provide solid support for effective prevention strategies so as to reduce the number of new infections each ~~and every~~ year until there are no new infections; and, ✓
- To ensure that ~~treatment of~~ persons living with HIV, ~~is~~ caring, ethical, and in accordance with legal standards. ○ *are not subject to discrimination and receive services that are* *option*

Also through the consultations, it became clear that there was consensus regarding the major challenges facing us today, and that these challenges warranted focused attention. There was also a judgment that these challenges represent opportunities for progress -- opportunities to take steps today to find a cure and a vaccine, reduce the number of new infections, and care for those who are infected.

Based on this counsel, opportunities for progress are presented and discussed within each substantive section (i.e., prevention, research, care and services, international activities, translation of research into clinical practice, and civil rights) of the Strategy.

The National Strategy for HIV and AIDS
Draft for Department of Health and Human Services Review: 6.11.96

(See section on Organization of the Strategy below.) It is these opportunities that will require consideration and broad-based input in the development of implementation plans if we are to meet the challenges they present.

Implementation

First, it is important to realize that this document is a snapshot of where we are and where we think we need to go. The Strategy serves as a reference point for the lengthier dialogues and a foundation for future collaborative planning efforts between the public (i.e., Federal, State, and local governments), and private (i.e., persons living with HIV, AIDS service organizations, the advocacy and activist community, businesses, pharmaceutical and biotechnology companies, academia, health care providers, and insurers, etc.) sectors that will be absolutely essential.

Each issue raised in the Strategy will require specially tailored approaches and implementation plans. In some cases significant progress has already been made, in others much work remains. Some of these challenges can be resolved with the cooperation of a handful of people, while others will require extensive thoughtful effort on the part of many players in order to craft workable solutions. It will also be important to build on the less comprehensive planning efforts that have taken place and complement current planning activities.

Organization of the Strategy

The National Strategy is organized into the following substantive areas: prevention, research, care and services, international activities, translation of research into practice, and civil rights.

Information and discussion of Federal activities can be found in three locations within the document. First, discussion on each substantive area addresses broad policy issues and new Federal objectives in terms of the national goals and opportunities for progress. Second, each substantive section has a corresponding appendix that provides information on individual Agency goals, objectives, funding levels, constituency involvement, and unmet needs. And third, funding tables can be found in Appendix G.

Current Agency activities have not been arranged around administrative structures, but by area. In cases where a single Agency may have responsibility for more than one area, such as prevention and research, documentation of their activities will be found in the respective substantive sections. In some cases there are cross-cutting issues that could fall into several categories, such as internationally-based treatment and prevention efforts. In this case, programs that are specifically targeted towards geographic regions of the world are included in the international section.

The type of information provided in the appendices varies depending upon the type of efforts Departments and Agencies sponsor. Support for HIV/AIDS activities

falls into two general categories: in the first, HIV/AIDS activities are an essential part of the mission; in the second category, HIV-related activities are not an explicit part of the mission but are indirectly supported or receive collateral benefit from Agency supported work and/or policies. There are a number of Agencies for whom AIDS-specific activities are central to their mission (e.g., the National Institutes of Health (NIH), the Centers for Disease Control and Prevention (CDC), and the Health Resources and Services Administration (HRSA)), while other Agencies maintain programs and activities that support a broad range of activities, of which HIV-related activities are one among many (e.g., the U.S. Agency for International Development (USAID) and the Department of Justice (DOJ)). Data are presented, therefore, in a manner consistent with an Agency's level of involvement.

II. OVERVIEW OF FEDERAL EFFORTS

Introduction

✓
6.8 billion

The scope and nature of the HIV/AIDS epidemic have brought State, local, and Federal involvement into many HIV-related activities. The Federal government, through its public health responsibilities in such areas as research, prevention, health care, and housing has seen a dramatic increase in its activities since the beginning of the epidemic. In 1985 the Federal government spent \$212 million for AIDS research, surveillance, and care. With the dramatic increase in cases, by 1995 that figure had reached \$6,848 million. (See Appendix G). Congress also took note of the rapid increase in cases of HIV and AIDS and passed legislation that sought to address the needs of HIV-infected persons and their families, and the Nation's need to find a cure and a vaccine, including the Ryan White Comprehensive AIDS Resources Emergency Act (CARE) Act and the NIH Revitalization Act of 1993.

✓

Currently, Federally sponsored activities include direct support for research, training, prevention and education, housing, medical care, support services, information dissemination, enforcement of civil rights, and assistance to international organizations and other nations. While Federal Agencies are responsible for responding directly to the epidemic of HIV and AIDS, they also collaborate with and provide support for State and local governments, academic institutions, private foundations, health care

institutions and community-based organizations, which often have substantial surveillance, prevention, and health care responsibilities. *research carried out by*

✓

The National Strategy for HIV and AIDS

Draft for Department of Health and Human Services Review: 6.11.96

PREVENTION

The Nation's prevention goal is to develop effective prevention strategies that will reduce the number of new infections each ~~and every~~ year until there are no new infections. Achieving this goal will require a dedicated alliance between the Federal government, States, local governments, communities, businesses, non-governmental organizations, families, and individuals. Achieving this ambitious end will require a clear definition of the different roles and responsibilities of the Federal government, and an ongoing dialogue with its partners in the public and private sectors about the responsibilities each has in reaching this goal.

We know that HIV prevention works. We also know that the task of preventing HIV transmission faced by the United States in controlling the epidemic of HIV and AIDS has reached enormous proportions.¹² The Centers for Disease Control and Prevention (CDC) estimates that approximately 800,000 to 1 million Americans are presently HIV-infected, many of whom are unaware of their HIV status. Moreover, the CDC estimates that approximately 40,000 to 60,000 American will become infected each year. Many more Americans who are not presently infected are at risk for acquiring HIV. HIV infection is a unique ~~prevention~~ challenge because of the virus' virulence, the long period of time when people may not be aware they are infected, long duration of infectiousness, nearly always fatal prognosis, and potential for exponential spread. Moreover, HIV is transmitted

primarily as a result of personal and private ~~individual~~ behaviors -- sex and drug use. To be effective, HIV prevention programs must reach tens of millions of Americans who are characterized by a diversity of age, race, ethnicity, geographic locale, sexual orientation, and sexual and drug use behaviors.

Prevention activities are currently supported by several Federal Agencies. (See Appendix A.) Most Federal prevention efforts are funded by Department of Health and Human Services (HHS), although other Departments such as the Department of Defense (DOD), and the Department of Veterans Affairs (VA) also support prevention activities. These efforts reflect a continuum from surveillance to research to social marketing initiatives. Agency activities are also reflective of their respective missions. For example, the Centers for Disease Control and Prevention (CDC), the Agency with primary Federal HIV-prevention responsibilities, supports a wide range of surveillance and prevention projects, many in partnership with States, local governments, and community-based organizations. Other Agencies focus on specific aspects of prevention. For example, the National Institute on Drug Abuse (NIDA) and the Substance Abuse and Mental Health Services Administration (SAMSHA) support efforts to prevent HIV infection among drug users, while other Agencies support primary prevention efforts as part of medical care, such as at the veterans and military hospitals and clinics. The Health Resources and Services Administration (HRSA) also encourages

The National Strategy for HIV and AIDS
Draft for Department of Health and Human Services Review: 6.11.96

broader access to prevention information through the integration of prevention interventions into primary health care services and through support of early intervention services for low-income medically underserved persons. HRSA also has undertaken special initiatives designed to reduce perinatal transmission of HIV and has promoted primary prevention through the training of health professionals in the AIDS Education and Training Centers program.

government supported
no such term exists
Just you don't consider epidemiologic research as prevention.

The efforts of Federal Agencies as well as research conducted at universities and private organizations, have been instrumental in expanding our knowledge base about HIV prevention. However, significant gaps remain. We know from both formal research and community experience that developing prevention programs that are effective requires knowledge of who is becoming infected and of the behaviors that are enabling transmission, an understanding of the motivations for those behaviors, and an understanding of how best to reach people with messages that will ensure lasting behavior change.

what does this mean

Prevention priorities must be guided toward gaining knowledge that will improve our efforts to develop effective prevention programs. We need to improve our understanding of the major modes of transmission, close gaps in scientific knowledge, including identifying effective prevention models and strategies, and work towards eliminating gaps in program areas.

Opportunities for Progress

Modes of Transmission

An important part of strengthening prevention activities is to have a clearer understanding of who is being infected and what behaviors are placing people at risk for infection. Recent epidemiologic data show that the HIV epidemic continues to spread in the United States among people who engage in injection drug use and their sexual partners, young and minority men having sex with men, ^{through} heterosexual transmission, and ~~through~~ perinatal transmission. Moreover, the youth of our country are becoming infected at an alarming rate -- 50 percent of new infections in the United States are in persons under 25 years of age. HIV is the leading cause of death in Americans aged 25 to 44 and it is likely that many of these people were infected while they were adolescents. Racial and ethnic minorities are also disproportionately represented among new HIV infections. As of October 1995, African-Americans accounted for 38 percent of newly reported AIDS cases and Hispanics represented 18 percent of new cases. These trends in the epidemic must be taken into consideration when prioritizing prevention research and service programs.

A crucial part of effective prevention strategies includes supporting adequate surveillance of HIV infection and related diseases in order to gauge future directions of the epidemic, and assess the effectiveness of prevention interventions. As previously

included in S.A.T.
not just injection drugs crack cocaine alcohol are also factors
this appears from previous sections

The National Strategy for HIV and AIDS
Draft for Department of Health and Human Services Review: 6.11.96

noted, the CDC is the Federal Agency with primary responsibility for monitoring the epidemic. Seroprevalence surveys provide information on the level of HIV infections in "sentinel" populations. The CDC AIDS case and case death reporting system provides useful data for assessing AIDS prevalence and mortality by gender, race/ethnicity, age, and mode of exposure. This surveillance system also provides essential data on HIV-related opportunistic infections.

There are, however, opportunities for refinement. Effective prevention intervention programs begin with sound information on who is at risk. Current CDC surveillance systems do not capture sufficient "front-end" information on the incidence and prevalence of HIV (not AIDS) in the population, and trends in modes of transmission and new infections. Collection of these data are needed as part of an enhanced effort to link surveillance and epidemiological data to priority setting, in addition to the design and evaluation of prevention programs. (These data must be collected with the appropriate confidentiality protections.)

The CDC has recognized the value of this approach and has incorporated data collection design into its community planning process. These shifts in data needs coupled with fiscal restrictions may also require that the CDC reevaluate and reconfigure its data collection efforts. As part of the Agency's implementation of the recommendations set forth in the external review of CDC's HIV prevention

strategies¹³, the CDC has initiated efforts to evaluate current data collection efforts and implement necessary changes, and this work should continue.

Prevention Research¹⁴

Factors that place individuals at risk for acquiring HIV infection are a complex combination of behavioral, social, cognitive, and biological influences. Given this complexity we must not assume we intuitively know which interventions will work, but instead base our efforts on sound research findings and evaluation. Experience has taught us that prevention efforts can be effective, but when they are it is because the intervention incorporates findings from both experience and relevant research. Behavioral research is a relatively young science and there are currently more questions than answers. The three main areas where gaps in knowledge have been identified are basic behavioral research, intervention research, and social marketing research.

Basic Behavioral Research. Information provided by the conduct of basic behavioral research should serve as the foundation for prevention programs. Basic behavioral research, similar to basic research in other areas of scientific inquiry, seeks to explain the determinants and causes underlying biological, behavioral, and social processes. HIV-related risk-taking behavior is often complex and influenced by a host of individual and environmental factors.

To capitalize on what is known and improve

The National Strategy for HIV and AIDS
Draft for Department of Health and Human Services Review: 6.11.96

No mention of
NIH research
equivalent
Section 102
agency review
agency review

HIV prevention programs that are targeted to reach a diversity of Americans, more information on the determinants of HIV-associated sexual and drug-using behaviors is needed. For example, although much has been learned about the basic biology of substance abuse, further elucidation of the mechanisms underlying addictive behavior may assist in the development of new therapeutic approaches to addiction, which may in turn reduce the number of new infections.¹⁵ And although we have some information on relevant risk-taking behaviors, more information about knowledge, attitudes, decision-making processes, and beliefs about AIDS and other sexually transmitted diseases (STDs) is much needed. Such data enable scientists to establish theories of behavioral change, which then provide researchers with tools for identifying what approaches may be most effective for an individual or a community.¹⁶ [Awaiting revised language from NIH.]

Intervention Research. A second major gap is research to improve prevention interventions, i.e., research that concentrates on modifying behaviors, such as those related to drug use and sexual practices. We know from other behavior-influenced diseases (such as hypertension) and practices (such as cigarette smoking and wearing seatbelts) that basic information about what motivates a person to exhibit these behaviors can be incorporated into intervention research to advance approaches to reducing unhealthy behaviors.

In HIV and AIDS, this intervention research

can focus on both individuals and communities, which often hold norms that influence personal behavior. Since the beginning of the epidemic we have made advances in our understanding of factors that are relevant to the design of intervention programs intended to reduce rates of HIV infection. This theoretically based intervention research has identified several significant predictors of changes in sexual and drug-using behaviors among gay men, adolescents, and heterosexual adults.¹⁷ Studies have shown that community-based HIV risk reduction programs that are gender relevant and culturally sensitive can be effective.¹⁸ A recent study has also provided a reason for optimism that the spread of HIV can be contained among injecting drug user populations when there is early community outreach and access to sterile injection equipment.¹⁹

However, despite this evidence of success, there is more that we need to know if we are to develop effective prevention programs for a diversity of Americans. We must incorporate findings from basic behavioral research into effective prevention interventions. One high priority area is research on interventions that lead to sustained behavior change and reduced recidivism. Another area for investment is research on cultural barriers and strategies to reach populations resistant to certain behavior interventions. A third area is research on the effectiveness of treatment for drug abuse, mental illness, and alcoholism in reducing HIV risk behavior.

Agencies supporting intervention and

behavioral research must include scientists from a broad range of disciplines in their planning activities and improve their data-sharing and collaborative efforts with Agencies responsible for implementing prevention programs. Enhancing the dialogue between researchers in these two related fields will invariably improve the development of effective prevention interventions.

Social Marketing Research. It is important that the findings from basic behavioral and intervention research be incorporated into prevention programs. Agencies supporting social marketing activities need to build on current knowledge in addition to strengthening efforts to understand barriers to the implementation and replication of promising prevention programs. Given the highly innovative nature of these endeavors, the CDC must consider providing broader technical assistance and training to community organizations. Moreover, a community-based effort that would test prevention models in a real-world setting should be carefully considered. [Awaiting additional language from NIH.]

We know from efforts in other countries that HIV-related social marketing efforts can be successful. However, we have not been as effective as we could be in disseminating information about effective strategies so that this knowledge can be employed in the design and implementation of prevention interventions. There are good models for prevention interventions that are not making their way to those on the front lines of the epidemic. Community-based organizations,

which are responsible for developing a large portion of the prevention programs often do not, or are not able to, take advantage of current knowledge about program effectiveness.

Prevention Programs

In order to stop new infections, the results of basic behavioral, intervention and social marketing research must serve as the foundation for prevention intervention programs that reach people at risk for acquiring or transmitting HIV. Presently, the Federal government supports a range of programs that address the disparate needs of a number of at-risk populations. However, the shifting demographics of the epidemic coupled with restricted resources has resulted in gaps in program areas that limit the Nation's ability to prevent new infections. It is therefore important that prevention planners carefully prioritize their efforts based on local epidemiology.

Community Involvement. For prevention interventions to be effective they must reach communities at risk and be responsive to their unique needs. And for individuals to take control of their own lives in fighting the spread of this virus, they must first have the information and skills to protect themselves.

One of the most important innovations in the prevention area is community planning. The community planning process is an outstanding model of a Federal-local partnership. Through this effort, it is possible to establish joint goals for the

The National Strategy for HIV and AIDS
Draft for Department of Health and Human Services Review: 6.11.96

prevention of HIV that will meet Federal standards while remaining responsive to local needs. However, this process is early in its development and requires significant, ongoing leadership and technical assistance from the CDC if it is to fulfill its potential for ~~good~~ priority setting and decision making.

Substance Abuse Prevention and Treatment. Injection drug use is one of the major forces driving the epidemic, with one third of all new cases are directly or indirectly related to this mode of transmission. Limiting the impact of substance abuse on the epidemic will require efforts on several fronts.

First, we need to improve the integration of HIV prevention activities and substance abuse treatment and prevention programs. The epidemics of substance abuse and HIV in this country are overlapping and highly interrelated, however, care and prevention services for HIV and substance are not. It is vital to continue efforts to integrate HIV prevention into current substance abuse programs and integrate substance abuse prevention into HIV prevention.

A second avenue for controlling the spread of HIV among addicted persons is enrollment into drug treatment programs. Substance abuse treatment is a form of HIV prevention. Moreover, substance abuse problems that contribute to the spread of HIV are not limited to injecting drug use. There is substantial evidence that use of alcohol and other substances can adversely influence risk-taking behavior. In addition,

it is estimated that ~~x~~ percent of the population is affected by alcohol abuse and other non-injectable drugs.

Fundamental to the success of an integrated approach would be the continued expansion of educational activities to prevent substance abuse, and increased outreach efforts to encourage active substance users to seek treatment. We also need to ensure that drug treatment services are available in sufficient numbers for a range of addictions for those in need of such services. This would include services that accept pregnant women or women with children, indigent members of the community and adolescents.

Work on this issue has begun and will continue. The CDC has an initiated State-by-State discussion, including meetings with State Legislators, regarding HIV prevention issues. The CDC is also working with the National Conference of State Legislatures to provide a forum for a broad spectrum of views on this important issues.

Treatment for Sexually Transmitted Diseases and Tuberculosis. Studies have shown that the presence of sexually transmitted diseases (STDs) can significantly increase the efficiency of HIV transmission, even by as much as 20 times. Studies have also shown that widespread treatment of STDs in certain communities has led to a 40 percent reduction in new HIV infections in these groups.^{20, 21} These data suggest treating STDs can be an effective HIV prevention strategy and points to a need for all clinicians to be vigilant in efforts to prevent and treat STDs.

with in conducting studies of the effect of such STD treatment on HIV transmission

The National Strategy for HIV and AIDS
Draft for Department of Health and Human Services Review: 6.11.96

People with TB are at risk of TB
CDC language
Persons who are HIV ^{uninfected} ~~positive~~ are at significant risk for developing of *M. tuberculosis* (TB) disease. Studies suggest that the risk of developing TB disease is 7 to 10 percent each year for persons who are infected with both TB and HIV, whereas the risk is 10 percent over a lifetime for persons not infected with HIV.²² In addition to the health implications for infected persons, there is an increased risk of transmission of TB to household members, health care workers, and other persons having regular contact with the person with TB.

It is important that Federal and State efforts to reduce the incidence of sexually transmitted diseases (STDs) include an HIV prevention element, and, that HIV prevention programs incorporate STD prevention and treatment efforts. Moreover, the traditional model of targeting most STD prevention efforts towards individuals who have already contracted one STD is not necessarily effective for HIV prevention. Enhanced and innovative linkages between STD and HIV prevention need to be established. The newly organized National Center for HIV/STD/TB Prevention at CDC reflects the importance of integrating these inter-dependent aspects of the epidemic and illustrates our determination to integrate and coordinate HIV, STD, and TB programs.

Integration Into Primary Care. To reach our prevention goal, we must also improve the integration of prevention activities and messages into primary health care services. HIV counseling and voluntary testing often provide an important bridge between HIV prevention and care for many at risk

persons, including youth, women, and ethnic minorities. To assure that all persons seeking HIV testing can have access to such services, the CDC's counseling and testing guidelines should acknowledge and address the needs of persons seeking such services, and provide training for personnel at CDC-funded sites.

Incorporating a patient's sexual and drug using history when a medical history is taken, offering HIV-related counseling and voluntary testing, and ^{integrated} ~~working with~~ HIV-positive individuals so they do not infect others is also important. It also means offering pregnant women information about and access to AZT during pregnancy to reduce the risk of perinatal transmission. Training should be made available to improve primary care providers' skill, comfort level and sensitivity in these areas.

✓
providing prevention education to

Achieving this level of integration will require active collaborative efforts on the part of individual physicians, nurses, other clinicians, managed care plans, medical schools, and professional organizations in addition to State, local, and Federal governments.

Evaluation. It is important to assess the effectiveness of the prevention interventions that have or will be implemented. Prospectively set performance measures can be used as a basis for evaluation and program improvement. Incorporating effectiveness measures must become a routine part of all Federally-funded programs. It is only through sound evaluations that we will be able to determine

The National Strategy for HIV and AIDS
Draft for Department of Health and Human Services Review: 6.11.96

whether our efforts have been effective in slowing the epidemic. Achieving this will also require careful examination of what programs should be continued, what activities need to be initiated, and an awareness that a reconfiguration of some program priorities may be required.

The National Strategy for HIV and AIDS
Draft for Department of Health and Human Services Review: 6.11.96

RESEARCH

One of the Federal government's goals is to provide strong support for research in order to find treatments and a cure for those currently infected, and a preventive vaccine to protect the uninfected. It is research that will enable us to reach these goals and until they are a reality, the Federal government must provide solid ongoing support for basic and clinical research.

Achieving this goal will require committed collaborative efforts among the Federal government, universities, researchers, the advocacy community, persons living with HIV and those at risk for infection, communities where research is conducted, charitable organizations, pharmaceutical companies, biotechnology firms, and other parts of the private sector. It will also require an ongoing dialogue between the public and private sectors.

At present, a number of Federal Agencies play a significant role in U.S. AIDS research efforts. (See Appendix B.) These endeavors range from basic molecular research to clinical research to health services research. The National Institutes of Health (NIH) supports a significant portion of these efforts. ^{including the largest conducts and NIH also supports research training infrastructure and information dissemination programs.} ^{in the areas of HIV-related} NIH funds research on HIV-related natural history and epidemiology, etiology and pathogenesis, ~~therapeutics~~, vaccines, and behavior. As part of its mission to protect and maintain a viable fighting force, the Department of Defense supports clinical vaccine and therapeutic research. The Agency for Health Care Policy and Research (AHCPR)

funds health services research to help determine which medical approaches are the most cost effective. The Department of Energy (DOE), through its support of technologically advanced equipment, provides the opportunity for Federal and private researchers to share resources and thereby analyze molecular structures that, without such equipment would not be possible. The Centers for Disease Control and Prevention (CDC) monitors and assesses modes of and risk factors for transmission through epidemiologic and laboratory studies. The Agency also supports facilities employing sophisticated methods for identifying viral variants.

Contributions of Research

~~[A waiting revised language from NIH.]~~ The Nation has already reaped some of the benefits of supporting research in general, and HIV-related research specifically. AIDS research has provided advances for treatment of other diseases. For example, HIV-related research has contributed to progress in treating breast cancer. Research revealed that by blocking cytokine receptors, tumor cell growth could be inhibited; this finding led to the development of new treatments for breast cancer. ^{see insert}

Advances in treating conditions resulting from immunosuppression have come from HIV-targeted research. One of the most promising experimental therapies for advanced breast cancer is high-dose chemotherapy followed by bone marrow transplantation, but the treatment causes

drug discovery and therapeutics clinical trials

behavioral and social sciences

The National Strategy for HIV and AIDS
Draft for Department of Health and Human Services Review: 6.11.96

profound immunosuppression; AIDS-related research has provided valuable insights regarding the management of these patients.

HIV-related research has also accelerated study of the human immune system which has in turn improved our ability to understand and treat other conditions such as cancer and autoimmune diseases, including systemic lupus erythematosus, type I diabetes mellitus, rheumatoid arthritis, and multiple sclerosis.

Research involving the blood/brain barrier has led to a better understanding of the mechanisms by which infectious agents spread into the nervous system. These findings provide valuable clues for research on Alzheimer's disease, dementia, multiple sclerosis, neuropsychological disorders, encephalitis, and meningitis. Moreover, prior to the AIDS epidemic, little investment was made in research to treat viral diseases. Studies to develop anti-HIV therapies have improved our understanding of more viral diseases and led to development of treatments for many other diseases.

Research investments made before the advent of the AIDS epidemic produced a body of scientific knowledge that enabled researchers to more quickly pursue theories and avenues of investigation. For example, research previously conducted on the immune system in general, and CD4+ cells in particular, provided early insights into the pathogenesis of HIV. Research investments in retroviruses yielded invaluable information for identifying HIV as the etiologic agent of the emerging epidemic,

and advances in molecular biology provided researchers with the tools to understand HIV's structure and develop drugs based on that information.

Due in great part to Federally-sponsored research, ~~persons with AIDS now live twice as long as they did a decade ago.~~ Clinicians now have a growing array of medication to treat and in some cases prevent a variety of HIV-associated opportunistic infections. An NIH-sponsored study found that it is possible to dramatically reduce the chance of transmission of HIV from mother to infant. Data from federally-sponsored prospective epidemiological studies are helping scientists understand the factors that enable long-term non-progressors to live many years after infection without presenting clinical signs of progression to AIDS. ~~[Awaiting revised language from NIH.]~~ Understanding what happens in these non-progressors may help researchers develop better therapies and a vaccine.

And there is further reason for hope. Scientists now believe that a vaccine is possible. New classes of anti-retroviral therapies appear to be powerful in controlling the virus. Combination therapies are offering great potential promise in this area and in preventing perinatal transmission. In addition, the Food and Drug Administration, through its accelerated approval program, is now approving drugs faster than ever before and faster than any European nation.

However, despite these advances, many complex biomedical and behavioral challenges remain. Identifying the most

**The National Strategy for HIV and AIDS
Draft for Department of Health and Human Services Review: 6.11.96**

promising scientific avenues, and having the appropriate structures and processes in place to ensure that the Nation capitalizes on these opportunities, ~~will~~ require a considered and coordinated effort.

Opportunities for Progress

Coordinating Federal Research.

Developing and implementing the Federal government's AIDS research agenda presents both scientific and logistical challenges. Planning and overseeing this massive Federal effort requires coordination efforts at two levels -- one within NIH and the second among the Departments and Agencies supporting HIV research.

Within the NIH, the Agency with the largest portfolio, research is supported throughout 24 institutes, centers, and divisions (ICDs). In order to better plan, coordinate, and fund the AIDS research activities of these ICDs the Congress, through the NIH Revitalization Act Amendments of 1993, provided the Office of AIDS Research (OAR) with new oversight and budget authorities. ~~As part of fulfilling the requirements of the law,~~ the OAR develops a yearly NIH plan and budget for AIDS research and receives directly from the President and the Office of Management and Budget (OMB) a consolidated appropriation for AIDS activities at NIH. This single appropriation allows the OAR to effectively prioritize research resources on the basis of sound scientific judgment and provides flexibility for pursuing the most promising research opportunities.

It is crucial that the authority granted OAR in the revitalization legislation, including the consolidated appropriation, be supported and maintained. With such a large research enterprise, ~~it is essential that there is oversight and accountability so the most promising approaches are vigorously pursued, gaps in research areas are identified, and the individual Institutes have both the scientific and administrative assistance they need to effectively collaborate with other NIH institutes.~~

It is also clear that while NIH supports a significant portion of HIV-related research, other Agencies and Departments support a broad spectrum of research related to HIV and AIDS. Multiple Federal Departments and Agencies have responded with research initiatives that bring to bear their unique capabilities and strengths. For the government to effectively support a diversity of promising approaches, these research efforts must also be well-planned and coordinated. To achieve this the Director of the Office of National AIDS Policy coordinated an inter-departmental working group, chaired by the Director of the Office of AIDS Research, whose charge it was to develop a coordinated plan and budget specifically for HIV and AIDS research across all Agencies Departments. [Awaiting additional language from NIH.]

This The first Federal Biomedical and Behavioral Research Plan and Budget for HIV and AIDS was completed in April 1996. The development of this plan brought together representatives from the National Institutes of Health, the Centers for Disease Control

The National Strategy for HIV and AIDS
Draft for Department of Health and Human Services Review: 6.11.96

and Prevention, the Food and Drug Administration, the Department of Defense, the Department of Energy, and the Department of Veterans Affairs. This plan provides an initial blueprint to focus and coordinate existing Federal HIV/AIDS research initiatives and thereby utilize available resources more efficiently and effectively. It also serves as a foundation for continued planning and evaluation.

Vaccine Development. Several major challenges currently face the U.S. and the world in the HIV vaccine development effort. The first is to surmount the daunting scientific and social challenges, and the second is to ensure the development and testing of promising vaccine candidates.

On the scientific level, researchers presently hold two major views regarding the most promising approaches to vaccine development. Some scientists maintain that there is not sufficient information about the virus to warrant efficacy trials and there is a need to gather more basic science information to guide us. Others assert that only clinical efficacy trials in humans will provide the answers that will lead to the development of a successful candidate. This group believes that if a safe candidate is available, it is not necessary to resolve all of the scientific questions before proceeding, and, that in the face of a global emergency testing in people should begin immediately. Both groups have valid arguments.

The issues driving this debate are scientific and social, and stem from the contrasting ways different parts of the world are

experiencing the epidemic. Some regions of the world have already experienced the devastating consequences of the epidemic while, in other areas, the epidemic is in its early stages. Some governments have shown a greater interest than others in preparing for vaccine trials as a method of slowing the growth of the epidemic in their countries. [Awaiting revised language from NIH.] Both the social and scientific issues must be considered when planning trials. Given the State of scientific knowledge, there is some consensus that both the basic and empirical avenues can and should be pursued.

Both approaches face significant obstacles and it is clear that ~~the~~ developing a vaccine cannot be accomplished by the government or the private sector working apart -- a public-private partnership will be needed. In order to identify areas for fruitful collaboration and to accelerate the pace of development for vaccines, the Vice President convened a meeting of government scientists and leaders of the pharmaceutical and biotechnology industries to identify barriers to the development of these agents. Further dialogue involving key players regarding critical problems, and opportunities for development, and viable solutions has begun and will continue. [Awaiting revised language from NIH.]

In addition to effective collaboration with private sector partners, it is also vital that the Federal effort be well-coordinated. The Federal linkages that were strengthened during the development of the Federal Biomedical and Behavioral Research Plan

The National Strategy for HIV and AIDS
Draft for Department of Health and Human Services Review: 6.11.96

and Budget for HIV and AIDS should be utilized in furthering coordination.
[Awaiting additional language from NIH.]

In the absence of vaccines,
Microbicides. Many scientists believe that ~~the prevention of sexually transmitted HIV infection will depend on~~ the development of ~~a~~ safe, effective, female-controlled mechanical ~~or~~ chemical barrier methods ~~that~~ will block HIV transmission or prevent other sexually transmitted infections.

[Awaiting revised language from NIH.]

Worldwide over 80 percent of HIV infections are acquired heterosexually and women are more easily infected than men.

??
In the U.S., the infection rate among women is rising dramatically. Moreover, the risk of becoming infected or infecting others is substantially increased by the presence of other STDs²³. ~~Microbicides could provide~~ an easily available and inexpensive ~~protection~~ option for millions of women worldwide.

microbicides could provide a prevention
condoms,
The barrier methods that are currently available, have limitations. Most require consent, if not active participation of the male partner, and therefore cannot be independently used at the discretion of the female partner. Although epidemiological studies have demonstrated that the correct and consistent use of condoms will reduce the risk of acquiring HIV and other STDs *hand transmitting* there are many situations in which interpersonal, social, or cultural barriers interfere with a woman's ability to successfully negotiate condom use. The need for a method that can be employed by women is based on the prevalence of non-consensual sex, sex without condom use,

???
and risky behaviors that occur without partner knowledge. [Awaiting revised language from NIH.]

The development of this important prevention option will depend on strong support for basic and clinical research. Microbicides are a promising approach, but will require preliminary Federal support before they reach a stage where the pharmaceutical or biotechnology industries can assume a lead role. Discussions among Federal Agencies, the private sector, and advocacy groups have been ongoing and should continue in order to identify areas for worthwhile collaboration and hasten the pace of development. [Awaiting revised language from NIH.]

Examining the Impact of HIV on Youth. HIV-related research has made great strides on many fronts, however, adolescents have not received the full benefit of research discoveries. To date, HIV research efforts have primarily focused two specific populations: infants and adults.

Where did this come from??
not in previous draft
scientific data do not support this
This has never been used as scientific data in 29 years of research
not a research issue
in statement NIH sent.
But scientific information exists to indicate that HIV may behave differently in infected adolescents and that there are adolescent-specific health-care needs that must be addressed. Adolescent treatment approaches may vary from those used for adult or infants. Because little definitive research has been conducted to date with HIV-positive adolescents, the specific impact of puberty on the course of HIV infection has not yet been determined. Behavioral trends that play a key factor in treatment and prevention have also not been sufficiently

The National Strategy for HIV and AIDS
Draft for Department of Health and Human Services Review: 6.11.96

studied.

Adolescents must become a bigger part of the research process. The NIH and the Food and Drug Administration should examine options for lowering barriers to participation and continue to encourage sponsors to enroll adolescents, when feasible and appropriate, in HIV/AIDS clinical trials.

There is also need for adolescent-relevant information on the part of clinicians and researchers. The Public Health Service should continue to develop in collaboration with researchers, clinicians, and the infected and affected community, clinical practice guidelines and expeditiously disseminate the latest information on state-of-the-art therapies, options for trials and eligibility criteria for entry into them, and health care and prevention techniques to U.S. and international communities affected by HIV/AIDS.

Clinical Effectiveness Research. Due in part to the FDA's accelerated approval program²⁴, the Federal government is now approving new treatments in record numbers and at record speed, but it is not always known whether a treatment confers a clinical benefit for the person. Specifically, while some treatments have shown promise based on surrogate markers and/or laboratory tests, data regarding clinical effectiveness are increasingly unavailable. For example, we do not know the optimal stage in the course of HIV disease to begin treatment, for which patient groups, with which regimen, or with single or combination therapy. We also do not know when it is

appropriate to switch or add therapies.

If these studies are not done there will be little data describing which of the available treatments is more effective and for whom, and under what circumstances. As a result, patients may be receiving less effective treatments or combinations of treatments, and Federal programs such as Medicaid and Medicare and private insurers may be paying for treatment strategies that are not optimally effective.

With the advent of accelerated approval by the FDA it is incumbent on the government to ensure that post-marketing effectiveness studies, currently mandated through regulation are carried out. In order for the results to be relevant to as many persons as possible, it will be necessary that these studies include people representing a diversity of race, ethnicity, gender, age, and drug using behaviors. To develop a mechanism for conducting such studies, the Vice President has initiated discussions to examine possible options. Participants include pharmaceutical firms, public and private payors and insurers, researchers, the FDA, the NIH, and the advocacy community.

Public-Private Partnerships. As has been noted previously, a key role for the Federal government is to act in partnership with the private sector and support areas where there is a market failure, i.e., areas where industry is unlikely to pursue research that would be beneficial to the public health. Vaccine development is one such area, but there are others. The Department of

The National Strategy for HIV and AIDS
Draft for Department of Health and Human Services Review: 6.11.96

Defense has been successful in developing partnerships in the conduct of vaccine trials and this effort should be strengthened. As noted previously, microbicides (i.e., chemical barrier methods for preventing HIV transmission) are a promising approach, but will require preliminary Federal support before they reach a stage where the private sector can assume a lead role. [Awaiting additional language from NIH.]

It is also unlikely that the free market system will push the implementation of head-to-head clinical trials of therapies that have been approved or are in development. However, information about these therapies is important to improving patient care and ensuring that the Nation's health dollars are wisely spent. The National Institutes of Health and Veteran's Administration have been successful in carrying out this type of valuable research in collaboration with the pharmaceutical industry and these efforts should continue. It is unlikely that the private sector would support research for therapies that are on the market but have not been tested in controlled clinical trials, such as alternative therapies. However, through collaborative partnerships including the NIH, studies of alternative therapies have been conducted; these are important efforts that should continue. [Awaiting additional language from NIH.]

✓ It is ~~also~~ cost effective for the government to provide access to sophisticated equipment and personnel that can be shared among many researchers in both the private and public sectors. For example, the

Department of Energy has supported sophisticated imaging equipment that would be prohibitively expensive for individual researchers or companies to purchase. This shared resource that has accelerated our understanding of molecular structures in a number of research fields, including HIV research. Information gained from this research can form the basis for targeted drug design and development. [Awaiting additional language from NIH.]

Research: An Investment for the Future.

And finally, research is an investment in our future. It must receive consistent and adequate funding if we hope to bring the best and the brightest to meet the research challenges that will lead to a cure, better therapies, and a vaccine.

At present, the NIH receives many more outstanding research applications than it is able to fund; these unfunded proposals represent a lost opportunity for scientific progress. Other Departments and Agencies, such as the Department of Defense and Veteran's Administration also support crucially important research that strengthens the overall U.S. research effort. Research has been key to improving lives and the Nation must continue this investment. [Awaiting additional language from NIH.]

prolonging and

the quality

CARE & SERVICES

One of the national goals is to ensure appropriate care for all persons living with HIV and AIDS. Achieving the goal of ensuring appropriate care of all Americans, including those living with HIV, will require a dedicated alliance among the Federal government, States, the private sector, local communities, community-based organizations, clinics, families, and individuals.

Background

Persons living with HIV finance needed health care services through a variety of mechanisms. Currently, nearly 50 percent of adult Americans and 90 percent of children living with AIDS receive their medical coverage through the Medicaid program and another 5 percent receive Medicare benefits. An estimated 15 percent of people living with AIDS have private health insurance and the remaining 30 percent are uninsured and must rely on personal payment or charity care. For the remainder, their lives often depend on the Federal health care safety net.

For those who qualify, care and services are provided through a number of Federal Agencies (See Appendix C), many in cooperation with local organizations and the AIDS community that have admirably served those living with HIV. Taken together, these efforts form a valuable if incomplete safety net for some of the most vulnerable people in our Nation.

After Medicaid, the centerpiece of this safety net is programs funded through the Ryan White Comprehensive AIDS Resources Emergency (CARE) Act of 1990, administered by the Health Resources and Services Administration (HRSA). It was established to fill gaps in coverage and build systems of care to create access to health care for people living with HIV/AIDS. Titles I and II of the CARE Act provide funds for outpatient care, support services, and case management that are given to cities and States primarily on a formula basis so the areas most affected by the epidemic receive a proportional share of available dollars. Title II also provides drug reimbursement funding for persons living with AIDS. Title IIIb of the Act provides early intervention services such as counseling and testing, medical care, and educational services for medically underserved persons with the goal reducing HIV-related illness. Title IV seeks to increase the availability of care and services for women, infants, children, and youth in a community-based family-centered system of care. HRSA also provides primary care to persons living with HIV through its Community Health Centers and Maternal and Child Health Programs.

Other sources of primary care supported by the Federal government include the Department of Defense, the Department of Veterans Affairs, and the Indian Health Service/DHHS which provides health care for HIV-infected Native Americans and Alaska Natives. Additionally, the Bureau of Prisons within the Department of Justice provides care for HIV positive persons in

Federal prisons.

Housing assistance is provided by the Department of Housing and Urban Development (HUD) through their Housing Opportunities for Persons with AIDS (HOPWA) and other programs. These programs work in partnership with local initiatives incorporating housing assistance into a community's continuum of services.

Opportunities for Progress

The challenge before us today, especially in light of the restricted fiscal environment, is to ensure that persons living with HIV receive the care they need so they may have the opportunity to live productive lives. To achieve this, AIDS care and service programs must build upon past successes, continue to improve prioritization efforts, improve accountability, and increase the cost-effectiveness of services they provide.

The Health Care Safety Net. The cornerstone of care for people living with AIDS in the U.S. is Medicaid. Nearly 50 percent of all Americans living with AIDS -- including 92 percent of children with AIDS -- rely on Medicaid for their sole source of health coverage. Medicaid provides coverage for hospitalizations, physician visits, x-rays and laboratory tests, home health care, nursing home care, and outpatient prescription drugs. These services extend the length and the quality of life for people living with HIV and AIDS. In fiscal year 1996, Federal Medicaid spending for people living with AIDS is

estimated at \$1.8 billion, nearly six times the amount expended on the Ryan White CARE Act.

Maintenance of the Federal guarantee of Medicaid coverage for eligible individuals is essential to the continued ability of the Nation to respond to the health care needs of people living with HIV/AIDS. Of particular importance is the maintenance of a Federal definition of disability. The 30-year State partnership in Medicaid also must be maintained while the program is made more flexible for State innovations.

With a strong Medicaid program in place, it continues to be vital that the Ryan White CARE Act be maintained and expanded to fill the gaps in coverage. Many people with HIV and AIDS are too poor or too disabled to work yet they are not poor enough or disabled enough to qualify for Medicaid. For them, and for their families, the CARE Act provides essential protection.

Integrated Continuum of Care. Many health care providers believe that one of the most potentially effective approaches to treating HIV positive persons, in addition to reducing the spread of infection, lies in providing people access to an integrated continuum of health care services. This includes counseling and testing, comprehensive health care, home health care, and access to substance abuse treatment and prevention services.

One of the most powerful methods of recruiting people into primary care is knowledge of serostatus -- persons who

know they are HIV positive are more likely to seek health care. Counseling and testing services can serve as a gateway to this care. Unfortunately, the majority of Americans who may be at risk for HIV infection do not know whether or not they are HIV positive. There is a need to develop better outreach education in order to encourage people to come in for counseling and testing and link them to appropriate services as needed. Without the linkage of testing to medical care, the opportunity to prolong life is lost.

Linking an HIV-positive person with care also provides an opportunity for education about behaviors which may reduce their chances of infecting others. For example, this can mean offering addiction treatment or offering pregnant women information about and access to AZT during pregnancy to reduce the risk of perinatal transmission.

As noted in the Prevention Section, achieving this level of integration will require active collaborative efforts on the part of individual physicians, nurses, other clinicians, managed care plans, medical schools, and professional organizations in addition to State, local and Federal governments.

Housing Services. Housing is an important element in the effort to provide comprehensive care for persons living with HIV. It is the foundation upon which any program of care or services must be built. Without stable housing, a person with HIV/AIDS has diminished access to programs and services and a diminished opportunity to live a productive life. It is

estimated that up to 50 percent of persons living with HIV and AIDS will become homeless or are at risk for becoming homeless during the course of their illness.²⁵

Persons living with HIV face significant obstacles locating affordable housing. The private market alone does not consistently meet the basic housing needs of persons living with HIV and their families, as housing must often be provided in connection with specialized services that enhance an individual's or family's ability to live independently. In addition, persons living with HIV must also overcome reduced housing options due to unfounded fears and prejudice regarding AIDS.

Housing assistance is an area that requires significant community involvement and support if it is to be successful. Many communities are part of new efforts to comprehensively plan for the housing needs of their residents, including assessing and addressing the needs of residents living with HIV/AIDS.

The HOPWA program was created in 1992 to provide communities with a tool to meet the increased need for resources, effective planning, and coordination with existing public and private efforts. The program is representative of HUD's "Continuum of Care" approach to building local systems to address homelessness. Moreover, it is estimated that the cost of providing housing services in a HOPWA-funded residential facility is far less than the average day in the hospital.

The National Strategy for HIV and AIDS
Draft for Department of Health and Human Services Review: 6.11.96

To further foster community involvement, HUD has also established the Consolidated Planning process for communities that receive funds under the Department's economic and community development programs, including recipients of HOPWA formula allocations. In addition, the Community Development Block Grant (CDBG) and the HOME affordable housing program as well as Public Housing programs are key resources that are available to communities, contingent on eligibility, space availability and local priorities.

Providing consistent funding for the housing component of the safety net with programs such as community-oriented programs HOPWA must be a Federal priority. Moreover, integrating housing services into other programs and ensuring a shared responsibility between Federal, State, local governments and community organizations is another important step in assisting communities to build seamless systems of support for our most vulnerable citizens. Efforts are underway to improve inter-departmental coordination and should continue.

Prisoners. There are also groups of people, such as prisoners, who are not served by these traditional safety net programs. Most prisoners living with HIV are incarcerated in State and local prisons. Medical care for Federal prisoners is provided under the direction of the Department of Justice's Bureau of Prisons. Identifying the HIV positive prisoners and ensuring them access to quality care for incarcerated persons is

especially challenging. Prisoners do not have the choice of seeking care outside the prison setting and are dependent upon the prison staff to ensure that appropriate care is provided. They also may have difficulties regarding confidentiality, trust, and less access to research opportunities.

Improving access to appropriate HIV-related care in prisons must be a priority. At the Federal level significant advances are being made in the quality of care, improved coordination, and developing models of care. Improving the quality of care at non-federal prisons will require improving the knowledge and skill of the health care teams in the prisons, strengthening linkages between prisons and outside public health Departments and Agencies, and improving discharge planning. These efforts can serve to improve discharge planning for HIV positive prisoners at the time of their release from prison.

Program Coordination. For care and services to have the most beneficial impact they should be offered as part of a continuum of care. For organizations on the front lines of the epidemic, building a comprehensive integrated program requires applying to numerous Federal Agencies. For example, Creating a community program that integrates primary care with substance abuse treatment and prevention, and sexually transmitted disease screening, prevention, access to clinical trials, and housing assistance would require separate applications to SAMSHA, HRSA, CDC, NIH, and HUD.

Efforts to simplify federal funding applications to facilitate improved integration of service programs have already begun. For example, HRSA and SAMSHA have issued joint announcements and the HUD and HRSA have issued a joint announcement for the Special Projects of National Significance (SPNS) program. These efforts to improve integration should be continued and expanded.

Evaluation. Strong Federal support for these safety net programs must go hand-in-hand with improved accountability and priority setting. Evaluating current activities can provide valuable information for planners and those on the frontlines of the epidemic. It can assist us in providing better care to persons living with HIV. In an era of limited resources coupled with a demand for cost effective services of high quality, we must use all the tools available to us if we are to help those persons living with HIV.

Quality of Care. Federally supported programs can and should consistently provide quality care. Through the efforts of researchers and clinicians, it has been proven that quality care for HIV positive persons is possible, but quality care is not consistently available throughout the health care system. Establishing a standard-of-care and ensuring consistency in care delivery will require increased training for health care professionals and more accountability through the use of performance measures for quality care.

A Federal program that has achieved success

in improving the knowledge and skills of clinicians is the AIDS Education and Training Centers (AETCs) effort sponsored by the Health Resources and Services Administration. A major goal of the AETC program is to train health care professionals in the prevention, early diagnosis, and treatment of HIV infection.

However, this program alone cannot ensure that all health care providers have the knowledge and skills required to provide satisfactory care for HIV positive persons. Achieving this goal will require the cooperation of Federal Agencies, States, professional organizations, professional and medical schools, and individual clinicians.

INTERNATIONAL ACTIVITIES

AIDS is a global pandemic. In the United States it is estimated that between 800,000 and 1 million people are currently infected with HIV. The World Health Organization (WHO) estimates that 18.5 million adults and over 1.5 million children are currently infected worldwide and there will be 10 to 15 million orphans worldwide attributable to HIV/AIDS by the year 2000. WHO also estimates that two to three million new HIV infections can be expected annually, and by the year 2000, thirty to forty million people will have been infected around the globe.

The pandemic jeopardizes decades of economic and social advances in many developing nations. In Africa and Asia, economic advances are threatened, and in some cases, may be reversed due to the pandemic of HIV and AIDS. Socio-economic studies have shown a decrease in overall domestic savings and investment levels, negative effects on foreign investments, reductions in the volumes of imports and exports, and a reduction in receipts from tourism.²⁶ In many countries, governments will be forced to cope with increasing numbers of cases, weakened health care systems, a deleterious economic impact on the most productive segments of society, and the reduction in the number of healthy men and women able to serve in the government and the military.

At present several Federal Agencies are working at slowing the AIDS epidemic internationally. (See Appendix D.) The Department of State has worked with other

Departments, Agencies, and non-governmental organizations to develop a framework to guide U.S. foreign policy in the global efforts against HIV and AIDS. The major areas identified for U.S. leadership are: preventing new infections; reducing the personal and social impact of the pandemic; and mobilizing and unify national and international efforts. The U.S. Agency for International Development (USAID) also has a leadership role in the global HIV effort through development assistance, research and policy formation. USAID focuses its strategy on developing prevention programs based on proven interventions, addressing social, cultural, regulatory and economic issues related to HIV/AIDS and other sexually transmitted infections, and developing and testing new interventions and methods to prevent transmission and mitigate the impact of the epidemic. The U.S. Information Agency (USIA) supports programs that promote dissemination of U.S. policies and information related to HIV and AIDS; and the Peace Corps trains a portion of its volunteers to directly address HIV-related concerns in their countries of placement. In addition, several Agencies support research overseas, including the National Institutes of Health, the Centers for Disease Control and Prevention, and the Department of Defense (DOD). The DOD is conducting clinical trials of candidate HIV vaccines in Thailand and NIH (working in collaboration with USAID), supports basic scientific studies on social and behavioral aspects of AIDS in developing countries. [Awaiting additional language from NIH.] The results of the studies ultimately will be used to develop

The National Strategy for HIV and AIDS
Draft for Department of Health and Human Services Review: 6.11.96

interventions to reduce behaviors that place individuals at risk for contracting HIV infection.

Opportunities for Progress

International Leadership. The United States has established a global leadership role in combatting the epidemic. This leadership must continue. The U.S. strongly supports the newly established Joint and Co-sponsored United Nations Programme on AIDS (UNAIDS).²⁷ Moreover, the U.S. is a member of the governing body of UNAIDS.

The U.S. also supports efforts to more effectively make use of available resources as well as to encourage non-traditional donor countries to provide much needed contributions. Supporting UNAIDS and its innovative programmatic efforts, and its goal of working to increase the availability of therapeutics (and vaccines when developed) to the residents of developing countries is not only morally correct, but also furthers U.S. interests by promoting economic and social stability worldwide.

Sharing Technology and Bringing Lessons Home. In addition to financing the development of large scale, comprehensive AIDS prevention programs in many countries, USAID has gained valuable insights and lessons from experiences from these countries and is applying them to U.S. populations.

Based on the Vice President's "Lessons without Borders Project" initiative to bring

lessons learned abroad home to inner city and rural areas with problems similar to those experienced overseas, this initiative creates linkages between U.S. community organizations and international projects. The U.S., through its various Agencies will continue to build and strengthen networks that will facilitate leadership, coordination and transnational approaches to AIDS prevention and control programs and AIDS related research; exchange culturally and linguistically appropriate educational and training materials; and demonstrate the bidirectionality of USAID international programs and its potential impact on US based programs, and U.S. based non-governmental organizations.

Program Coordination. One of the most challenging aspects of the U.S. effort is effective coordination among a host of Agencies with varied missions and activities. The State Department and Agencies such as USAID and USIA are primarily focused on country-specific activities, that include many HIV-related objectives. Other Agencies, such as NIH and CDC, also support international activities. [Awaiting additional language from NIH.]

These differences in focus present challenges in effectively planning, coordinating, and evaluating the overall U.S. international effort. Therefore, in order to improve this endeavor, the Agencies supporting international activities must develop a mechanism for identifying and coordinating this effort.

What does
this mean?
USAID does not
have a
domestic role

TRANSLATION OF RESEARCH INTO PRACTICE

An important element in our fight against AIDS is ensuring that hard won research advances are translated into practice (i.e., ensuring that new knowledge is incorporated into the standard practice of clinicians, service providers, and health educators caring for persons living with HIV). The increasing presence of HIV in every community necessitates that all health care providers become knowledgeable about assessing risk, promoting prevention, and caring for persons with HIV.

Improving the translation of research advances into daily clinical practice will require an ongoing collaborative effort on the part of the Federal government, individual health care providers, medical schools, professional organizations, international organizations, health centers and hospitals, and other parts of the private sector.

Information dissemination activities fall under the missions of several Agencies. (See Appendix E.) The National Institutes of Health (NIH) supports a broad range of efforts including a "Clinical Alerts" mechanism for the dissemination of clinical trials results to health professionals, the media, and the general public. DHHS supports and directs the International HIV/AIDS Clinical Conference Call series which disseminates critical, state-of-the-art clinical care information to primary care providers via live worldwide audio teleconferencing. NIH also supports publicly

available computerized databases such as AIDSDRUGS, AIDSTRIALS, and AIDSLINE. In addition the toll-free 1-800 TRIALS-A AIDS Clinical Trials Information Service (ACTIS) is co-sponsored by NIH, CDC, and FDA. [Awaiting additional language from NIH.] The Centers for Disease Control and Prevention (CDC) disseminates information through hotlines such as its toll-free 1-800-HIV-0440 HIV/AIDS Treatment Information Service (ATIS) and the AIDS Information Clearinghouse.

The CDC also issues guidelines for health professionals through its *Morbidity and Mortality Weekly Report*; such guidelines have included The U.S. Public Health Service Recommendations for HIV Counseling and Voluntary Testing for Pregnant Women. The Agency for Health Care Policy and Research (AHCPR) has published a series of HIV-related clinical practice guidelines for clinicians and companion pamphlets for their patients; an example of these materials is clinician guidelines for the evaluation and management of early HIV infection. The Health Resources and Services Administration has also developed guidances for its CARE Act grantees, funds an AIDS warmline that responds to questions from clinicians across the country, and directs a nationwide system of AIDS Education and Training Centers that provide state of the art HIV clinical information to health care providers.

Opportunities for Progress

The National Strategy for HIV and AIDS
Draft for Department of Health and Human Services Review: 6.11.96

Due in part to Federally-sponsored information dissemination activities, dramatic changes in the way HIV is treated have taken place over the last 15 years. However, despite these successes, there are still areas for improvement. For example, an AHCPR-supported study indicated that primary care physicians may miss significant HIV-related symptoms during patient examinations.²⁸ Other research indicates that a disturbing number of clinicians do not use universal precautions in the course of routine patient care.²⁹

We are also at a stage, ~~unlike in the beginning of the epidemic~~, where research advances are coming ~~more~~ frequently. In the case of the NIH study that demonstrated it is possible to block perinatal transmission by administering a specific AZT regimen to the mother and baby, it became clear that this scientific breakthrough required a change in the standard of care and action by a number of Federal Agencies. This change also required the development of new testing and counseling guidelines to reflect the new options available to women. And it meant that for patients enrolled in Medicaid and Medicare to receive access to this ~~breakthrough~~, a policy change on the part of the Health Care Financing Administration (HCFA) was required.

State of the Art Guidelines. One of the most difficult tasks for clinicians and patients is interpreting the patchwork of data and articles regarding treatments and converting it into a therapeutic strategy. With every research breakthrough, this task becomes more difficult. It is essential that

practical information for practicing clinicians and their patients be provided in a timely manner.

The Federal government must develop a mechanism for ensuring periodic assessment of the state of the art, ensuring that essential information can be found easily, and disseminating that information widely. This will require collaboration with industry, government, and professional groups.

Coordination of Federal Activities. Enhancing coordination of information dissemination activities among Public Health Service Agencies is an important priority. Within the DHHS, the Office of HIV/AIDS Policy has the lead responsibility for coordinating the HIV-related activities of the Public Health Service Agencies. Ensuring that information about a research breakthrough is easily available, reaches the appropriate persons and organizations, and that policies and standard-of-care practices for Federally-sponsored programs are modified to reflect the new standard, ~~will~~ require a continued high level of cooperation and coordination among Public Health Service Agencies.

Improved information dissemination efforts are also needed in the area of primary prevention models. As noted in the prevention section, ~~good~~ models of effective prevention interventions have been developed, but often this valuable information is not reaching those persons developing, implementing, and evaluating prevention programs. Here again, the Public Health Service must take the lead in

✓
There are mechanisms
PHS task force
NIH coordinating committee
Consensus conferences
etc.

We had great advances
found the cause, a
1984
AZT protected blood

therapeutic regimen ✓

The National Strategy for HIV and AIDS

Draft for Department of Health and Human Services Review: 6.11.96

ensuring that information that can be used to
stem the tide of new infections reaches those
who can make a difference.

The National Strategy for HIV and AIDS

Draft for Department of Health and Human Services Review: 6.11.96

CIVIL RIGHTS

One of the Nation's common goals is to ensure that ~~treatment~~ ^{services provided to} of persons living with HIV is caring, ethical, and in accordance with legal standards. Discrimination based on HIV status is illegal and morally wrong.

Discrimination undermines the Nation's efforts to prevent and treat HIV infection and bring the epidemic under control. Because of fear of discrimination and stigma, many people do not voluntarily seek testing for HIV, remain unaware of their HIV status, consequently do not take advantage of care that could help them live longer, healthier lives. In addition, opportunities to educate people are lost. Discrimination can also wrongfully deny persons access to housing, employment, and health care.

The Federal government and some States have enacted laws that protect persons with HIV from discrimination on the basis of their infection. Many of the more common legal issues faced by people living with HIV and AIDS, such as family law issues, estate planning, landlord/tenant problems are regulated by State law.

The primary source of Federal statutory protection for people living with HIV is the Americans with Disabilities Act of 1990 (ADA). (Federal Agencies are prohibited from discriminating against people with disabilities under the Rehabilitation Act of 1973.) Title I of the ADA prohibits discrimination against qualified disabled

individuals in employment settings. The Equal Employment Opportunity Commission (EEOC) is responsible for enforcing Title I. Title II of the ADA prohibits discrimination on the basis of disability with regard to public services while Title III prohibits discrimination on the basis of disability in public accommodations. The Department of Justice (DOJ) is responsible for enforcing Titles II and III. The Health Care Financing Administration (HCFA) also enforces regulations regarding the treatment of HIV-infected persons.

Opportunities for Progress

Enforcement of Federal Laws. The Federal government has aggressively and successfully prosecuted private sector violations of the ADA. These efforts will continue. Under this provision the government has been extremely successful in prosecuting a range of cases, including clinicians who have refused to care for HIV-positive patients and employers who have dismissed persons based on their actual or perceived HIV status. In addition to ongoing efforts, a joint Department of Justice and Health and Human Services program will seek to combat nursing home discrimination against persons living with AIDS.

Federal Policies. The Federal government must also actively work to remedy any of its own existing discriminatory policies. The Director of the Office of National AIDS Policy is working with Federal Agencies to ensure that HIV testing programs follow the recommendations of public health

✓

Insert on page 12:

In addition, at the White House Conference on HIV and AIDS on December 6, 1995, the President asked Dr. William Paul, the Director of the NIH Office of AIDS Research to chair an effort to develop a trans-governmental plan and budget for HIV-related research. That plan and budget have been completed, encompassing all the various departments conducting or supporting HIV-related research.

Scientific Progress and Opportunities

A number of new and exciting research advances provide optimism and open new areas for investigation. Breakthroughs in our understanding of the genes and proteins of the human immunodeficiency virus have allowed the development of increasingly effective anti-retroviral drugs. ~~Eight such drugs are currently approved for the treatment of HIV infection.~~ One of the recent research advances is the development ~~by several pharmaceutical firms of a new class of drugs, the protease inhibitors.~~ Their development was based on fundamental research, carried out by scientists at NIH and by NIH-sponsored scientists, on the HIV enzyme, protease. When used in combination with reverse transcriptase inhibitors, protease inhibitors have remarkably diminished the amount of HIV in an infected individual. A landmark advance in the prevention of HIV was made by NIH-supported research, demonstrating that zidovudine (AZT) can dramatically reduce the risk of transmission of HIV infection from a pregnant woman to her child. Effective treatments for HIV-related opportunistic infections can prolong and improve the quality of life of people with AIDS. ~~More sensitive and reliable measurements of viral load and viral burden have been shown to be more accurate indicators of the antiviral activity of potential therapeutic agents.~~ These findings will permit physicians to better tailor treatments for their patients and allow them to more closely monitor the benefits of therapies.

AIDS research has provided a deep knowledge of the molecular virology of HIV. (This work, while not yet matched in depth by our grasp of the means through which infection leads to disease and how it induces immune deficiency, has, nonetheless, provided us with unique insights into the virus and its pathogenesis.) Yet, we lack an effective preventive vaccine, and new and better antiviral agents are critically needed. Our understanding of mechanisms to modify risk-taking behavior is still very limited. We do not yet understand many aspects of the interaction between the virus and the infected individual.

To address these critical needs, NIH is rededicating its efforts on basic fundamental research, the foundation that will support the entire AIDS research enterprise. In the quest for vaccines to prevent HIV infection, and better drugs to contain the infection and treat the opportunistic infections, tumors and other manifestations of a dysfunctional immune system, a better understanding is needed of how HIV infection is established and what causes the profound immune deficiency and terrible complications that accompany infection. The challenge remains to develop even more effective treatments for HIV infection and to overcome the inherent ability of HIV to develop resistance to antiviral drugs.

A vaccine to prevent HIV infection, our greatest hope for the eradication of HIV, remains an elusive goal. Due to the unique features of HIV infection, it is considered unlikely that an effective HIV vaccine will emerge from the same type of empirical developmental efforts that have produced many of the available, effective vaccines such as those to prevent polio virus or measles virus infection. A much better understanding of the mechanisms of transmission of HIV between individuals, the processes by which the infection becomes established and persists, and the nature of the immune response to the virus, are essential.

The Federal government has placed high priority on studies focused on women and AIDS and on the characterization of clinical manifestations of HIV specific to women. Research to develop chemical and barrier methods, including topical microbicides, is critical to help women prevent transmission of HIV and other sexually transmitted infections. Further studies also are needed to better understand HIV infection among adolescents.

The scientific priorities in AIDS research include:

- A rededication to fundamental science;
- A vigorous therapeutic research program, emphasizing both drug discovery and an efficient clinical trials system, with additional emphasis on increased participation of women, minorities, and other underrepresented populations;
- A stronger effort to develop new vaccines and to bring them to clinical trial as soon as possible; and
- An emphasis on prevention, including enhanced studies of risk-taking behavior and the development of strategies to avert infection, such as microbicides, female-controlled barriers and STD treatment and prevention.

The Benefits of AIDS Research to Other Diseases

The effort to understand HIV and AIDS has led to, and will continue to result in, scientific strides that benefit research on many other diseases. AIDS research has accelerated study of the human immune system. This basic immunologic information is being applied to research to better understand and treat many other diseases, such as cancer and autoimmune diseases, including systemic lupus erythematosus, type I diabetes mellitus, rheumatoid arthritis, and multiple sclerosis. AIDS research also contributes to the prevention of other infectious diseases and has provided a new paradigm for treatment of viral diseases.

The great advances made in the treatment and prevention of the opportunistic infections that complicate HIV disease have had an impact on the care of patients with other immunodeficiency states who are susceptible to many of the same pathogens. This research effort has enhanced the care of cancer patients, patients who have received immunosuppressive therapy for bone marrow or solid organ transplants or for the treatment of diseases caused by heightened immune responses. HIV research has assisted in identifying new infectious agents that may be responsible for malignancies, such as the recent discovery of the etiologic agent of Kaposi's sarcoma. Such approaches may help to identify other oncogenic agents. HIV research has led to a better understanding of the mechanisms by which infectious agents and inflammatory cells gain access to the brain. This research has valuable implications for the study of Alzheimer's disease, dementia, multiple sclerosis, neuropsychological disorders, encephalitis, and meningitis.

Efforts to develop drugs for the treatment of HIV has accelerated the development of methods of rational drug design using sophisticated techniques of structural biology and advanced computer imaging methods. These advances will be of great importance in the design of drugs for virtually all disorders. Comparative clinical trials of poxvirus vectors and of vaccine adjuvants in HIV vaccine candidates have supported safety information for cancer vaccines. Research on HIV-related wasting has provided important information for research on nutritional disorders, metabolic abnormalities and gastrointestinal dysfunctions.

The NIH Office of AIDS Research

The magnitude and complexity of these challenges have made the NIH AIDS research program unique. AIDS research transcends every area of clinical medicine and scientific investigation, crossing the boundaries of every NIH institute and center. The role of the Office of AIDS Research is to identify areas of greatest scientific need and promise, to assure that resources are directed to those areas, and to ensure collaboration and minimize duplication in a united research front against the epidemic. The Office of AIDS Research, within the Office of the Director, NIH, has overall responsibility to plan, coordinate, evaluate, and fund the AIDS research program of the NIH, which is carried out in each Institute, Center, and Division (ICD), consistent with its individual mission.

To carry out its mandate, the Office of AIDS Research has spearheaded two important initiatives: the development of an annual trans-NIH research plan and budget and a recently completed comprehensive evaluation. To formulate its AIDS research plan, the OAR enlists the aid of distinguished scientists, with expertise both in AIDS research and from related disciplines. A unique and inclusive process is utilized, involving the NIH Institute and Center Directors; NIH intramural and extramural scientists and program managers; scientists and researchers from other government agencies, academia, foundations, and industry; HIV-infected men and women; and other community representatives. This diverse and eminent group of experts reach a consensus regarding the scientific priorities and opportunities in HIV-related research, which is reflected in the annual NIH Plan for HIV-Related Research.

Utilizing the expertise of non-government scientists and AIDS community representatives, OAR completed a major comprehensive evaluation to review and assess each of the components of the NIH AIDS research endeavor. The goal of the evaluation was to determine whether those components are appropriately designed and coordinated to answer the critical scientific questions to lead to better treatments, prevention, and a cure for AIDS. The recommendations of this important review will have significant budgetary implications. OAR is committed to implementing the recommendations of this evaluation.

The NIH HIV-related research effort is divided into five major scientific categories: natural history and epidemiology; etiology and pathogenesis; therapeutics; vaccines; and behavioral and social sciences research. Two additional components provide important research resources to these efforts: training and infrastructure, and information dissemination. These research programs are conducted both through the NIH-sponsored programs of grants and contracts at major universities, research institutes, and small science-oriented businesses and in the NIH intramural research programs, mainly located in Bethesda and Frederick, Maryland. Dividing the AIDS science effort by subject is critical for research planning, but such categorization has not had the effect of insulating these fields of research from one another. Rather, these areas are inextricably linked and many research projects represent interdisciplinary approaches that deal with more than one of these areas.

Important progress has been made in our fight against this most formidable foe; yet, the sustainability of newly developed therapies are still uncertain and a preventive vaccine against infection is still beyond our grasp. The most important scientific opportunities lie in our insight into the virus and the disease that it causes. With the authorities provided to the OAR in the authorizing legislation, OAR is refocusing efforts and redirecting resources to guide research that will lead to our ultimate goal -- preventing and curing AIDS. Accomplishing this goal will require industry's further involvement in and collaboration with federally-sponsored research efforts.

Federal Government supports a broad spectrum of research related to HIV and AIDS. Multiple Federal departments and agencies have responded with research initiatives that bring to bear their unique capabilities and strengths. HIV/AIDS research is supported in accordance with the specific missions of the Department of Health and Human Services (DHHS), specifically the National Institutes of Health (NIH), Centers for Disease Control and Prevention (CDC), and the Food and Drug Administration (FDA); the Department of Defense (DoD); and the Department of Veterans Affairs (VA).

Although this research is supported by separate organizations, it is often carried out in collaboration with other Federal agencies and departments. For instance, the NIH, CDC, FDA, and DoD maintain monthly discussions on protecting the nation's blood supply. The NIH and DoD collaborate in the conduct of clinical trials, and there exist strong linkages between basic and applied biomedical studies on HIV disease sponsored by the NIH, VA, and DoD. Current vaccine collaborations range from regular cosponsorship of vaccine meetings and workshops to actual parallel trial designs and interagency agreements to conduct effective seroincidence studies and trials. In addition, the CDC and VA jointly sponsor surveillance studies on the incidence of AIDS-related OIs.

The Federal Biomedical Research Plan and Budget for HIV and AIDS highlights these collaborations and the extensive ongoing

efforts to develop effective therapies, vaccines, and other prevention measures. This plan also provides a blueprint for a more consolidated and focused Federal effort so that future HIV/AIDS research will optimally use the resources available and maximize the scientific opportunities that arise.

Structure of the Plan

The fiscal year (FY) 1997 NIH Plan for HIV-Related Research was provided to representatives of the Federal departments and agencies supporting HIV/AIDS research as a model for developing their respective plans. The Federal plan is based on the five major scientific areas of emphasis of HIV/AIDS research established in the NIH plan: (1) Natural History and Epidemiology, (2) Etiology and Pathogenesis, (3) Therapeutics, (4) Vaccines, and (5) Behavioral and Social Science Research. Categorizing this research into these subject areas is useful for research planning; however, these fields of research are not insulated from each other. On the contrary, they are often inextricably linked and often include interdisciplinary approaches that transcend research areas.

For each Area of Emphasis, the plan provides an overview that covers the combined, ongoing Federal research effort. These areas are then subdivided by department and agency, with each providing information on the status of their ongoing research initiatives, the scientific issues and objectives that will

Insert
on
p. 27

GOAL INSERTS/ NIH APPENDIX/NAT'L HIV STRATEGY

(Insert the following goals into the NIH Appendix, where indicated. The goals are consecutively listed below and can be inserted in the order of their appearance.)

Goal 1

Natural History and Epidemiology

To support natural history and epidemiological research, nationally and internationally, that improves the understanding of the transmission of HIV, the progression of HIV-related disease and the risk factors associated with HIV infection and AIDS.

Goal 2

Etiology and Pathogenesis

To support etiology and pathogenesis research that improves the understanding of how HIV causes disease.

Goal 3

Therapeutics

To support preclinical and clinical research for the purpose of improving treatments for HIV disease and its associated conditions, and HIV prevention.

Goal 4

Vaccine

To support basic and clinical vaccine research for the purpose of developing a preventive HIV vaccine that is affordable, safe and effective.

Goal 5

Behavioral and Social Service Research

Through support of AIDS-related behavioral and social science research, improve understanding of how the behaviors that lead to HIV transmission can be modified.

Goal Inserts, Con't
NIH Appendix

Goal 6
Training and Infrastructure

Support training and infrastructure development programs for the purpose of improving the training and resources available to HIV researchers.

Goal 7
Translation of Research into Science

To disseminate and transfer HIV and AIDS-related research information to researchers, health care providers, HIV-related service providers, HIV-infected individuals and their advocates.

Goal 1

Natural History and Epidemiology

Goal 1: To ^{support} ^{natural history and epidemiological research} ~~conduct~~ ~~behavioral risk~~ ~~factor and clinical epidemiology~~ ~~studies, nationally and internationally~~ ^{improved understanding of} ~~that examine~~ the transmission of HIV, the progression of HIV-related disease and the risk factors associated with HIV infection and AIDS, including ~~OTs, malignancies, neurological~~ ~~manifestations and other~~ ~~sequelae~~.

Goal 2

Etiology and Pathogenesis

Goal 2: To ^{support} ^{etiology and pathogenesis research} ~~conduct~~ ~~studies and investigations~~ that ^{improves} ^{the} ~~influence~~ ~~understanding~~ of how HIV causes disease, ~~through, but not limited to, such advances~~ as: diagnostic tests; delineation of mechanisms of immune dysfunction; elucidation of the role of structural and regulatory genes of HIV; and, delineation of the cytopathic effects of the infection. (These advances are crucial to the development of potential therapeutic agents and vaccines that will result in control, treatment, and prevention of HIV (see.)

infection and its sequelae)

Jeff -

7/15

Here are the NHT goals.
It's Sherry's draft with
my edits in pencil.

Would you please look
@ these -- comments please.

Jane

Goal 3

Therapeutics

^{support}
To ~~develop active~~ preclinical drug discovery and development programs through the conduct of clinical ^{research} tests of ~~on~~ ^{therapies} ~~drugs~~ against HIV, HIV-associated OIs and malignancies, and CNS ^{neurological} dysfunction inclusive of innovative tactics ^{that} incorporating effective behavior change strategies into the clinical studies and therapeutic guidelines ^{for the purpose of improving treatments for HIV disease and its associated conditions, and HIV prevention.}

Goal 4

Vaccine

To support basic and clinical vaccine research for the purpose of ~~to achieve protective efficacy against HIV infection through~~ development of a ^{ing} preventive HIV vaccine that is affordable, safe and effective.

It was
"drug development"
S. M. M. H. C.

Goal 5

Behavioral and Social Science Research

To ~~discover~~ ^{support of} Through ~~AIDS~~ AIDS-related behavioral and social science research, improve ^{understanding of} how the behaviors that lead to HIV transmission can be ^{modified} changed.

↑ { To improve... through
or To support... so as to improve.

Goal 6

Training and Infrastructure ^{To support training and infrastructure development programs for the}
purpose of improving the training and resources available to HIV Researchers.

To increase the number of training positions in ^{HIV} AIDS-related research by supporting intramural and extramural research resource programs including of grants for training AIDS researchers, developing animal models, and constructing or improving existing facilities and equipment for AIDS-related or HIV-related research

to the
Labs, etc

Goal 7

Information Dissemination

Translation of
Research Into Practice.

To disseminate and transfer HIV and AIDS-related research information ^{to} among researchers, health care providers, HIV-related service providers, HIV-infected individuals and their advocates. through programs and initiatives that are research-, treatment-, and prevention-supportive.



Department of Energy
Washington, DC 20585

OFFICE OF THE SECRETARY

FACSIMILE TRANSMITTAL SHEET

TO: <i>Jane Sanville</i>	FROM: <i>Clare Gesein</i>
OFFICE:	DATE:
FAX NUMBER:	FAX NUMBER: 202/586-9626
OFFICE NUMBER:	OFFICE NUMBER: 202/586-6210

586-6032

COMMENTS:

NUMBER OF PAGES (INCLUDING COVER) _____

IF TRANSMITTAL IS INCOMPLETE, PLEASE PHONE THE ABOVE NUMBER.



MEMO

To: Jane Sanville
From: Clare Giesen
Subject: Department of Energy and the National Strategy for HIV and AIDS
Date: July 19, 1996

The Department of Energy HIV/AIDS' advisor, Don Donaldson, had approved the National Strategy for HIV and AIDS paper from your office.

**OFFICE OF NATIONAL AIDS POLICY
EXECUTIVE OFFICE OF THE PRESIDENT**

750 17th Street, N.W.
Washington, DC 20503

Phone: 202-632-1090
Fax: 202-632-1096

FACSIMILE COVER SHEET

TO: Claire Geisen

FAX NUMBER: 5701 586-6032

FROM: Jane Sanville

DATE: 7/19/96

PAGES INCLUDING COVER SHEET: 3

COMMENTS:

As per our conversation. Thanks for your help.

THE WHITE HOUSE
WASHINGTON

May 23, 1996

MEMORANDUM FOR THE INTERDEPARTMENTAL TASK FORCE ON HIV/AIDS,
DEPARTMENT OF ENERGY

FROM: Patricia S. Fleming
Director, Office of National AIDS Policy

SUBJECT: Update of Budget Figures for the National Strategy for HIV and AIDS

As you remember, as a result of our meetings last year each member of the Interdepartmental Task Force on HIV/AIDS (IDTF) was asked to develop individual department and agency plans for HIV/AIDS, linking goals and objectives to budget levels and identifying areas of unmet need.

This past February, IDTF members reviewed the draft and provided comment. We are in the final stages of revising the document as informed by this review. Attached is the final language for the Department of Energy appendix, based on DOE's comments.

Comments are due back to the Office of National AIDS Policy **BY NO LATER THAN MAY 31, 1996**. If you have any questions please call Jane Sanville at (202) 632-1090.

Thank you for your assistance in developing this first-ever National Strategy for HIV and AIDS.

Attachment: Department of Energy Appendix for National Strategy on HIV and AIDS.

RESEARCH

Agency: Department of Energy

Goal: Provide infrastructure support for physical chemical research, termed structural biology, including indirect support for HIV-related research.

Objective: In collaboration with other Federal agencies, provide access to sophisticated equipment and specially trained scientific personnel.

Action Steps: In collaboration with all relevant agencies (NIH, NSF, DOE) and the scientists they support, provide continued essential support for structural chemistry and biology facilities. Provide both the academic and the industrial community access to the facilities for further studies on the structural biology of HIV.

Descriptions: The National Synchrotron Light Source at Brookhaven National Laboratory includes a Department of Energy supported x-ray beam line extensively used by structural biologists studying virus structure, including the structure of HIV. In addition, through its National Laboratory system, DOE provides user facilities at other synchrotron light sources and at neutron beam facilities, which can be used by researchers to characterize the structural configuration of intact HIV, and HIV's biochemical components, often in complexes with inhibitors. These studies assist in the development of novel therapies, as well as advance our understanding of the pathogenesis and fundamental biology of HIV growth.

FY 95: Part of DOE's general operating budget.

FY 96: Part of DOE's general operating budget.

FY 97: Part of DOE's general operating budget.

Populations Served: Scientific community.

Constituency Involvement: Access to resources through peer review.

Unmet Need: Stable funding, guaranteed access for scientists to the facilities for the foreseeable future.

E X E C U T I V E O F F I C E O F T H E P R E S I D E N T

27-Jun-1996 07:24am

TO: Ursula Sanville
FROM: Carmena Parris
 AIDS Policy Council
CC: Jeffrey Levi
SUBJECT: RE: DOE White House Liaison

His name is Mark Doyle. Last known #586-7161

(f)
586-5701

**OFFICE OF NATIONAL AIDS POLICY
EXECUTIVE OFFICE OF THE PRESIDENT**

750 17th Street, N.W.
Washington, DC 20503

Phone: 202-632-1090
Fax: 202-632-1096

FACSIMILE COVER SHEET

TO: Don Donaldson, DOE

FAX NUMBER: 586 - 3075

FROM: JANE SANVILLE

DATE: 5-23-96

PAGES INCLUDING COVER SHEET: 23

COMMENTS:

6/21 Don Donaldson 586-8383 #1753
Out of

Tara O'Toole Asst. Enr. Safety + Health
Secretary for

Need who the liaison is?

586-5000 DOE

586-6151 - voice mail

Dr. Martha Krebs
586-5430
Dr. Ari Patrino
Ge
301.903.3251

Sent 10:23am
(to whom?)

**OFFICE OF NATIONAL AIDS POLICY
EXECUTIVE OFFICE OF THE PRESIDENT**

750 17th Street, N.W.
Washington, DC 20503

Phone: 202-632-1090
Fax: 202-632-1096

FACSIMILE COVER SHEET

TO: MARK DOYLE

FAX NUMBER: 586 5701

FROM: JANE SANVILLE

DATE: 6.27.96

PAGES INCLUDING COVER SHEET: 3

COMMENTS:

Thanks for your help.

Language changed by deletion. Also, answer question for DOJ & BOP are actual studies as 2nd Pamp. had

Joe Shesling for DOJ

Prisoners. Populations in prisons are at high risk for both substance abuse and HIV disease. Moreover, there is often a high prevalence of both HIV and substance abuse behaviors in people entering prison.

Given that the incarcerated population is often at increased risk for HIV infection, offering educational programs during incarceration provides a unique opportunity to reach these persons. ~~Studies have found that programs using peer counselors have been effective in delivering HIV treatment and prevention messages.~~ Research has ~~also~~ shown that individuals who are well informed about HIV and substance abuse issues do modify their risk-taking behaviors. It is important the Federal government build upon the knowledge and opportunity that currently exists and further improve HIV prevention efforts for incarcerated persons.

*4pm
7/3
Bureau of Prisons
What is the status of the studies?*

Donny - This went to: who and w/ what instruction or request?!

*Lisa Jacobs @ DOJ
Pat Milon (our HRESA person)*

Jeff

*UPHIA policy
BOP they like want some information on other inmates who have HIV.
peer counseling because it violates the Privacy Act.
Also, due to the fact they like want some information on other inmates who have HIV.*

All three may send comments - please collect them.

7/3

Run it by Lisa - type up change

OFFICE OF NATIONAL AIDS POLICY EXECUTIVE OFFICE OF THE PRESIDENT

750 17th Street, N.W.
Washington, DC 20503

Phone: 202-632-1090
Fax: 202-632-1096

FACSIMILE COVER SHEET

TO: Jason Herthal (phone # (202) _____)
~~DO~~ ~~didn't receive~~

FAX NUMBER: (514) 8639 ~~(514) 8715~~ ~~(try this fax #)~~

FROM: Sherry Darden for Jane Saville

DATE: (July 2, 1996)

PAGES INCLUDING COVER SHEET: Two (2)

COMMENTS:

Her, Jane's, notes to me were: "They need to look at paragraph on prevention in prisoners for the text of the strategy. The appendix [DOJ's] is done and incorporated. Contact Lisa Jacobs...."

Thanks Jason!!

Prisoners. Populations in prisons are at high risk for both substance abuse and HIV disease. Moreover, there is often a high prevalence of both HIV and substance abuse behaviors in people entering prison.

Given that the incarcerated population is often at increased risk for HIV infection, offering educational programs during incarceration provides a unique opportunity to reach these persons. Studies have found that programs using peer counselors have been effective in delivering HIV treatment and prevention messages. Research has also shown that individuals who are well informed about HIV and substance abuse issues do modify their risk-taking behaviors. It is important the Federal government build upon the knowledge and opportunity that currently exists and further improve HIV prevention efforts for incarcerated persons.

/m

**OFFICE OF NATIONAL AIDS POLICY
EXECUTIVE OFFICE OF THE PRESIDENT**

750 17th Street, N.W.
Washington, DC 20503

Phone: 202-632-1090
Fax: 202-632-1096

FACSIMILE COVER SHEET

TO: Lisa Jacobs

FAX NUMBER: 514-8639

FROM: Jane Sanville

DATE: 7.15.96

PAGES INCLUDING COVER SHEET: 16

COMMENTS:

Lisa - Here's the executive summary
from the Tom report. It was released
Sept. 19th, 1995.

Any questions let me know -
Jane

PREVENTING HIV Transmission

The Role of Sterile Needles and Bleach

Jacques Normand, David Vlahov, and Lincoln E. Moses, editors

Panel on Needle Exchange and Bleach Distribution Programs

Commission on Behavioral and Social Sciences and Education

National Research Council

and

Institute of Medicine

NATIONAL ACADEMY PRESS
Washington, D.C. 1995

Executive Summary

THE PROBLEM

HIV (human immunodeficiency virus) infection and injection drug use are major public health problems in the United States today. The focus of this study lies at the interface of these two critical threats to public health.

The epidemiologic data indicate that the HIV epidemic in this country is now clearly driven by infections occurring in the population of injection drug users, their sexual partners, and their offspring. The proportion of new AIDS cases attributed to the exposure category labeled *men who have sex with men* has declined steadily over the past 13 years (from 74 percent in 1981 to 47 percent in 1993). At the same time, the proportion of cases attributed to *injection drug use* has steadily increased during the same period (from 12 percent in 1981 to 28 percent in 1993). These trends in AIDS cases reflect the rising injection drug use related infections of several years ago. By now, the spread of HIV among injection drug users, their sexual partners, and their offspring accounts for a major proportion of new HIV infections in the United States and the continuing expansion of the AIDS epidemic.

Note: Documentation for the material in this Executive Summary appears in the body of the report. Moreover, it should be noted that this summary focuses on the core conclusions and recommendations of the report. Additional conclusions and recommendations appear at the end of individual chapters.

The main factor associated with HIV infection among injection drug users is the practice of sharing injection equipment. This multiperson use of syringes is particularly dangerous because residual blood retained in the syringe from one person can be unintentionally and, even with rinsing, inconspicuously passed along to the next person using the syringe. This sharing behavior is in part a consequence of the restricted availability of sterile needles and syringes. An injection drug user infected with HIV can cause a cascade of new infections in many other individuals, not only through sharing of injection equipment, but also through sexual and perinatal transmission.

Needle exchange programs, in which used needles are exchanged for new, sterile ones, are one level of response to this crisis in some communities. They have been implemented in many countries (including France, the Netherlands, Great Britain, Australia, and Canada) as part of a more comprehensive public health effort to reduce the spread of HIV and other blood-borne infections among drug users, their sexual partners, and the general population. In the United States, approximately 75 needle exchange programs have been initiated in 55 cities, although many are small and the programs have not been endorsed by the federal government as a viable intervention for the prevention of AIDS. Obstacles to this approach include legal, economic, and behavioral factors.

For injection drug users who cannot or will not stop injecting drugs, the once-only use of sterile needles and syringes remains the safest, most effective approach for limiting HIV transmission. However, with significant legal impediments to syringe availability, bleach distribution programs were conceived as a means for injection drug users to disinfect needles and syringes between use. If properly used, bleach is effective in the disinfection of HIV and other pathogens—but the effectiveness of bleach as used by injection drug users under street conditions has not been optimal.

The use of federal funds to support needle exchange programs has been specifically prohibited or restricted by the language contained in a series of statutes enacted by Congress since 1988. The ban on federal support remains in effect "... unless the Surgeon General of the United States determines that such programs are effective in preventing the spread of HIV and do not encourage the use of illegal drugs." This current prohibition applies regardless of whether the programs operating in individual states are legally authorized. As a result, needle exchange programs in communities across the country cannot use federal funds to support services involving the provision of sterile needles, but are limited in their funding to state, municipal, and private sources.

THE PANEL'S CHARGE

At the request of Congress, the Panel on Needle Exchange and Bleach Distribution Programs was established by the National Research Council/Institute of Medicine, with support from the National Institute on Drug Abuse. The panel was asked to undertake a study to determine the effectiveness of needle exchange and bleach distribution programs. The panel's charge is as follows:

The panel will gather and analyze the relevant research regarding the effect of such programs on rates of drug use, the behavior of drug users, and the spread of AIDS and other diseases, such as hepatitis, among intravenous drug users and their partners. In addition, the panel will examine closely related issues of importance to the research and service communities, such as the characteristics associated with effective exchange programs, and will provide recommendations for future research directions and methods applicable to the evaluation of syringe exchange and bleach programs. In the latter task, the study will identify the relevant evaluation hypotheses and delineate the most appropriate methodologies for testing such hypotheses. The panel is authorized, but not committed, to assess the potential risks and benefits associated with the implementation of such programs if it judges the data adequate to make such an assessment.

SCIENTIFIC ASSESSMENT OF PROGRAM EFFECTIVENESS

To examine the context that frames needle exchange and bleach distribution programs, the panel assessed a wide range of studies concerning the magnitude and severity of injection drug use; HIV infection among injection drug users and their partners; and the effects of needle exchange and bleach distribution programs on drug use, HIV risk behaviors, and the spread of HIV/AIDS.

The studies that examine needle exchange and bleach distribution programs have various limitations, including inadequate samples, sample attrition, improper controls, problematic measures, and incomplete analyses. Nevertheless, *the limitations of individual studies do not necessarily preclude us from being able to reach scientifically valid conclusions based on the entire body of literature available.* The situation resembles the exploration of the relationship between cigarette smoking and lung cancer; virtually every individual study was vulnerable to some particular objection, yet collectively those studies justified a compelling conclusion.

It was essential for the panel first to distinguish between studies of high

quality and those of lesser quality, and then to weigh the credibility of the findings according to their completeness and soundness. *Using this approach, the panel based its conclusions on the pattern of evidence provided by a set of high-quality studies, rather than relying on the preponderance of evidence across less scientifically sound studies.*

Needle Exchange

On the basis of its review of the scientific evidence, the panel concludes:

- Needle exchange programs increase the availability of sterile injection equipment. For the participants in a needle exchange program, the fraction of needles in circulation that are contaminated is lowered by this increased availability. This amounts to a reduction in an important risk factor for HIV transmission.
- The lower the fraction of needles in circulation that are contaminated, the lower the risk of new HIV infections.

The act of giving a needle to an injection drug user has a powerful symbolism that has sparked fears about the potential negative effects of needle exchange programs. However:

- There is no credible evidence to date that drug use is increased among participants as a result of programs that provide legal access to sterile equipment.
- The available scientific literature provides evidence based on self-reports that needle exchange programs do not increase the frequency of injection among program participants and do not increase the number of new initiates to injection drug use.
- The available scientific literature provides evidence that needle exchange programs have public support, depending on locality, and that public support tends to increase over time.

Needle exchange programs should be regarded as an effective component of a comprehensive strategy to prevent infectious disease.

Bleach Distribution

Although HIV has been shown to be susceptible to inactivation by bleach under idealized conditions in the laboratory, epidemiologic studies have not demonstrated a significant protective effect against HIV infection for injection drug users who report consistent use of bleach to decontami-

nate needles and syringes previously used by others (see Chapter 6). Consequently, substantial uncertainty now exists among public health officials, laboratory scientists, community outreach workers, and injection drug users concerning the value of bleach disinfection as a public health intervention. Additional investigation into optimizing disinfection methods is clearly necessary.

The panel concludes:

- Bleach, if used according to the recommendations of the Centers for Disease Control and Prevention, the National Institute on Drug Abuse, and the Center for Substance Abuse Treatment (see Chapter 6 for a detailed discussion of these recommendations), is likely to be an effective HIV prevention strategy for injection drug users who share needles and syringes.
- Concerted efforts are essential to increase the awareness of injection drug users of the importance of disinfecting shared injection equipment and the importance of following the appropriate procedures.

Bleach use is clearly an intervention to be used when injection drug users have no safer alternatives.

- Health research funding agencies (e.g., the National Institutes of Health, the Centers for Disease Control and Prevention, and the Agency for Health Care Policy and Research) should support research directed toward identifying the simplest to use and most effective disinfection strategies, employing agents that are readily available to injection drug users.

COMMUNITY AND LEGAL FACTORS

In policy decisions about needle exchange and bleach distribution programs, the scientific evidence on whether the behaviors of injection drug users change and the rates at which new infections are reduced are but one dimension of an immensely complex issue. These AIDS prevention programs, in different environments, face various levels of community support, different levels of HIV prevalence¹ in the local population of injection drug users, and operate within different legal environments. And so the scientific issues cannot be viewed in isolation but must be considered along with these other factors.

A range of views about needle exchange programs has been expressed by various groups, including racial and ethnic minority representatives, law enforcement officials, pharmacists, and drug treatment providers. Specific community concerns range from fears that such programs will worsen already severe drug abuse problems and elevate extant high levels of crime to concerns that such programs promote immoral activities. Although there is much variety among the views of different groups, all share the concern that

handing out sterile injection equipment or bleach bottles to injection drug users does not address the underlying problems associated with drug abuse.

The high levels of concern about potential negative effects of needle exchange and bleach distribution programs cannot be ignored, despite the paucity of evidence supporting them. Furthermore, the long-term effects of these programs on the level of illicit drug use in communities are not yet known. Communities experiencing high levels of drug use and addiction, AIDS, crime, and poverty may well resent the institution of needle exchange and bleach distribution programs, seeing them as a wholly inadequate response to the underlying problems associated with drug abuse and perceiving that they do more harm than good. The panel urges that local community members (e.g., police, church, treatment providers, pharmacists, local public health authorities) should be involved in determining whether such programs should be implemented locally and how they should be institutionalized.

The legal environment is another, very different factor impinging on needle exchange and bleach distribution programs. On the basis of its review of the legal circumstances in which these programs operate, the panel concludes:

- Any marked increase in the supply of sterile needles to injection drug users above current levels through pharmacy sales is likely to call for new measures to ensure the safe disposal of used needles. Whereas this problem has been solved in other countries (e.g., Australia provides special containers in public places that allow for proper disposal of used syringes, as well as individual returnable containers for used syringes), it is important to design good solutions to the disposal issue in the United States now.
- Laws that make it a criminal offense to possess injection equipment (paraphernalia laws) were designed to decrease the prevalence of injection drug abuse, but they also inhibit users from carrying their own supply of needles and thus unwittingly contribute to the sharing of contaminated ones.
- Laws requiring a prescription for the purchase of new needles and syringes (prescription laws) constrain the availability of sterile injection equipment and thus promote the sharing of contaminated equipment.

RECOMMENDED COURSE OF ACTION

The panel concludes that well-implemented needle exchange programs can be effective in preventing the spread of HIV and do not increase the use of illegal drugs. Hence, we recommend that:

- The Surgeon General make the determination called for in P.L. 102-394, section 514, 1993, necessary to rescind the present prohibition against applying any federal funds to support needle exchange programs.

Observe that the panel does not recommend a mandated national program of needle exchange and bleach distribution programs. As documented in this report, regional variations in the prevalence of HIV infection, the extent and kind of drug use, the presence of other AIDS programs, operational characteristics of existing needle exchange programs, and the attitudes and needs of local communities all influence the potential effects of needle exchange programs and militate against such a mandate. The recommendation is to *allow communities that desire such programs to institute them*, using resources at their disposal and unencumbered by the specific funding handicap that is now in place.

The panel further recommends that:

- A better monitoring system should be established for assessing long-term societal changes in drug use at the community level due to needle exchange programs.
- The Assistant Secretary for Health should charge appropriate agencies (i.e., the National Institutes of Health and the Centers for Disease Control and Prevention), in consultation with academic departments of epidemiology, to develop more effective surveillance of drug use, particularly for local areas. The data collected should move beyond gross prevalence estimation of drug use and toward detailed information about users. This should include data on behavioral dynamics (e.g., pattern of drug use, sharing of drugs and drug paraphernalia, social context of drug use) by drugs of choice, routes of administration for each, and the flow of injection drug users into and out of drug treatment programs.
- Given the serious public health threat associated with HIV infection among injection drug users, their sexual partners, and offspring, the Assistant Secretary for Health should ensure that AIDS prevention efforts targeted to injection drug users are expanded specifically to include behavioral interventions in order to limit the further spread of HIV infection.
- The Assistant Secretary for Health should cause the disposal issue to be studied and appropriate means of needle disposal to be developed. A task force should be appointed and should include health safety specialists, infectious disease specialists, injection drug use researchers, and community representatives/civic leaders.
- Legislative bodies should remove legal sanctions for the possession of injection paraphernalia.

- Appropriate legislative bodies should repeal laws in the nine states that require a prescription in order to purchase injection equipment.

These recommendations must be viewed in the overall context of the drug epidemic. Comprehensive responses to this threat to public health are critical: most critical is the expansion of drug treatment to make it more available. Needle exchange programs report increased referrals to drug abuse treatment and, in the few studies that examined this issue, no increase in the number of dirty needles discarded in public places (e.g., parks, streets, alleys). Needle exchange programs should promote HIV prevention not only by providing sterile equipment, but also by means of education, drug treatment referral, and materials, including bleach, alcohol pads, and condoms. Moreover, needle exchange and bleach distribution programs should make special efforts to reach and retain hard-to-reach subgroups of injection drug users, such as young injection drug users and women.

Incremental funds for needle exchange programs and other AIDS prevention strategies should be appropriated but should not be taken from resources now supporting drug treatment programs. Such a diversion of funds would be unwise because drug treatment programs have been shown to be effective in treating the underlying disorder of drug abuse and can be effective in curtailing HIV risk behaviors. Moreover, for many program participants, needle exchange and bleach distribution programs have been found to serve as a bridge to drug treatment for many needle exchange program participants. Indeed, the appropriate legislative bodies should enact legislation (and should appropriate monies) to increase drug treatment capacity. In this context, both needle exchange and bleach distribution programs should be regarded as strategies for public health promotion and disease prevention.

NOTE

1. *Prevalence* denotes the proportion of a population that is currently (or at a specified point in time) infected. *Incidence* denotes the rate of occurrence of new cases of infection per unit of time.

**OFFICE OF NATIONAL AIDS POLICY
EXECUTIVE OFFICE OF THE PRESIDENT**

750 17th Street, N.W.
Washington, DC 20503

Phone: 202-632-1090
Fax: 202-632-1096

FACSIMILE COVER SHEET

TO: Lisa Jacobs

FAX NUMBER: 514-8639

FROM: Jane Sanwill

DATE: 7.15.96

PAGES INCLUDING COVER SHEET: 13

COMMENTS:

Hello Lisa - Here are the DOS-related portions in the most recent draft:

o Care + Services, PP. 32-33 and 35

o Civil Rights

o DOS Appendix

The prevention/prisoners paragraph will go in to the prevention section with your changes.

The IOM Report Exec. Summary will follow.

Jane

CARE & SERVICES

One of the national goals is to ensure appropriate care for all persons living with HIV and AIDS. Achieving the goal of ensuring appropriate care of all Americans, including those living with HIV, will require a dedicated alliance among the Federal government, States, the private sector, local communities, community-based organizations, clinics, families, and individuals.

Background

Persons living with HIV finance needed health care services through a variety of mechanisms. Currently, nearly 50 percent of adult Americans and 90 percent of children living with AIDS receive their medical coverage through the Medicaid program and another 5 percent receive Medicare benefits. An estimated 15 percent of people living with AIDS have private health insurance and the remaining 30 percent are uninsured and must rely on personal payment or charity care. For the remainder, their lives often depend on the Federal health care safety net.

For those who qualify, care and services are provided through a number of Federal Agencies (See Appendix C), many in cooperation with local organizations and the AIDS community that have admirably served those living with HIV. Taken together, these efforts form a valuable if incomplete safety net for some of the most vulnerable people in our Nation.

After Medicaid, the centerpiece of this safety net is programs funded through the Ryan White Comprehensive AIDS Resources Emergency (CARE) Act of 1990, administered by the Health Resources and Services Administration (HRSA). It was established to fill gaps in coverage and build systems of care to create access to health care for people living with HIV/AIDS. Titles I and II of the CARE Act provide funds for outpatient care, support services, and case management that are given to cities and States primarily on a formula basis so the areas most affected by the epidemic receive a proportional share of available dollars. Title II also provides drug reimbursement funding for persons living with AIDS. Title IIIb of the Act provides early intervention services such as counseling and testing, medical care, and educational services for medically underserved persons with the goal reducing HIV-related illness. Title IV seeks to increase the availability of care and services for women, infants, children, and youth in a community-based family-centered system of care. HRSA also provides primary care to persons living with HIV through its Community Health Centers and Maternal and Child Health Programs.

Other sources of primary care supported by the Federal government include the Department of Defense, the Department of Veterans Affairs, and the Indian Health Service/DHHS which provides health care for HIV-infected Native Americans and Alaska Natives. Additionally, the Bureau of Prisons within the Department of Justice provides care for HIV positive persons in

Federal prisons.

Housing assistance is provided by the Department of Housing and Urban Development (HUD) through their Housing Opportunities for Persons with AIDS (HOPWA) and other programs. These programs work in partnership with local initiatives incorporating housing assistance into a community's continuum of services.

Opportunities for Progress

The challenge before us today, especially in light of the restricted fiscal environment, is to ensure that persons living with HIV receive the care they need so they may have the opportunity to live productive lives. To achieve this, AIDS care and service programs must build upon past successes, continue to improve prioritization efforts, improve accountability, and increase the cost-effectiveness of services they provide.

The Health Care Safety Net. The cornerstone of care for people living with AIDS in the U.S. is Medicaid. Nearly 50 percent of all Americans living with AIDS -- including 92 percent of children with AIDS -- rely on Medicaid for their sole source of health coverage. Medicaid provides coverage for hospitalizations, physician visits, x-rays and laboratory tests, home health care, nursing home care, and outpatient prescription drugs. These services extend the length and the quality of life for people living with HIV and AIDS. In fiscal year 1996, Federal Medicaid spending for people living with AIDS is

estimated at \$1.8 billion, nearly six times the amount expended on the Ryan White CARE Act.

Maintenance of the Federal guarantee of Medicaid coverage for eligible individuals is essential to the continued ability of the Nation to respond to the health care needs of people living with HIV/AIDS. Of particular importance is the maintenance of a Federal definition of disability. The 30-year State partnership in Medicaid also must be maintained while the program is made more flexible for State innovations.

With a strong Medicaid program in place, it continues to be vital that the Ryan White CARE Act be maintained and expanded to fill the gaps in coverage. Many people with HIV and AIDS are too poor or too disabled to work yet they are not poor enough or disabled enough to qualify for Medicaid. For them, and for their families, the CARE Act provides essential protection.

Integrated Continuum of Care. Many health care providers believe that one of the most potentially effective approaches to treating HIV positive persons, in addition to reducing the spread of infection, lies in providing people access to an integrated continuum of health care services. This includes counseling and testing, comprehensive health care, home health care, and access to substance abuse treatment and prevention services.

One of the most powerful methods of recruiting people into primary care is knowledge of serostatus -- persons who

know they are HIV positive are more likely to seek health care. Counseling and testing services can serve as a gateway to this care. Unfortunately, the majority of Americans who may be at risk for HIV infection do not know whether or not they are HIV positive. There is a need to develop better outreach education in order to encourage people to come in for counseling and testing and link them to appropriate services as needed. Without the linkage of testing to medical care, the opportunity to prolong life is lost.

Linking an HIV-positive person with care also provides an opportunity for education about behaviors which may reduce their chances of infecting others. For example, this can mean offering addiction treatment or offering pregnant women information about and access to AZT during pregnancy to reduce the risk of perinatal transmission.

As noted in the Prevention Section, achieving this level of integration will require active collaborative efforts on the part of individual physicians, nurses, other clinicians, managed care plans, medical schools, and professional organizations in addition to State, local and Federal governments.

Housing Services. Housing is an important element in the effort to provide comprehensive care for persons living with HIV. It is the foundation upon which any program of care or services must be built. Without stable housing, a person with HIV/AIDS has diminished access to programs and services and a diminished opportunity to live a productive life. It is

estimated that up to 50 percent of persons living with HIV and AIDS will become homeless or are at risk for becoming homeless during the course of their illness.²⁵

Persons living with HIV face significant obstacles locating affordable housing. The private market alone does not consistently meet the basic housing needs of persons living with HIV and their families, as housing must often be provided in connection with specialized services that enhance an individual's or family's ability to live independently. In addition, persons living with HIV must also overcome reduced housing options due to unfounded fears and prejudice regarding AIDS.

Housing assistance is an area that requires significant community involvement and support if it is to be successful. Many communities are part of new efforts to comprehensively plan for the housing needs of their residents, including assessing and addressing the needs of residents living with HIV/AIDS.

The HOPWA program was created in 1992 to provide communities with a tool to meet the increased need for resources, effective planning, and coordination with existing public and private efforts. The program is representative of HUD's "Continuum of Care" approach to building local systems to address homelessness. Moreover, it is estimated that the cost of providing housing services in a HOPWA-funded residential facility is far less than the average day in the hospital.

The National Strategy for HIV and AIDS
Draft for Office Management and Budget Review: 6.28.96

To further foster community involvement, HUD has also established the Consolidated Planning process for communities that receive funds under the Department's economic and community development programs, including recipients of HOPWA formula allocations. In addition, the Community Development Block Grant (CDBG) and the HOME affordable housing program as well as Public Housing programs are key resources that are available to communities, contingent on eligibility, space availability and local priorities.

Providing consistent funding for the housing component of the safety net with programs such as community-oriented programs HOPWA must be a Federal priority. Moreover, integrating housing services into other programs and ensuring a shared responsibility between Federal, State, local governments and community organizations is another important step in assisting communities to build seamless systems of support for our most vulnerable citizens. Efforts are underway to improve inter-departmental coordination and should continue.

→ **Prisoners.** There are also groups of people, such as prisoners, who are not served by these traditional safety net programs. Most prisoners living with HIV are incarcerated in State and local prisons. Medical care for Federal prisoners is provided under the direction of the Department of Justice's Bureau of Prisons. Identifying the HIV positive prisoners and ensuring them access to quality care for incarcerated persons is

especially challenging. Prisoners do not have the choice of seeking care outside the prison setting and are dependent upon the prison staff to ensure that appropriate care is provided. They also may have difficulties regarding confidentiality, trust, and less access to research opportunities.

Improving access to appropriate HIV-related care in prisons must be a priority. At the Federal level significant advances are being made in the quality of care, improved coordination, and developing models of care. Improving the quality of care at non-federal prisons will require improving the knowledge and skill of the health care teams in the prisons, strengthening linkages between prisons and outside public health Departments and Agencies, and improving discharge planning. These efforts can serve to improve discharge planning for HIV positive prisoners at the time of their release from prison.

Program Coordination. For care and services to have the most beneficial impact they should be offered as part of a continuum of care. For organizations on the front lines of the epidemic, building a comprehensive integrated program requires applying to numerous Federal Agencies. For example, Creating a community program that integrates primary care with substance abuse treatment and prevention, and sexually transmitted disease screening, prevention, access to clinical trials, and housing assistance would require separate applications to SAMSHA, HRSA, CDC, NIH, and HUD.

Efforts to simplify federal funding applications to facilitate improved integration of service programs have already begun. For example, HRSA and SAMSHA have issued joint announcements and the HUD and HRSA have issued a joint announcement for the Special Projects of National Significance (SPNS) program. These efforts to improve integration should be continued and expanded.

Evaluation. Strong Federal support for these safety net programs must go hand-in-hand with improved accountability and priority setting. Evaluating current activities can provide valuable information for planners and those on the frontlines of the epidemic. It can assist us in providing better care to persons living with HIV. In an era of limited resources coupled with a demand for cost effective services of high quality, we must use all the tools available to us if we are to help those persons living with HIV.

Quality of Care. Federally supported programs can and should consistently provide quality care. Through the efforts of researchers and clinicians, it has been proven that quality care for HIV positive persons is possible, but quality care is not consistently available throughout the health care system. Establishing a standard-of-care and ensuring consistency in care delivery will require increased training for health care professionals and more accountability through the use of performance measures for quality care.

A Federal program that has achieved success

in improving the knowledge and skills of clinicians is the AIDS Education and Training Centers (AETCs) effort sponsored by the Health Resources and Services Administration. A major goal of the AETC program is to train health care professionals in the prevention, early diagnosis, and treatment of HIV infection.

However, this program alone cannot ensure that all health care providers have the knowledge and skills required to provide satisfactory care for HIV positive persons. Achieving this goal will require the cooperation of Federal Agencies, States, professional organizations, professional and medical schools, and individual clinicians.

805 Appendix

CARE AND SERVICES

Agency: Department of Justice

Goal: To provide education and training for law enforcement and social services agencies regarding victims of crime.

Objective: To improve trainees' interaction with the populations they serve, especially those who might have been exposed to the HIV virus or those who may be HIV positive.

Action Steps: Provide funds to the National Victims Center (NVC) under a cooperative agreement. (The NVC provides education, and sensitivity training to law enforcement personnel and social service agencies.)

Provide grant funds to the Educational Development Center (EDC) for training regarding hate/bias crimes. (The EDC trains law enforcement and social service agency personnel regarding procedures for identifying and handling hate crimes, including such crimes against those who are HIV positive or living with AIDS.

Descriptions: Provide grants and operate cooperative agreements.

FY 95: \$133,900

FY 96: Although no funds have been budgeted, the training for law enforcement and social services personnel was covered by the FY 95 budget and will continue.

FY 97: The department anticipates allocating additional funds for training.

Populations Served: Law enforcement and social service agencies are directly served. The crime victims who interact with these agencies benefit indirectly.

Constituent Involvement: Victims rights groups were consulted regarding the curriculum development for the training program.

Unmet Need: Additional resources to provide more regional training.

CIVIL RIGHTS

Agency: Department of Justice

Goal: Enforce HIV-related civil rights laws and heighten issue awareness.

Objectives: Prevent discrimination on the basis of real or perceived HIV status.

Action Steps: Enforce civil rights laws and inform and educate the public.

Descriptions: Litigate HIV-related civil rights cases involving housing discrimination and discrimination in the provision of services.

Provide information via the Americans with Disabilities Act (ADA) information line and provide technical assistance to state and local governments, Federal agencies and other entities and individuals having rights and responsibilities under Titles II and III of the ADA.

Developed and disseminated ADA questions and answers intended for persons who are HIV positive or living with AIDS to 5,000 HIV/AIDS service providers.

FY 95: Information line \$350,000; other activities part of overall operating budget.

FY 96: Information line \$350,000; other activities part of overall operating budget.

FY 97: The President's 1997 budget requests a 3.9% increase for ADA enforcement. Baseline number?

Populations Served: Victims of HIV/AIDS discrimination, Federal, state and local agencies, businesses and general populace.

Constituency Involvement: In addition to having access to the ADA information line, AIDS-related disability groups are sent the Justice Department's quarterly update on ADA enforcement activities and any relevant press releases on the Department's HIV-related anti-discrimination activities.

Unmet Need: Funds for attorneys for additional litigation. Public education and technical assistance for health care and day care providers regarding their ADA obligations to persons with HIV.

PREVENTION

Agency: Department of Justice

Goal: Reduce risk of infection of infection to INS detainees who are at risk.

Objective: Educate detainees believed to be at risk regarding HIV/AIDS and thereby reduce the risk of transmission and new infections.

Action Steps: Upon obtaining informed consent, test detainees suspected of or diagnosed with HIV/AIDS or test upon detainee request and provide pre- and post-test counseling to detainees deemed at risk.

Descriptions: Provide limited testing and counseling.

FY 95: Part of overall operating budget.

FY 96: Part of overall operating budget.

FY 97: Part of overall operating budget.

Populations Served: INS Detainees.

Constituent Involvement: None.

Unmet Need: None.

PREVENTION

Agency: Department of Justice

Goal: Reduce the risk of employee infection and avoid possible worksite performance problems.

Objective: Educate Bureau of Prisons (BOP) staff, Drug Enforcement Agency (DEA) employees, Federal Bureau of Investigation (FBI) employees, Immigration and Naturalization Service (INS) employees, and U.S. Marshals Service (USMS) regarding HIV/AIDS transmission and thereby reduce the risk of infection. Educate all Justice Department employees about HIV/AIDS in the workplace.

Action Steps: For Bureau of Prison (BOP) staff provide:

- annual HIV information update and infectious disease training to all staff;

- produce inmate and staff HIV educational videos; and

- participate at least quarterly with HRSA in audio conferences on HIV issues.

For DOJ employees in occupations that possess a heightened possibility for exposure to HIV or other bloodborne pathogens, including employees of the DEA, FBI, INS, and USMS provide:

- general training and field office training;

- annual bloodborne pathogen training to all personnel as mandated by OSHA (discussion of HIV/AIDS is included in this training); and

- an annual update on the bloodborne pathogens training as necessary to discuss new information or changes in the use of safety equipment, etc.

For all Department employees, the Justice Management Division (JMD) provided:

- instructional materials to be used in a one time general training;

- and technical assistance to other DOJ components.

Descriptions: DOJ staff prevention training programs.

FY 95: Part of overall operating budget.

FY 96: Part of overall operating budget.

FY 97: Part of overall operating budget.

Populations Served: DOJ employees.

Constituency Involvement: None.

Unmet Need: Additional resources for field office training for USMS and FBI.

RESEARCH

Agency: Department of Justice

Goal: To estimate the prevalence of HIV/AIDS among the corrections and parole population and to monitor the HIV/AIDS-related policies of Federal, State, and local correctional agencies.

Objective: Data collection and dissemination of periodic reports.

Action Steps: Conduct surveys of federal, state and local prisons and inmates and publish results in periodic reports.

Descriptions: When published, the 1995 Survey on Probation, the 1996 Survey of Inmates in Local Jails, and the 1997 Survey of State and Local Federal Inmates in Adult Correctional Facilities will contain estimates of HIV prevalence among probationers and inmates, and characteristics of this HIV positive population.

Publication of reports describing findings of multi-year project, "HIV Education in Lockups and Booking Facilities."

1994 Survey of HIV/AIDS in Correctional Facilities.

Publication of 1996 report "HIV/AIDS and STDs in Juvenile Facilities."

Census of prison, survey of jail and prison inmates and probationers, and study examining research on prevention programs directed towards at persons whose behavior makes them vulnerable to HIV infection.

FY 95: Part of overall operating budget.

FY 96: Part of overall operating budget.

FY 97: Part of overall operating budget.

Populations Served: Department of Justice, corrections administrators, and public.

Constituency Involvement: None.

Unmet Need: Funding for research into requirements for effective management of HIV positive inmates.

Funding to conduct surveys of individual facilities and increase surveys of the juvenile system, and to conduct additional work in the areas of prevention and education.

CARE AND SERVICES

Goal: Provide health care for prisoners with HIV/AIDS. Educate and counsel the inmate population about the transmission of HIV/AIDS and for the purpose of reducing the incidence of HIV transmission.

Objective: Provide counseling, education and treatment for prisoners.

Action Steps: Conduct random HIV testing on 10% of newly incarcerated inmates;

Provide pre- and post-test counseling for inmates;

Conduct HIV tests on new inmates where clinically indicated, provide HIV training and education for all newly committed inmates during their admission and orientation;

Provide additional HIV and infectious disease-related training annually to each incarcerated inmate who has a job-related potential exposure to bloodborne pathogens; and

Provide health care for inmates.

Descriptions: Provide testing, counseling, education, and health care for inmates.

FY 95: \$1,000,000 for prevention and \$500,000,000 for medical care

FY 96: \$1,000,000 for prevention and \$500,000,000 for medical care

FY 97: \$1,000,000 for prevention and \$600,000,000 for medical care

Population Served: Bureau of Prisons inmates.

Constituency Involvement: None.

Unmet Need: Funding for counseling and testing of all inmates.

OFFICE OF NATIONAL AIDS POLICY EXECUTIVE OFFICE OF THE PRESIDENT

750 17th Street, N.W.
Washington, DC 20503

Phone: 202-632-1090
Fax: 202-632-1096

FACSIMILE COVER SHEET

TO: Lisa Jacobs

FAX NUMBER: 514-8639

FROM: Jane Sanwill

DATE: 7.15.96

PAGES INCLUDING COVER SHEET: 13 3

COMMENTS: { Civil Rights section
from below... sorry, it didn't go through.
Hello Lisa - Here are the DOS-related portions in the most recent draft:

- o Care + Services, PP. 32-33 and 35
- o Civil Rights
- o DOS Appendix

the prevention/premises program will go in to the prevention section with your changes.

The IOM Report Exec. Summary will follow.

Jane

CIVIL RIGHTS

One of the Nation's common goals is to ensure that treatment of persons living with HIV is caring, ethical, and in accordance with legal standards. Discrimination based on HIV status is illegal and morally wrong.

Discrimination undermines the Nation's efforts to prevent and treat HIV infection and bring the epidemic under control. Because of fear of discrimination and stigma, many people do not voluntarily seek testing for HIV, remain unaware of their HIV status, consequently do not take advantage of care that could help them live longer, healthier lives. In addition, opportunities to educate people are lost. Discrimination can also wrongfully deny persons access to housing, employment, and health care.

The Federal government and some States have enacted laws that protect persons with HIV from discrimination on the basis of their infection. Many of the more common legal issues faced by people living with HIV and AIDS, such as family law issues, estate planning, landlord/tenant problems are regulated by State law.

The primary source of Federal statutory protection for people living with HIV is the Americans with Disabilities Act of 1990 (ADA). (Federal Agencies are prohibited from discriminating against people with disabilities under the Rehabilitation Act of 1973.) Title I of the ADA prohibits discrimination against qualified disabled

individuals in employment settings. The Equal Employment Opportunity Commission (EEOC) is responsible for enforcing Title I. Title II of the ADA prohibits discrimination on the basis of disability with regard to public services while Title III prohibits discrimination on the basis of disability in public accommodations. The Department of Justice (DOJ) is responsible for enforcing Titles II and III. The Health Care Financing Administration (HCFA) also enforces regulations regarding the treatment of HIV-infected persons.

Opportunities for Progress

Enforcement of Federal Laws. The Federal government has aggressively and successfully prosecuted private sector violations of the ADA. These efforts will continue. Under this provision the government has been extremely successful in prosecuting a range of cases, including clinicians who have refused to care for HIV-positive patients and employers who have dismissed persons based on their actual or perceived HIV status. In addition to ongoing efforts, a joint Department of Justice and Health and Human Services program will seek to combat nursing home discrimination against persons living with AIDS.

Federal Policies. The Federal government must also actively work to remedy any of its own existing discriminatory policies. The Director of the Office of National AIDS Policy is working with Federal Agencies to ensure that HIV testing programs follow the recommendations of public health

The National Strategy for HIV and AIDS
Draft for Office Management and Budget Review: 6.28.96

professionals. The Administration will also continue to oppose Congressional attempts to force discharge of infected military personnel who are still able to serve their country.

Leadership. The United States has made progress in fighting discrimination. However, the enactment of laws is insufficient to end discrimination. As a Nation we need to be vigilant and vocal in our efforts to fight discrimination. This is a responsibility that must be shared among Federal Agencies, States, communities, and the citizens of this country.

CARBONLESS

DEPARTMENT OF VETERANS AFFAIRS
Edward Hines, Jr., Hospital
Hines, IL. 60141

FACSIMILE COVER SHEET

SECTION OF INFECTIOUS DISEASES (111P)


FAX NUMBER: (708)216-2410

DATE: 7/2/96

TO: Name: Shercy Darden
Location: National AIDS Policy Office

FAX # 202-632-1096

PAGE Cover of 1



FROM: Name: Bobbie Peterman, Ph.D.
Location: AIDS Service (132)
Veterans Affairs

COMMENTS: For PVA National HIV/AIDS Plan

**Department of
Veterans Affairs****Memorandum**

Date: July 2, 1996

From: Director, AIDS Service (132)

Subj: THRU: Chief Officer, Public Health and Environmental Hazards (13) *Plan*
DVA National AIDS Plan

To: Jane Sanville, National AIDS Policy Office

1. As requested, the suggested language for the Unmet Needs column of the sections on Medical Care and Prevention activities of the DVA National AIDS Plan is as follows:

Advances in treatment through research and/or changes in prevention activities may require re-assessment of funding levels.

2. If you have further questions, please call me at 708-343-7200 EXT. 3332.


Marvelu (Bobbie) Peterson, Ph.D.

**OFFICE OF NATIONAL AIDS POLICY
EXECUTIVE OFFICE OF THE PRESIDENT**

750 17th Street, N.W.
Washington, DC 20503

Phone: 202-632-1090
Fax: 202-632-1096

FACSIMILE COVER SHEET

TO: Jeff Blaylock

FAX NUMBER: 202-395-6835

FROM: Jane Samville

DATE: 7.15.96

PAGES INCLUDING COVER SHEET: 9

COMMENTS:

As per voice mail, attached is VA appendix
for National Strategy for HIV and AIDS.
Any questions give me a call.

VA Appendix for National Strategy for HIV and AIDS

Final Draft, Department of Veterans Affairs: 5.24.96

CARE AND SERVICES

Agency: Department of Veterans Affairs

Goal: Provide high quality, comprehensive care across the spectrum of HIV disease to all eligible veterans.

Objective 1: Assess and evaluate claims and, if in order, make disability compensation or pension payments to eligible veterans with HIV-related illnesses.

Action Steps: Implement published final regulatory criteria effective March 24, 1992, for evaluating manifestations of HIV-related illnesses.

Publish amendment to portion of Schedule for Rating Disabilities.

Objective 2: Assist Departmental training programs to ensure widespread awareness of VA policies related to HIV/AIDS.

Action Steps: Coordinate with other Departmental offices to facilitate HIV/AIDS training at all Veterans Benefits Administration facilities.

Conduct follow-up training on HIV/AIDS as new information becomes available.

Objective 3: Expand outreach efforts to increase awareness of VA's HIV/AIDS programs.

Action Steps: Include information on VA's HIV/AIDS-related policies and accomplishments at external presentations, i.e., service organization meetings, town meetings.

Objective 4: Provide HIV testing and counseling to high risk groups of patients and/or patients who request testing.

Action Steps: Provide HIV testing and counseling services available at every VA medical center and/or VA outpatient clinic throughout the system;

Train professional health-care staff to serve as HIV counselors and patient educators on HIV prevention and transmission;

Establish quality laboratory standards for HIV testing, including ELISA and Western Blot; and

Ensure implementation of policy prohibiting routine involuntary screening.

Objective 5: Protect patients rights to information and self-determination in HIV testing process.

Action Steps: Ensure that HIV testing is performed only with written informed consent, utilizing standardized written informed consent form, by law and policy.

Provide counseling and patient education on prevention and transmission performed by trained health-care professionals.

Provide patient education pamphlet explaining HIV testing in VA available.

Objective 6: Protect patients rights to confidentiality in HIV testing and/or infection.

Action Steps: Ensure that medical records of veteran tested for or infected with HIV subject to additional confidentiality (beyond Privacy Act), by law, regulation and policy.

Implement safeguards to assure that: veteran HIV testing or status is released only with patient's written authorization with exceptions to disclosure (public health agencies, spouse, sexual partners) only under specified conditions; VA staff's access to medical records only on "need to know" basis; and legal, clinical and administrative staff trained in confidentiality regulations and policy.

Objective 7: Protect patient's rights to non-discrimination in admission to or treatment in VA health-care facilities.

Action Steps: Ensure non-discrimination in admission and treatment on the basis of HIV status, established by law and policy.

Implement safeguards to assure that: access to medical treatment based on clinical judgment, not HIV status; legal, clinical and administrative staff trained in regulations and policy with periodic updates and consultation available; and patient representatives and clinical staff are available in all facilities for patient grievances.

Objective 8: Provide state-of-the-art medical treatment for patients with HIV infection or AIDS through professional health-care staff educated and current in state-of-the-art HIV/AIDS treatment and the availability of appropriate pharmaceuticals and therapeutics at health-care facilities.

Action Steps: Provide FDA approved pharmaceuticals and therapies at local medical centers, outpatient clinics or health-care facilities or referral medical centers in VHA networks.

Provide compassionate use and therapies under research protocols at referral or other medical centers and facilities throughout system.

Promote integration of clinical treatment and research in HIV/AIDS.

Establish and maintain "Centers of Excellence" for the care of HIV/AIDS patients utilizing multidisciplinary models of care.

Facilitate physician and other clinician participation in local and national educational programs, professional societies, local, state and national advisory groups.

Support on-going education and training of health-care and support staff throughout system.

Encourage establishment of formal and informal physician and clinician networks for treatment advice.

Objective 9: Provide full range of medical and psycho-social services to meet comprehensive care needs.

Action Steps: Provide specialty and subspecialty care in medicine, surgery, psychiatry, psychology, rehabilitation in medical centers and/or networks.

At medical center level, provide comprehensive social services and counseling including family, housing and community referrals.

Objective 10: Provide consultation on legal, clinical and policy issues related to the care of HIV-infected patients.

Action Steps: Address and or refer to the appropriate individuals, questions and inquiries from external agencies, field staff, and veterans on issues related to HIV infection and AIDS.

Maintain and establish, as needed, special advisory groups of interdisciplinary field experts to address problems or issues requiring national focus. Include veterans in deliberations, as appropriate.

Implement, through policy, guidelines and recommendations of CDC, PHS, OSHA and other Federal agencies specific to HIV/AIDS and bloodborne pathogens.

Objective 11: Assess the impact of the HIV/AIDS epidemic on VA health-care system for resource utilization and planning purposes.

Action Steps: Maintain confidential HIV/AIDS Registry of all patients treated in VA health-care facilities.

Evaluate workload distribution by medical center to determine geographical distribution.

Utilize workload information as validation tool in resource allocation process.

In conjunction with the resource allocation group, estimate future workload based on past and present figures.

Include special field advisory group in resource planning and management in the allocation process for HIV/AIDS care.

Objective 12: Participate in interagency planning on issues related to HIV/AIDS. Provide expertise, when requested, on special issues.

Action Steps: Cooperate and collaborate with other agencies such as CDC on special issues such HIV-infected health-care workers, when requested. Provide expertise from field.

Involve other agencies, as appropriate, on special issues in HIV/AIDS.

Utilize OSHA, HHS, CDC, FDA expertise on specific issues, as necessary.

Objective 13: Ensure that Federal, State, County and local officials are aware of Department policies, procedures, treatment of personnel and veterans with HIV/AIDS.

Action Steps: Monitor status of pending legislation for State, County and local officials.

Serve on committees that develop and review Department policies when requested.

Objective 14: Ensure Department policies and procedures comply with Federal law.

Action Steps: Interpret Federal laws that impact on VA's HIV/AIDS program.

Provide legal advice and counsel to program officials.

Serve on committees that develop and review Department policies when requested.

Review new and updated policy directive on HIV/AIDS.

Descriptions: Medical care and services.

FY 95: \$281,000,000 *

FY 96: \$300,000,000 *

FY 97: \$310,000,000 *

* Resources for HIV/AIDS care are derived from the general Medical Care Budget. FY 1995 figures are reported expenditures. FY 1996 and FY 1997 are based on the projected number of patients by category or stage of disease and estimated resources required. The estimates are those contained in the President's budget.

Populations Served: Eligible HIV positive veterans.

Constituency Involvement: Eligible veterans through local medical centers and facilities.

Unmet Need: Advances in treatment through research and/or changes in prevention activities may require re-assessment of funding levels.

PREVENTION

Agency: Department of Veterans Affairs

Goal: Prevent transmission of HIV infection through education of employees and patients.

Objective 1: Train and maintain cadre of professional staff to conduct HIV transmission and prevention education for patients and conduct pre- and post-test HIV antibody test counseling.

Action Steps: Establish national training program to educate 2 professional staff from every VA medical center to conduct patient education and pre- and post-test counseling.

Maintain on-going training program on limited basis to address turnover of staff and maintain cadre of counselors/patient educators.

Objective 2: Educate and maintain cadre of knowledgeable staff to teach all staff in VA health-care facilities on prevention and transmission of HIV infection.

Action Steps: Develop a national "train the trainer" education program to educate selected staff from every VA Medical Center on how to organize and conduct staff educational activities on HIV transmission and prevention.

Update training materials/revise strategies to maintain knowledgeable base of trainers for every facility.

Objective 3: Integrate HIV prevention education in addiction treatment programs.

Action Steps: Conduct national training program for professional staff in addiction treatment programs and Vet Centers on how to integrate HIV prevention education for patients in their treatment areas.

Objective 4: Stimulate innovative approaches to HIV/AIDS education at the local level (VA medical centers and communities).

Action Steps: Award educational demonstration grants to HIV/AIDS education proposals on competitive basis.

Facilitate system-wide dissemination of completed projects through annual publication and national quarterly newsletters.

Objective 5: Maintain education and information support systems.

Action Steps: Continue AIDS awareness and education programs through national system of regional education centers and individual facility programs.

Through library system, continue purchase of appropriate private and Federal sector videos, publications, posters, and other materials.

Objective 6: Prevent transmission of HIV in health-care setting.

Action Steps: Ensure on-going implementation of CDC recommendations on universal precautions, via policy.

Ensure continuing implementation of OSHA rule on protection of health-care

workers against bloodborne pathogens via policy.

Provide national training program on interdisciplinary team training for staff from infection control, employee health, safety in all VAMCs to implement OSHA rule.

Descriptions: Prevention activities including education and universal precautions.

FY 95: \$31,000,000 *

FY 96: \$31,000,000 *

FY 97: \$31,000,000 *

* Figures are based on the estimated resource expenditures for universal precautions and education and are part of the general Medical Care Budget. FY 1996 and FY 1997 estimates are based on the resource levels contained in the President's budget.)

Populations Served: Eligible veterans through local medical centers and facilities, local VA health-care and support staff, veteran patients and families, general public.

Constituency Involvement: VA medical centers and health-care facilities, and local communities.

Unmet Need: Advances in treatment through research and/or changes in prevention activities may require re-assessment of funding levels.

RESEARCH

Agency: Department of Veterans Affairs

Goal: Utilize the unique resource of the VA-served patient population to further biomedical, health services, and rehabilitation research on HIV and AIDS.

Objective 1: Support AIDS-related research as a high priority area within the VA-served patient population utilizing the unique resources.

Action Steps: Fund research with high technical and scientific merit.

Continue to fund AIDS-related research through existing funding mechanisms, i.e., investigator-initiated studies, cooperative studies, and research centers.

Collaborate with other federal departments and agencies in initiating and conducting AIDS relevant research (including joint funding of projects), thereby making the unique resources of VA available to collaborating investigators.

Provide applicants for research support with feedback on the technical and scientific quality of their proposals.

Objective 2: Develop and maintain AIDS Research Centers to stimulate and emphasize importance of HIV/AIDS research in VA's unique population.

Action Steps: Establish AIDS Research Centers based on competitive proposal basis.

Objective 3: Encourage collaboration with other Federal departments and agencies in initiating and conducting AIDS-related research.

Action Steps: Facilitate investigator requested funding by NIH, other Federal agencies.

Support participation in community trials on individual investigator and medical center basis.

Objective 4: Disseminate research findings.

Action Steps: Publish and present findings of research in peer reviewed journals, and at national and international conferences.

Description: Research activities.

FY 95: \$ 5,400,000 *

FY 96: \$ 5,700,000 *

FY 97: \$ 5,700,000 *

(* Estimated expenditures for HIV/AIDS research are part of the general Medical and Prosthetics Research budgets. FY 1996 and FY 1007 estimates are based on the resource levels contained in the President's budget.)

Populations Served: Veteran patients, general public, researchers.

Constituency Involvement: Veteran patients, scientific community, general public at large.

Unmet Need: Increased funding would enhance ability to involve VA's unique population in research and thereby increasing patients' access to research and the research knowledge base.