	MATERIAL SA	FETY DATA SHI			3169
Section 1: Product & Company Identification			•	3161 3165	
Product Name: Product Number (s	: Disc Brake Hi Temp Wheel Bearing Grease er (s): SL3160-SL3169, 8SL3160			3166 3167	
Manufactured By:	CRC Industries, Inc. 885 Louis Drive, Warminster, I 24-Hour Emergency Information	` .	(215) 674-4300 (800) 424-9300		
Section 2: Composit	ion/Information on Ingredients				
Component	CAS NUMBER	ACGIH TLV	OSHA PEL	OTHER LIMITS	%
Petroleum Distillate	64742-53-6	NE	400 ppm		70-100
Residual Oils	64742-57-0	5 mg/m3	NE	NE	10-30
Molybdenum Disulfi		.1 mg/m3	.1 mg/m3	NE	0-1
Natural graphite	7782-42-5	2.5 mg/m3	2.5 mg/m3	NE	1-5
Section 3: Hazards Id					

Emergency Overview

Appearance & Odor: Black, semi-solid to solid grease with a faint petroleum odor

Potential Health Effects:

Inhalation:

NA

Eyes:

Irritation

Skin:

Irritation

Ingestion:

Irritation to nose, throat or upper respiratory tract.

Carcinogenicity:

OSHA:

No

IARC:

No

NTP:

No

Chronic Overexposure:

NA

Medical Conditions Aggravated by Exposure:

Pre-existing skin and pre-respiratory conditions.

Section 4: First Aid Measures

Inhalation:

Remove to fresh air. Give artificial respiration if necessary.

Eyes:

Flush with large amounts of water for 15 minutes.

Skin:

Remove contaminated clothing and wash area with soap and water.

Ingestion:

Call a physician. Do not induce vomiting.

Product Name:

Disc Brake Hi Temp Wheel Bearing Grease

Product Number (s): SL3160-SL3169, 8SL3160

Section 5: Fire-Fighting Measures

Flashpoint:

450°F

Method:

TCC

LEL: ND

UEL: ND

Extinguishing Media:

CO₂, dry chemical and foam

Hazardous Combustion Products:

CO₂ and carbon monoxide

Fire-fighting Instructions:

Remove containers from fire area if possible. Use self-contained

breathing apparatus for fire fighting.

NFPA:

Health:

Flammability: 1

Reactivity:

HMIS:

Health:

Flammability: 1

1

Reactivity:

0 PPE: B

0

Section 6: Accidental Release Measures

Spill/Leak Procedures: Area should be ventilated. Absorbent should be used to pick up excess material. All used and unused product should be disposed of in accordance with federal, state and local regulations.

Section 7: Handling and Storage

Handling Procedures: Store in a cool, dry area.

Section 8: Exposure Controls/Personal Protection

Engineering Controls: Adequate to prevent accumulation of vapors. Use mechanical means if necessary to maintain levels below the exposure limits. If working in a confined space, follow applicable OSHA regulations.

Respiratory: Use NIOSH/MSHA compliant respirators or self-contained breathing apparatus above exposure limits. Follow OSHA regulations 29 CFR 1910.134.

Protective Clothing/Equipment: Wear chemically protective gloves and safety glasses. Use a splash apron and boots if splashing occurs.

Section 9: Physical & Chemical Properties

Physical State:

Semi-solid to solid

Appearance & Odor:

Black, semi-solid to solid grease with a faint petroleum

odor

Specific Gravity:

0.90 @ 60°F

Boiling Point:

 $> 450 \, {}^{\circ}F$

Freezing Point:

ND

Vapor Pressure: Vapor Density (air = 1)

Neg. > than air

Evaporation Rate: pH:

Neg. NA

Solubility:

Neg.

Volatile Organic Compounds:%: 1.5

g/L: 14 lbs./gal:

0.12

Section 10: Stability and Reactivity

Stability:

Stable

Hazardous Polymerization: No

Chemical Incompatibilities:

Strong oxidizers.

Materials to Avoid:

Strong oxidizing agents

Hazardous Decomposition Products:

None

Disc Brake Hi Temp Wheel Bearing Grease **Product Name:**

Product Number (s): SL3160-SL3169, 8SL3160

Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. See Section 3 of this MSDS for acute symptoms of overexposure and carcinogenicity information.

Section 12: Ecological Information

Ecotoxicity:

No data available.

Environmental Fate:

No data available for biodegradation.

Section 13: Disposal Considerations

Disposal: This material if discarded may be hazardous waste under U.S. EPA RCRA regulations. All disposal activities must comply with federal, state and local regulations. Contact your local or state environmental agency for specific rules. Do not dump into sewers, on the ground or into any body of water.

Section 14: Transportation Information

Shipping Name:

Not Regulated

Hazard Class:

NA

UN Number: NA

Packing Group: NA

Label:

NA NA Placard: NA

Section 15: Regulatory Information

TSCA:

All components are either listed under TSCA or are exempt.

SARA Title III:

Section 311/312:

NA

Section 313*:

None

CERCLA/Superfund (RQ):

Special Provisions:

NA

Extremely Hazardous Substances:

No

California Prop 65:

This product contains chemicals known to the State of California to cause cancer, birth defects and other

reproductive harm.

* See section 2 for percentage

Section 16: Additional Information

Prepared By:

Adam M. Selisker

Date:

February 22, 1999

Technical Information:

(800) 521-3168

CRC #:

NA

This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label.

Chemical Abstract Service CAS: Parts per Million ppm: Tag Closed Cup TCC: Lower Exposure Limit LEL: Upper Exposure Limit UEL: Personal Protection Equipment PPE: COC: Cleveland Closed Cup

NA: ND: NE:

Not Applicable Not Determined Not Established grams per Liter

g/L: lbs./gal: RQ:

pounds per gallon Reportable Quantity