

SAFETY DATA SHEET

Issuing Date 02-Feb-2016

Revision Date 06-Sep-2018

Revision Number 3

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier		
Product Name	Lith-Ease White Lithium Grease	
Other means of identification		
Product Code(s)	WL-2BK (765-1391), WL-1H, WL-1, WL-8, WL-14, WL-15, WL3-3	
Synonyms	Lith-Ease White Lithium Grease	
Recommended use of the cher	ical and restrictions on use	
Recommended Use	LITH-EASE is a high-quality, multi-purpose white lithium grease for automotive, marine shop, farm, and home use. It is a long-lasting lubricant with excellent water and heat resistance, rust and corrosion protection, and high film strength. Won't melt, freeze, gui run off. Provides superior performance in all weather and all temps.	
Uses advised against	No information available	
Supplier's details		
Supplier Address AGS Company Automotive Solutions LLC P.O. Box 729 Muskegon, MI 49443 TEL: 800-253-0403		
Emergency telephone number		
Emergency Telephone Number	800-255-3924	
	2. HAZARDS IDENTIFICATION	
Classification		
This product is considered hazar	ous by the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).	
Skin Sensitization	Category 1	
GHS Label elements, including	precautionary statements	
	Emergency Overview	

Hazard Statements • May cause an allergic skin reaction Image: Comparison of the state state

Precautionary Statements

Prevention

- Avoid breathing dust/fume/gas/mist/vapors/spray.
- · Contaminated work clothing should not be allowed out of the workplace.
- Wear protective gloves.

General Advice

· Specific treatment (see supplemental instructions on the administration of antidotes on this label)

Skin

- IF ON SKIN: Wash with plenty of soap and water.
- If skin irritation or rash occurs: Get medical advice/attention.
- Wash contaminated clothing before reuse.

Storage

None

Disposal

• Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable.

Other information

Toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

Lith-Ease White Lithium Grease

Chemical Name	CAS-No	Weight %	Trade secret
Zinc oxide	1314-13-2	<= 3	*
Titanium dioxide	13463-67-7	1 - 3	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye ContactRinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while
rinsing. If symptoms persist, call a physician.

Skin Contact

Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

Inhalation Move to fresh air.

Ingestion Clean mouth with water and afterwards drink plenty of water.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects May cause allergic skin reaction.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available

Specific Hazards Arising from the Chemical

May cause sensitization by skin contact.

Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures			
Personal Precautions	Ensure adequate ventilation.		
Environmental Precautions			
Environmental Precautions	Avoid release to the environment. Dispose of contents/container to an approved waste disposal plant. Collect spillage. See Section 12 for additional Ecological Information.		
Methods and materials for contair	nment and cleaning up		
Methods for Containment	Prevent further leakage or spillage if safe to do so		
Methods for Containment	Prevent further leakage or spillage if safe to do so.		
Methods for Cleaning Up	Pick up and transfer to properly labeled containers.		
7. HANDLING AND STORAGE			
	7. HANDLING AND STORAGE		
Precautions for safe handling	7. HANDLING AND STORAGE		
Precautions for safe handling Handling	7. HANDLING AND STORAGE Handle in accordance with good industrial hygiene and safety practice.		
-	Handle in accordance with good industrial hygiene and safety practice.		
Handling	Handle in accordance with good industrial hygiene and safety practice.		
Handling Conditions for safe storage, inclu	Handle in accordance with good industrial hygiene and safety practice.		
Handling <u>Conditions for safe storage, inclue</u> Storage Incompatible Products	Handle in accordance with good industrial hygiene and safety practice. ding any incompatibilities Keep containers tightly closed in a dry, cool and well-ventilated place.		

Control parameters

Exposure Guidelines

Chemical Name ACGIH TLV		OSHA PEL	NIOSH IDLH	
Zinc oxide	STEL: 10 mg/m ³ respirable	TWA: 5 mg/m ³ fume	IDLH: 500 mg/m ³	
1314-13-2	particulate matter	TWA: 15 mg/m ³ total dust	Ceiling: 15 mg/m ³ dust	
	TWA: 2 mg/m ³ respirable	TWA: 5 mg/m ³ respirable fraction	TWA: 5 mg/m ³ dust and fume	
	particulate matter	(vacated) TWA: 5 mg/m ³ fume	STEL: 10 mg/m ³ fume	
		(vacated) TWA: 10 mg/m ³ total	-	
		dust		
		(vacated) TWA: 5 mg/m ³		
		respirable fraction		
		(vacated) STEL: 10 mg/m ³ fume		
Titanium dioxide	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust	IDLH: 5000 mg/m ³	
13463-67-7		(vacated) TWA: 10 mg/m ³ total	-	
		dust		

Appropriate engineering controls

Engineering Measures	Showers
	Eyewash stations Ventilation systems
	v ontination oyotonne

Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection	None required for consumer use. Risk of contact, wear: Safety glasses with side-shields. None required for consumer use. Repeated or prolonged contact: Gloves should be worn. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Odor	Solid (compressed). Petroleum.	Appearance Odor Threshold	White. No information available.
Property pH Melting Point/Range Boiling Point/Boiling Range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air upper flammability limit lower flammability limit lower flammability limit Vapor Pressure Vapor Density Specific Gravity Water Solubility Solubility in other solvents Partition coefficient: n-octand Autoignition Temperature Decomposition Temperature Viscosity	Values No data available No data available O.9 Insoluble in water. No data available O.9 Insoluble in water. No data available No data available No data available No data available No data available No data available No data available	Remarks/ - M None known None known	<u>Method</u>
Flammable Properties	No data available.		
Explosive Properties	No data available		

Oxidizing Properties

No data available

0

Other information

VOC Content (%)

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Inhalation	There is no data available for this product.
Eye Contact	May cause temporary eye irritation.
Skin Contact	May cause allergic skin reaction.
Ingestion	There is no data available for this product.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Zinc oxide	> 5000 mg/kg (Rat)	-	-
Titanium dioxide	> 10000 mg/kg (Rat)	-	> 6820 mg/m ³
Naphthalenesulfonic acid, dinonyl-, calcium salt	> 5000 mg/kg (Rat)	> 20000 mg/kg (Rabbit)	> 18 mg/L (Rat)1 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization	May cause sensitization by skin contact.
Mutagenic Effects	No information available
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium dioxide		Group 2B		Х

IARC: (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Reproductive Toxicity	No information available
STOT - single exposure	No information available
STOT - repeated exposure	No information available
Aspiration Hazard	No information available.

Numerical measures of toxicity - Product

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated. Based on components expected to be: Toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Zinc oxide	Selenastrum capricornutum	Oncorhynchus mykiss		Daphnia magna
1314-13-2	72-hour EC50: 0.14 mg/l	96-hour LC50: 0.14 mg/l		48-hour EC50: 0.07 mg/l

Persistence and Degradability

No information available No information available

Bioaccumulation

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.				
Contaminated Packaging	Do not re-use empty containers.				
14. TRANSPORT INFORMATION					
DOT	Not regulated				
ICAO	Not regulated				
IMDG/IMO	Not regulated				

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Zinc oxide	1314-13-2	<= 3	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc oxide		Х		

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Titanium dioxide	13463-67-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Zinc oxide	Х	Х	Х		

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION					
NFPA_	Health Hazard 1	Flammability 0	Instability 0	Physical and Chemical Hazards -	
HMIS	Health Hazard 1	Flammability 0	Physical Hazard 0	Personal Protection X	
Prepared By	23 Britisl	Stewardship h American Blvd. NY 12110 72-6501			
Issuing Date Revision Date Revision Note	02-Feb-2 06-Sep-2 Initial Re	2018			

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text. End of Safety Data Sheet