



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

ACP Super Seal All-In-One R-134a A/C Stop Leak

Version number: 12.0
Replaces version of: 2021-01-21 (11)

Revision: 2021-01-29

SECTION 1: Identification

1.1 Product identifier

Trade name **ACP Super Seal All-In-One R-134a A/C Stop Leak**
Alternative number(s) 048168453610, 048168453603

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.
25225 Detroit Rd.
Westlake OH 44145
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)
Website: <http://data.energizer.com>

Energizer Trading Ltd.
Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376
e-mail: ConsumerServiceEU@energizer.com

1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727
This number is only available during the following
office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
B.5	gases under pressure	L	Press. Gas L	H280

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Contains gas under pressure; may explode if heated.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

ACP Super Seal All-In-One R-134a A/C Stop Leak

Version number: 12.0
Replaces version of: 2021-01-21 (11)

Revision: 2021-01-29

- Signal word warning

- Pictograms

GHS04



- Hazard statements

H280

Contains gas under pressure; may explode if heated.

- Precautionary statements

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P103

Read label before use.

P410+P403

Protect from sunlight. Store in a well-ventilated place.

2.3 Other hazards

of no significance

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
R-134a	CAS No 811-97-2	75 – < 90	Press. Gas C / H280	
Ethanediamine derivative	CAS No trade secret 1760-24-3	1 – < 5	Acute Tox. 4 / H332	
Vinylsilane derivative	CAS No trade secret	1 – < 5	Acute Tox. 4 / H332 Flam. Liq. 3 / H226	
Dimethyl adipate	CAS No 627-93-0 Trade secret	1 – < 5	Acute Tox. 4 / H312	

For full text of abbreviations: see SECTION 16.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

ACP Super Seal All-In-One R-134a A/C Stop Leak

Version number: 12.0
Replaces version of: 2021-01-21 (11)

Revision: 2021-01-29

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Thaw frosted parts with lukewarm water. Do not rub affected area.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Contact with the product can cause burns and/or frostbite. Contains gas under pressure; may explode if heated.

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

ACP Super Seal All-In-One R-134a A/C Stop Leak

Version number: 12.0
Replaces version of: 2021-01-21 (11)

Revision: 2021-01-29

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Level 1 Aerosol.

Managing of associated risks

- Flammability hazards

Protect from sunlight.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

ACP Super Seal All-In-One R-134a A/C Stop Leak

Version number: 12.0
Replaces version of: 2021-01-21 (11)

Revision: 2021-01-29

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

This information is not available.

Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
R-134a	811-97-2	DNEL	13,936 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Dimethyl adipate	627-93-0 Trade secret	DNEL	8.3 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Dimethyl adipate	627-93-0 Trade secret	DNEL	8.3 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects

Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
R-134a	811-97-2	PNEC	0.1 mg/l	aquatic organisms	freshwater	short-term (single instance)
R-134a	811-97-2	PNEC	0.01 mg/l	aquatic organisms	marine water	short-term (single instance)
R-134a	811-97-2	PNEC	73 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
R-134a	811-97-2	PNEC	0.75 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Dimethyl adipate	627-93-0 Trade secret	PNEC	0.18 mg/l	aquatic organisms	water	intermittent release
Dimethyl adipate	627-93-0 Trade secret	PNEC	0.018 mg/l	aquatic organisms	freshwater	short-term (single instance)
Dimethyl adipate	627-93-0 Trade secret	PNEC	0.002 mg/l	aquatic organisms	marine water	short-term (single instance)
Dimethyl adipate	627-93-0 Trade secret	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Dimethyl adipate	627-93-0 Trade secret	PNEC	0.16 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

ACP Super Seal All-In-One R-134a A/C Stop Leak

Version number: 12.0
Replaces version of: 2021-01-21 (11)

Revision: 2021-01-29

Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Dimethyl adipate	627-93-0 Trade secret	PNEC	0.016 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Dimethyl adipate	627-93-0 Trade secret	PNEC	0.09 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	gaseous (liquefied)
Color	various
Odor	characteristic



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

ACP Super Seal All-In-One R-134a A/C Stop Leak

Version number: 12.0
Replaces version of: 2021-01-21 (11)

Revision: 2021-01-29

Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	123 °C at 1,013 hPa
Flash point	23 °C
Evaporation rate	Not determined
Flammability (solid, gas)	this material is combustible, but will not ignite readily

Explosive limits

- Lower explosion limit (LEL)	1.42 vol%
- Upper explosion limit (UEL)	22.7 vol%
Vapor pressure	5.74 bar at 20 °C
Density	not determined
Vapor density	not determined
Relative density	Information on this property is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	>743 °C (auto-ignition temperature (liquids and gases))
Viscosity	not relevant (gaseous)
Explosive properties	none
Oxidizing properties	none



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

ACP Super Seal All-In-One R-134a A/C Stop Leak

Version number: 12.0
Replaces version of: 2021-01-21 (11)

Revision: 2021-01-29

9.2 Other information

Temperature class (USA, acc. to NEC 500)	T1 (maximum permissible surface temperature on the equipment: 450°C)
--	--

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Gas under pressure.

If heated:

Danger of explosion, Gas under pressure, Danger of bursting container

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

ACP Super Seal All-In-One R-134a A/C Stop Leak

Version number: 12.0
Replaces version of: 2021-01-21 (11)

Revision: 2021-01-29

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Vinylsilane derivative	trade secret	inhalation: gas	2,773 ppmV/4h
Vinylsilane derivative	trade secret	inhalation: vapor	11 mg/l/4h
Ethanediamine derivative	trade secret 1760-24-3	inhalation: vapor	11 mg/l/4h
Ethanediamine derivative	trade secret 1760-24-3	inhalation: dust/mist	1.49 mg/l/4h
Dimethyl adipate	627-93-0 Trade secret	dermal	1,000 mg/kg

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

ACP Super Seal All-In-One R-134a A/C Stop Leak

Version number: 12.0
Replaces version of: 2021-01-21 (11)

Revision: 2021-01-29

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

DOT	UN 3159
IMDG-Code	UN 3159
ICAO-TI	UN 3159

14.2 UN proper shipping name

ACP Super Seal All-In-One R-134a A/C Stop Leak

Version number: 12.0
Replaces version of: 2021-01-21 (11)

Revision: 2021-01-29

DOT	Refrigerant gas R 134a
IMDG-Code	1,1,1,2-TETRAFLUOROETHANE
ICAO-TI	Refrigerant gas R 134a
14.3 Transport hazard class(es)	
DOT	2.2
IMDG-Code	2.2
ICAO-TI	2.2
14.4 Packing group	not assigned
14.5 Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations
14.5.1 Additional information	DOT-SP 10232, LTD QTY
14.6 Special precautions for user	
There is no additional information.	
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code	
The cargo is not intended to be carried in bulk.	

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Particulars in the shipper's declaration	UN3159, Refrigerant gas R 134a, 2.2
Reportable quantity (RQ)	27,356,162 lbs (12,419,697 kg) (toluene) (methanol)
Danger label(s)	2.2



Special provisions (SP)	T50, DOT-SP 10232, LTD QTY
ERG No	126

International Maritime Dangerous Goods Code (IMDG) - Additional information

Particulars in the shipper's declaration	UN3159, 1,1,1,2-TETRAFLUOROETHANE, 2.2, 23°C C.C.
Marine pollutant	-
Danger label(s)	2.2



Special provisions (SP)	-
-------------------------	---



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

ACP Super Seal All-In-One R-134a A/C Stop Leak

Version number: 12.0
Replaces version of: 2021-01-21 (11)

Revision: 2021-01-29

Excepted quantities (EQ)	E1
Limited quantities (LQ)	120 mL
EmS	F-C, S-V
Stowage category	A
International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information	
Particulars in the shipper's declaration	UN3159, Refrigerant gas R 134a, 2.2
Danger label(s)	2.2



Excepted quantities (EQ)	E1
--------------------------	----

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA) all ingredients are listed

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)
none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Hazardous Substances List (MN-ERTK)

Name of substance	Name acc. to inventory	CAS No	References	Remarks
R-134a	1,1,1,2-Tetrafluoroethane	811-97-2	I	

Legend

I American Industrial Hygiene Association (AIHA), "Workplace Environmental Exposure Level Guides" (1992), available from AIHA

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

The presence of Prop 65 chemicals in the product does not indicate whether or not a label warning is required.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

ACP Super Seal All-In-One R-134a A/C Stop Leak

Version number: 12.0
Replaces version of: 2021-01-21 (11)

Revision: 2021-01-29

Proposition 65 List of chemicals

Name acc. to inventory	CAS No	Remarks	Type of the toxicity
methanol	67-56-1		developmental
toluene	108-88-3		developmental

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	0	no significant risk to health
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	1	material that is normally stable but can become unstable (self-react) at high temperatures and pressures. Material may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

ACP Super Seal All-In-One R-134a A/C Stop Leak

Version number: 12.0
Replaces version of: 2021-01-21 (11)

Revision: 2021-01-29

Country	Inventory	Status
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.5.1		Additional information: DOT-SP 10232, LTD QTY	yes
14.7	Information for each of the UN Model Regulations: DOT	Information for each of the UN Model Regulations	yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

ACP Super Seal All-In-One R-134a A/C Stop Leak

Version number: 12.0
Replaces version of: 2021-01-21 (11)

Revision: 2021-01-29

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
15.1	Cleaning Product Right to Know Act Substance List (CA-RTK)		yes
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes
14.7	Special provisions (SP): T50	Special provisions (SP): T50, DOT-SP 10232, LTD QTY	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ERG No	Emergency Response Guidebook - Number
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

ACP Super Seal All-In-One R-134a A/C Stop Leak

Version number: 12.0
Replaces version of: 2021-01-21 (11)

Revision: 2021-01-29

Abbr.	Descriptions of used abbreviations
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
Press. Gas	Gas under pressure
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H280	Contains gas under pressure; may explode if heated.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.